

Food Corner Website

Student: _____ Section: _____

Course: Web Technologies Submission date: _____

Project summary

Food Corner is a responsive single-page restaurant website built with HTML and CSS. It contains a navigation header, welcome area, four menu items with prices, an about section, a contact form and a footer. A CSS workshop section on the page makes the required layout and styling demonstrations visible.

CSS concepts demonstrated

Concept	Where it appears
Inline, internal and external CSS	The welcome sticker has an inline style in index.html; the head contains internal rules for the report note and margin demo; style.css contains the site's main design.
Selectors	Element (body), class (.food-card), ID (#home), attribute (input[type="email"]), grouping (h1, h2, h3, p), and descendant (.food-card .food-content h3) selectors are in style.css.
Pseudo-classes and pseudo-elements	Navigation and order buttons use :hover. The first menu card uses :first-child. Workshop headings use ::before and ::after.
Cascade, specificity and inheritance	The body supplies inherited font and color. The .lab-panel .lab-note rule overrides the less-specific .lab-note rule. Repeated .cascade-note rules demonstrate source order; .css-lab .cascade-note wins by specificity.
Fonts, text and colors	Font family, size, weight and italic style; alignment, decoration and line height; named, HEX and RGB colors are used in the page styles.
Backgrounds, box model and cards	Menu imagery uses background-image, repeat, position and size. Cards use width, height, padding, borders, margin via the grid gap, border radius, shadow and border-box sizing.
Margin collapsing	The two workshop blocks have adjoining vertical margins. Their margins collapse, so the gap is the larger margin rather than their sum.
Constraints and overflow	The size-constraints example uses width, height, min-width, max-width, min-height and max-height. Three fixed-height boxes show visible, hidden and scroll overflow.

Concept	Where it appears
Display values	The workshop shows block, inline, inline-block and none. Navigation anchors are inline-block; the hidden sample is removed from layout with display:none.

Margin collapsing observation

When two normal block elements are stacked vertically, their adjoining vertical margins can collapse into one margin. The resulting space is the larger of the two margins, not their total. In this demonstration, the first block has a 28px bottom margin and the second has an 18px top margin. The visible gap is 28px. Horizontal margins do not collapse in this way, and padding or a border between elements can prevent vertical margins from adjoining.

Testing and publishing

The layout is designed for desktop and mobile widths. The menu photographs load from Unsplash, so an internet connection is needed for those images. To create the requested PDF, open this report and choose **Print / Save as PDF**. Publish the FoodCorner folder using an approved static host such as GitHub Pages, Netlify or Vercel, then add the live URL here:

Live website URL: _____

Live demonstration notes

- Explain that normal block vertical margins collapse to the larger adjoining value.
- In style.css, change the .overflow-hidden rule to visible or scroll and compare the examples.
- Resize the browser to see the grid reflow and the constraint box respond to its max-width.
- Show how the later .cascade-note rule wins among equal-specificity rules, then how .css-lab .cascade-note overrides it.