

# Table of contents

NO	TABLE NAME	PAGE
1	additional_charge	2
2	admin	2
3	adminloginhistory	3
4	bonus	3
5	bonus_display_setting	4
6	business_kyc_tbl	4
7	city	6
8	coin_address	6
9	coin_rate	6
10	countries	7
11	crypto_rates	7
12	customerloginhistory	8
13	customer_master	8
14	email_template	9
15	ico_display_setting	10
16	ico_round	10
17	ikyc_tbl	10
18	payment_method	12
19	purchase_product	12
20	referearn	13
21	shuftipro_setting	13
22	states	13
23	stripe_key_setting	14
24	support_ticket	14
25	support_ticket_chat	14
26	temp_kyc_tbl	15
27	total_sold_tokens_chart	16
28	transaction_mast	17
29	wallet	17
30	withdraw	18
31	withdraw_setting	18

## 1 additional\_charge

Column	Type	Attributes	Null	Default	Extra	Links to	Comments	MIME
additional_charge_id	int(11)		no	none	AUTO_INCREMENT			
charge	int(11)		no	none				

## 2 admin

Column	Type	Attributes	Null	Default	Extra	Links to	Comments	MIME
admin_id	int(11)		no	none	AUTO_INCREMENT			
username	varchar(255)		no	none				
email	varchar(255)		yes	null				
password	varchar(255)		no	none				
two_auth	tinyint(4)		no	none				
google_auth_code	varchar(255)		no	none				
oauth_provider	text		no	none				
oauth_uid	text		no	none				
users	int(11)		yes	null				
email_template	int(11)		yes	null				
withdraw	int(11)		yes	null				
transaction	int(11)		yes	null				
referral	int(11)		yes	null				
kycdoc	int(11)		yes	null				
setting	int(11)		yes	null				
rolemanager	int(11)		yes	null				
twofa_setting	int(11)		yes	null				
change_password	tinyint(4)		no	0				
support_ticket	tinyint(4)		no	0				

admin_role	int(11)		no	none				
support_role	int(11)		no	none				
compliance_role	int(11)		no	none				
accounting_role	int(11)		no	none				
mobile_otp	varchar(11)		no	none				
mobile_status	int(11)		no	0				

### 3 adminloginhistory

Column	Type	Attributes	Null	Default	Extra	Links to	Comments	MIME
adminloginhistory_id	int(11)		no	none	AUTO_INCREMENT			
user_id	int(11)		No	none				
browser	varchar(555)		no	none				
ip_address	varchar(555)		no	none				
os	text		no	none				
status	int(11)		no	none				
reg_date	timestamp		no	CURRENT_TIMESTAMP				

### 4 bonus

Column	Type	Attributes	Null	Default	Extra	Links to	Comments	MIME
b_id	int(11)		no	none	AUTO_INCREMENT			
from	text		no	none				
to	text		no	none				
percentage	text		no	none				

## 5 bonus\_display\_setting

Column	Type	Attributes	Null	Default	Extra	Links to	Comments	MIME
bonus_display_setting_id	int(11)		no	none	AUTO_INCREMENT			
status	varchar(100)		no	none				

## 6 business\_kyc\_tbl

Column	Type	Attributes	Null	Default	Extra	Links to	Comments	MIME
bkyc_id	int(11)		no	none	AUTO_INCREMENT			
cust_id	int(11)		no	none				
company_type	varchar(255)		no	none				
company_role	varchar(255)		no	none				
registration_number	varchar(255)		no	none				
website	varchar(255)		no	none				
business_doc	varchar(255)		no	none				
b_address	varchar(255)		no	none				
b_country	varchar(10)		no	none				
b_state	varchar(10)		no	none				
b_city	varchar(10)		no	none				
b_postalcode	varchar(100)		no	none				
first_middle_name	varchar(255)		no	none				
last_name	varchar(255)		no	none				
dob	date		no	none				
phone_number	varchar(255)		no	none				
country	varchar(10)		no	none				

state	varchar(10)		no	none				
city	varchar(10)		no	none				
zipcode	varchar(100)		no	none				
occupation	varchar(255)		no	none				
authorized_s ignature	varchar(255)		no	none				
place_incor poration	varchar(255)		no	none				
date_comme ncement_bu siness	date		no	none				
net_worth	varchar(255)		no	none				
articles_inco rporation	varchar(255)		no	none				
partnership_ agreements	varchar(255)		no	none				
business_cer tificates	varchar(255)		no	none				
document_n ame	varchar(255)		no	none				
photograph	varchar(255)		no	none				
pan	varchar(255)		no	none				
proof_identi ty	varchar(255)		no	none				
address_pro of	varchar(255)		no	none				
bank_statem ents	varchar(255)		no	none				
balance_she ets	varchar(255)		no	none				
verified_stat us	int(11)		no	0				
note	varchar(255)		no	none				
created_date	timestamp		no	CUR REN T_TI MES TAM P				

## 7 city

Column	Type	Attributes	Null	Default	Extra	Links to	Comments	MIME
id	int(11)		no	none	AUTO_INCREMENT			
state_id	int(11)		no	none				
city_name	varchar(255)		no	none				
status	enum('Enable','Disable')		no	none				
created_date	timestamp		no	CURRENT_TIMESTAMP				
created_ip	varchar(50)		yes	null				

## 8 coin\_address

Column	Type	Attributes	Null	Default	Extra	Links to	Comments	MIME
a_id	int(11)		no	none	AUTO_INCREMENT			
address	text		no	none				
coin_name	text		no	none				

## 9 coin\_rate

Column	Type	Attributes	Null	Default	Extra	Links to	Comments	MIME
coin_rate_id	int(11)		no	none	AUTO_INCREMENT			
coin_rate	varchar(10)		no	none				
rate_status	varchar(100)		yes	0				

## 10 countries

Column	Type	Attributes	Null	Default	Extra	Links to	Comments	MIME
c_id	int(11)		no	none	AUTO_INCREMENT			
country_name	varchar(255)		no	none				
country_code	varchar(10)		no	none				
country_iso	varchar(10)		no	none				
status	varchar(20)		no	none				
created_ip	varchar(255)		no	none				
updated_ip	varchar(255)		no	none				
created_at	timestamp	on update CURRENT_TIMESTAMP	no	CURRENT_TIMESTAMP  ON  UPDATE  CURRENT_TIMESTAMP				
update_at	timestamp		no	0000-00-00  00:00:00				

## 11 crypto\_rates

Column	Type	Attributes	Null	Default	Extra	Links to	Comments	MIME
crypto_id	int(11)		no	none	AUTO_INCREMENT			

crypto_name	varchar(50)		no	none				
crypto_rate	float		no	none				

## 12 customerloginhistory

Column	Type	Attributes	Null	Default	Extra	Links to	Comments	MIME
customerloginhistory_id	int(11)		no	none	AUTO_INCREMENT			
user_id	int(11)		no	none				
browser	varchar(255)		no	none				
ip_address	varchar(255)		no	none				
os	varchar(100)		no	none				
reg_date	timestamp		no	CURRENT_TIMESTAMP				
status	int(11)		no	none				

## 13 customer\_master

Column	Type	Attributes	Null	Default	Extra	Links to	Comments	MIME
cust_id	int(11)		no	none	AUTO_INCREMENT			
fullname	varchar(100)		no	none				
last_name	varchar(255)		no	none				
email	varchar(100)		no	none				
estimated_fund_amount	varchar(255)		no	none				
phone	varchar(20)		no	none				
password	varchar(300)		no	none				
country	varchar(50)		no	none				
status	int(10)		no	none				



register_date	timestamp		yes	CURRENT_TIMESTAMP				
ethereum_address	varchar(255)		yes	null				
referralcode	varchar(255)		no	none				
referralcode from	varchar(255)		no	none				
affiliateuser commission	varchar(200)		yes	null				
address	text		no	none				
phone_bill	text		no	none				
passport	text		no	none				
national_id	text		no	none				
verified_status	varchar(100)		no	0				
two_auth	tinyint(4)		no	0				
google_auth_code	varchar(255)		yes	null				
oauth_provider	text		yes	null				
oauth_uid	text		yes	null				
profile_pic	varchar(100)		no	none				
activation_status	int(255)		no	0				
mobile_otp	varchar(10)		no	none				
mobile_status	int(11)		no	0				
unusual_activity	int(11)		no	0				
email_ps_status	int(11)		no	0				
temp_password	varchar(300)		no	none				

## 14 email\_template

Column	Type	Attributes	Null	Default	Extra	Links to	Comments	MIME
temp_id	int(11)		no	none	AUTO_INCREMENT			

subject	varchar(300)		no	none				
content	text		no	none				

## 15 ico\_display\_setting

Column	Type	Attributes	Null	Default	Extra	Links to	Comments	MIME
ico_display_setting_id	int(11)		no	none	AUTO_INCREMENT			
bitcoin	int(11)		no	1				
ethereum	int(11)		no	1				
litecoin	int(11)		no	1				

## 16 ico\_round

Column	Type	Attributes	Null	Default	Extra	Links to	Comments	MIME
ico_round_id	int(11)		no	none	AUTO_INCREMENT			
ico_round_name	varchar(255)		no	none				
total_token	varchar(255)		no	none				
bonus	varchar(255)		no	none				
round_rate	varchar(255)		no	none				
start_date	date		no	none				
end_date	date		no	none				
total_sold	varchar(255)		no	none				

## 17 ikyc\_tbl

Column	Type	Attributes	Null	Default	Extra	Links to	Comments	MIME
ikyc_id	int(11)		no	none	AUTO_INCREMENT			

cust_id	int(11)		no	none				
first_middle_name	varchar(255)		no	none				
last_name	varchar(255)		no	none				
email	varchar(50)		no	none				
dob	date		no	none				
phone_number	varchar(11)		no	none				
country	varchar(255)		no	none				
state	varchar(255)		no	none				
city	varchar(255)		no	none				
zipcode	varchar(20)		no	none				
occupation	varchar(255)		no	none				
document_type	varchar(50)		no	none				
document_number	varchar(255)		no	none				
issue_date	date		no	none				
expiry_date	date		no	none				
address_as_doc	text		no	none				
front_side	varchar(255)		no	none				
back_side	varchar(255)		no	none				
handwritten_signature	varchar(255)		no	none				
utility_bill	varchar(255)		no	none				
selfie_id	varchar(255)		no	none				
verified_status	int(11)		no	0				
note	varchar(255)		no	none				
created_date	timestamp		no	CURRENT_TIMESTAMP				

## 18 payment\_method

Column	Type	Attributes	Null	Default	Extra	Links to	Comments	MIME
p_method_id	int(11)		no	none	AUTO_INCREMENT			
method_id	int(11)		no	none				
method_name	varchar(50)		no	none				

## 19 purchase\_product

Column	Type	Attributes	Null	Default	Extra	Links to	Comments	MIME
purchase_product_id	int(11)		no	none	AUTO_INCREMENT			
full_name	varchar(255)		no	none				
email	varchar(255)		no	none				
phone_number	varchar(255)		no	none				
street_addresses	varchar(555)		no	none				
area	varchar(255)		no	none				
country	varchar(255)		no	none				
state	varchar(255)		no	none				
city	varchar(255)		no	none				
card_name	varchar(255)		no	none				
product_name	varchar(255)		no	none				
amount	float		no	none				
product_size	varchar(255)		no	none				
currency	varchar(100)		no	none				
status	int(11)		no	none				
reg_date	date		no	none				

## 20 referean

Column	Type	Attributes	Null	Default	Extra	Links to	Comments	MIME
referean_id	int(11)		no	none	AUTO_INCREMENT			
reg_date	datetime		no	none				
user	varchar(255)		no	none				
email	varchar(255)		no	none				
purchase_coins	varchar(200)		no	none				
commission	varchar(200)		no	none				
cust_id	int(11)		no	none				

## 21 shuftipro\_setting

Column	Type	Attributes	Null	Default	Extra	Links to	Comments	MIME
shufti_id	int(11)		no	none	AUTO_INCREMENT			
status	int(11)		no	none				

## 22 states

Column	Type	Attributes	Null	Default	Extra	Links to	Comments	MIME
id	int(11)		no	none	AUTO_INCREMENT			
country_id	int(11)		no	none				
state_name	varchar(255)		no	none				
status	enum('Enable', 'Disable')		no	Enable				
created_date	timestamp		no	CURRENT_TIMESTAMP				

				TAMP				
created_ip	varchar(50)		yes	null				

## 23 stripe\_key\_setting

Column	Type	Attributes	Null	Default	Extra	Links to	Comments	MIME
stripe_key_setting_id	int(11)		no	none	AUTO_INCREMENT			
account_key	varchar(255)		no	none				
secret_key	Varchar(255)		no	none				

## 24 support\_ticket

Column	Type	Attributes	Null	Default	Extra	Links to	Comments	MIME
support_ticket_id	int(11)		no	none	AUTO_INCREMENT			
sender_customer_id	int(11)		no	none				
receiver_admin_id	int(11)		no	none				
ticket_number	varchar(250)		no	none				
subject	varchar(255)		no	none				
message	text		no	none				
ticket_date	datetime		no	none				
status	varchar(100)		no	0				

## 25 support\_ticket\_chat

Column	Type	Attributes	Null	Default	Extra	Links to	Comments	MIME
support_ticket_chat_id	int(11)		no	none	AUTO_INCREMENT			
support_ticket_id	int(11)		no	none				

customer_id	int(11)		no	none				
message	text		no	none				
message_date	timest amp		no	CUR REN T_TI MES TAM P				
message_status	varcha r(200)		no	none				

## 26 temp\_kyc\_tbl

Column	Type	Attributes	Null	Defa ult	Extra	Links to	Comment s	MIM E
temp_kyc_i d	int(11)		no	none	AUTO_INCREMENT			
cust_id	int(11)		no	none				
first_middle _name	varchar(255)		no	none				
last_name	varchar(255)		no	none				
email	varchar(50)		no	none				
dob	date		no	none				
phone_num ber	varchar(11)		no	none				
country	varchar(100)		no	none				
state	varchar(100)		no	none				
city	varchar(100)		no	none				
zipcode	varchar(20)		no	none				
occupation	varchar(20)		no	none				
document_t ype	vachar(30)		no	none				
document_n umber	varchar(255)		no	none				
issue_date	date		no	none				
expiry_date	date		no	none				
address_as_ doc	text		no	none				
front_side	varchar(255)		no	none				

back_side	varchar(255)		no	none				
handwritten_signature	varchar(255)		no	none				
utility_bill	varchar(255)		no	none				
selfie_id	varchar(255)		no	none				
verified_status	int(11)		no	0				
created_date	timestamp		no	CURRENT_TIMESTAMP				

## 27 total\_sold\_token\_chart

Column	Type	Attributes	Null	Default	Extra	Links to	Comments	MIME
chart_id	int(11)		no	none	AUTO_INCREMENT			
week_1	int(20)		no	none				
week_2	int(20)		no	none				
week_3	int(20)		no	none				
week_4	int(20)		no	none				
week_5	int(20)		no	none				
week_6	int(20)		no	none				
week_7	int(20)		no	none				
week_8	int(20)		no	none				
week_9	int(20)		no	none				
week_10	int(20)		no	none				
week_11	int(20)		no	none				
week_12	int(20)		no	none				



## 28 transaction\_mast

Column	Type	Attributes	Null	Default	Extra	Links to	Comments	MIME
txn_id	int(11)		no	none	AUTO_INCREMENT			
address	varchar(100)		yes	null				
method	varchar(50)		yes	null				
transaction_id	varchar(100)		yes	null				
user_id	int(11)		yes	null				
user_name	varchar(100)		yes	null				
amount	double		yes	null				
crypto	double		yes	null				
coins	float		yes	null				
bonus	float		yes	null				
total	double		yes	null				
payment_screenshot	text		no	none				
status	tinyint(1)		yes	null				
wallet_status	int(11)		yes	null				
action	int(11)		no	none				
transaction_date	datetime		no	none				
trash_status	int(11)		no	0				

## 29 wallet

Column	Type	Attributes	Null	Default	Extra	Links to	Comments	MIME
wallet_id	int(11)		no	none	AUTO_INCREMENT			
cust_id	int(11)		no	none				
total_coins	varchar(255)		no	none				
amount	varchar(255)		no	none				

## 30 withdraw

Column	Type	Attributes	Null	Default	Extra	Links to	Comments	MIME
w_id	int(11)		no	none	AUTO_INCREMENT			
withdraw_date	datetime		no	none				
eth_address	varchar(100)		no	none				
tokens	float		no	none				
withdraw_status	varchar(100)		no	0				
user_id	int(11)		no	none				
rcoin	varchar(255)		no	none				

## 31 withdraw\_setting

Column	Type	Attributes	Null	Default	Extra	Links to	Comments	MIME
with_setting_id	int(11)		no	none	AUTO_INCREMENT			
with_status	int(11)		no	0				