

PRINTABLE REFERENCE

Grafly — User Flow Map

A printable reference covering every screen, branch,
and gating rule in the Grafly mobile app.

Generated April 25, 2026

Table of contents

01 App entry & authentication

02 Onboarding flow

03 Main tab navigation overview

04 Home tab flow

05 Skill Tree tab flow

06 Lesson flow

07 Critique tab flow

08 Shop tab flow

09 Profile tab flow

10 Paywall flow

11 Cross cutting states

App entry & authentication

Cold start runs through the AuthGate, which decides between onboarding, the main app, or the auth screen based on persisted state.

Cold start decision tree

```
Splash / app load
  -> Providers mount: SafeArea, QueryClient, Auth, Game
  -> AuthGate evaluates persisted state

IF onboardingComplete == false
  -> redirect to /onboarding

IF onboardingComplete == true AND route == /onboarding
  -> redirect to /(tabs)

IF route in [auth, auth-callback]
  -> always allowed (password recovery deep link)

ELSE
  -> render requested route
```

Auth screen (/auth) modes

```
[Sign in] (default)
  email + password -> Supabase signIn
    success -> replace /(tabs)
    error    -> inline error
  Continue with Google -> OAuth flow
    success -> replace /(tabs)

[Sign up]
  email + password (>= 6 chars)
    needsConfirmation -> notice + return to Sign in
    confirmed          -> replace /(tabs)

[Reset password]
  email -> Supabase resetPassword
    success -> show 'check your email' notice
    error    -> inline error

Close (X) shown only if onboardingComplete == true -> /(tabs)
```

Onboarding flow

Eight ordered steps from welcome to optional account creation. Placement test can be skipped; account creation can be deferred.

Step sequence

```
1. welcome
  - Logo, theme toggle (light/dark), Start CTA
  v
2. name
  - TextInput (max 24 chars), required to advance
  v
3. goal
  - Pick 1 of 4: basics | improve | portfolio | career
  v
4. level (self assessed)
  - Beginner | Intermediate | Advanced
  v
5. time (daily commitment)
  - 5 min | 10 min | 15+ min
  v
6. placement
  - Multi choice and true/false questions
  - 'Skip placement' -> jump to results as 'novice'
  v
7. results
  - PlacementLevel: novice | beginner | intermediate | advanced | expert
  - Mascot celebrates
  v
8. signup
  - Continue with Google -> finish
  - Email sign in / sign up / reset -> finish
  - 'Skip / continue without account' -> finish (guest)
  v
completeOnboarding(name, level) -> redirect /(tabs)
```

Placement scoring

```
score / total  
>= 0.90 -> expert  
>= 0.75 -> advanced  
>= 0.55 -> intermediate  
>= 0.35 -> beginner  
< 0.35 -> novice
```

Main tab navigation overview

After onboarding, users land in a 5 tab floating bottom nav. Each tab is a top level screen; lessons, paywall, leaderboard, and auth are presented above it.

Tab bar (left to right)

```
[ Home ]    index    -> /(tabs)/index
[ Tree ]    tree     -> /(tabs)/tree
[ Critique ] critique -> /(tabs)/critique
[ Shop ]    shop     -> /(tabs)/shop
[ Profile ] profile  -> /(tabs)/profile
```

Modal / above tab routes

```
/lesson?nodeId=... (full screen lesson player)
/paywall            (subscription upsell)
/leaderboard        (weekly XP leaderboard)
/courses            (course library)
/auth               (sign in / up / reset)
/auth-callback      (OAuth + password reset return)
```

Home tab flow

Daily landing page summarising progress, surfacing the next lesson, and routing to courses, the leaderboard, and the paywall.

Sections (top to bottom)

```
Header (fixed, minimal)
  - Logo, streak count (flame icon), coin count

Greeting + streak status
  - 'Hey {name}', current streak, streak risk warning

Pro upgrade banner (free users only)
  -> tap -> /paywall

Continue learning card
  -> tap -> /lesson?nodeId=<lastUnfinished>

Popular courses carousel
  -> tap card -> /(tabs)/tree?courseId=<id>

Rank / leaderboard card
  -> tap -> /leaderboard

Overlays
  - XPPopup on XP gain
  - LevelUpOverlay on level up
```

Skill Tree tab flow

Course picker plus a vertical node tree. Nodes have three states (locked / unlocked / completed); pressing one opens a sheet that launches the lesson.

Course picker

```
Header shows current course + completion %  
-> tap header -> course picker modal  
    -> select course -> tree re renders for that course
```

Node states

```
For each node:  
  IF every prerequisite node id is in completedLessons  
    IF every lesson in node is completed  
      -> COMPLETED (success colour, checkmark)  
    ELSE  
      -> UNLOCKED (course colour, lesson icon)  
  ELSE  
    -> LOCKED (muted colour, lock icon)
```

Node press

```
Tap node -> NodeSheet (bottom sheet)  
  - Title, description, lesson count, XP reward  
  IF locked -> message 'Complete previous lessons' (no CTA)  
  IF unlocked -> 'Start lesson' -> /lesson?nodeId=<id>  
  IF completed -> 'Review' -> /lesson?nodeId=<id>
```


Lesson flow

Question by question lesson player. Seven question types share one engine. Wrong answers cost a heart; reaching zero hearts forces the paywall.

Per question loop

Render question by type:

- multiple_choice
- true_false
- spot_the_difference
- tap_the_element
- arrange_in_order
- drag_to_match
- fill_in_blank

User submits answer

IF correct

- > success colours, checkmark, success sound
- > mascot 'celebrate'
- > tap Continue -> next question

IF wrong

- > destructive colours, shake, error sound
- > mascot 'wrong'
- > loseHeart()

IF hearts == 0

- > redirect /paywall (out of hearts state)

ELSE

- > tap Continue -> next question

End of lesson summary

After last question:

- completeLesson(nodeId, lessonIdx)
- Award XP, coins; record completion
- Show summary: XP earned, coins earned, hearts lost

Summary CTAs:

IF more lessons in this node

- > 'Next Lesson' -> advance lessonIdx, reset state

ELSE (last lesson in node)

- > CTA -> router.replace('/(tabs)/tree')

Critique tab flow

AI design mentor. Pick a mockup, chat in turns, earn rewards after enough exchanges. Free users are capped per day; Pro is unlimited.

Session lifecycle

1. Idle / mockup selection
 - Shuffle mockup deck, tap one to start
 - ▼
2. Mentor chat
 - User submits critique notes
 - AI responds (typewriter animation)
 - Repeat for several turns
 - ▼
3. Reward gate
 - IF userTurns >= MIN_USER_TURNS_FOR_REWARD (3)
 - > award XP + coins, mark session complete
 - ELSE
 - > no reward yet, can keep chatting
 - ▼
4. Session end
 - Reset to idle, show 'sessions remaining today'

Free vs Pro gating

- Free tier
- maxSessions = 2 (per screen mount, local useState)
 - sessionsDone resets if the user leaves and returns
 - On limitReached:
 - > show 'Limit reached' state
 - > CTA 'Unlock Pro' -> /paywall
- Pro tier
- maxSessions = Infinity (state.isPro == true)
 - No paywall trigger from this screen

Shop tab flow

Browse power ups and cosmetics. Power ups deduct coins and persist to game state; cosmetics show a confirmation toast only. Insufficient balance shows a friendly fail state.

Categories

Power ups (persistent)

- Heart Refill -> refillHearts() (costs 100 coins)
- Streak Shield -> purchaseShield()
- XP Booster -> activateBooster()

Cosmetics (visual only)

- Avatar Frames -> 'equipped!' toast (no coin deduction, no persisted equip state in current build)

Purchase flow

Tap item -> ShopCard checks `canAfford = state.coins >= cost`

Power up branch

```
IF canAfford
  -> useCoins(cost) + apply effect via GameContext
  -> mascot 'celebrate' + success toast
ELSE
  -> mascot 'wrong' + 'Not enough coins' toast
```

Cosmetic branch

```
IF canAfford -> 'X equipped!' toast (UI only)
ELSE         -> 'Not enough coins' toast
```

No Pro only gating in current shop build

Profile tab flow

User identity, gamification stats, achievements, app preferences, and account actions in one scroll.

Sections (top to bottom)

Identity card

- Mascot, username (tap pencil to edit)
- Level, division (bronze..diamond), placement label
- Weekly XP

Progress

- Level number, XP bar (current / required)
- 'X XP to level N+1'

By the numbers (stats grid)

- Total XP, current streak, max streak, lessons done

Achievements / badges (horizontal scroll)

- Unlocked badges in colour, locked in muted with lock icon

Preferences

- Voice feedback toggle (toggleVoice)

Account

- Upgrade to Pro -> /paywall
- IF signed in -> Sign out (signOut)
- IF guest -> 'Save your progress' -> /auth

Paywall flow

Single paywall screen reached from many trigger points. Annual plan is preselected; purchase flips isPro and returns the user to where they came from.

Trigger points

```
Home upgrade banner
Critique 'limit reached' CTA
Lesson hearts == 0 (forced)
Profile 'Upgrade to Pro' CTA
```

Plans + purchase

```
Plan picker
- Annual $39.99 / yr (preselected, 'SAVE 33%' badge)
- Monthly $4.99 / mo ('Cancel anytime')
```

```
Sticky CTA
-> handlePurchase()
  - simulate processing (~1.2s)
  - dispatch SET_PRO { isPro: true }
  - router.back() (or replace '/')
```

```
Close (X) -> back / replace '/'
```

Cross cutting states

Behaviours that span tabs and screens. All flow through GameContext / AuthContext, persisted to AsyncStorage and (if signed in) Supabase.

Hearts

```
Wrong answer -> loseHeart()  
Hearts only refill via explicit actions:  
- Shop 'Heart Refill' (REFILL_HEARTS, costs 100 coins)  
- No automatic time based refill in current build  
IF hearts == 0 mid lesson -> /paywall (out of hearts)
```

Streak

```
completeLesson() runs INCREMENT_STREAK  
isConsecutive = (lastStreakDate == yesterday.toDateString())  
IF isConsecutive -> streak += 1  
ELSE -> streak resets to 1  
streakMax = max(streakMax, newStreak)  
  
Streak Shield (Shop) increments shield count on purchase,  
but is not auto consumed when a day is missed in current build.
```

Level up

```
XP awarded by lesson + critique reward  
IF xp crosses threshold for next level  
-> level += 1  
-> LevelUpOverlay shown on Home / current screen  
-> mascot 'celebrate'
```

Badges / achievements

Each badge has a condition(state) -> bool

Examples:

- First Step : completedLessons.length >= 1
- On Fire : streakMax >= 7
- Rising : level >= 5
- Pro : level >= 10
- Rich : coins >= 500
- Dedicated : completedLessons.length >= 10

Recomputed each Profile render; locked ones dimmed

Sync

GameContext writes to AsyncStorage on every change

IF authenticated

- > debounced (1.5s) push to Supabase
- > on app open: hydrate from Supabase, fall back to local

IF guest

- > local only; sign up later migrates local state