



CODE-BUILD

1. CREATE PROJECT FILES IN VS CODE
CREATE A FOLDER: CODEBUILD-DEMO
INSIDE THE FOLDER CREATE:

- CODEBUILD-DEMO
 - └— INDEX.HTML
 - └— BUILDSPEC.YML

2. CREATE ZIP FILE
THE ZIP SHOULD CONTAIN THE FILES DIRECTLY:

- CODEBUILD-DEMO.ZIP
 - └— INDEX.HTML
 - └— BUILDSPEC.YML

3. CREATE S3 SOURCE BUCKET
GO TO:

- AWS CONSOLE → S3 → CREATE BUCKET

EXAMPLE:

AMAZON-BUCKET-DEMO

KEEP THE DEFAULT SETTINGS FOR THIS PRACTICE AND CREATE THE BUCKET.

4. UPLOAD ZIP TO SOURCE BUCKET
OPEN:S3

→ AMAZON-BUCKET-DEMO

→ UPLOAD

→ ADD FILES

SELECT:

CODEBUILD-DEMO.ZIP



CLICK:
UPLOAD
THE BUCKET SHOULD SHOW:
AMAZON-BUCKET-DEMO
└── CODEBUILD-DEMO.ZIP

5. CREATE S3 ARTIFACT BUCKET
CREATE ANOTHER S3 BUCKET.
EXAMPLE:
SOURCE BUCKET
AMAZON-BUCKET-DEMO
└── CODEBUILD-DEMO.ZIP

▼ Source

Source 1 - Primary

Source provider

Amazon S3

Bucket

amazon-bucket-demo

S3 object key or S3 folder

codebuild-demo.zip

Source version - *optional* [Info](#)

Enter the version ID of the object that represents the build input ZIP file.

ARTIFACT BUCKET CODEBUILD

CODEBUILD OUTPUT WILL COME HERE

▼ Artifacts

Add artifact

Artifact 1 - Primary

Type

Amazon S3

You might choose no artifacts if you are running tests or pushing a Docker image to Amazon ECR.

Bucket name

artifact-bucket-demo-codebuild

Name

The name of the folder or compressed file in the bucket that will contain your output artifacts. Use Artifacts packaging under Additional configuration to choose whether to use a folder or compressed file. If the name is not provided, defaults to project name.

codebuild-output

☐ Enable semantic versioning

Use the artifact name specified in the buildspec file

Path - optional

The path to the build output ZIP file or folder.

myartifact.zip

Example: MyPath/MyArtifact.zip.

6. OPEN AWS CODEBUILD

GO TO:

AWS CONSOLE → CODEBUILD → BUILD PROJECTS → CREATE BUILD PROJECT

7. PROJECT CONFIGURATION

PROJECT NAME

CODE-BUILD-DEMO

8. SOURCE CONFIGURATION

SELECT:

SOURCE PROVIDER → AMAZON S3
BUCKET

AMAZON-BUCKET-DEMO

S3 OBJECT KEY

CODEBUILD-DEMO.ZIP

SOURCE SHOULD BE:

AMAZON S3



9. ENVIRONMENT CONFIGURATION

SELECT:

ENVIRONMENT → MANAGED IMAGE

USE:

COMPUTE → EC₂

OPERATING SYSTEM

AMAZON LINUX

IMAGE

FOR THE HANDS-ON, SELECT:

AWS/CODEBUILD/AMAZONLINUX-X86_64-STANDARD:6.0

PRIVILEGED MODE

OFF

10. SERVICE ROLE

UNDER SERVICE ROLE, SELECT:

NEW SERVICE ROLE

EXAMPLE ROLE NAME:

CODEBUILD-DEMO-SERVICE-ROLE

ALLOW AWS TO CREATE THE ROLE.

11. BUILDSPEC

UNDER BUILDSPEC:

SELECT:

USE A BUILDSPEC FILE



12. ARTIFACTS
UNDER ARTIFACTS
ARTIFACT TYPE
AMAZON S3
BUCKET
SELECT: CODEBUILD-OUTPUT
PATH

LEAVE BLANK.
PACKAGING: ZIP
ARTIFACT NAME
CODEBUILD-OUTPUT
FINAL:

ARTIFACTS
└— TYPE: AMAZON S3
└— BUCKET: CODEBUILD-DEMO
└— PATH: BLANK
└— PACKAGING: ZIP
└— NAME: CODEBUILD-OUTPUT

13. CREATE BUILD PROJECT
REVIEW THE SETTINGS.
THEN CLICK:
CREATE BUILD PROJECT

14. START BUILD
OPEN YOUR PROJECT:
CODE-BUILD-DEMO
CLICK:
START BUILD → START BUILD
CODEBUILD WILL DOWNLOAD:
S3
└— CODEBUILD-DEMO.ZIP
THEN IT EXTRACTS:

INDEX.YML BUILDSPEC.YML AND EXECUTES THE COMMANDS FROM BUILDSPEC.YML.

Build projects Info

[Actions](#) [Create trigger](#) [View details](#) [Debug build](#) [Start build](#) [Create project](#)

[Your projects](#) [1](#) [Settings](#)

Name	Source provider	Repository	Latest build status	Description	Last Modified
code-build-demo	Amazon S3	amazon-bucket-demo/codebuild-demo.zip	✓ Succeeded	-	14 minutes ago

15. MONITOR BUILD
GO TO:
BUILD LOGS
YOU SHOULD SEE:
INSTALL PHASE STARTED
PRE-BUILD PHASE STARTED
BUILD PHASE STARTED
BUILDING APPLICATION...
BUILD COMPLETED SUCCESSFULLY
AT THE END:
BUILD SUCCEEDED

Build started

You have successfully started the following build: code-build-demo:4d409876-11a9-433c-aaa0-1750e144a8f2

code-build-demo:4d409876-11a9-433c-aaa0-1750e144a8f2

Stop build

Debug build

Retry build

Build status

Status ✔ Succeeded	Initiator JAWERIYA-MAHIN	Build ARN  arn:aws:codebuild:us-east-1:0940052-26683:build/code-build-demo:4d409876-11a9-433c-aaa0-1750e144a8f2	Resolved source version amazon-bucket-demo/codebuild-demo.zip
Start time Aug 12, 2026 11:16 PM (UTC+5:30)	End time Aug 12, 2026 11:17 PM (UTC+5:30)	Build number 3	

Build logs

Phase details

Reports

Environment variables

Build details

Resource utilization

16. CHECK ARTIFACT

GO TO:

S₃ → CODEBUILD-DEMO

YOU SHOULD FIND:

CODEBUILD-OUTPUT.ZIP

THE COMPLETE FLOW IS:

VS CODE

INDEX.HTML

BUILDSPEC.YML

ZIP

S₃ SOURCE BUCKET

AMAZON-BUCKET-DEMO

AWS CODEBUILD

BUILD

S₃ ARTIFACT BUCKET

CODEBUILD-DEMO

artifact-bucket-demo-codebuild [Info](#)

- Objects
- Metadata
- Properties
- Permissions
- Metrics
- Management
- File systems - new
- Access Points

Objects (1)

Copy S3 URI

Copy URL

Download

Open

Delete

Actions

Create folder

Upload

Objects are the fundamental entities stored in Amazon S3. You can use [Amazon S3 inventory](#) to get a list of all objects in your bucket. For others to access your objects, you'll need to explicitly grant them permissions. [Learn more](#)

Find objects by prefix

1

☐	Name	Type	Last modified	Size	Storage class
☐	codebuild-output	-	August 12, 2026, 23:17:03 (UTC+05:30)	283.0 B	Standard