Performance Monitoring AlwaysOn Availability Groups

Anthony E. Nocentino
aen@centinosystems.com

Anthony E. Nocentino

- **Consultant and Trainer**
- **Founder and President of Centino Systems**
  - Specialize in system architecture and performance
  - Masters Computer Science (almost a PhD)
  - Friend of Redgate - 2016
  - Microsoft Certified Professional
- **email**: aen@centinosystems.com
- **Twitter**: @nocentino
- **Blog**: www.centinosystems.com/blog
- **Pluralsight Author**: www.pluralsight.com

Overview

- Motivation
- How availability groups move data
- Impact of replication latency on availability
- Monitoring techniques
- Demo
- Dealing with replication latency

Why is this important?

- Recovery Objectives
  - Recovery Point Objective - RPO
  - Recovery Time Objective - RTO
- Availability
  - How much data can we lose?
  - How fast will the system fail over?
- Monitoring and Trending
  - Establish a baseline for analysis - are we meeting those objectives?
  - Impact on resources
- Ownership
  - All of the components are monitored by the DBA

Data Movement In Availability Groups

- Transaction log blocks are replicated to secondaries
- Replication mode
  - Synchronous
  - Asynchronous
- Database mirroring endpoint

Network Based Replication

- Strong working relationship with network team
  - Maintenance - patching, network outages, database
- Network conditions can impact your AG's availability
  - Latency - how **long** it takes for a packet of data to traverse the network from source to destination.
  - Bandwidth - how **much** data can be moved in a time interval

Database Synchronization States

- Not synchronizing
- Synchronized
- Synchronizing
- Reverting
- Initializing

https://msdn.microsoft.com/en-us/library/ff877972.aspx

Failover Modes

- Automatic
  - Synchronous mode only
  - Commonly used within a data center
  - Synchronization state must by synchronized
- Manual
  - Synchronous or Asynchronous
  - Commonly used between data centers

https://msdn.microsoft.com/en-us/library/hh213151.aspx

Send Queue

- Queues log blocks to be sent to the secondaries
- Each replica maintains it's own view of the send queue
- Queued data is as risk to data loss in the event of a primary failure
- The send queue can grow due to an unreachable secondary, network outage, network latency and large amount of data change



Redo Queue

- Queues log blocks received on the secondary
- Each replica has it's own redo queue
- On failover, the redo queue must be completely processed
- The redo queue can grow due to a slow disk subsystem or resource contention or sustained outage and subsequent reconnection of a secondary



Send Queue Impact on Availability

- When log generation on primary exceeds the rate they can be sent to the secondaries…
  - No automatic failover
  - Data loss
  - Stale data for reporting from secondaries
  - Stale data for off-loaded backups on secondaries
  - Off-loaded log backups can fail
  - Transaction delay
  - Fill up transaction logs
- **Even in synchronous mode!**

Redo Queue Impact on Availability

- When log blocks received on the secondary exceed the rate they can be processed by the redo thread…
  - Delayed failover
    - Detect failure
    - Process Redo Queue
    - Crash recover database
  - Stale data for reporting from secondaries
  - Stale data for off-loaded backups on secondaries
  - Off-loaded log backups can fail
  - Transaction delay

Maintenance Events That Can Impact Availability

- Bulk data modifications
- Database maintenance
- Network or server maintenance
- Unplanned outages

- Carefully plan maintenance
- Collaborate with other teams!

Monitoring AG Performance

- Dynamic Management Views
  - `sys.dm_hadr_database_replica_states`
- Perfmon Counters
  - SQL Server:Availability Replica
    - Replication data - messages sent, bytes sent, flow control
  - SQL Server:Database Replica
    - Database data - log bytes sent, queue sizes, transaction delay per database

Measuring Replication Latency

- `sys.dm_hadr_database_replica_states`
  - `log_send_queue_size`
  - `log_send_rate`
  - `redo_queue_size`
  - `redo_queue_rate`

- On the primary there's a row for each database on **each** replica
- On the secondaries there's a row for each database on **that** replica
- Pull replication
- Offline
  - log_send_queue_size changes to NULL

log send queue is from primary to secondary

Measuring Replication Latency - **ugh!!!**

- **Well, it looks like `sys.dm_hadr_database_replica_states` doesn't report the correct values for `log_send_rate` and `redo_queue_rate`**
  - Documented as KB
  - Reported on Connect
    - https://connect.microsoft.com/SQLServer/Feedback/Details/928582
- Known bug in SQL Server 2012 or 2014
  - https://support.microsoft.com/en-us/kb/3012182
  - Cumulative Update 5 or better
- Observed in SQL 2016 RC3 - just increases
- Perfmon!

Monitoring Tools

- Build your own
- AlwaysOn Dashboard
- Third Party Tool
  - SQL Sentry Performance Advisor
  - Redgate SQL Monitor

Demo


Availability Group – AG1
DC1
SQL14-A
Primary
SQL14-B
Secondary
Synchronous
Simulated 1 Gb WAN
Availability Group
DC2
SQL14-C
Secondary
Asynchronous

Demo

Demo


log_send_queue_size
redo_queue_size
300,000
200,000
100,000
0
KB
Time

Real World Example

Dealing With Slow Replication Latency

- Identify your bottleneck and mitigate it
  - Minimize log generation
    - Use smart index maintenance
  - More bandwidth
    - Perhaps a dedicated network connection
  - Better hardware
    - Log throughput on secondaries needs to be equal to primary
  - Upgrade SQL Server
    - 2012 single threaded redo - ~45MB/sec
    - 2016 multi-threaded redo - ~600MB/sec

Key Takeaways

- It is imperative to track and trend replication latency in your Availability Groups so you can answer the questions
  - How much data ~~can~~ will I lose?
  - How long it will take to failover?
- Monitor and trend `send_queue` and `redo_queue` in `sys.dm_hadr_database_replica_states` on replicas to measure availability impact
- Understand how much log is generated in your databases
- Understand your system's operations, consider downtime for patching and network maintenance

Key Takeaways

- Plan database maintenance
- Use a smart index maintenance strategy!
- Offloaded backups
  - If availability is most important, backup on primary

Need more data?

http://www.centinosystems.com/blog/talks/

Links to resources
Demos
Presentation

aen@centinosystems.com

Thank You!

Thanks to the HADR VC - John and David!

Centino systems

Questions?

Centino systems

References

- http://www.centinosystems.com/blog/sql/designing-for-offloaded-backups-in-alwayson-availability-groups/
- http://www.centinosystems.com/blog/sql/designing-for-offloaded-log-backups-in-alwayson-availability-groups-monitoring/
- http://www.centinosystems.com/blog/sql/monitoring-availability-groups-with-redgates-sql-monitor
- https://msdn.microsoft.com/en-us/library/ff878537.aspx
- https://msdn.microsoft.com/en-us/library/ff877972.aspx