






Rev:
Id: 2/7

Tx In ->

Mixer

Band pass

Amplifier

Tx Out ->

f_antenne = 2.4 GHz


Sheet: /transmitter/
File: transmitter.kicad_sch

Title:

Size: A4


Date:

Rev:
Id: 3/7




Place close together!

TCXO




Place close together!

Balun 1:2




Place close together!


Low Pass




Power Splitter



Place close together!



Place close together!



Amplifier

Sheet: /oscillator/
File: oscillator.kicad_sch

Title:

Size: A4
KiCad E.D.A. 10.0.3


Date:

Rev:
Id: 5/7


Place close together!

Phase Locked Loop

Eval Board:
<https://www.analog.com/media/en/technical-documentation/user-guides/UG-435.pdf>




Balun 1:2




Place close together!

Power Splitter



Place close together!

TCXO



Sheet: /oscillator2/
File: oscillator2.kicad_sch

Title:

Size: A4

Date:

KiCad E.D.A. 10.0.3

Rev:

Id: 6/7

1	2	3	4	5	6
A					A
B					B
C					C
D					D
1	2	3	4	5	6

Sheet: /IO Interface/ File: io.kicad_sch		
Title:		
Size: A4	Date:	Rev:
KiCad E.D.A. 10.0.3		Id: 7/7