Name - Jay Talekar
Roll-no - 50
Class - SE3/S3
Experiment no - 6

Topic - Create a webpage that retrieves, displays, and updates user data from a MySQL database. Implement CRUD operations (Create, Read, Update, Delete) using PHP & MySQL. Ensure user input is validated and securely stored in the database. Add Session & Cookies.

open xampp -
And turn on mysql and apache



Then go to - http://localhost/phpmyadmin

Click New
Create database: userdb

Inside `userdb`, run this SQL:

CREATE TABLE users (

```
 id INT AUTO_INCREMENT PRIMARY KEY,
 name VARCHAR(100),
 email VARCHAR(100),
 password VARCHAR(255)
);
```



Create folder in xampp/htdocs as crud-app
In crud-app create file as -



CODE -

db.php -

```php
<?php
$conn = mysqli_connect("localhost", "root", "", "userdb", 3307);

if (!$conn) {
```

```
    die("Connection failed: " . mysqli_connect_error());
}
?>
```

delete.php -

```
<?php
include "db.php";
$id = $_GET['id'];

mysqli_query($conn,"DELETE FROM users WHERE id=$id");
header("Location: index.php");
?>
```

edit.php -

```
<?php
include "db.php";
$id = $_GET['id'];

if(isset($_POST['update'])){
    $name = $_POST['name'];
    $email = $_POST['email'];

    mysqli_query($conn,"UPDATE users SET name='$name', email='$email'
WHERE id=$id");
    header("Location: index.php");
}

$data = mysqli_fetch_assoc(mysqli_query($conn,"SELECT * FROM users WHERE
id=$id"));
?>

<form method="post">
<input type="text" name="name" value="<?= $data['name']; ?>">
<input type="email" name="email" value="<?= $data['email']; ?>">
<button name="update">Update</button>
</form>
```

index.php -

```
<?php
// Start session (optional but good practice)
```

```php
session_start();

// Set cookie (must be before HTML)
setcookie("username", "Student", time() + 3600);

// Include database connection
include "db.php";
?>

<!DOCTYPE html>
<html>
<head>
    <title>User CRUD App</title>
</head>
<body>

<h2>User List</h2>

<!-- Show cookie value -->
<?php
if(isset($_COOKIE['username'])){
    echo "<p>Welcome: " . $_COOKIE['username'] . "</p>";
}
?>

<!-- Add User Button -->
<a href="insert.php">➕ Add New User</a><br><br>

<table border="1" cellpadding="10">
<tr>
    <th>ID</th>
    <th>Name</th>
    <th>Email</th>
    <th>Action</th>
</tr>

<?php
$result = mysqli_query($conn, "SELECT * FROM users");

if(mysqli_num_rows($result) > 0){
```

```
    while($row = mysqli_fetch_assoc($result)){
?>
<tr>
    <td><?= $row['id']; ?></td>
    <td><?= $row['name']; ?></td>
    <td><?= $row['email']; ?></td>
    <td>
        <a href="edit.php?id=<?= $row['id']; ?>">✏️ Edit</a> |
        <a href="delete.php?id=<?= $row['id']; ?>" onclick="return
confirm('Delete this user?');">❌ Delete</a>
    </td>
</tr>
<?php
    }
} else {
    echo "<tr><td colspan='4'>No users found</td></tr>";
}
?>

</table>

</body>
</html>
```

insert.php -

```
<?php
include "db.php";

if(isset($_POST['submit'])){
    $name = $_POST['name'];
    $email = $_POST['email'];
    $pass = password_hash($_POST['password'], PASSWORD_DEFAULT);

    if(!empty($name) && !empty($email)){
        $query = "INSERT INTO users(name,email,password)
VALUES('$name','$email','$pass')";
        mysqli_query($conn,$query);
        header("Location: index.php");
    }
```

```
}
?>

<form method="post">
    <input type="text" name="name" placeholder="Enter Name"><br>
    <input type="email" name="email" placeholder="Enter Email"><br>
    <input type="password" name="password" placeholder="Enter
Password"><br>
    <button name="submit">Submit</button>
</form>
```

session.php -

```
<?php
session_start();
$_SESSION['user'] = "Admin";
?>
```

Then on browser search for - http://localhost/crud-app/index.php

Output -

localhost/crud-app/insert.php
localhost/crud-app/insert.php
Summarize
Chat
Enter Name
Enter Email
Enter Password
Submit