Code for login

```
<html lang="en" xmlns="http://www.w3.org/1999/xhtml">
  <meta http-equiv="content-type" content="text/html;</pre>
charset=iso-8859-1"/>
  <title>Lab3</title>
  <script type="text/javascript" language="javascript">
      function MobileValidation() {
          var ip = document.getElementById("mobileNumber").value
          var check = /\d/q;
          if (ip.length == 10)
              if (check.test(ip))
                  alert("Entered mobile number is valid.");
                  alert("Please enter valid number.");
              alert("Enter 10 digit mobile number");
      function emailValidation() {
          var ip = document.getElementById("email").value;
          if (check.test(ip))
              alert("Email is Valid");
              alert("Please enter valid email address.");
 <h1><b>Login</b></h1><br /><br />
  <form action="veri.php" id="loginForm" method="POST">
      Mobile No. :<br /><br />
      <input type="text" id="mobileNumber" name="mobileNumber" /><br/>br
      Email :<br /><br />
      <input type="text" id="email" name="email" /><br /><br />
```

Code for newRegi.php

```
!DOCTYPE html>
<html lang="en" xmlns="http://www.w3.org/1999/xhtml">
  <meta http-equiv="content-type" content="text/html;</pre>
  <title>Lab3</title>
  <script type="text/javascript" language="javascript">
      function MobileValidation() {
          var ip = document.getElementById("mobileNumber").value
          var check = /\d/g;
          if (ip.length == 10)
              if (!check.test(ip))
              alert("Enter 10 digit mobile number");
      function emailValidation() {
          var ip = document.getElementById("email").value;
          if (!check.test(ip))
              alert("Please enter valid email address.");
      function CheckPassword(inputtxt)
          var decimal=
          var ip = document.getElementById("pswd").value;
```

```
if(!ip.value.match(decimal))
one special character');
  <form action="register.php" id="loginForm" method="POST">
       <h1><b>Registration</b></h1><br /><br />
      Mobile No. :<br /><br />
       <input type="text" id="mobileNumber" name="mobileNumber"/><br</pre>
      Email :<br /><br />
      <input type="text" id="email" name="email"/><br /><br />
      Password :<br /><br />
      <input type="password" id="pswd" name="pswd" ><br /><br />
       <input type="submit" onclick="MobileValidation(),</pre>
emailValidation(), CheckPassword()" value="Register"/><br /><br />
```

Code for register.php

```
<?php
    $con = mysqli_connect("localhost","root","","demo");

if($con)
{
    $userno = $_POST['mobileNumber'];
    $useremail = $_POST['email'];
    $password = md5($_POST['pswd']);
    echo $useremail,$userno,$password;
    $insertQuery = "INSERT INTO `table`

VALUES('$useremail','$userno','$password')";
    $checker = mysqli_query($con, $insertQuery);
    if($checker)
</pre>
```

```
{
    echo "<script>alert('Login successful')</script>";
    if($checker) {
        header("Location: login.php");
    }
    else
    {
        echo "Uncessful registration";
    }
}
```

Code for veri.php

```
$con = mysqli connect("localhost", "root", "", "demo");
 if($con)
      $userno = $ POST['mobileNumber'];
      $password = md5($_POST['pswd']);
      $query = "SELECT * FROM `table` WHERE `email` = '$useremail' and
pswd` = '$password'";
      $result = mysqli query($con,$query);
      if (!mysqli query($con,$query)) {
          echo "Error description: " . mysqli_error($con);
      if(mysqli num rows($result) > 0)
form action="login.php" id="loginForm" method="POST">
     <input type="submit" value="Back" >
```

```
else
{
    echo "<br>Invalid Credentials<br>;
}
```

Output Screenshots

Login

| Mobile No. : |
|------------------|
| |
| Email: |
| |
| Password : |
| |
| Login |
| New Registration |

Registration

| Mobile No. : |
|--------------|
| Email : |
| Password : |
| Register |

Login Successful

Back