GIT & GITHUB — HOW YOUR MAGICMIRROR SETUP ACTUALLY CONNECTS

# Where every copy of MagicMirror lives, and what moves between them

Four separate git repositories know about your MagicMirror install. None of them sync automatically — every arrow below is a command you run by hand.




Four repos, three commands. Nothing here happens on its own — an arrow only moves when you type `fetch`, `push`, or `pull`. Arrow color shows which repo the change is coming *from*.

from the upstream project    from the Pi    from your fork    from the local folder

## Three situations, three paths across this map

Each one uses a different subset of the arrows above — none of them are steps in a single process, they're separate scenarios triggered by where a change starts.

### You edit directly on the Pi

1. Commit the change on the Pi
2. Local folder runs `fetch pi custom-jay`, then merges
3. `git push` from local (→ your fork)

### You edit in the local folder

1. Commit the change locally
2. `git push origin custom-jay` (→ your fork)
3. Pi runs `git pull myfork custom-jay`
4. Restart MagicMirror on the Pi

### Upstream ships an update

1. Pi: `fetch origin`, then `merge origin/master`
2. Pi: `push myfork custom-jay` (→ your fork)
3. Local: `pull origin custom-jay`
4. `npm install` + restart on the Pi

## Terms used above

The vocabulary that makes the diagram readable.

**`remote`**
A saved nickname for another repo's address — `origin` and `myfork` are just labels, not special powers.

**`fork`**
A one-time copy of someone else's repo into your own GitHub account. Not linked back automatically afterward.

**`fetch`**
Download another repo's new commits, but don't touch your own files yet.

**`merge`**
Combine fetched commits into the branch you're on, keeping both histories.

**`push`**
Send your commits up to a remote.

**`pull`**
Fetch and merge in one step.