

V_REVIEW P * REVIEW_ID INTEGER U STORE_ID VARCHAR2 (50) U USER_ID VARCHAR2 (50) COMMIT VARCHAR2 (100 CHAR) * SCORE INTEGER □ REVIEW_PK (REVIEW_ID) ◇ REVIEW_UN (STORE_ID, USER_ID)

V_FAV_STORE		
U * STORE_ID	VARCHAR2 (50 CHAR)	
U * USER_ID	VARCHAR2 (15)	
P * FAV_STORE_ID	INTEGER	
TABLE_3_PK (FAV_STORE_ID) TABLE_3_UN (USER_ID, STORE_ID)		



V_BOOKING		
NTEGER		
DATE		
/ARCHAR2 (15)		
/ARCHAR2 (20)		
NTEGER		
NTEGER		
BOOKING_PK (BOOKING_NUM)		



V_USER_FAVORITE_COUNT2

USER_ID VARCHAR2 (50 CHAR)
TOTAL_FAVORITES UNKNOWN

USERS
V_FAV_STORE

V_STORES		
P * STORE_ID	VARCHAR2 (50 CHAR)	
* STORE_NAME	VARCHAR2 (50 CHAR)	
* CARTEGORY_CODE	INTEGER	
* SEAT_NUM	INTEGER	
SERVICE_TIME	DATE	
STORES_PK (STORE_ID)	

V_USER_BOOKING_COUNT

USER_ID VARCHAR2 (50 CHAR)

TOTAL_BOOKINGS UNKNOWN

USERS
V_BOOKING

V_USER_REVIEW_COUNT3

USER_ID VARCHAR2 (50 CHAR)

TOTAL_REVIEWS UNKNOWN

USERS
V_REVIEW

V_USER_BOOKINGS **BOOKING NUM** INTEGER USER ID VARCHAR2 (15) STORE ID VARCHAR2 (20) STORE NAME VARCHAR2 (50 CHAR) BOOKING DATE DATE BOOKING STATE CODE INTEGER STATE NAME UNKNOWN V BOOKING **V STORES**