V_REVIEW

		Column	Type
P	*	REVIEW_ID	INTEGER
U		STORE_ID	VARCHAR2 (20)
U		USER_ID	VARCHAR2 (15)
		COMMIT	VARCHAR2 (100 CHAR)
	*	SCORE	INTEGER

REVIEW_PK (REVIEW_ID)
REVIEW__UN (STORE_ID, USER_ID)

V_FAV_STORE

		Column	Type
U	*	STORE_ID	VARCHAR2 (20 CHAR)
U	*	USER_ID	VARCHAR2 (15)
P	*	FAV_STORE_ID	INTEGER

TABLE_3_PK (FAV_STORE_ID)
TABLE_3__UN (USER_ID, STORE_ID)

V_CATEGORY

		Column	Type
P	*	CATEGORY_CODE	INTEGER
	*	CATEGORY_NAME	VARCHAR2 (20 CHAR)

CATEGORY_PK (CATEGORY_CODE)

V_BOOKING

		Column	Type
P	*	BOOKING_NUM	INTEGER
	*	BOOKING_DATE	DATE
		USER_ID	VARCHAR2 (15)
		STORE_ID	VARCHAR2 (20)
	*	BOOKING_STATE_CODE	INTEGER
	*	COUNT	INTEGER

BOOKING_PK (BOOKING_NUM)

USERS

		Column	Type
P	*	USER_ID	VARCHAR2 (15 CHAR)
	*	USER_NAME	VARCHAR2 (20 CHAR)
		LOCATION	VARCHAR2 (50 CHAR)
	*	PHONE_NUMBER	VARCHAR2 (20 CHAR)

USERS_PK (USER_ID)

V_USER_FAVORITE_COUNT2

Column	Type
USER_ID	VARCHAR2 (15 CHAR)
TOTAL_FAVORITES	UNKNOWN

USERS
V_FAV_STORE

V_USER_REVIEW_COUNT3

Column	Type
USER_ID	VARCHAR2 (15 CHAR)
TOTAL_REVIEWS	UNKNOWN

USERS
V_REVIEW

V_STORES

		Column	Type
P	*	STORE_ID	VARCHAR2 (20 CHAR)
	*	STORE_NAME	VARCHAR2 (50 CHAR)
	*	CARTEGORY_CODE	INTEGER
	*	SEAT_NUM	INTEGER
		SERVICE_TIME	DATE

STORES_PK (STORE_ID)

V_USER_BOOKING_COUNT

Column	Type
USER_ID	VARCHAR2 (15 CHAR)
TOTAL_BOOKINGS	UNKNOWN

USERS
V_BOOKING

V_USER_BOOKINGS

Column	Type
BOOKING_NUM	INTEGER
USER_ID	VARCHAR2 (15)
STORE_ID	VARCHAR2 (20)
STORE_NAME	VARCHAR2 (50 CHAR)
BOOKING_DATE	DATE
BOOKING_STATE_CODE	INTEGER
STATE_NAME	UNKNOWN

V_BOOKING
V_STORES