SECUIDEA_ERP_Server.Models. Authentication.JwtSettings

- + Secret
- + Issuer
- + Audience
- + ExpiryMinutes
- + RefreshTokenDays
- + AutoLoginDays
- + PreventDuplicateLogin
- + InactivityTimeout
- + InactivityTimeoutMinutes

-_jwtSettings

SECUIDEA_ERP_Server.Models. Authentication.JwtService

- + GetSettings
- _registryHelper
- _cryptoManager
- _cryptKeys
- + JwtService()
- + GenerateJwtToken()
- + ExtractSessionIdFromToken()
- + ExtractUserIdFromToken()
- + GenerateRefreshToken()
- + ValidateToken()

IDisposable

- + GenerateApiKeyToken()
- + ValidateApiKeyToken()
- + SetJwtCollection()
- + JwtConfigSetup()
- + GetJwtCollection()
- + TryGetJwtCollection()
- + GetSetJwtCollection()
- LoadJwtSettings()
- GetJwtDictionary()
- GenerateSecureKey()

-_jwtService

SECUIDEA_ERP_Server.Models. Authentication.SessionService

- _dbContainer
- _cache
- _sessionCacheExpiry
- _cacheCleanupTimer
- _activeSessionCache
- SessionCacheKeyPrefix
- UserSessionKeyPrefix
- + SessionService()
- + CreateSessionAsync()
- + ValidateSessionAsync()
- + UpdateSessionActivityAsync()
- + DeactivateSessionAsync()
- + IsSessionInactiveAsync()
- + CleanupExpiredSessionsAsync()
- + Dispose()
- GetUserKey()
- GetUserSessionKey()
- GetSessionCacheKey()
- DeactivateOtherSessionAsync()
- GetSessionByIdAsync()
- GetLatestSessionAsync()
- SaveSessionAsync()
- UpdateSessionAsync()
- GetUserByIdAsync()
- CleanupCacheCallback()
- CleanupCacheAsync()
- GetActiveSessionsAsync()

SECUIDEA_ERP_Server.Models. AuthUser.UserRepositoryFactory

- dbContainer
- UserRepositoryFactory()
- + GetRepository()

-_userRepositoryFactory