```
(base) Vasu's MacBook Pro:Desktop vasugoel$ r
R version 3.6.1 (2019-07-05) -- "Action of the Toes"
Copyright (C) 2019 The R Foundation for Statistical Computing
Platform: x86_64-apple-darwin15.6.0 (64-bit)
R is free software and comes with ABSOLUTELY NO WARRANTY.
You are welcome to redistribute it under certain conditions.
Type 'license()' or 'licence()' for distribution details.
  Natural language support but running in an English locale
R is a collaborative project with many contributors.
Type 'contributors()' for more information and
'citation()' on how to cite R or R packages in publications.
Type 'demo()' for some demos, 'help()' for on-line help, or
'help.start()' for an HTML browser interface to help.
Type 'q()' to quit R.
> path <- system.file('extdata', package='dslabs')</pre>
> list.files(path)
[1] "2010_bigfive_regents.xls"
[2] "carbon emissions.csv"
[3] "fertility-two-countries-example.csv"
[4] "HRlist2.txt"
[5] "life-expectancy-and-fertility-two-countries-example.csv"
[6] "murders.csv"
[7] "olive.csv"
[8] "RD-Mortality-Report_2015-18-180531.pdf"
[9] "ssa-death-probability.csv"
> filename <- 'fertility-two-countries-example.csv'</pre>
> filepath <- file.path(path, filename)</pre>
> filepath
[1] "/Library/Frameworks/R.framework/Versions/3.6/Resources/library/dslabs/extdata/fertility-two-countrie
s-example.csv"
> library(dslabs)
> library(tidyverse)

    Attaching packages

                                                              — tidyverse 1.2.1 —

✓ ggplot2 3.2.1

                    ✓ purrr
                               0.3.2

✓ tibble 2.1.3

                               0.8.3
                    ✓ dplyr
✓ tidyr
          0.8.3

✓ stringr 1.4.0

✓ readr
          1.3.1

✓ forcats 0.4.0

— Conflicts ·
                                                       — tidyverse conflicts() —
* dplyr::filter() masks stats::filter()
* dplyr::lag()
                  masks stats::lag()
> wide_data <- read_csv(filepath)</pre>
Parsed with column specification:
cols(
  .default = col_double(),
  country = col character()
See spec(...) for full column specifications.
> wide data
# A tibble: 2 x 57
  country `1960` `1961` `1962` `1963` `1964` `1965` `1966` `1967` `1968` `1969`
           <dbl> <dbl>
                         <dbl> <dbl>
                                        <dbl> <dbl>
                                                              <dbl>
                                                                     <dbl>
                                                                            <dbl>
  <chr>
                                                      <dbl>
                                         2.49
                                                       2.44
1 Germany
            2.41
                  2.44
                          2.47
                                 2.49
                                                2.48
                                                               2.37
                                                                      2.28
                                                                             2.17
                          5.79
                                                                      4.73
 South ...
            6.16 5.99
                                 5.57
                                         5.36
                                                       4.99
                                                               4.85
                                                                             4.62
                                                5.16
 ... with 46 more variables: `1970` <dbl>, `1971` <dbl>, `1972` <dbl>,
#
    `1973` <dbl>, `1974`
                         <dbl>, `1975` <dbl>,
                                               `1976` <dbl>,
                                                              `1977`
    `1978` <dbl>,
                         <dbl>>,
#
                  `1979`
                                 `1980` <dbl>,
                                               `1981` <dbl>,
                                                              1982
    `1983` <dbl>,
                  `1984`
                         <dbl>,
                                 `1985` <dbl>,
                                               `1986`
                                                              `1987`
                                                                    <dbl>,
#
                                                      <dbl>,
                         <dbl>, `1990` <dbl>, `1991` <dbl>, `1992` <dbl>,
    `1988` <dbl>, `1989`
#
    `1993` <dbl>, `1994` <dbl>, `1995` <dbl>, `1996` <dbl>, `1997` <dbl>,
```

```
#
    `1998` <dbl>, `1999` <dbl>, `2000` <dbl>, `2001` <dbl>, `2002` <dbl>,
                                  `2005` <dbl>, `2006` <dbl>, `2007` <dbl>,
#
           <dbl>, `2004` <dbl>,
                                  `2010` <dbl>, `2011` <dbl>, `2012` <dbl>,
                   `2009` <dbl>,
    `2008` <dbl>,
#
    `2013` <dbl>, `2014` <dbl>, `2015` <dbl>
#
> data("gapminder")
tidy_data <- gapminder %>%
  filter(country %in% c("South Korea", "Germany")) %>%
  select(country, year, fertility)
> tidy_data <- gapminder %>%
    filter(country %in% c("South Korea", "Germany")) %>%
    select(country, year, fertility)
> head(tidy_data)
      country year fertility
1
      Germany 1960
                          2.41
2 South Korea 1960
                          6.16
                          2.44
      Germany 1961
3
4 South Korea 1961
                          5.99
5
      Germany 1962
                          2.47
6 South Korea 1962
                          5.79
> new_tidy_data <- wide_data %>% gather(year, fertility, -country, convert=T)
> new tidy data
# A tibble: 112 x 3
   country
                 year fertility
                <int>
                           < db1 >
   <chr>
 1 Germany
                 <u>1</u>960
                            2.41
                 1960
                            6.16
 2 South Korea
                 1961
                            2.44
   Germany
 4 South Korea
                 <u>1</u>961
                            5.99
 5 Germany
                 1962
                            2.47
 6 South Korea
                 <u>1</u>962
                            5.79
 7 Germany
                 1963
                            2.49
 8 South Korea
                 1963
                            5.57
 9 Germany
                 1964
                            2.49
10 South Korea <u>1</u>964
                            5.36
# ... with 102 more rows
> new_tidy_data %% ggplot(aes(year, fertility, color=country)) + geom_point()
> new_wide_data <- new_tidy_data %>% spread(year, fertility)
> new_wide_data
# A tibble: 2 x 57
  country `1960` `1961` `1962` `1963` `1964` `1965` `1966` `1967` `1968` `1969`
            <dbl> <dbl>
                           <dbl>
                                  <dbl>
                                          <dbl>
                                                 <dbl>
                                                         <dbl>
                                                                <dbl>
                                                                        <dbl>
  Germany
             2.41
                    2.44
                            2.47
                                   2.49
                                           2.49
                                                   2.48
                                                          2.44
                                                                  2.37
                                                                         2.28
                                                                                 2.17
  South ...
             6.16
                    5.99
                            5.79
                                   5.57
                                           5.36
                                                   5.16
                                                          4.99
                                                                  4.85
                                                                         4.73
                                                                                 4.62
  ... with 46 more variables: `1970` <dbl>,
                                             `1971` <dbl>,
                                                            `1972` <dbl>.
                          <dbl>, `1975`
                                         <dbl>,
    `1973` <dbl>, `1974`
                                                 `1976`
                                                         < dbl>,
                                                                 `1977`
                                                                        < dbl>,
                                  `1980`
                   `1979`
                                                 `1981`
    `1978` <dbl>,
                                                                `1982`
#
                          <dbl>,
                                          <dbl>,
                                                         <dbl>,
                                  `1985`
                   `1984`
                                                 `1986
                                                                `1987
    `1983` <dbl>,
                                                         <dbl>,
                          <dbl>,
#
                                          <dbl>,
                                                                        < dbl>,
                                  1990
                   `1989`
                                                 `1991
                                                                `1992
    `1988` <dbl>,
                                                         <dbl>,
#
                          <dbl>,
                                          <dbl>,
                                                                        < dbl>,
                                  `1995`
                                                 `1996`
    `1993` <dbl>, `1994`
                                                                `1997`
#
                                                         <dbl>,
                          < dbl>,
                                          <dbl>,
                                                                        < dbl>.
    `1998` <dbl>, `1999`
                                  `2000`
                                                 `2001`
                                                                `2002`
                          <dbl>>,
                                          <dbl>,
                                                         <dbl>,
#
                                                                        < dbl>,
                   `2004`
                                  `2005
    `2003`
#
           <dbl>,
                          < dbl>,
                                          <dbl>,
                                                   2006`
                                                         <dbl>,
                                                                  2007
                                         <dbl>, `2011` <dbl>, `2012` <dbl>,
     2008` <dbl>, `2009` <dbl>, `2010`
2013` <dbl>, `2014` <dbl>, `2015`
#
#
                                         <dbl>
>
```