

Generated: 2026-02-26T14:37:26.580680

Red X indicates tampered file

4

Paired Records (UAS + Aletheia)

0

Unpaired UAS Decisions

0

Unpaired Aletheia UBOs



Paired Records (UAS + Aletheia)

Click a row to view details

ID	Timestamp	Verdict	Hash Valid	Seal Valid	Files
b512ca56	2026-02-26T20:30:45.269978+00:00	PASS			uas_decision_webagent_2026-02-26T20-30-45-269978+00-00.json aletheia_ubo_webagent_2026-02-26T20-30-47-161981+00-00.json

 Files

UAS Decision: uas_decision_webagent_2026-02-26T20-30-45-269978+00-00.json

Aletheia UBO: aletheia_ubo_webagent_2026-02-26T20-30-47-161981+00-00.json

 Inputs (Proposal)

```
{
  "action": "publish_research",
  "params": {
    "query_length": 120,
    "sensitive_topic": true,
    "max_sources": 20
  },
  "nonce": "0a4f6e0def2249d0897af6ad0b0468e1",
  "timestamp": "2026-02-26T20:30:45.269978+00:00"
}
```

 Applied Rules (Constraints)

```
[
  {
    "id": "web_agent_content_safety",
    "action": "publish_research",
    "rules": {
      "query_length": {
        "type": "number",
        "max": 300
      },
      "sensitive_topic": {
        "type": "boolean",
        "value": false
      },
      "max_sources": {
        "type": "number",
        "max": 30
      }
    },
    "metadata": {
      "domain": "information",
      "purpose": "compliance"
    }
  }
]
```

 Decision

Verdict: PASS

Reason: Matched constraint: web_agent_content_safety

 Hash/Seal Confirmation

Hash Valid:  (UAS data matches UBO hash)

Seal Valid:  (UBO seal is authentic)

Proposal Hash:

b512ca56447b3e2cedc51b131413fe0374e0d9fb2708c6d04a6637d11272437e

Decision Hash:

3d69bbaf9b80865e083b84f7ee042738600a728b2c9a351e18ed84b124f6232d

Seal: c27a8fbf0a4e7cfb452e3cd973e0df1a4c3fc2146a973b8c111d85978a200e11

 Full UAS Decision

```
{
  "proposal_hash":
  "b512ca56447b3e2cedc51b131413fe0374e0d9fb2708c6d04a6637d11272437e",
  "verdict": "PASS",
  "matched_constraints": [
    "web_agent_content_safety"
  ],
  "reason": "Matched constraint: web_agent_content_safety",
  "timestamp": "2026-02-26T20:30:45.269978+00:00",
  "nonce": "0a4f6e0def2249d0897af6ad0b0468e1",
  "original_proposal": {
    "action": "publish_research",
    "params": {
      "query_length": 120,
      "sensitive_topic": true,
      "max_sources": 20
    },
    "nonce": "0a4f6e0def2249d0897af6ad0b0468e1",
    "timestamp": "2026-02-26T20:30:45.269978+00:00"
  },
  "applied_constraints": [
    {
      "id": "web_agent_content_safety",
      "action": "publish_research",
      "rules": {
        "query_length": {
          "type": "number",
          "max": 300
        },
        "sensitive_topic": {
          "type": "boolean",
          "value": false
        },
        "max_sources": {
          "type": "number",
          "max": 30
        }
      },
      "metadata": {
        "domain": "information",
        "purpose": "compliance"
      }
    }
  ]
}
```

 Full Aletheia UBO

```
{
  "decision_data_hash":
  "3d69bbaf9b80865e083b84f7ee042738600a728b2c9a351e18ed84b124f6232d",
  "decision_structure": "uas_authorization",
  "constraint_hashes": [

    "14bb733450822ffe4b21645d982897b8007175d4ff09f88a96ed50dd4027f16b"
  ],
  "verification_result": {
    "decision_verdict": "PASS",
    "constraints_verified": [
      "web_agent_content_safety"
    ],
  },
  "proposal_hash":
  "b512ca56447b3e2cedc51b131413fe0374e0d9fb2708c6d04a6637d11272437e",
  "verification_status": "constraints_match"
},
"verdict": "PASS",
"timestamp": "2026-02-26T20:30:47.161981+00:00",
"protocol_version": "v2.0",
"seal":
"c27a8fbf0a4e7cfb452e3cd973e0df1a4c3fc2146a973b8c111d85978a200e11"
}
```

7aa11d96	2026-02-26T20:30:35.165679+00:00	FAIL	✖	✔	uas_decision_healthcare_2026-02-26T20-30-35-165679+00-00.json aletheia_ubo_healthcare_2026-02-26T20-30-47-160973+00-00.json
----------	----------------------------------	------	---	---	--

 Files

UAS Decision: uas_decision_healthcare_2026-02-26T20-30-35-165679+00-00.json

Aletheia UBO: aletheia_ubo_healthcare_2026-02-26T20-30-47-160973+00-00.json

 Inputs (Proposal)

```
{
  "action": "recommend_treatment",
  "params": {
    "dosage_mg": 250.0,
    "patient_age": 18,
    "contraindication": false
  },
  "nonce": "c91697799cd34886910c6f0ba7d103fe",
  "timestamp": "2026-02-26T20:30:35.165679+00:00"
}
```

 Applied Rules (Constraints)

```
[
  {
    "id": "medical_dosage_safety",
    "action": "recommend_treatment",
    "rules": {
      "dosage_mg": {
        "type": "number",
        "max": 1000
      },
      "patient_age": {
        "type": "number",
        "min": 18
      },
      "contraindication": {
        "type": "boolean",
        "value": false
      }
    },
    "metadata": {
      "domain": "healthcare",
      "purpose": "patient_safety"
    }
  }
]
```

 Decision

Verdict: FAIL

Reason: Denied: medical_dosage_safety: patient_age: 15 not in range [18, inf]

 Hash/Seal Confirmation

Hash Valid: ✖ (UAS data matches UBO hash)

Seal Valid: ✔ (UBO seal is authentic)

Proposal Hash:
7aa11d9603fdbbd0d46e8e009823e29423f271247bdc64108b131b1aed8989fb

Decision Hash:
625e00664b46c286531117f55dc54c1fe6cfe53cb0fda07fd093987beb89a67c

Seal: ba40eb8e2c3dec10cf44723358819f021788d199a27cf383b9675bfa3b460936

 Full UAS Decision

```
{
  "proposal_hash":
  "7aa11d9603fdbbd0d46e8e009823e29423f271247bdc64108b131b1aed8989fb",
  "verdict": "FAIL",
  "matched_constraints": [],

```

```
"reason": "Denied: medical_dosage_safety: patient_age: 15 not in
range [18, inf]",
"timestamp": "2026-02-26T20:30:35.165679+00:00",
"nonce": "c91697799cd34886910c6f0ba7d103fe",
"original_proposal": {
  "action": "recommend_treatment",
  "params": {
    "dosage_mg": 250.0,
    "patient_age": 18,
    "contraindication": false
  },
  "nonce": "c91697799cd34886910c6f0ba7d103fe",
  "timestamp": "2026-02-26T20:30:35.165679+00:00"
},
"applied_constraints": [
  {
    "id": "medical_dosage_safety",
    "action": "recommend_treatment",
    "rules": {
      "dosage_mg": {
        "type": "number",
        "max": 1000
      },
      "patient_age": {
        "type": "number",
        "min": 18
      },
      "contraindication": {
        "type": "boolean",
        "value": false
      }
    },
    "metadata": {
      "domain": "healthcare",
      "purpose": "patient_safety"
    }
  }
]
}
```

 Full Aletheia UBO

```
{
  "decision_data_hash":
  "625e00664b46c286531117f55dc54c1fe6cfe53cb0fda07fd093987beb89a67c",
  "decision_structure": "uas_authorization",
  "constraint_hashes": [

    "44d2b5ffe3b09b5b669b2ebead214aec758eed15ded7180a74725a5b81cf532c"
  ],
  "verification_result": {
    "decision_verdict": "FAIL",
    "reason": "Denied: medical_dosage_safety: patient_age: 15 not
in range [18, inf]",
    "verification_status": "decision_recorded"
  },
  "verdict": "FAIL",
  "timestamp": "2026-02-26T20:30:47.160973+00:00",
  "protocol_version": "v2.0",
  "seal":
  "ba40eb8e2c3dec10cf44723358819f021788d199a27cf383b9675bfa3b460936"
}
```

2ecf82a6	2026-02-26T20:30:25.850299+00:00	PASS			uas_decision_trading_2026-02-26T20-30-25-850299+00-00.json aletheia_ubo_trading_2026-02-26T20-30-47-158814+00-00.json
----------	----------------------------------	------	---	---	--

 Files

UAS Decision: uas_decision_trading_2026-02-26T20-30-25-850299+00-00.json

Aletheia UBO: aletheia_ubo_trading_2026-02-26T20-30-47-158814+00-00.json

 Inputs (Proposal)

```
{
  "action": "execute_trade",
  "params": {
    "amount_usd": 23000.0,
    "asset": "BTC",
    "leverage": 5.0
  },
  "nonce": "002b383b01214df591ac3d29399afdf7",
}
```

```
    "timestamp": "2026-02-26T20:30:25.850299+00:00"
  }
}

Applied Rules (Constraints)

[
  {
    "id": "trading_risk_control",
    "action": "execute_trade",
    "rules": {
      "amount_usd": {
        "type": "number",
        "max": 50000
      },
      "asset": {
        "type": "string",
        "enum": [
          "BTC",
          "ETH",
          "USD",
          "AAPL"
        ]
      },
      "leverage": {
        "type": "number",
        "max": 5.0
      }
    },
    "metadata": {
      "domain": "finance",
      "purpose": "risk_management"
    }
  }
]
```

 Decision

Verdict: PASS

Reason: Matched constraint: trading_risk_control

 Hash/Seal Confirmation

Hash Valid:  (UAS data matches UBO hash)

Seal Valid:  (UBO seal is authentic)

Proposal Hash:

2ecf82a6eafadd133affff2c5863087687ea8da7f9c747eea11876460f5849d98

Decision Hash:

3514443b380058a4a23b690b53cabef4d90e2060e1f1003626e2f08cb215dab7

Seal: 1df183e96523201597e04bd889163c0e0571236bebb8808f453ab17b823d7834

 Full UAS Decision

```
{
  "proposal_hash":
  "2ecf82a6eafadd133affff2c5863087687ea8da7f9c747eea11876460f5849d98",
  "verdict": "PASS",
  "matched_constraints": [
    "trading_risk_control"
  ],
  "reason": "Matched constraint: trading_risk_control",
  "timestamp": "2026-02-26T20:30:25.850299+00:00",
  "nonce": "002b383b01214df591ac3d29399afdf7",
  "original_proposal": {
    "action": "execute_trade",
    "params": {
      "amount_usd": 23000.0,
      "asset": "BTC",
      "leverage": 5.0
    },
    "nonce": "002b383b01214df591ac3d29399afdf7",
    "timestamp": "2026-02-26T20:30:25.850299+00:00"
  },
  "applied_constraints": [
    {
      "id": "trading_risk_control",
      "action": "execute_trade",
      "rules": {
        "amount_usd": {
          "type": "number",
          "max": 50000
        },
        "asset": {
          "type": "string",
          "enum": [
            "BTC",
            "ETH",
            "USD",
```

<pre> "AAPL"], "leverage": { "type": "number", "max": 5.0 }, "metadata": { "domain": "finance", "purpose": "risk_management" } } }</pre>					
 Full Aletheia UBO <pre>{ "decision_data_hash": "3514443b380058a4a23b690b53cabef4d90e2060e1f1003626e2f08cb215dab7", "decision_structure": "uas_authorization", "constraint_hashes": ["3de92217d9099f294d62aab795e59bf56ba45141f3367a8aa3f5b1f634e12d3d"], "verification_result": { "decision_verdict": "PASS", "constraints_verified": ["trading_risk_control"], "proposal_hash": "2ecf82a6eafadd133afff2c5863087687ea8da7f9c747eea11876460f5849d98", "verification_status": "constraints_match" }, "verdict": "PASS", "timestamp": "2026-02-26T20:30:47.158814+00:00", "protocol_version": "v2.0", "seal": "1df183e96523201597e04bd889163c0e0571236bebb8808f453ab17b823d7834" }</pre>					
510bd8ca	2026-02-26T20:30:11.430170+00:00	PASS			uas_decision_robotics_2026-02-26T20-30-11-430170+00-00.json aletheia_ubo_robotics_2026-02-26T20-30-47-156680+00-00.json
 Files UAS Decision: uas_decision_robotics_2026-02-26T20-30-11-430170+00-00.json Aletheia UBO: aletheia_ubo_robotics_2026-02-26T20-30-47-156680+00-00.json  Inputs (Proposal) <pre>{ "action": "perform_movement", "params": { "altitude_m": 15.0, "speed_mps": 10.0 }, "nonce": "7be18fd4210b412d9b269ca5f492046f", "timestamp": "2026-02-26T20:30:11.430170+00:00" }</pre>  Applied Rules (Constraints) <pre>[{ "id": "robotics_safe_operation", "action": "perform_movement", "rules": { "altitude_m": { "type": "number", "min": 0, "max": 120 }, "speed_mps": { "type": "number", "min": 0, "max": 15 } }, "metadata": {</pre>					

```
    "domain": "robotics",
    "purpose": "physical_safety"
  }
}
```

 Decision

Verdict: PASS

Reason: Matched constraint: robotics_safe_operation

 Hash/Seal Confirmation

Hash Valid:  (UAS data matches UBO hash)

Seal Valid:  (UBO seal is authentic)

Proposal Hash:

510bd8ca1fb74b7e9f1f7adba5ff2b71fb22e0693dd2cdff4348f93276a0162b

Decision Hash:

99e645a18c0095771369f49f9fc58b90617b1ecfbfd6970311890ffb6e809e01

Seal: 56060de510da22c4aeca8deacb6e15449362af0bf603bf14a14b7e267876c5ed

 Full UAS Decision

```
{
  "proposal_hash":
  "510bd8ca1fb74b7e9f1f7adba5ff2b71fb22e0693dd2cdff4348f93276a0162b",
  "verdict": "PASS",
  "matched_constraints": [
    "robotics_safe_operation"
  ],
  "reason": "Matched constraint: robotics_safe_operation",
  "timestamp": "2026-02-26T20:30:11.430170+00:00",
  "nonce": "7be18fd4210b412d9b269ca5f492046f",
  "original_proposal": {
    "action": "perform_movement",
    "params": {
      "altitude_m": 15.0,
      "speed_mps": 10.0
    },
    "nonce": "7be18fd4210b412d9b269ca5f492046f",
    "timestamp": "2026-02-26T20:30:11.430170+00:00"
  },
  "applied_constraints": [
    {
      "id": "robotics_safe_operation",
      "action": "perform_movement",
      "rules": {
        "altitude_m": {
          "type": "number",
          "min": 0,
          "max": 120
        },
        "speed_mps": {
          "type": "number",
          "min": 0,
          "max": 15
        }
      }
    },
    "metadata": {
      "domain": "robotics",
      "purpose": "physical_safety"
    }
  ]
}
```

 Full Aletheia UBO

```
{
  "decision_data_hash":
  "99e645a18c0095771369f49f9fc58b90617b1ecfbfd6970311890ffb6e809e01",
  "decision_structure": "uas_authorization",
  "constraint_hashes": [

    "1e57f89ab15f8543942f3d7f8afb995e1f6a16cefa6281e6d2ab7478060daea8"
  ],
  "verification_result": {
    "decision_verdict": "FAIL",
    "constraints_verified": [
      "robotics_safe_operation"
    ],
    "proposal_hash":
    "510bd8ca1fb74b7e9f1f7adba5ff2b71fb22e0693dd2cdff4348f93276a0162b",
    "verification_status": "constraints_match"
  },
  "verdict": "FAIL",
  "timestamp": "2026-02-26T20:30:47.156680+00:00",
```

```
"protocol_version": "v2.0",  
  "seal":  
    "56060de510da22c4aeca8deacb6e15449362af0bf603bf14a14b7e267876c5ed"  
}
```