Powerlaw AI 搜索后端接口说明

接口1: 搜索接口

http://bc2.citr.me:8000/search?type_of_model=0&index=law&doc_type=big_data&search_c ontent=%E7%A6%BB%E5%A9%9A&where_to_search=0&name_of_case=&case_number=&name_of_court=&level_of_court=0&type_of_case=0&type_of_doc=0&caipan_from_year=&caipan_nfrom_month=&caipan_from_day=&caipan_to_year=&caipan_to_month=&caipan_to_day=&giudgement=&name_of_law=&num_of_tiao=&num_of_kuan=&fabu_from_year=&fabu_from_month=&fabu_from_day=&fabu_to_year=&fabu_to_month=&fabu_to_day=

字段含义:

type_of_model: 模型类型,取值为-2到6

serch_content: 检索关键词

高级搜索部分, 默认为空或 0, 普通搜索不用修改

case_name:案件名
case_number :案件号
name_of_court : 法院名
level_of_court :法院级别
type_of_case :案件类型
type_of_doc :文书类型

caipan_from/to_year/month/day: 判决时间 (起止范围)

judgement: 审判类型 name_of_law: 法律名 name_of_tiao: 法律条号 num_of_kuan: 法律款号

fabu_from/to_year/month/day:文书发布时间(起止范围)

其余字段不用修改

返回类型:

Json 格式,返回至多 100 个案例的 list,每个案例返回 id title 和 content (简介)

接口2:文书下载接口

http://bc2.citr.me:8000/doc?index=law&doc_type=big_data&id=94e8c15a-bd91-4c09-82ab-6d8af31055bb

字段含义:

Id: 文书id, 可以从接口1返回值获得