

Cybersecurity Reviewer

419 Questions | ITS Cybersecurity

1. [MCQ] SECURITY THREATS

Which social engineering attack targets high-ranking individuals to compromise personal or sensitive data?

- A. Whaling
- B. Vishing
- C. Pharming
- D. Smishing

Answer: Whaling

Explanation: Whaling targets high-profile individuals like CEOs. Vishing is voice-based, Smishing is SMS-based, and Pharming involves malicious website redirection.

2. [MATCHING] RISK MANAGEMENT

Match each potential threat to its mitigation strategy.

- Natural disasters -> _____
- Cyberattack -> _____
- Supply-chain disruptions -> _____
- Employee errors -> _____

Answer: Natural disasters -> Hardened facilities and alternate sites. | Cyberattack -> Firewalls, IDS and IPS, and Log Analyzers. | Supply-chain disruptions -> Alternate sources, and inventory management. | Employee errors -> Standard procedures, and training.

Explanation: Natural disasters require physical site redundancy; cyberattacks require technical network controls; supply chain issues require logistical backups; and human error requires training/SOPs.

3. [MCQ] MONITORING & LOGGING

In which situation would a security administrator want to look at a console log?

- A. Security audits.
- B. Application-related activity.
- C. System-related activity.
- D. Activity related to a person signing into a remote system.

Answer: Activity related to a person signing into a remote system.

Explanation: Console logs show command-line activity and remote sign-ins. Application logs track app-specific events, while system logs track general OS events.

4. [MCQ] RISK MANAGEMENT

Which option represents an external source of risk to an organization?

- A. Lack of encryption on local database file stores.
- B. Natural disasters, such as earthquakes or floods.
- C. Failure to update program documentation.
- D. Obsolete or end-of-support hardware installed.

Answer: Natural disasters, such as earthquakes or floods.

Explanation: Natural disasters are external environmental risks. Encryption, documentation, and hardware lifecycles are all internal risks controlled by the organization.

5. [MCQ] SECURITY OPERATIONS

What can a security team do to reduce detection and response times to phishing threats automatically or with minimal human intervention?

- A. Implement SIEM.
- B. Implement SOAR.
- C. Perform a packet capture.
- D. Perform a vulnerability scan.

Answer: Implement SOAR.

Explanation: SOAR (Security Orchestration, Automation, and Response) specifically focuses on automation to reduce response times, whereas SIEM is primarily for log aggregation and alerting.

6. [MCQ] FRAMEWORKS

Which framework provides a knowledge base for the tactics, techniques, and procedures (TTPs) used by adversaries from real-world observations?

- A. Cyber Kill Chain
- B. The Diamond Model of Intrusion Analysis
- C. The Forensic Process
- D. MITRE ATT&CK

Answer: MITRE ATT&CK

Explanation: MITRE ATT&CK is a comprehensive knowledge base of TTPs. The Cyber Kill Chain focuses on sequential steps, and the Diamond Model focuses on relationships between actors and victims.

7. [MULTI-SELECT] DATA RECOVERY

What is available to restore from cloud storage that is not available from a restore point on a Windows device? (Choose two)

- A. Files
- B. Folders
- C. Registry settings
- D. Operating system settings

Answer: Files, Folders

Explanation: Windows restore points handle system and registry state, but do not back up personal user files and folders, which are typically stored in the cloud.

8. [MCQ] COMPLIANCE

Which compliance act must a hospital located in the U.S. adhere to when investigating security incidents involving patients' personal medical information?

- A. HIPAA
- B. PCI-DSS
- C. FERPA
- D. FISMA

Answer: HIPAA

Explanation: HIPAA regulates health information privacy. PCI-DSS is for credit cards, FERPA is for education, and FISMA is for federal agencies.

9. [MCQ] INCIDENT RESPONSE

According to NIST, in which phase of the Incident Response Life Cycle do you perform event correlation?

- A. Detection & Analysis
- B. Preparation
- C. Containment, Eradication, and Recovery
- D. Post-Incident Activity

Answer: Detection & Analysis

Explanation: Event correlation is part of the 'Detection & Analysis' phase where analysts determine if a collection of events constitutes a legitimate security incident.

10. [MULTI-SELECT] CRYPTOGRAPHY

What are the two classes of encryption algorithms? (Choose two)

- A. Asymmetric
- B. Symmetric
- C. SHA-2
- D. MD5

Answer: Asymmetric, Symmetric

Explanation: Encryption algorithms are categorized as Symmetric or Asymmetric. SHA-2 and MD5 are hashing algorithms, which are one-way functions and not used for reversible encryption.

11. [MCQ] FIREWALL SECURITY

Why is it important to block incoming IP broadcast addresses and reserved private IP addresses from the public internet? What can an administrator conclude for a rule based on this firewall log?

- A. Inbound traffic from the 203.0.113.x network is denied.
- B. All ICMP traffic is blocked.
- C. All outbound traffic to 172.x.x.x private networks is allowed.
- D. All UDP traffic is allowed.

Answer: Inbound traffic from the 203.0.113.x network is denied.

Explanation: The log shows multiple Deny entries from 203.0.113.x IPs, confirming that inbound traffic from that network is denied. ICMP is not entirely blocked (one Allow ICMP entry exists), outbound traffic to 172.x.x.x private networks is not shown, and UDP is not universally allowed based on the log.

12. [MULTI-SELECT] WIRELESS SECURITY

Which two components are required to enable clients to connect to a wireless network using the WPA2-Enterprise security protocol? (Choose 2.)

- A. WEP
- B. SSID
- C. RADIUS
- D. PSK

Answer: SSID, RADIUS

Explanation: WPA2-Enterprise requires an SSID for clients to associate with the access point and a RADIUS server for authentication. WEP is an outdated encryption method, and PSK is used for WPA2-Personal, not Enterprise.

13. [MULTI-SELECT] CYBERSECURITY FUNDAMENTALS

What are the three components of the AAA concept in cybersecurity? (Choose 3.)

- A. Authentication
- B. Authorization
- C. Accounting
- D. Automation
- E. Authenticity

Answer: Authentication, Authorization, Accounting

Explanation: AAA stands for Authentication, Authorization, and Accounting. Automation and Authenticity are not part of the AAA framework in cybersecurity.

14. [MATCHING] AUTHENTICATION

Move each authentication method from the list on the left to the correct authentication factor on the right.

SMS token -> _____

PIN number -> _____

Facial recognition -> _____

Answer:

Explanation: SMS token is a one-time password sent to a device (something you have). PIN number is memorized (something you know). Facial recognition is a biometric (something you are).

15. [MCQ] CYBER THREATS

Which aspect of using a smartphone camera can cause a malicious redirection from a legitimate website to a malicious one?

- A. QR code
- B. QR code generator
- C. Metadata
- D. Shortened URL

Answer: QR code

Explanation: A QR code can be hijacked to redirect a user from a legitimate site to a malicious one. QR code generators create codes but don't directly cause redirection; metadata and shortened URLs are not scanned by the camera in this context.

16. [MCQ] THREATS AND VULNERABILITIES

What is the term to describe a weakness in a computer device, system, or network?

- A. Vulnerability
- B. Threat
- C. Exploit
- D. Attack

Answer: Vulnerability

Explanation: A vulnerability is a weakness. A threat is a potential danger, an attack is an actual harmful act, and an exploit is code that takes advantage of a vulnerability.

17. [MCQ] MALWARE

What is spyware?

- A. A program that collects information about users, systems, and browsing habits
- B. A program with malicious purposes that hides inside another useful program
- C. A program that replicates itself by modifying system or application software
- D. A program that prevents, scans, detects, and deletes viruses from a computer

Answer: A program that collects information about users, systems, and browsing habits

Explanation: Spyware is designed to collect user information without consent. A program hiding inside another is a trojan; self-replicating is a worm; virus protection is antivirus software.

18. [MCQ] SECURITY PRINCIPLES

You are completing a college admissions application online. When navigating to the next page in the application, the website becomes unresponsive and appears to crash. You attempt to refresh the Admissions page, but you get a generic browser error and cannot access your application. What part

of the CIA Triad has been compromised?

- A. Availability
- B. Integrity
- C. Confidentiality

Answer: Availability

Explanation: Availability is compromised because the application is no longer accessible. Confidentiality is not affected (no data breach), and integrity is not affected (no data modification).

19. [MCQ] SECURITY PRINCIPLES

While downloading an app that appears legitimate, you accidentally install malware that contains a keylogger. Which element of the CIA Triad has been compromised?

- A. Confidentiality
- B. Availability
- C. Integrity

Answer: Confidentiality

Explanation: A keylogger captures private or personal information, compromising confidentiality. Availability remains intact (system accessible), and integrity is unaffected (no unauthorized changes).

20. [MCQ] FIREWALL SECURITY

What can an administrator conclude for a rule based on this firewall log?

- A. Inbound traffic from the 203.0.113.x network is denied.
- B. All ICMP traffic is blocked.
- C. All outbound traffic to 172.x.x.x private networks is allowed.

Answer: Inbound traffic from the 203.0.113.x network is denied.

Explanation: The log shows multiple Deny entries from 203.0.113.x, confirming that inbound traffic from that network is denied. Not all ICMP is blocked (one Allow ICMP exists), and no outbound traffic to 172.x.x.x private networks is shown.

21. [MCQ] NETWORK ATTACKS

An attacker has launched a DoS attack on a target server. The attack prevents the server from responding to client requests because it is waiting to close half-open Layer 4 sessions with the attacker's computer. Which type of attack is this?

- A. SYN flood
- B. DNS spoofing
- C. UDP flood
- D. DHCP starvation

Answer: SYN flood

Explanation: In a SYN flood attack, the attacker overwhelms a server with TCP SYN requests, leaving half-open connections that prevent the server from responding to legitimate client requests.

22. [MCQ] NETWORK ATTACKS

Which attack involves an attacker setting up a rogue server on the network which provides network hosts with incorrect IP address configuration information?

- A. DHCP spoofing
- B. DNS spoofing
- C. ARP spoofing
- D. IP spoofing

Answer: DHCP spoofing

Explanation: In DHCP spoofing, an attacker responds to client DHCP requests and provides incorrect IP address information such as the wrong default gateway or DNS server.

23. [MCQ] NETWORK ATTACKS

An attacker has connected a laptop to a wireless network and attempts to lease all available IP addresses from the DHCP server. Which type of attack is occurring?

- A. DHCP Starvation
- B. DHCP Spoofing
- C. DNS Spoofing
- D. IP Spoofing

Answer: DHCP Starvation

Explanation: In a DHCP Starvation attack, an attacker attempts to lease all available IP addresses from the DHCP server, denying legitimate clients from obtaining an IP address.

24. [MCQ] NETWORK SEGMENTATION

A business has 25 employees. There are 10 employees in the administration and training departments and the five remaining employees fulfill the role of outside sales. Data from each department needs to be isolated from the others by default. All employees work in the same building. What type of networks should be set up to accommodate the needs of this business?

- A. VLAN
- B. WLAN
- C. DMZ
- D. VPN

Answer: VLAN

Explanation: VLANs allow the business to use a single switch split into three groups by ports, creating three separate networks for isolation. A DMZ does not provide the required segmentation.

25. [MCQ] CLOUD COMPUTING

A security administrator tells an associate to set up two VPCs. What will be set up?

- A. A virtualized private network in the cloud.
- B. A secure tunnel from remote sites to a corporate network.
- C. A secure tunnel between two corporate networks.
- D. A security group used to protect a network.

Answer: A virtualized private network in the cloud.

Explanation: VPC stands for Virtual Private Cloud, which is a virtualized network in the cloud. VPNs create secure tunnels, and security groups protect networks but are not VPCs themselves.

26. [MATCHING] FIREWALL TYPES

Match each firewall type to its correct description.

Stateful -> _____

Stateless -> _____

NGFW -> _____

Answer:

Explanation: Stateful firewalls track connection state; stateless firewalls inspect each packet independently; next-generation firewalls (NGFW) operate at the application layer.

27. [MCQ] THREAT INTELLIGENCE

An IT company is learning about new types of cyber attacks that might be used against its customers. The IT company sets up a decoy network site as a potential target to attract attackers and gather information about the new threats. What is the term used to describe the decoy site?

- A. Proxy server
- B. Honeypot

- C. DMZ
- D. IDS

Answer: Honeypot

Explanation: A honeypot is a safe network site used to lure attackers and study their hacking attempts. A DMZ allows external access to services while protecting internal networks.

28. [MCQ] WIRELESS SECURITY

When setting up a home network, which security benefit does SSID cloaking provide?

- A. It requires the SSID to be manually configured.
- B. It restricts specific devices from accessing the wireless network.
- C. It reduces the amount of wireless traffic that requires encryption.
- D. It hides the contents of wireless traffic.

Answer: It requires the SSID to be manually configured.

Explanation: SSID cloaking disables SSID broadcasting, requiring clients to manually configure the known SSID. It does not restrict devices, reduce encryption needs, or hide traffic contents.

29. [MULTI-SELECT] VULNERABILITY ASSESSMENT

Which two network vulnerability assessment tools are used to scan networks? (Choose 2.)

- A. Nessus
- B. Metasploit
- C. Wireshark
- D. OpenSSL

Answer: Nessus, Wireshark

Explanation: Nessus scans for vulnerabilities; Wireshark is a protocol analyzer. Metasploit is for exploitation, and OpenSSL is a cryptography tool, not a network scanner.

30. [MCQ] CLOUD COMPUTING

A company is working on a disaster recovery plan. They decide that it would be more secure to subscribe to a cloud service application for their file storage and backups. Which type of cloud service do they need?

- A. BaaS
- B. PaaS
- C. SaaS
- D. IaaS

Answer: SaaS

Explanation: SaaS (Software as a Service) provides web-based applications including file storage and backups. IaaS provides infrastructure, PaaS provides platforms for development.

31. [MULTI-SELECT] SYSTEM RECOVERY

An app a user has installed has many known security flaws. A security administrator wants the device the user has to be restored to the previous restore point, taken before the app was installed. What will change about the device? (Choose two)

- A. The device will return to a state before the app was installed.
- B. The device's registry will be rolled back to the restored point.
- C. The device's files will be rolled back to the restore point.
- D. The operating system will be reset.

Answer: The device will return to a state before the app was installed., The device's registry will be rolled back to the restored point.

Explanation: Restore points roll back apps and registry settings but do not affect user files or reset the operating system entirely.

32. [MCQ] VULNERABILITY ASSESSMENT

What is used to locate potential vulnerabilities in a computer system?

- A. Penetration testing
- B. Kill chains
- C. Authentication
- D. Vulnerability databases

Answer: Penetration testing

Explanation: Penetration testing actively tests systems for vulnerabilities. Kill chains list attack steps, authentication verifies identity, and vulnerability databases contain known vulnerabilities but do not test for them.

33. [MCQ] AUDITING

You are required to keep track of file access. Which type of auditing should be implemented?

- A. Object Access
- B. Process Tracking
- C. Directory Services
- D. Audit Logon

Answer: Object Access

Explanation: Object Access auditing tracks attempts to access files and other objects. Process Tracking tracks program activation, and Directory Services tracks Active Directory object access.

34. [MCQ] CYBERSECURITY FUNDAMENTALS

What is the term to describe a weakness in a computer device, system, or network?

- A. Vulnerability
- B. Threat
- C. Exploit
- D. Attack

Answer: Vulnerability

Explanation: A vulnerability is a weakness. A threat is a potential danger, an exploit is code that takes advantage of a vulnerability, and an attack is an actual harmful act.

35. [MCQ] MALWARE

What is spyware?

- A. A program that collects information about users, systems, and browsing habits
- B. A program with malicious purposes that hides inside another useful program
- C. A program that replicates itself by modifying system or application software
- D. A program that prevents, scans, detects, and deletes viruses from a computer

Answer: A program that collects information about users, systems, and browsing habits

Explanation: Spyware collects user information. Hiding inside useful programs describes a trojan; self-replication describes a worm; virus protection describes antivirus software.

36. [MCQ] SECURITY PRINCIPLES

You are completing a college admissions application online. When navigating to the next page in the application, the website becomes unresponsive and appears to crash. You attempt to refresh the Admissions page, but you get a generic browser error and cannot access your application. What part of the CIA Triad has been compromised?

- A. Availability
- B. Integrity
- C. Confidentiality

Answer: Availability

Explanation: Availability is compromised because the application is no longer accessible. Confidentiality and integrity are not affected as no data breach or modification occurred.

37. [MCQ] FRAMEWORKS & COMPLIANCE

Which cybersecurity framework serves as a guide and provides best practices for improving information security and properly conducting cybersecurity risk management?

- A. NIST Cybersecurity Framework
- B. ISO/IEC 27001
- C. CIS Critical Security Controls
- D. COBIT

Answer: NIST Cybersecurity Framework

Explanation: NIST Cybersecurity Framework provides a blueprint for cybersecurity risk management. ISO/IEC 27001 focuses on ISMS, CIS Controls list security controls, and COBIT focuses on IT governance.

38. [MCQ] CYBER ATTACKS

In which type of attack is a DNS entry manipulated to redirect a website request to a malicious one?

- A. Pharming
- B. Watering hole
- C. Spear phishing
- D. Whaling

Answer: Pharming

Explanation: In a pharming attack, DNS entries are manipulated to redirect legitimate website requests to malicious ones. Watering hole infects trusted sites, spear phishing targets individuals, and whaling targets prominent individuals.

39. [MCQ] NETWORK SECURITY

An organization is revising its network security architecture. They want to include a device or service that will enhance security by hiding their corporate IP address and by acting as a go-between for internal users and the Internet. Which type of device or service does the organization require?

- A. An intrusion detection system (IDS)
- B. A virtual private network (VPN)
- C. A RADIUS server
- D. A proxy server

Answer: A proxy server

Explanation: A proxy server sits between internal users and the internet, hiding internal IP addresses. IDS monitors for malicious activity, VPNs create secure tunnels, and RADIUS handles authentication.

40. [MCQ] ENDPOINT TOOLS

For the following statement, select True or False. You can use netstat to examine UDP packets over IPv6.

- A. True
- B. False

Answer: True

Explanation: Netstat can examine UDP packets over IPv6 protocol. The statement is true.

41. [MCQ] CRYPTOGRAPHY

Which type of encryption algorithm uses a pre-shared key to encrypt and decrypt data?

- A. Symmetric
- B. Asymmetric
- C. Diffie-Hellman

D. SHA-2

Answer: Symmetric

Explanation: Symmetric algorithms use the same pre-shared key to encrypt and decrypt data. Asymmetric uses public/private key pairs, Diffie-Hellman is a key exchange protocol, and SHA-2 is a hashing algorithm.

42. [MCQ] COMPLIANCE

Which compliance act provides a framework for US federal agencies and contractors to adhere to in order to protect their data?

- A. FISMA
- B. FERPA
- C. HIPAA
- D. GDPR

Answer: FISMA

Explanation: FISMA (Federal Information Security Modernization Act) mandates US federal agencies and contractors to protect their information systems. FERPA protects student records, HIPAA protects healthcare privacy, and GDPR is for EU data protection.

43. [MATCHING] RISK MANAGEMENT

Move each potential threat on the left to the correct mitigation strategy on the right.

Natural disasters -> _____
Cyberattack -> _____
Supply-chain disruptions -> _____
Employee errors -> _____

Answer:

Explanation: Natural disasters are mitigated by hardened facilities and alternate sites; cyberattacks by firewalls, IDS/IPS, and log analyzers; supply-chain disruptions by alternate sources and inventory management; employee errors by standard procedures and training.

44. [MCQ] DISASTER RECOVERY

A fire occurred in the data center of your organization. Which document will security staff consult after the fire?

- A. Disaster Recovery Plan
- B. Information Security Policy
- C. Preventive Controls Specification
- D. Recovery Point Objectives

Answer: Disaster Recovery Plan

Explanation: A Disaster Recovery Plan defines how to react to destructive events. Information Security Policy defines security rules, Preventive Controls Specification deals with prevention, and RPO identifies acceptable data loss limits.

45. [MULTI-SELECT] SECURITY GOVERNANCE

Which security-related tasks and items are part of security governance? (Choose two)

- A. Meeting regulatory compliance requirements.
- B. Defining security roles and responsibilities.
- C. Hiring IT staff and management.
- D. Nepotism.

Answer: Meeting regulatory compliance requirements., Defining security roles and responsibilities.

Explanation: Security governance includes meeting regulatory compliance requirements and defining security roles and responsibilities. Hiring IT staff and nepotism are not part of security governance.

46. [MCQ] PUBLIC KEY INFRASTRUCTURE

What creates and manages digital validation for websites within the public key infrastructure (PKI)?

- A. Certificate Authority (CA)
- B. Diffie-Hellman (DH)
- C. US Government Federal Information Processing Standard (FIPS)
- D. Code signing

Answer: Certificate Authority (CA)

Explanation: A Certificate Authority (CA) creates digital certificates by tying a public key to a confirmed identity. Diffie-Hellman is an encryption algorithm, FIPS sets standards, and code signing verifies code integrity.

47. [MCQ] HARDWARE REDUNDANCY

A security team needs to be able to switch out nonfunctional hardware pieces for functional ones as quickly as possible. Which replacement is an example of using a hot spare?

- A. A spare drive taking over a failed drive in RAID.
- B. A swap of a live disk for a failed disk in a RAID.
- C. A replacement of a failed switch.
- D. A replacement of a failed power supply.

Answer: A spare drive taking over a failed drive in RAID.

Explanation: A hot spare automatically takes over without physical interaction, such as a spare drive in RAID. Cold spares require manual intervention, like replacing a failed switch or power supply.

48. [MATCHING] LOGGING & MONITORING

Use drag and drop to match each syslog severity level to the recommended action.

- Level 1 (Alert) -> _____
- Level 4 (Warning) -> _____
- Level 5 (Notice) -> _____
- Level 6 (Informational) -> _____

Answer:

Explanation: Alert (Level 1) requires immediate correction; Warning (Level 4) indicates possible future error; Notice (Level 5) records unusual but non-error events; Informational (Level 6) logs normal operations.

49. [MCQ] LINUX COMMANDS

Which Linux command is used to change the root directory?

- A. chroot
- B. sudo
- C. chmod
- D. su

Answer: chroot

Explanation: chroot changes the root directory for a process. sudo runs commands with superuser privileges, chmod changes file permissions, and su switches user accounts.

50. [MULTI-SELECT] THREAT INTELLIGENCE

Which three options are standards that enable the exchange of cyber threat intelligence (CTI) in an automated, consistent, and machine-readable format? (Choose 3.)

- A. CybOX
- B. Cisco Talos
- C. STIX
- D. TAXII
- E. FireEye Helix

Answer: CybOX, STIX, TAXII

Explanation: CybOX is a standardized schema, STIX is a set of specifications for exchanging cyber threat information, and TAXII is a protocol designed to support STIX. Cisco Talos and FireEye Helix are commercial threat intelligence products.

51. [MCQ] PHYSICAL SECURITY

Which type of physical attack involves entry into a restricted building or area?

- A. Spear phishing
- B. Whaling
- C. Vishing
- D. Tailgating

Answer: Tailgating

Explanation: Tailgating involves following an authorized person into a restricted area. Spear phishing and whaling are social engineering attacks via email; vishing is voice-based phishing.

52. [MCQ] VULNERABILITY MANAGEMENT

After performing a vulnerability scan, you discover that over half of the company end-user computing devices are not at the current level of client operating system software. Which mitigation strategy is appropriate to address the risks associated with outdated client operating system software?

- A. Install a professional enterprise email security software package to scan incoming email.
- B. Employ firewalls and access lists to protect against malicious websites and web pages.
- C. Create a permissions security policy to restrict user access to confidential databases.
- D. Implement a patch management system to automatically apply patches and updates.

Answer: Implement a patch management system to automatically apply patches and updates.

Explanation: Patch management directly addresses outdated software. Email security, firewalls, and permissions policies do not solve the underlying issue of missing OS updates.

53. [MCQ] RISK MANAGEMENT

Which option represents an external source of risk to an organization?

- A. Lack of encryption on local database file stores.
- B. Natural disasters, such as earthquakes or floods.
- C. Failure to update program documentation.
- D. Obsolete or end-of-support hardware installed.

Answer: Natural disasters, such as earthquakes or floods.

Explanation: Natural disasters are external sources of risk. Lack of encryption, failure to update documentation, and obsolete hardware are internal sources of risk.

54. [MCQ] SOCIAL ENGINEERING

Which attack method requires the use of a phone to obtain personal or sensitive information?

- A. Vishing
- B. Whaling
- C. Spear phishing
- D. Pharming

Answer: Vishing

Explanation: Vishing (voice phishing) uses phone calls to obtain sensitive information. Whaling and spear phishing are email-based, and pharming involves DNS manipulation.

55. [MCQ] DNS TOOLS

You need to revise the search list on your DNS server by using nslookup. What should you do?

- A. Run the nslookup set schlist command.
- B. Run the nslookup set querytype command.
- C. Run the nslookup set search command.

D. Run the nslookup set type command.

Answer: Run the nslookup set schlist command.

Explanation: The `set schlist` command allows modifications to the DNS search list. `set querytype` and `set type` change resource record types, and `set search` adds domain names to requests.

56. [MCQ] SECURITY PRINCIPLES

Which part of the CIA Triad is exploited when shoulder surfing occurs?

- A. Confidentiality
- B. Availability
- C. Integrity
- D. Authorization

Answer: Confidentiality

Explanation: Shoulder surfing compromises confidentiality because sensitive data is observed or stolen. Availability and integrity remain intact, and authorization is part of AAA, not the CIA Triad.

57. [MCQ] SECURITY MONITORING

What classification of security alert is the greatest threat to an organization because it represents undetected exploits?

- A. False positive
- B. True positive
- C. False negative
- D. True negative

Answer: False negative

Explanation: A false negative means a threat exists but was not detected, leaving the organization vulnerable to undetected exploits. This is the greatest threat because no alert triggers, and attackers continue operating unnoticed.

58. [MCQ] RISK MANAGEMENT

You are working with the senior admin team to identify potential risks. Which phase of risk management are you in?

- A. Mitigating risks
- B. Identifying risks
- C. Assessing risks
- D. Monitoring risks

Answer: Identifying risks

Explanation: Identifying risks is the first phase where potential threats and vulnerabilities are recognized. Mitigation, assessment, and monitoring come after identification.

59. [MCQ] RISK MANAGEMENT

While conducting a risk evaluation at your company, you identify risks related to the web server located at the office. The risks involve hardware and software failure as well as web service interruption caused by cyber-attacks. You recommend purchasing insurance and hiring another organization to maintain the web server and mitigate risks. Which risk mitigation strategy is this an example of?

- A. Risk avoidance
- B. Risk acceptance
- C. Risk transfer
- D. Risk reduction

Answer: Risk transfer

Explanation: Risk transfer shifts the financial or operational impact of a risk to a third party (insurance or another organization). Avoidance eliminates the risk, acceptance tolerates it, and reduction lessens it.

60. [MULTI-SELECT] AUTHENTICATION

Which three authentication factors are valid for use in a multi-factor authentication scenario? (Choose three)

- A. Something you are
- B. Something you do
- C. Something you have
- D. Something you know
- E. Something you see
- F. Something you earn

Answer: Something you know, Something you have, Something you are

Explanation: The three standard authentication factors are: Something you know (password/PIN), something you have (token/smartphone), and something you are (biometric). Something you do, see, or earn are not standard factors.

61. [MCQ] NETWORK TOOLS

Which command displays both configured DNS server information and the IP address resolution for a URL?

- A. ping
- B. traceroute
- C. nmap
- D. nslookup

Answer: nslookup

Explanation: nslookup queries DNS servers to resolve hostnames to IP addresses and displays configured DNS server information. Ping tests connectivity, traceroute traces route, nmap scans ports.

62. [MCQ] DATA SECURITY

Which data type is protected through hard disk encryption?

- A. Data in use
- B. Data in process
- C. Data in transit
- D. Data at rest

Answer: Data at rest

Explanation: Hard disk encryption protects data stored on the disk (data at rest). Data in transit is protected by TLS/SSL, data in use/process is in RAM.

63. [MCQ] COMPLIANCE

Match each compliance regulation with the data it protects.

- A. GDPR → Personal information of EU members
- B. HIPAA → Healthcare information
- C. PCI DSS → Credit card information
- D. FERPA → Educational records
- E. FISMA → Federal agency information

Answer: GDPR → Personal information of EU members; HIPAA → Healthcare information; PCI DSS → Credit card information; FERPA → Educational records; FISMA → Federal agency information

Explanation: GDPR protects EU personal data; HIPAA protects healthcare information; PCI DSS protects credit card data; FERPA protects student education records; FISMA protects federal agency information.

64. [MCQ] SECURITY PRINCIPLES

Match each CIA Triad component to its correct description.

- A. Integrity → Data should never be altered or compromised

- B. Confidentiality → Data accessed only by authorized users
- C. Availability → Data accessible when needed

Answer: Integrity → Data should never be altered or compromised; Confidentiality → Data accessed only by authorized users; Availability → Data accessible when needed

Explanation: Integrity ensures data accuracy and prevents unauthorized modification; Confidentiality ensures only authorized users access data; Availability ensures data is accessible when needed.

65. [MCQ] INCIDENT RESPONSE

Match each mitigation strategy to its correct action.

- A. Treatment → Clean and patch infected systems
- B. Quarantine → Remove or block infected systems from the network
- C. Inoculation → Patch unexpected systems to deprive the worm of targets
- D. Containment → Compartmentalize and segment the network

Answer: Treatment → Clean and patch infected systems; Quarantine → Remove or block infected systems; Inoculation → Patch unexpected systems to deprive worm of targets; Containment → Compartmentalize and segment the network

Explanation: Treatment cleans infected systems; Quarantine isolates infected systems; Inoculation patches to remove targets; Containment segments the network to limit spread.

66. [MULTI-SELECT] NETWORK SECURITY

Which two private IPv4 addresses would be blocked on the internet to prevent security and performance issues? (Choose two)

- A. 10.0.0.0/8
- B. 172.16.0.0/12
- C. 192.168.0.0/16
- D. 169.254.0.0/16

Answer: 172.16.0.0/12, 192.168.0.0/16

Explanation: RFC 1918 private addresses (10.0.0.0/8, 172.16.0.0/12, 192.168.0.0/16) should be blocked at internet borders. 169.254.0.0/16 is link-local. The question shows examples from 172.18.100.78 and 192.168.189.x.

67. [MCQ] SOCIAL ENGINEERING

The employees in the accounting department of a company receive an email about the latest federal accounting regulations. The email contains a hyperlink to register for a webinar hosted by a government agency. As a security officer, you notice the hyperlink points to an unknown party. Which type of cybersecurity threat should you investigate?

- A. Ransomware
- B. Vishing
- C. Smishing
- D. Spear phishing

Answer: Spear phishing

Explanation: Spear phishing targets specific individuals or departments with personalized emails containing malicious links. Ransomware encrypts files, vishing uses phone calls, smishing uses SMS.

68. [MCQ] NETWORK SECURITY

You need to transfer configuration files to a router across an unsecured network. Which protocol should you use to encrypt the files in transit?

- A. HTTP
- B. Telnet
- C. SSH
- D. TFTP

Answer: SSH

Explanation: SSH (Secure Shell) encrypts data in transit. HTTP and Telnet send data in clear text; TFTP (Trivial File Transfer Protocol) has no encryption or authentication.

69. [MCQ] REMOTE ACCESS

You need to allow employees to access your company's secure network from their homes. Which type of security should you implement?

- A. IDS
- B. VPN
- C. BYOD
- D. DNS

Answer: VPN

Explanation: A VPN (Virtual Private Network) creates an encrypted tunnel for secure remote access. IDS monitors for intrusions, BYOD is a device policy, DNS resolves domain names.

70. [MCQ] NETWORK SECURITY

Your home network seems to have slowed down considerably. You look at the home router GUI and notice that an unknown host is attached to the network. What should you do to prevent this specific host from attaching to the network again?

- A. Create an IP access control list
- B. Implement MAC address filtering
- C. Block the host IP address
- D. Change the network SSID

Answer: Block the host IP address

Explanation: Blocking the specific IP address prevents that host from reconnecting. MAC filtering requires listing allowed MACs, changing SSID affects all devices, IP ACLs are more complex.

71. [MULTI-SELECT] DISASTER RECOVERY

What are two natural disasters that would cause a company to implement a disaster recovery plan? (Choose two)

- A. Hazardous material spills
- B. Volcanic eruptions
- C. Floods
- D. Nuclear contamination

Answer: Floods, Volcanic eruptions

Explanation: Floods and volcanic eruptions are natural disasters requiring disaster recovery plans. Hazardous spills and nuclear contamination are man-made or industrial disasters.

72. [MCQ] LINUX COMMANDS

A cybersecurity analyst is investigating an unknown executable file discovered on a Linux desktop computer. The analyst enters the following command in a terminal: `ls -l`. What is the purpose of this command?

- A. To navigate to a folder
- B. To delete the executable file
- C. To display file permissions and ownership
- D. To run the executable file

Answer: To display file permissions and ownership

Explanation: `ls -l` lists files with detailed information including permissions, ownership, size, and modification time. It does not navigate, delete, or execute the file.

73. [MCQ] ETHICS & COMPLIANCE

True or false: A security analyst may use a disgruntled employee's network credentials to monitor behavior.

- A. True
- B. False

Answer: False

Explanation: Using another employee's credentials without authorization is unethical and often illegal, even for monitoring. Proper monitoring should use authorized accounts with oversight.

74. [MCQ] ETHICS & COMPLIANCE

A security analyst may access employee data on a company server, if authorized. (True/False)

- A. True
- B. False

Answer: True

Explanation: If properly authorized (by policy, management, or role requirements), a security analyst may access employee data for legitimate security purposes.

75. [MCQ] THREAT INTELLIGENCE

Your organization's system alerts you that users are connecting to an unusual URL. You need to determine whether the URL is malicious and what type of threat it represents. What should you do?

- A. Ask users why they visited the website
- B. Submit the URL to a threat intelligence portal for analysis
- C. Visit the URL to determine whether the website is legitimate
- D. Block the URL by placing it on the network block list

Answer: Submit the URL to a threat intelligence portal for analysis

Explanation: Threat intelligence portals provide reputation data and analysis without risking exposure. Visiting the URL could be dangerous; blocking without analysis doesn't identify the threat.

76. [MCQ] SOCIAL ENGINEERING

Which activity by an adversary is an example of an exploit attempting to gain user credentials?

- A. Executing a remote port scan of all enterprise registered IP addresses
- B. Installing a backdoor to enable two-way communication with the device
- C. Obtaining a directory listing of files located on the web database server
- D. Sending an email with a link to a fictitious web portal login page

Answer: Sending an email with a link to a fictitious web portal login page

Explanation: A fake login page phishes for credentials. Port scans find open ports, backdoors enable persistence, directory listings expose file structure—none directly steal credentials.

77. [MCQ] ENDPOINT ATTACKS

A security analyst discovers that a hacker was able to gain root access to an enterprise Linux server. The hacker accessed the server as a guest, used a program to bypass the root password, and then killed essential server processes as the root user. Which type of endpoint attack is this?

- A. Brute force
- B. Privilege escalation
- C. Buffer overflow
- D. DDoS

Answer: Privilege escalation

Explanation: Privilege escalation occurs when an attacker gains higher privileges (guest to root). Brute force guesses passwords, buffer overflow corrupts memory, DDoS overwhelms services.

78. [MCQ] NETWORK TOOLS

A system on your network is experiencing slower than usual response times. To gather information, you issue `netstat -l` to display all TCP ports in the listening state. What does the listening state indicate about these ports?

- A. The ports are actively connected to another system or process
- B. The remote end has disconnected and the ports are closing
- C. The ports are open on the system and are waiting for connections
- D. The state of the connection on the ports is unknown

Answer: The ports are open on the system and are waiting for connections

Explanation: A listening (LISTEN) port means the system is waiting for incoming client connections. ESTABLISHED indicates active connections, CLOSING indicates disconnection.

79. [MCQ] ETHICS & COMPLIANCE

A security analyst may share sensitive data with unauthorized users. (True/False)

- A. True
- B. False

Answer: False

Explanation: Sharing sensitive data with unauthorized users violates confidentiality policies, data protection laws, and professional ethics. This is never permissible.

80. [MCQ] LOGGING

Match each log type to its correct description.

- A. Setup logs → Record software installation and OS updates
- B. System logs → Events generated by hardware, drivers, and processes
- C. Security logs → Success or failure of audit policy events

Answer: Setup logs → Record software installation and OS updates; System logs → Events generated by hardware, drivers, processes; Security logs → Success/failure of audit policy events

Explanation: Setup logs track installations; System logs record hardware/driver/process events; Security logs record audit policy successes and failures (logins, object access).

81. [MCQ] INCIDENT RESPONSE

Match each incident response phase to its correct activity.

- A. Containment, eradication, recovery → Mitigate impact after incident
- B. Detection and analysis → Evaluate indicators to determine if legitimate attack and alert organization
- C. Preparation → Establish incident response capability to ensure assets are secure

Answer: Containment/eradication/recovery → Mitigate impact after incident; Detection/analysis → Evaluate indicators and alert; Preparation → Establish capability

Explanation: NIST IR phases: Preparation (establish capability), Detection & Analysis (identify and verify incidents), Containment/Eradication/Recovery (stop and restore).

82. [MCQ] PENETRATION TESTING

Which activity is an example of active reconnaissance performed during a penetration test?

- A. Searching the WHOIS database for domain owner and technical contact information
- B. Performing an Nmap port scan on the LAN to determine types of connected devices and open ports
- C. Gathering employee information from available web directories and social media
- D. Using a browser to view the HTTP source code of company web pages

Answer: Performing an Nmap port scan on the LAN to determine types of connected devices and open ports

Explanation: Active reconnaissance directly interacts with target systems (e.g., port scanning). WHOIS, social media, and HTTP source code are passive reconnaissance (no direct interaction).

83. [MCQ] VIRTUALIZATION

What is the purpose of a hypervisor?

- A. It provides a gateway between users and the internet
- B. It monitors and logs network traffic for malicious packets
- C. It creates and runs virtual machines
- D. It provides and monitors firewall services for cloud computing

Answer: It creates and runs virtual machines

Explanation: A hypervisor creates and manages virtual machines (VMs) on physical hardware. Gateways, IDS/IPS, and firewalls are separate security functions.

84. [MCQ] CRYPTOGRAPHY

What does hashing provide for data communication?

- A. Data integrity
- B. Data non-repudiation
- C. Data encryption
- D. Origin authentication

Answer: Data integrity

Explanation: Hashing ensures data integrity by detecting changes. Non-repudiation uses digital signatures, encryption provides confidentiality, authentication verifies identity.

85. [MCQ] WIRELESS SECURITY

Which wireless encryption technology requires WPA2-AES to secure home wireless networks?

- A. TKIP
- B. WEP
- C. WPA2
- D. WPA

Answer: WPA2

Explanation: WPA2 with AES is the recommended encryption for home wireless networks. TKIP is older/weaker, WEP is broken, WPA is outdated.

86. [MCQ] CYBERSECURITY FUNDAMENTALS

Match each term to its correct definition.

- A. Asset → People, property, or data
- B. Risk → Potential for loss, damage, or destruction
- C. Threat → Action that causes negative impact
- D. Vulnerability → Weakness that potentially exposes organizations to cyber attacks

Answer: Asset → People, property, or data; Risk → Potential for loss, damage, destruction; Threat → Action causing negative impact; Vulnerability → Weakness exposing to cyber attacks

Explanation: Asset is what you protect; Risk is potential loss; Threat is a harmful action; Vulnerability is a weakness. This is foundational risk management terminology.

87. [MCQ] ASSET MANAGEMENT

What enables the network security team to keep track of operating system versions, security updates, and patches on end users' devices?

- A. Business continuity planning
- B. Incident management
- C. Security policies and procedures
- D. Asset management

Answer: Asset management

Explanation: Asset management maintains an inventory of devices, their configurations, and installed software/patches, enabling version and update tracking.

88. [MCQ] ENDPOINT SECURITY

You are a security technician. You just completed a full scan of a Windows 10 PC. Where should you go to view the scan result?

- A. Windows Application Logs
- B. Windows Task Manager
- C. Windows Security
- D. Windows System Logs

Answer: Windows Security

Explanation: Windows Security (formerly Windows Defender Security Center) displays antivirus/antimalware scan results. Application/System logs show other events; Task Manager shows processes.

89. [MULTI-SELECT] COMPLIANCE

You work for a community healthcare organization using an electronic health record system. You have implemented physical and technical safeguards required by HIPAA. You need to prove the system is compliant with those safeguards. Which two approaches should you use to verify compliance? (Choose two)

- A. Security awareness training
- B. Automatic logoff implementation
- C. Penetration testing
- D. IT auditing

Answer: Penetration testing, IT auditing

Explanation: Penetration testing actively finds vulnerabilities; IT auditing reviews controls and documentation. Logoff implementation is a safeguard itself, training addresses personnel.

90. [MCQ] LOGGING

You are monitoring the syslog server and observe that the DNS server is sending messages with a warning severity. What do these messages indicate about the operation of the DNS server?

- A. A condition exists that will cause errors in the future if the issue is not fixed
- B. The server has a hardware error that does not require immediate attention
- C. An error condition is occurring that must be addressed immediately
- D. The DNS server is unusable due to a severe malfunction and is shutting down

Answer: A condition exists that will cause errors in the future if the issue is not fixed

Explanation: Syslog Warning (Level 4) indicates a condition that may cause future errors if not addressed. Emergencies/Errors require immediate action, Info/Notice are normal.

91. [MCQ] CYBER ATTACKS

A corporation hires experienced cyber criminals to create a prolonged and in-depth presence on the network of a competitor to steal or sabotage sensitive data. Which type of attack does this scenario describe?

- A. DDoS
- B. Ransomware
- C. APT (Advanced Persistent Threat)
- D. Man-in-the-middle

Answer: APT (Advanced Persistent Threat)

Explanation: APTs involve long-term, stealthy presence for espionage or data theft. DDoS overwhelms, ransomware encrypts, MITM intercepts communications.

92. [MULTI-SELECT] VULNERABILITY MANAGEMENT

What are two disadvantages of public vulnerability databases? (Choose two)

- A. Publicly available databases are incompatible with most security platforms
- B. It can take a long time for reported vulnerabilities to be investigated and approved
- C. Threat actors can access the databases to learn how to vary threats to avoid detection
- D. It is costly for intelligence analysts to document and submit newly discovered vulnerabilities

Answer: It can take a long time for reported vulnerabilities to be investigated and approved, Threat actors can access the databases to learn how to vary threats to avoid detection

Explanation: Public databases have publication delays, allowing attackers to exploit unpatched vulnerabilities. Attackers also study them to adjust evasion techniques.

93. [MCQ] TROUBLESHOOTING

After an administrator installs an operating system update on a laptop, the laptop user can no longer print to their wireless printer. What should solve the issue?

- A. Update the firmware on the laptop
- B. Check for patches for wireless printers
- C. Install a new device driver for the wireless printer
- D. Reinstall the same service pack

Answer: Install a new device driver for the wireless printer

Explanation: OS updates may break existing drivers. Installing updated printer drivers restores functionality. Firmware updates and patches are less direct solutions.

94. [MCQ] CYBER ATTACKS

Customers of an online shopping store complain they cannot visit the website. As an IT technician, you restart the website. After 30 minutes, the website crashes again. You suspect a cyber attack. Which type of cybersecurity threat should you investigate?

- A. Denial of Service (DoS)
- B. Spear phishing
- C. Ransomware
- D. Social engineering

Answer: Denial of Service (DoS)

Explanation: Repeated crashes after restart indicate a DoS/DDoS attack overwhelming the website. Spear phishing targets credentials, ransomware encrypts files, social engineering manipulates people.

95. [MCQ] SECURITY CONTROLS

Match each control type to its correct action.

- A. Detective measures → Discover unwanted events
- B. Preventive measures → Avert the occurrence of an event
- C. Corrective measures → Restore a system after an event

Answer: Detective measures → Discover unwanted events; Preventive measures → Avert occurrence; Corrective measures → Restore after event

Explanation: Detective controls discover incidents (logs, alarms); Preventive controls stop incidents (firewalls, locks); Corrective controls restore systems (backups, DR).

96. [MULTI-SELECT] SECURE COMMUNICATIONS

You are reviewing company remote access procedures and notice Telnet is being used to connect to a corporate database server to check inventory levels. Which two actions should you take immediately? (Choose two)

- A. Disable Telnet access on the server
- B. Force users to implement secure Telnet passwords

- C. Reconfigure the server to only accept HTTP connections
- D. Implement SSH access on the server

Answer: Disable Telnet access on the server, Implement SSH access on the server

Explanation: Telnet sends credentials in clear text. Disable it and implement encrypted SSH. Secure passwords don't solve clear-text transmission; HTTP is also insecure.

97. [MCQ] DNS SECURITY

Several employees complain that the company intranet site is no longer accepting their login information. You attempt to connect using the URL and notice some misspellings on the page. What should you do?

- A. Restart the web server
- B. Reset all employee passwords
- C. Check the network firewall logs
- D. Verify the accuracy of the entry for the site in the local DNS server

Answer: Verify the accuracy of the entry for the site in the local DNS server

Explanation: Misspellings suggest possible DNS poisoning or misconfiguration. Verify DNS records point to the correct server. Restarting server or resetting passwords doesn't address DNS issues.

98. [MCQ] SECURITY THREATS

Which kind of attack intercepts and alters data sent between two hosts?

- A. SQL injection
- B. Phishing
- C. Dictionary
- D. Man-in-the-middle

Answer: Man-in-the-middle

Explanation: Man-in-the-middle: This answer is correct because this attack can intercept and alter data. Dictionary: This answer is incorrect because this attack is for cracking passwords. Phishing: This answer is incorrect because this attack uses email to compromise victims. SQL injection: This answer is incorrect because this attack interferes with the queries of a web application.

99. [MCQ] DATA MANAGEMENT

A data manager needs to organize data at a small consulting firm by sensitivity and value. What data management task is the manager practicing?

- A. Data classification
- B. Data retention
- C. Data exfiltration
- D. Data governance

Answer: Data classification

Explanation: Data classification categorizes data by sensitivity, value, and whether data is compliant with regulations. Data retention is the time data has to be kept to satisfy legal requirements. Data exfiltration is the unauthorized transfer of data from a computer or network. Data governance is a set of policies and procedures for managing data throughout its life cycle.

100. [MATCHING] CYBERSECURITY FUNDAMENTALS

Match each cybersecurity term to its correct definition.

- Threat -> _____
- Attack vector -> _____
- Exploit -> _____
- Vulnerability -> _____

Answer: Threat -> A potential malicious attack that seeks to unlawfully access data, disrupt digital operations, or damage information. | Attack vector -> A pathway or method used by a hacker to illegally access a network

or computer. | **Exploit -> An attack designed to find and take advantage of a computer weakness, usually for malicious purposes.** | **Vulnerability -> A weakness found in a computer system which has the potential to be accessed in order to compromise the system.**

Explanation: Threat: A potential malicious attack that seeks to unlawfully access data, disrupt digital operations, or damage information. Attack vector: A pathway or method used by a hacker to illegally access a network or computer. Exploit: An attack designed to find and take advantage of a computer weakness, usually for malicious purposes. Vulnerability: A weakness found in a computer system which has the potential to be accessed in order to compromise the system.

101. [MCQ] CYBERSECURITY FUNDAMENTALS

Which term describes a pathway that is used to illegally access a computer system?

- A. Attack vector
- B. Cryptographic attack
- C. Botnet
- D. Firewall

Answer: Attack vector

Explanation: Attack vector: This answer is correct because an attack vector is a pathway or method used by a hacker to illegally access a network or computer in an attempt to exploit system vulnerabilities. Botnet: This answer is incorrect because a botnet is a network of devices infected with malicious software. Cryptographic attack: This answer is incorrect because it is an attack used to access encrypted data. Firewall: This answer is incorrect because a firewall usually establishes a barrier between a trusted internal network and an untrusted external network.

102. [MCQ] SECURITY THREATS

Which option is a common type of attack launched against IoT devices?

- A. ARP spoofing attack
- B. SYN flooding attack
- C. DDoS attack
- D. MAC spoofing attack

Answer: DDoS attack

Explanation: DDoS attack: This answer is correct because it is an attack that attempts to overwhelm a target to make services unavailable. Because IoT devices have limited resources, this type of attack is very effective. ARP spoofing attack: This answer is incorrect because in an ARP spoofing attack the attacker sends frames that have the attacker's MAC address associated with the IP address of the legitimate host. SYN flooding attack: This answer is incorrect because in a SYN flood attack the attacker overwhelms a server with TCP SYN requests to prevent the server from responding to client requests. MAC spoofing attack: This answer is incorrect because in a MAC spoofing attack threat actors send frames with a source MAC address of a legitimate host.

103. [MCQ] SECURITY THREATS

Which type of attack substitutes a source IP address to impersonate a legitimate computer system?

- A. IP Spoofing
- B. Man-in-the-Middle
- C. ARP Spoofing
- D. Buffer overflow

Answer: IP Spoofing

Explanation: IP Spoofing: This answer is correct because threat actors alter IP packets with false source IP addresses to impersonate another computer and make it difficult to know the source of the attack. ARP Spoofing: This answer is incorrect because this is when the attacker sends false ARP messages attempting to substitute the MAC (media access control) address from the legitimate one within the network to the target system. Man-in-the-Middle (MitM): This answer is incorrect because this is when threat actors insert themselves between ongoing communication between parties to intercept, read, insert, modify, and relay messages. Buffer overflow: This answer is incorrect because this is when the threat actors try to overwhelm the memory registers with additional data so that it overwrites current data in the registers causing them to overflow.

104. [MATCHING] FRAMEWORKS

A security team is perusing through cybersecurity frameworks. Match each question to the correct cybersecurity framework.

Which cybersecurity framework helps businesses with risk management as it relates to security? -> _____

Which cybersecurity framework provides assistance on building an ISMS? -> _____

Which cybersecurity framework helps a business with its overall cybersecurity posture? -> _____

Answer: Which cybersecurity framework helps businesses with risk management as it relates to security? -> NIST Cybersecurity Framework | Which cybersecurity framework provides assistance on building an ISMS? -> ISO/IEC 27000 | Which cybersecurity framework helps a business with its overall cybersecurity posture? -> CIS Critical Security Controls

Explanation: The NIST Cybersecurity Framework helps businesses run risk management as it relates to security. The ISO/IEC 27000 series of documents provides guidance on information security management systems (ISMS). The CIS Critical Security Controls help businesses improve their overall cybersecurity posture.

105. [MCQ] CYBERSECURITY FUNDAMENTALS

A major power surge occurs in the middle of making authorized changes to the company payroll server which results in equipment failure. The equipment is replaced and the data is restored from a previous, good backup. Which part of the CIA Triad was preserved?

- A. Integrity
- B. Availability
- C. Confidentiality

Answer: Availability

Explanation: The CIA Triad consists of Confidentiality, Integrity, and Availability. Availability: This answer is correct because the database can be accessed. Confidentiality: This answer is incorrect because sensitive data was not compromised. Integrity: This answer is incorrect because the data has not been changed or altered.

106. [MCQ] CYBERSECURITY FUNDAMENTALS

Which term refers to the combined sum of all potential threat vectors in defense-in-depth security?

- A. Compromise
- B. Vulnerability
- C. Attack surface
- D. Risk

Answer: Attack surface

Explanation: Attack surface: This answer is correct because it is the combined sum of all attack vectors. Vulnerability: This answer is incorrect because it refers to a weakness that may be exploited by an attacker. Compromise: This answer is incorrect because it refers to an attack by an unauthorized agent. Risk: This answer is incorrect because it refers to the possibility and damage of a cyber attack.

107. [MCQ] SECURITY THREATS

Which type of attacker mostly uses existing computer code to launch cyber attacks?

- A. Script kiddie
- B. Hactivist
- C. Competitor
- D. Criminal

Answer: Script kiddie

Explanation: Script kiddie: This answer is correct because their knowledge limits more sophisticated attacks. Hactivist: This answer is incorrect because they are concerned with political and social activism. Competitor: This answer is incorrect because they use attacks against business competitors. Criminal: This answer is incorrect because they are able to design more sophisticated attacks against a victim.

108. [MCQ] SECURITY OPERATIONS

For the following statement, select True or False. Following a "clear screen" policy means that you keep your computer in a locked state when you are away from your desk.

- A. True
- B. False

Answer: True

Explanation: The statement is true because a "clear screen" policy (physical security) directs all the organization's employees to lock their computers when leaving their desks by logging off. This prevents unauthorized use of the computer and protects the privacy of its contents.

109. [MCQ] CYBERSECURITY FUNDAMENTALS

In which security model do users start with no permissions, which are then granted very granularly?

- A. Zero trust
- B. Defense-in-depth
- C. Hardening
- D. Security governance

Answer: Zero trust

Explanation: In Zero trust security, no one is trusted, so people have no permissions by default. They are then granted permissions as needed, usually granularly. Defense-in-depth is a multi-layer security system usually applied to physical buildings. Hardening is the process of removing unnecessary hardware from an infrastructure and unnecessary software from devices. Security governance is a set of policies that define a security posture for an organization.

110. [MCQ] SECURITY THREATS

The following code placed in a form field on a webpage is an example of what type of attack?

SELECT firstname, lastname, id FROM customers WHERE 1 = 1

- A. Cross-site forgery.
- B. Buffer overflow.
- C. SQL Injection.
- D. Cross-site scripting.

Answer: SQL Injection.

Explanation: An SQL Injection is taking place, as the person is attempting to use an SQL query to infiltrate a backend database and steal information. Cross-site scripting does not use SQL code. A buffer overflow occurs when one attempts to enter a value that exceeds a designated memory space. Cross-site forgery occurs when a person is forced to execute unwanted actions on a web app to which they are authenticated.

111. [MCQ] SECURITY THREATS

Which type of attack occurs when threat actors utilize botnets on several computers to overwhelm a targeted web server?

- A. DDoS
- B. Ransomware
- C. Man-in-the-middle
- D. DoS

Answer: DDoS

Explanation: DDoS: This answer is correct because a DDoS (Distributed Denial-of-Service) attack is a malicious attempt by threat actors to disrupt the normal functioning of the targeted website by overwhelming the server's resources through botnets. Botnets are snippets of malware that infect several computers allowing them to be remotely controlled by a threat actor. DoS: This answer is incorrect because in a DoS attack, a single computer is used by threat actors to flood a target server with TCP and UDP packets. Botnets are not involved. Man-in-the-middle: This answer is incorrect because in a man-in-the-middle attack, threat actors gain access to the communications between two other parties for malicious purposes, without either of those parties realizing it. Ransomware: This answer is incorrect because a ransomware attack involves malware that threat actors use to encrypt targeted hard drives for ransom purposes.

112. [MCQ] CYBERSECURITY FUNDAMENTALS

You receive an email from your teacher that has a link to a class poll for a pizza party. You click the link which takes you to the school portal to log in. Later, you discover this was a phishing email and your credentials were stolen. Which part of the CIA Triad was compromised in this attack?

- A. Confidentiality
- B. Integrity
- C. Availability

Answer: Confidentiality

Explanation: The CIA Triad consists of Confidentiality, Integrity, and Availability. Confidentiality: This answer is correct because sensitive data was stolen. Availability: This answer is incorrect because data is still accessible. Integrity: This answer is incorrect because the data has not been changed or altered.

113. [MATCHING] SECURITY THREATS

Match each insider threat scenario to its correct type.

An employee steals confidential technical specifications for a product for personal gain. -> _____

An employee takes home a storage drive without authorization, which is then stolen from the employee's vehicle. -> _____

An employee gives their credentials to an attacker in a spear fishing attack, and the attacker uses the credentials to launch further attacks. -> _____

Answer: An employee steals confidential technical specifications for a product for personal gain. -> Malicious insider | An employee takes home a storage drive without authorization, which is then stolen from the employee's vehicle. -> Negligent insider | An employee gives their credentials to an attacker in a spear fishing attack, and the attacker uses the credentials to launch further attacks. -> Compromised insider

Explanation: Malicious insider: An employee steals confidential technical specifications for a product for personal gain. Malicious insiders make planned attacks to steal information for their own personal gain. Negligent insider: An employee takes home a storage drive without authorization, which is then stolen from the employee's vehicle. The employee took something without authorization without any malicious intent. Compromised insider: An employee gives their credentials to an attacker in a spear fishing attack, and the attacker uses the credentials to launch further attacks. The employee was the victim of a social engineering attack which led to their account being compromised.

114. [MCQ] SECURITY THREATS

Which statement is True about advanced persistent threat (APT) attacks?

- A. They are used to steal data.
- B. They rely on legacy attack methods.
- C. They get in and out of target systems as quickly as possible.
- D. They target IoT devices.

Answer: They are used to steal data.

Explanation: They are used to steal data: This answer is correct because, unlike other attacks, APTs are initiated to steal data and not damage systems or networks. They rely on legacy attack methods: This answer is incorrect because APTs use advanced attack methods. They get in and out of target systems as quickly as possible: This answer is incorrect because APTs are prolonged attacks that remain undetected for long periods of time. They target IoT devices: This answer is incorrect because APTs target systems they can infect for long periods of time to collect data.

115. [MCQ] SECURITY THREATS

What is the term for a collection of software tools used by an attacker to obtain administrator-level access to a computer?

- A. Rootkit
- B. Worm
- C. Backdoor
- D. Keylogger

Answer: Rootkit

Explanation: Rootkit: This answer is correct because a rootkit may give hackers admin-level privileges to a computer. Backdoor: This answer is incorrect because it is only a way of gaining access, not admin access. Keylogger: This answer is

incorrect because it records and monitors keystrokes. Worm: This answer is incorrect because it is malware that replicates itself on the network.

116. [MCQ] CYBERSECURITY FUNDAMENTALS

What is the key characteristic of a cybersecurity defense-in-depth definition?

- A. Encryption.
- B. Multiple firewalls.
- C. Strong password policies.
- D. Multiple overlapping layers of security.

Answer: Multiple overlapping layers of security.

Explanation: Multiple overlapping layers of security: This answer is correct because it protects different parts of an environment. Encryption: This answer is incorrect because it is a single facet of protection. Multiple firewalls: This answer is incorrect because it is a single facet of protection. Strong password policies: This answer is incorrect because it is a single facet of protection.

117. [MCQ] CYBERSECURITY FUNDAMENTALS

A software company has discovered that to protect privacy, AI can build new models on data from multiple sources with a low risk of compromising privacy. What use case for AI does this situation represent?

- A. Federated learning
- B. Privacy concierge
- C. Privacy auditing
- D. Detecting breaches

Answer: Federated learning

Explanation: In federated learning, AI can build models from multiple data sources while reducing the risk of data being compromised from a privacy standpoint. A privacy concierge identifies and processes privacy data requests. In privacy auditing, AI helps to ensure data is compliant with privacy regulations. In detecting breaches, AI can be used to identify unauthorized access to data.

118. [MCQ] SECURITY THREATS

Which type of cyber attack includes phishing, tailgating, and shoulder surfing?

- A. Watering hole
- B. Physical
- C. Network
- D. Social engineering

Answer: Social engineering

Explanation: Social engineering: This answer is correct because phishing, tailgating, and shoulder surfing are methods of attack by deception. Physical: This answer is incorrect because physical attacks are focused on physical environments. Watering hole: This answer is incorrect because a watering hole attack targets specific organizations. Network: This answer is incorrect because network attacks are focused on networking data.

119. [MULTI-SELECT] SECURITY THREATS

Which options are examples of privilege escalation attacks? (Choose two)

- A. Trespassing
- B. Rooting
- C. Cracking
- D. Jailbreaking

Answer: Rooting, Jailbreaking

Explanation: Jailbreaking: This answer is correct because it is an attempt to bypass user account restrictions on an iOS device. Rooting: This answer is correct because it is an attempt to gain root privileges on an Android device. Cracking: This answer is incorrect because it is a technique used to breach computer software or a computer system. Trespassing: This

answer is incorrect because it is the act of intentionally accessing a system without having authorization.

120. [MCQ] WIRELESS SECURITY

When scanning a guest device, which encryption method should be verified as enabled for wireless networks?

- A. SSH
- B. WPA2
- C. 3DES
- D. WEP
- E. AES

Answer: AES

Explanation: AES: This answer is correct because AES is the strongest standard for encrypting data. 3DES: This answer is incorrect because 3DES is an encryption method but is not as strong as AES. SSH: This answer is incorrect because SSH is a secure protocol, but it is designed for remote access. WEP: This answer is incorrect because WEP is a weak authentication method that is no longer recommended. WPA2: This answer is incorrect because WPA2 is used for authenticating a user in a wireless network.

121. [MCQ] SECURITY OPERATIONS

Two contractors need to access your organization's network with their own devices. The company security policy requires each device to be inspected for potential risk before access is allowed. Contractor 1 has VPN installed but the browser is a month out of date. Contractor 2 uses MFA to access the network and has the latest patched OS. Based on the scenario, which contractor should be allowed access to the network?

- A. Contractor A
- B. Contractor B

Answer: Contractor B

Explanation: Contractor A: This answer is incorrect because outdated browsers present a security risk for interception of sensitive data or infection by a virus or malware. Contractor B: This answer is correct because the latest patched OS reduces security risks.

122. [MULTI-SELECT] WIRELESS SECURITY

Your friend wants to use your home Wi-Fi network to access the Internet from their smartphone. What are two potential security checks to verify before allowing your friend's device on your network? (Choose 2.)

- A. Their device is the latest model for Android or Apple.
- B. Their device was scanned with the latest antivirus/anti-malware definition update.
- C. Your important or sensitive files, devices, and peripherals are on a private network.
- D. Their device is locked with a PIN or password.

Answer: Their device was scanned with the latest antivirus/anti-malware definition update., Your important or sensitive files, devices, and peripherals are on a private network.

Explanation: Their device was scanned with the latest antivirus/anti-malware definition update: This answer is correct because scanning with the latest anti-virus/anti-malware definition update helps detect and thwart known vulnerabilities that can impact the security of the device and other shared resources on the network. Your important or sensitive files, devices, and peripherals are on a private network: This answer is correct because networks should be segmented when allowing guests on the network. Their device is locked with a PIN or password: This answer is incorrect because locking the device with a PIN or password prevents theft of the device but does not directly impact the security of a home network. Their device is the latest model for Android or Apple: This answer is incorrect because some previous models of a phone can still support the latest OS updates and not pose a security risk.

123. [MULTI-SELECT] MONITORING & LOGGING

Which options are network security monitoring tools? (Choose two)

- A. SPAN
- B. Wireshark
- C. Firewalls
- D. SIEM

Answer: Wireshark, SIEM

Explanation: SIEM: This answer is correct because SIEM is a tool used for collecting security data, detecting threats, and investigating/analyzing threats. Wireshark: This answer is correct because Wireshark is a tool used to analyze network traffic. Firewalls: This answer is incorrect because firewalls block unwanted network traffic. SPAN: This answer is incorrect because SPAN is a Switch Port Analyzer for port mirroring.

124. [MCQ] MONITORING & LOGGING

Which is the command-line equivalent of Wireshark?

- A. nmap
- B. ss
- C. zenmap
- D. tcpdump

Answer: tcpdump

Explanation: tcpdump is the command-line equivalent of Wireshark. ss is the Linux equivalent of netstat. nmap scans a device for open ports. zenmap is the GUI equivalent of nmap.

125. [MATCHING] SECURITY OPERATIONS

Use drag and drop to match each aspect of device management with its description.

- Should read "You're up to date." -> _____
- Installs a new version of a program. -> _____
- Ensure that hardware run at their maximum feature capability. -> _____
- Instructions written into hardware. -> _____
- Fixes an application flaw or a security vulnerability. -> _____

Answer: Should read "You're up to date." -> Windows update | Installs a new version of a program. -> Application update | Ensure that hardware run at their maximum feature capability. -> Device drivers | Instructions written into hardware. -> Firmware | Fixes an application flaw or a security vulnerability. -> Patch

Explanation: A Windows update status should read "You're up to date." An application installs a new version of a program. Device drivers are used to ensure devices, such as mice, run at their maximum capability. Firmware contains instructions written into the hardware of a device. A patch fixes a functional or security hole in an app or operating system.

126. [MCQ] COMPLIANCE

A company in the United States wants to enter into a business relationship with a company in Germany. Which legal regulatory framework should it comply with to protect customer privacy?

- A. GDPR
- B. PIPEDA
- C. PCI DSS
- D. HIPAA

Answer: GDPR

Explanation: The General Data Protection Regulation (GDPR): This answer is correct because a US company has to comply with GDPR before it can conduct any business with a company based in the European Union, like Germany. HIPAA: This answer is incorrect because it applies to companies transacting business in the US. It sets the standard for sensitive patient data protection. PIPEDA: This answer is incorrect because it is a Canadian privacy law that governs how private sector organizations collect, use, and disclose personal information to carry out their businesses within Canada. PCI DSS: This answer is incorrect because it is a set of requirements intended to ensure that all companies that process, store, or transmit credit card information maintain a secure environment.

127. [MCQ] MONITORING & LOGGING

Which Windows host log event type describes the successful operation of an application, driver, or service?

- A. Error
- B. Information
- C. Success audit
- D. Warning

Answer: Information

Explanation: Information: This answer is correct because the information event type records an event that describes the successful operation of an application, driver, or service. Success audit: This answer is incorrect because the success audit event type logs an event that records an audited security access attempt that is successful. Warning: This answer is incorrect because the warning event type records an event that is not necessarily significant but may indicate a possible future problem. Error: This answer is incorrect because the error event type indicates that a significant event occurred that resulted in the loss of data or functionality.

128. [MATCHING] MONITORING & LOGGING

Move each event from the list on the left to the correct event type on the right.

- A storage device runs low on free space. -> _____
- A network driver loads successfully. -> _____
- A user logs into the system. -> _____
- A service fails to load during startup. -> _____
- A user unsuccessfully tries to access a network drive. -> _____

Answer: A storage device runs low on free space. -> Warning | A network driver loads successfully. -> Information | A user logs into the system. -> Success audit | A service fails to load during startup. -> Error | A user unsuccessfully tries to access a network drive. -> Failure audit

Explanation: The correct response for 'A network driver loads successfully' is 'Information'. The information event type describes the successful operation of an application, driver, or service. The correct response for 'A service fails to load during startup' is 'Error'. The error event type indicates a significant problem such as loss of data or loss of functionality. The correct response for 'A storage device runs low on free space' is 'Warning'. The warning event type is an event that is not necessarily significant but may indicate a possible future problem.

129. [MCQ] MONITORING & LOGGING

You need to analyze specific trends in actions affecting the storage of files on the network. Which log would show these trends?

- A. Data log
- B. System log
- C. File replication service log
- D. Security log

Answer: Data log

Explanation: Data log: This answer is correct because data logs are used to analyze specific trends by logging events/actions through which data, files, or applications are stored, accessed, or modified on a storage device or application. System log: This answer is incorrect because system logs are used to view events that are updated by the operating system components, such as device drivers, events, and operations. File replication service log: This answer is incorrect because file replication service logs are used to record replication events on a domain controller. Security log: This answer is incorrect because security logs are used to view security events on a system.

130. [MCQ] MONITORING & LOGGING

A security administrator needs to look at security logs on both an end user's device and an on-premises Windows Server that the device connects to regularly. Which tool does the administrator need to use?

- A. Event Viewer
- B. Device Manager
- C. Management Console

D. Task Manager

Answer: Event Viewer

Explanation: Event Viewer: This answer is correct because Event Viewer is a built-in Windows application that lets you check the events that take place on your computer, by giving you access to logs about program, security, and system events. The tool is present on both client devices and servers alike. Task Manager: This answer is incorrect because Task Manager allows you to monitor the applications, processes, and services running on your computer. Device Manager: This answer is incorrect because Device Manager provides users with an organized, central view of the Windows-recognized hardware attached to a computer. Management Console: This answer is incorrect because the Management Console is a graphical user interface with a programming framework that can help the user generate, edit, save, and open consoles.

131. [MCQ] MONITORING & LOGGING

Which field in a syslog message indicates the location of the device which is experiencing the event being logged?

- A. Timestamp
- B. Severity
- C. Hostname
- D. Facility

Answer: Hostname

Explanation: Hostname: This answer is correct because the hostname field indicates the server on which the message originated. Severity: This answer is incorrect because the severity describes the importance of the message. Facility: This answer is incorrect because the facility describes the application or operating system component that originated the message. Timestamp: This answer is incorrect because the syslog message consists of three parts: PRI, HEADER, and MSG. The header contains the timestamp and hostname.

132. [MCQ] MONITORING & LOGGING

A new user makes an unsuccessful login attempt on the corporate Linux email server. Which file would log this event?

- A. /var/log/secure
- B. /var/log/maillog
- C. /var/log/messages
- D. /var/log/cron

Answer: /var/log/secure

Explanation: /var/log/secure: This answer is correct because /var/log/secure contains information related to authentication and authorization privileges. /var/log/messages: This answer is incorrect because /var/log/messages contains global system messages, including the messages that are logged during system startup. /var/log/cron: This answer is incorrect because /var/log/cron records events related to the cron daemon. /var/log/maillog: This answer is incorrect because /var/log/maillog contains the log information from the mail server that is running on the system.

133. [MCQ] INCIDENT RESPONSE

A backup on a device was made and malware was discovered on it afterward. What should be done with the device and the backup?

- A. Contain the device and restore the backup.
- B. Contain the device and delete the backup.
- C. Treat the device and delete the backup.
- D. Treat the device and restore the backup.

Answer: Contain the device and delete the backup.

Explanation: The device should be contained and the backup file deleted, as the malware is very likely to be on the backup. Restoring the backup at any time risks having the malware return, especially if it's found on files or folders that have been backed up. The person should also contain and quarantine the device before treating the malware, meaning to remove the malware from the device.

134. [MCQ] INCIDENT RESPONSE

What is the term for isolating suspected malware?

- A. Executing
- B. Quarantining
- C. Cleaning
- D. Deleting

Answer: Quarantining

Explanation: Quarantining: This answer is correct because quarantining involves isolating the malware. Executing: This answer is incorrect because executing would cause the malware to run. Cleaning: This answer is incorrect because cleaning means removing the malware. Deleting: This answer is incorrect because deleting the malware would remove it entirely.

135. [MCQ] SECURITY OPERATIONS

Which statement is True about signature-based detection?

- A. It has a database of malware signatures and utilizes this to search for a bit pattern or hash.
- B. It is effective against zero-day exploits.
- C. It is effective against compression viruses which reduce the size of the original programs.
- D. It contains rules identifying the suspicious structure of malware.

Answer: It has a database of malware signatures and utilizes this to search for a bit pattern or hash.

Explanation: It has a database of malware signatures and utilizes this to search for a bit pattern or hash: This answer is correct because it uses a database to search for malware patterns. It is effective against compression viruses that reduce the size of the original programs: This answer is incorrect because it is unable to scan compressed files. It is effective against zero-day exploits: This answer is incorrect because it is not effective at identifying this type of exploit. It contains rules identifying the suspicious structure of malware: This answer is incorrect because it does not use rules to identify malware.

136. [MCQ] SECURITY OPERATIONS

Which type of malware removal depends on keeping an updated database of definitions or DAT files?

- A. Heuristics-based detection
- B. Integrity checking
- C. Sandboxing
- D. Signature-based detection

Answer: Signature-based detection

Explanation: Signature-based detection: This answer is correct because it uses a database of malware signatures or DAT files. Integrity checking: This answer is incorrect because it examines files to see if they have changed. Heuristics-based detection: This answer is incorrect because it uses rules to specify suspicious behavior. Sandboxing: This answer is incorrect because it separates a program from the operating system.

137. [MCQ] SECURITY OPERATIONS

Which type of anti-malware tool can identify malicious activity based on behavior?

- A. Integrity checking
- B. Heuristics-based detection
- C. Sandboxing
- D. Signature-based detection

Answer: Heuristics-based detection

Explanation: Heuristics-based detection: This answer is correct because it uses rules to specify suspicious behavior. Integrity checking: This answer is incorrect because it examines files to see if they have changed. Signature-based detection: This answer is incorrect because it uses a database of malware signatures or DAT files. Sandboxing: This answer is incorrect because it separates a program from the operating system.

138. [MCQ] SECURITY OPERATIONS

One method of mitigating a malware threat is to run suspicious programs in their own protected space. Which type of malware mitigation technique does this describe?

- A. Integrity checking

- B. Signature-based
- C. Sandboxing
- D. Heuristics-based

Answer: Sandboxing

Explanation: Sandboxing: This answer is correct because it separates a program from the operating system. Integrity checking: This answer is incorrect because it examines files to see if they have changed before removal. Signature-based: This answer is incorrect because it uses a database of malware signatures or DAT files for removal. Heuristics-based: This answer is incorrect because it uses rules specifying suspicious behavior to detect and remove.

139. [MCQ] SECURITY OPERATIONS

Which option is used by anti-malware software to isolate infected files on a computer?

- A. Windows Recovery
- B. Quarantine
- C. Windows Update
- D. Sandboxing

Answer: Quarantine

Explanation: Quarantine: This answer is correct because the infected file is isolated. Windows Update: This answer is incorrect because this will not remove malware. Sandboxing: This answer is incorrect because this lets a program run in a separate space. Windows Recovery: This answer is incorrect because this will not remove malware.

140. [MULTI-SELECT] MONITORING & LOGGING

Which types of data do threat intelligence platforms collect? (Choose three)

- A. Incident response capability.
- B. Reputation information.
- C. Standard operating procedures.
- D. Indicators of compromise.
- E. Tools, techniques, and procedures.

Answer: Reputation information., Indicators of compromise., Tools, techniques, and procedures.

Explanation: Indicators of compromise (IOC): This answer is correct because IOCs are one of the three major types of threat intelligence data. Reputation information: This answer is correct because reputation information about internet destinations is one of the three major types. Tools, techniques, and procedures (TTP): This answer is correct because TTPs are one of the three major types. Standard operating procedures: This answer is incorrect because this is focused on a specific organization's computer security incident response capabilities. Incident response capability: This answer is incorrect because this is focused on creating policies, plans, and procedures for an organization.

141. [MCQ] MONITORING & LOGGING

Threat intelligence services use the data of their subscribers to stay current with the threat landscape. True or False?

- A. True
- B. False

Answer: True

Explanation: This statement is true because many organizations contribute to threat intelligence by sharing their intrusion data over the internet, typically through automation with subscriber services. Not sharing data reduces capabilities to stay current with the constantly emerging threat landscape.

142. [MCQ] MONITORING & LOGGING

The MITRE Corporation creates a catalog of known security threats. What is the name of the catalog?

- A. STIX
- B. CybOx
- C. TAXII
- D. CVE

Answer: CVE

Explanation: CVE: This answer is correct because the Common Vulnerabilities and Exposures (CVE) created by the MITRE Corporation serves as a dictionary of common names (i.e., CVE Identifiers) for publicly known cybersecurity vulnerabilities. CybOx: This answer is incorrect because this is a standardized schema that supports many cybersecurity functions. TAXII: This answer is incorrect because TAXII is a protocol specification designed to support STIX. STIX: This answer is incorrect because it is a set of specifications for exchanging cyber threat information.

143. [MCQ] MONITORING & LOGGING

Which network intelligence organization maintains a list of common vulnerabilities and exposures (CVE) that serves as a dictionary of common names for publicly known cybersecurity vulnerabilities?

- A. SysAdmin, Audit, Network, Security (SANS) Institute
- B. MITRE Corporation
- C. Cisco Talos Intelligence Group
- D. Forum of Incident Response and Security Teams (FIRST)

Answer: MITRE Corporation

Explanation: MITRE Corporation: This answer is correct. The MITRE Corporation maintains a list of common vulnerabilities and exposures (CVE). They also provide the MITRE ATT&CK framework to help identify tactics and techniques used by threat actors. Forum of Incident Response and Security Teams (FIRST): This answer is incorrect. FIRST is a security organization that maintains the Common Vulnerability Scoring System (CVSS). Cisco Talos Intelligence Group: This answer is incorrect. Cisco Talos helps protect enterprise users, data, and infrastructure from active adversaries. SysAdmin, Audit, Network, Security (SANS) Institute: This answer is incorrect. The SANS Institute provides security training, certifications, and free resources.

144. [MCQ] MONITORING & LOGGING

Which term refers to a dictionary of common names for publicly known cybersecurity vulnerabilities?

- A. STIX
- B. CVE
- C. CVSS
- D. AIS

Answer: CVE

Explanation: Common Vulnerabilities and Exposures (CVE): This answer is correct. The MITRE Corporation maintains a catalog of known security threats called Common Vulnerabilities and Exposures (CVE). The CVE serves as a dictionary of common names (i.e., CVE Identifiers) for publicly known cybersecurity vulnerabilities. Structured Threat Information Expression (STIX): This answer is incorrect. STIX is a set of specifications for exchanging cyber threat information. Automated Indicator Sharing (AIS): This answer is incorrect. AIS enables the real-time exchange of cyber threat indicators. Common Vulnerability Scoring System (CVSS): This answer is incorrect. The CVSS is maintained by FIRST and is a risk assessment tool that assigns a score to the risk inherent in a vulnerability.

145. [MCQ] MONITORING & LOGGING

Which threat intelligence organization provides the Automated Indicator Sharing (AIS) service to governmental and private sector organizations?

- A. MITRE Corporation
- B. Forum of Incident Response and Security Teams (FIRST)
- C. U.S. Department of Homeland Security (DHS)
- D. SysAdmin, Audit, Network, Security (SANS) Institute

Answer: U.S. Department of Homeland Security (DHS)

Explanation: U.S. Department of Homeland Security (DHS): This answer is correct. DHS Automated Indicator Sharing (AIS) is a free service provided to US private sector and governmental organizations. When a threat is reported, AIS immediately shares cyber threat indicators in STIX format with the registrant community.

146. [MCQ] MONITORING & LOGGING

Which network intelligence organization uses a risk assessment tool that assigns a numeric score to describe the severity of a vulnerability?

- A. SysAdmin, Audit, Network, Security (SANS) Institute
- B. Forum of Incident Response and Security Teams (FIRST)
- C. MITRE Corporation
- D. U.S. Department of Homeland Security (DHS)

Answer: Forum of Incident Response and Security Teams (FIRST)

Explanation: Forum of Incident Response and Security Teams (FIRST): This answer is correct. FIRST is a security organization that maintains the Common Vulnerability Scoring System (CVSS). The CVSS is an assessment tool that assigns a score to a vulnerability. The numeric score can be used to determine the urgency of the vulnerability and the priority of addressing it.

147. [MCQ] MONITORING & LOGGING

Which network penetration tool is used to exploit an asset to determine if it is vulnerable?

- A. Metasploit
- B. OpenSSL
- C. Wireshark
- D. Nessus

Answer: Metasploit

Explanation: Metasploit: This answer is correct. Metasploit is a penetration testing tool that is used to exploit an asset to determine if it is vulnerable. It provides information about vulnerabilities and aids in penetration testing and IDS signature development. Nessus: This answer is incorrect. Nessus can scan internet-facing servers and internal networks for various types of vulnerabilities. Wireshark: This answer is incorrect. Wireshark is a protocol analyzer. OpenSSL: This answer is incorrect. OpenSSL is a general-purpose cryptography Linux tool.

148. [MCQ] MONITORING & LOGGING

Which term is a set of specifications for exchanging cyber threat information between organizations?

- A. AIS
- B. STIX
- C. CVE
- D. CVSS

Answer: STIX

Explanation: Structured Threat Information Expression (STIX): This answer is correct. STIX is a set of specifications for exchanging cyber threat information between organizations. CVE: This answer is incorrect. The MITRE Corporation maintains a catalog of known security threats called CVE. AIS: This answer is incorrect. AIS enables the real-time exchange of cyber threat indicators. CVSS: This answer is incorrect. The CVSS is maintained by FIRST and is an assessment tool that assigns a score to the risk inherent in a vulnerability.

149. [MCQ] RISK MANAGEMENT

A company's main office is located in an area that has experienced multiple hurricanes and floods over the last decade. As a precaution, the company takes out disaster insurance. Which type of risk strategy is the company using to mitigate the risk of a natural disaster?

- A. Risk control
- B. Risk acceptance
- C. Risk avoidance
- D. Risk transfer

Answer: Risk transfer

Explanation: Risk transfer: This answer is correct because the company has transferred the risk to the insurance company. Risk acceptance: This answer is incorrect because acceptance is a decision by the company not to do anything about the risk. Risk avoidance: This answer is incorrect because, in order to avoid any risk, the company would have to move the office to a different location. Risk control: This answer is incorrect because the risk of a natural disaster cannot be reduced or

maintained at an acceptable level.

150. [MCQ] RISK MANAGEMENT

Your risk management team is evaluating the risks of a recently discovered bug in their payroll software. The team determines that the bug can be easily exploited in the company's current IT environment. A disruption to the payroll system can have major consequences for the employees and possibly damage the reputation of the company. According to the NIST risk assessment table, which level of risk should the team assign to this threat?

- A. Low
- B. Moderate
- C. High
- D. Very Low

Answer: High

Explanation: High: This answer is correct because the risk of exploitation is likely and would have major consequences for the company. Moderate: This answer is incorrect because medium risks are unlikely to occur but do have potentially serious impacts. Low: This answer is incorrect because low risk is assigned to threats that are unlikely to occur and do not have serious impacts on the business. Very Low: This answer is incorrect because very low risk is assigned to threats that are unlikely to occur and that have minimal impact on the business.

151. [MULTI-SELECT] RISK MANAGEMENT

What are the goals of an information security change management policy? (Choose two)

- A. To ensure that the proposed changes eliminate any future potential threats and security risks.
- B. To ensure that modifications to systems do not negatively impact security.
- C. To ensure that documentation is updated when systems are installed or modified.
- D. To ensure that configuration changes are made without an analysis of security implications.

Answer: To ensure that modifications to systems do not negatively impact security., To ensure that documentation is updated when systems are installed or modified.

Explanation: To ensure that modifications to systems do not negatively impact security: This answer is correct because it is a primary goal of a change management policy. To ensure that documentation is updated when systems are installed or modified: This answer is correct because keeping accurate documentation, such as business continuity or disaster recovery plans, is important for incident response. To ensure that configuration changes are made without an analysis of security implications: This answer is incorrect because change management policies should require all modifications to undergo an analysis of the security implications. To ensure the proposed changes eliminate any future potential threats and security risks: This answer is incorrect because a change management policy cannot guarantee the elimination of all threats and risks.

152. [MULTI-SELECT] SECURITY OPERATIONS

During security testing, a DoS vulnerability is discovered. What actions can be taken to mitigate the vulnerability? (Choose two)

- A. Set up MFA.
- B. Block excessive requests from the same IP address.
- C. Set up an IPS.
- D. Update antimalware.

Answer: Block excessive requests from the same IP address., Set up an IPS.

Explanation: Configuring a firewall to block excessive requests from the same IP address and setting up an intrusion prevention system (IPS) can also block suspicious traffic, thereby mitigating the risk of a Denial of Service (DoS) attack. Multifactor Authentication (MFA): This answer is incorrect because MFA does not stop a DoS attack as attackers do not need to authenticate to a network to flood it with packets. Updating antimalware does not stop attackers from trying to flood a network.

153. [MCQ] SECURITY OPERATIONS

Which scenario is an example of a passive reconnaissance technique?

- A. Using Nessus to scan for vulnerabilities on a network
- B. Using SQLMap to detect SQL injection flaws on a database
- C. Using NSLookup to get information related to a hostname
- D. Using NMap to identify open ports on a host

Answer: Using NSLookup to get information related to a hostname

Explanation: Using NSLookup to get information related to a hostname: This answer is correct because the attacker does not interact directly with the target; rather the attacker uses NSLookup to discover other information about a domain name. Using NMap to identify open ports on a host: This answer is incorrect because it involves direct interaction with the target to identify open ports on the target. Using Nessus to scan for vulnerabilities on a network: This answer is incorrect because it involves direct interaction with the target. Using SQLMap to detect SQL injection flaws on a database: This answer is incorrect because it involves direct interaction with the target to detect SQL injection issues.

154. [MCQ] SECURITY OPERATIONS

You are conducting an internal penetration test. As part of the penetration test, you conduct an active reconnaissance attack. What is the purpose of conducting the active reconnaissance attack?

- A. To carry out an exploit to penetrate the target network or system.
- B. To explore vulnerability data and create a threat model.
- C. To scan systems for vulnerabilities and identify weaknesses for attack.
- D. To install a control mechanism on the target network to gain access to additional systems.

Answer: To scan systems for vulnerabilities and identify weaknesses for attack.

Explanation: To scan systems for vulnerabilities and identify weaknesses for attack: This answer is correct because the purpose of a reconnaissance attack is to identify vulnerabilities that can be exploited. To explore vulnerability data and create a threat model: This answer is incorrect because this step depends upon the reconnaissance already being conducted. To carry out an exploit to penetrate the target network or system: This answer is incorrect because exploiting the network or systems is dependent on information gathered during the reconnaissance attack. To install a control mechanism on the target network to gain access to additional systems: This answer is incorrect because this action takes place once the attacker has already penetrated a target system.

155. [MCQ] SECURITY OPERATIONS

An attacker targets all hosts on a network segment by sending traffic to a specific port to see if it is active on any of the hosts. Which scanning technique is the attacker using?

- A. Sweep scan
- B. Ping scan
- C. Bounce scan
- D. Vanilla scan

Answer: Sweep scan

Explanation: Sweep scan: This answer is correct because it tries to find out which hosts on a network have a specific port open. Vanilla scan: This answer is incorrect because it tries to locate open ports by scanning all 65,536 ports at the same time. Bounce scan: This answer is incorrect because it is a technique used by an attacker to disguise their location. Ping scan: This answer is incorrect because it sends ICMP packets to get a response from the target hosts.

156. [MCQ] SECURITY OPERATIONS

A baking company has completed a round of penetration testing to identify vulnerabilities in its network. What should be done next?

- A. Report results to stakeholders.
- B. Isolate the vulnerable devices.
- C. Remediate the vulnerable devices.
- D. Block all entry to the network.

Answer: Report results to stakeholders.

Explanation: Once a penetration test is complete, results should be reported to stakeholders, as they will aid in deciding how to mitigate the vulnerabilities and what needs to be spent to do so. Isolating all vulnerable devices is not a viable option. Blocking all entry to the network defeats the purpose of having a public-facing network. Remediating the vulnerable systems

should be done once stakeholders decide what to do and how to proceed.

157. [MCQ] SECURITY OPERATIONS

Which security practice is designed to proactively prevent the exploitation of weaknesses in a computer system or software?

- A. Vulnerability management
- B. Risk management
- C. Asset management
- D. Configuration management

Answer: Vulnerability management

Explanation: Vulnerability management: This answer is correct because it is concerned with identifying weaknesses and eliminating those weaknesses so they cannot be exploited. Risk management: This answer is incorrect because it is concerned with identifying and mitigating threats. Asset management: This answer is incorrect because it is concerned with accounting for and maintaining assets. Configuration management: This answer is incorrect because it is concerned with keeping IT system configurations consistent.

158. [MCQ] SECURITY OPERATIONS

You notice that the number of phishing emails received by your organization has increased. What can the security team do to reduce detection and response times to these threats automatically or with minimal human intervention?

- A. Perform a packet capture.
- B. Perform a vulnerability scan.
- C. Implement SOAR.
- D. Implement SIEM.

Answer: Implement SOAR.

Explanation: Implement SOAR: This answer is correct because SOAR is more focused on detection and automation to reduce human intervention. Implement SIEM: This answer is incorrect because SIEM typically focuses on finding and aggregating events and creating alerts for further investigation, whereas SOAR is more focused on detection and automation to reduce human intervention. Perform a packet capture: This answer is incorrect because performing packet captures will display what is in the packets but will not provide a way to create automatic containment of the emails. Perform a vulnerability scan: This answer is incorrect because vulnerability scans show potential threats but do not define how to automatically contain the emails.

159. [MCQ] MONITORING & LOGGING

Which security event is potentially the most dangerous from an overall security posture?

- A. False negative
- B. True positive
- C. False positive
- D. True negative

Answer: False negative

Explanation: A false negative is potentially the most dangerous of security events because a negative event, like a rogue DHCP server being set up, is not recognized as a negative. A true negative is an indicator of a network problem. A true positive is a legitimate event. A false positive is a legitimate event reported as a malicious event, which is a nuisance but not detrimental to network security.

160. [MCQ] MONITORING & LOGGING

Which classification of alert should be escalated to security investigators?

- A. False negative
- B. True negative
- C. True positive
- D. False positive

Answer: True positive

Explanation: True positive: This answer is correct because true positives are validated security incidents from alerts. True

negative: This answer is incorrect because true negatives are tests that indicate that an event was not a cybersecurity

incident. False positive: This answer is incorrect because false positives are security alerts that have been determined not to depict a valid security incident. False negative: This answer is incorrect because false negatives are events that should have

been detected but were not. No alerts were generated to be investigated.

161. [MATCHING] MONITORING & LOGGING

Move each network monitoring tool from the list on the left to the correct description on the right.

Software tools used for collecting security data, detecting threats, and investigating/analyzing threats. -> _____

Software tools that are used for collecting data and analyzing threats and then using workflows to automate incident investigations to handle the threat. -> _____

Monitoring tools that intercept and store network data. -> _____

A protocol that enables network administrators to monitor and manage network performance. -> _____

Answer: Software tools used for collecting security data, detecting threats, and investigating/analyzing threats. -> SIEM | Software tools that are used for collecting data and analyzing threats and then using workflows to automate incident investigations to handle the threat. -> SOAR | Monitoring tools that intercept and store network data. -> Packet Capture | A protocol that enables network administrators to monitor and manage network performance. -> SNMP

Explanation: SIEM: Software tools used for collecting security data, detecting threats, and investigating/analyzing threats.

SOAR: Software tools that are used for collecting data and analyzing threats and then using workflows to automate incident investigations to handle the threat. Packet Capture: Monitoring tools that intercept and store network data. SNMP: A protocol that enables network administrators to monitor and manage network performance.

162. [MCQ] MONITORING & LOGGING

What helps to identify suspicious network events as they occur?

- A. SIEM
- B. ACL
- C. nslookup
- D. netstat

Answer: SIEM

Explanation: SIEM: This answer is correct because Security Information and Event Management (SIEM) provide real-time reporting and analysis of security events. nslookup: This answer is incorrect because nslookup is a command-line tool used to look up IP addresses. ACL: This answer is incorrect because the Access Control List (ACL) tells the system what services/systems are accessible to a user. netstat: This answer is incorrect because netstat is a command-line tool that displays network connections for Transmission Control Protocol.

163. [MCQ] SECURITY OPERATIONS

Which solution allows cybersecurity incident response teams to automate incident responses?

- A. SIEM
- B. SOAR
- C. PowerShell
- D. SCAP

Answer: SOAR

Explanation: SOAR: This answer is correct because it automates security incident responses. SIEM: This answer is incorrect because it is used to aggregate and analyze log data. PowerShell: This answer is incorrect because it is an open-source task automation and configuration management framework. SCAP: This answer is incorrect because it is an open standard for the automation of vulnerability management and policy compliance evaluation.

164. [MCQ] INCIDENT RESPONSE

An adversary is obtaining an automated tool to deliver a malware payload after having identified a potential vulnerability in the email server of an organization. Which step of the Cyber Kill Chain framework does this represent?

- A. Weaponization
- B. Exploitation
- C. Delivery
- D. Reconnaissance

Answer: Weaponization

Explanation: Weaponization: This answer is correct because the adversary is using information from reconnaissance to develop a weapon against specific targeted systems or individuals in the organization. Delivery: This answer is incorrect because the weapon has not been transmitted to the target using a delivery vector yet. Exploitation: This answer is incorrect because the weapon has not been delivered for the adversary to use in compromising and gaining control of the target. Reconnaissance: This answer is incorrect because the adversary has already conducted research to select a target.

165. [MCQ] INCIDENT RESPONSE

In which order should you collect digital evidence from a computer system?

- A. Archived Backup, Contents of Fixed Disk, Contents of RAM
- B. Contents of Fixed Disk, Archived Backup, Contents of RAM
- C. Contents of Fixed Disk, Contents of RAM, Archived Backup
- D. Contents of RAM, Contents of Fixed Disk, Archived Backup

Answer: Contents of RAM, Contents of Fixed Disk, Archived Backup

Explanation: Contents of RAM, Contents of Fixed Disk, Archived Backup: This answer is correct because the contents of RAM are the most volatile and the contents of an archived backup are the least volatile. Contents of Fixed Disk, Contents of RAM, Archived Backup: This answer is incorrect because a fixed disk is less volatile than the contents of RAM. Contents of RAM, Contents of Fixed Disk, Archived Backup: The correct order follows the order of volatility — most volatile first. Archived Backup, Contents of Fixed Disk, Contents of RAM: This answer is incorrect because an archived backup is the least volatile.

166. [MCQ] INCIDENT RESPONSE

Which term describes the process for ensuring that evidence has not been altered or fabricated after it was collected?

- A. Attack attribution
- B. Chain of custody
- C. Best evidence
- D. Direct evidence

Answer: Chain of custody

Explanation: Chain of custody: This answer is correct because it describes the collection, handling, and secure storage of evidence to ensure it has not been altered after it was collected. Best evidence: This answer is incorrect because it describes the evidence as being in its original state. Direct evidence: This answer is incorrect because it describes evidence that was directly in the possession of the accused. Attack attribution: This answer is incorrect because it refers to the process of determining who was responsible for an intrusion or attack.

167. [MATCHING] INCIDENT RESPONSE

Use drag and drop to match each level of the Pyramid of Pain with the amount of pain caused to the attacker when thwarted.

- Trivial -> _____
- Easy -> _____
- Simple -> _____
- Annoying -> _____
- Challenging -> _____
- Tough -> _____

Answer: Trivial -> Hash values | Easy -> IP addresses | Simple -> Domain names | Annoying -> Network/Host artifacts | Challenging -> Tools | Tough -> TTPs

Explanation: The Pyramid of Pain levels from bottom to top: 1. Hash values = Trivial. 2. IP Addresses = Easy. 3. Domain Names = Simple. 4. Network/Host Artifacts = Annoying. 5. Tools = Challenging. 6. Tactics, Techniques, and Procedures (TTPs) = Tough.

168. [MCQ] INCIDENT RESPONSE

You are a part of a cyber forensics team that needs to examine a hard drive for evidence. Your supervisor tells you to first make a duplicate of the hard drive. What is the purpose of making a duplicate of the hard drive?

- A. To create a backup copy of the hard drive.
- B. To preserve the original state of the hard drive.
- C. To compare the digital footprints of both hard drives.
- D. To allow simultaneous examination of both hard drives.

Answer: To preserve the original state of the hard drive.

Explanation: To preserve the original state of the hard drive: This answer is correct because creating a duplicate drive allows a forensics team to preserve the state of the original. To create a backup copy of the hard drive: This answer is incorrect. A backup drive would not likely have the digital evidence needed. To allow simultaneous examination of both hard drives: This answer is incorrect. Another drive would not likely have the digital evidence needed. To compare the digital footprints of both hard drives: This answer is incorrect. Creating a duplicate drive would create different digital footprints.

169. [MATCHING] INCIDENT RESPONSE

Use drag and drop to match each NIST incident response component to its description.

Details the purpose, objectives, and scope for incident response and includes the prioritization of incidents and performance measures. -> _____

Details the organizational approach, strategies, and resources for incident response and includes how the team will communicate with internal and external parties. -> _____

Includes comprehensive and detailed standard operating procedures (SOPs) to be followed during an incident. -> _____

Answer: Details the purpose, objectives, and scope for incident response and includes the prioritization of incidents and performance measures. -> Incident Response Policy | Details the organizational approach, strategies, and resources for incident response and includes how the team will communicate with internal and external parties. -> Incident Response Plan | Includes comprehensive and detailed standard operating procedures (SOPs) to be followed during an incident. -> Incident Response Procedures

Explanation: Incident response requires policies, plans, and procedures. Incident Response Policy: Details the purpose, objectives, and scope for incident response. Incident Response Plan: Details the organizational approach, strategies, and resources for incident response. Incident Response Procedures: Includes comprehensive and detailed standard operating procedures (SOPs) to be followed during an incident.

170. [MATCHING] INCIDENT RESPONSE

According to NIST, the Incident Response Life Cycle consists of four phases. Move each phase from the list on the left to the correct example activity on the right.

Establish the incident response team. -> _____

Determine if an incident has occurred. -> _____

Validate the IP address of the attacking host. -> _____

Hold a lessons learned meeting. -> _____

Answer: Establish the incident response team. -> Preparation Phase | Determine if an incident has occurred. -> Detection & Analysis Phase | Validate the IP address of the attacking host. -> Containment, Eradication, and Recovery Phase | Hold a lessons learned meeting. -> Post-incident Activity Phase

Explanation: The NIST SP800-86 document details the four phases of the Incident Response Life Cycle. Preparation Phase: Establish the incident response team. Detection & Analysis Phase: Determine if an incident has occurred. Containment, Eradication, and Recovery Phase: Validate the IP address of the attacking host. Post-incident Activity Phase: Hold a lessons learned meeting.

171. [MCQ] INCIDENT RESPONSE

In which phase of the NIST Incident Response Life Cycle do you assemble a jump kit?

- A. Post-Incident Activity Phase
- B. Containment, Eradication, and Recovery Phase
- C. Detection & Analysis Phase
- D. Preparation Phase

Answer: Preparation Phase

Explanation: Preparation Phase: This answer is correct. You create a jump kit in the preparation phase. A jump kit is a portable case that contains resources (i.e., laptop, analysis software, backup media, and more) that may be needed during an investigation. Detection & Analysis Phase: This answer is incorrect. In this phase, you are determining if an incident has occurred. Containment, Eradication, and Recovery Phase: This answer is incorrect. In this phase, you are actively working on removing the malicious activity. Post-Incident Activity Phase: This answer is incorrect. In this phase, you capture all incident intelligence gathered, review the effectiveness of the incident handling process, and identify the necessary revisions to existing security controls and practices.

172. [MCQ] INCIDENT RESPONSE

In which phase of the NIST Incident Response Life Cycle do you investigate network intrusion detection sensor alerts?

- A. Detection & Analysis Phase
- B. Post-Incident Activity Phase
- C. Preparation Phase
- D. Containment, Eradication, and Recovery Phase

Answer: Detection & Analysis Phase

Explanation: Detection & Analysis Phase: This answer is correct. In this phase, you are determining if an incident has occurred. Preparation Phase: This answer is incorrect. In this phase, you are organizing to respond to security incidents. Containment, Eradication, and Recovery Phase: This answer is incorrect. In this phase, you are actively working on removing the malicious activity. Post-Incident Activity Phase: This answer is incorrect. In this phase, you document the security incident, review the effectiveness of the incident handling process, and identify the necessary revisions to existing security controls and practices.

173. [MCQ] INCIDENT RESPONSE

A small food packaging business does a full backup on their server on Sunday nights. The business then does differential backups on Tuesdays, Thursdays, and Fridays. On Saturday, a person reported that a month-old file was accidentally deleted and must be restored. Which backup(s) should be restored to get the file back?

- A. Friday only
- B. Sunday, Tuesday, Thursday, Friday
- C. Sunday only
- D. Sunday, Friday

Answer: Sunday, Friday

Explanation: The full backup from Sunday and the last differential backup on Friday need to be restored. A differential backup backs up everything since the last full backup, so only the most recent differential backup needs to be restored. Had the backups been incremental, then all four backups would need to be restored, as incremental backups back up everything that has changed since the last full or incremental backup.

174. [MCQ] INCIDENT RESPONSE

Which type of incident response plan is broad and specifies how to keep critical business functions running in the event of a disaster?

- A. Infrastructure Purchasing Plan
- B. Business Continuity Plan

- C. Incident Response Plan
- D. Cybersecurity Plan

Answer: Business Continuity Plan

Explanation: Business Continuity Plan: This answer is correct because it is a broad plan about what a business should do to continue operations if it has lost business-critical functionality. Incident Response Plan: This answer is incorrect because it is concerned with how employees respond to individual incidents, not a broad plan for business continuity. Infrastructure Purchasing Plan: This answer is incorrect because it is concerned with the acquisition of infrastructure equipment. Cybersecurity Plan: This answer is incorrect because it is about an organization's security policies, processes, and defensive measures.

175. [MCQ] INCIDENT RESPONSE

A Business Continuity Plan is important because it specifies how a business will restore critical business functions in the event of a disaster. True or False?

- A. True
- B. False

Answer: True

Explanation: The statement is true. The Business Continuity Plan is created to enable a business to restore all critical functions as quickly as possible.

176. [MATCHING] SECURITY OPERATIONS

Use drag and drop to match each security control to its type.

A failed disk is replaced and the backup is restored. -> _____

New biometric door locks are installed. -> _____

Surveillance cameras are installed around the building perimeter. -> _____

Answer: A failed disk is replaced and the backup is restored. -> Corrective control | New biometric door locks are installed. -> Preventive control | Surveillance cameras are installed around the building perimeter. -> Detective control

Explanation: 'A failed disk is replaced and the backup is restored' is an example of a corrective control because it corrects a failure that has occurred. 'New biometric door locks are installed' is an example of preventive control because it prevents unauthorized personnel from accessing the facility. 'Surveillance cameras are installed around the building perimeter' is an example of detective control because it detects security threats.

177. [MCQ] COMPLIANCE

A company manages the personal data of citizens from several Eastern Union (EU) countries. Which compliance act must they adhere to when investigating security incidents involving EU citizens?

- A. HIPAA
- B. PCI-DSS
- C. FERPA
- D. GDPR
- E. FISMA

Answer: GDPR

Explanation: GDPR (General Data Protection Regulation): This answer is correct because the GDPR regulates the data protection and privacy of citizens of the European Union. HIPAA: This answer is incorrect because the US HIPAA act protects the healthcare privacy of individual patients. PCI-DSS: This answer is incorrect because this global organization promotes regulations designed to reduce fraud and protect customer credit card information. FERPA: This answer is incorrect because the US FERPA act protects student educational records. FISMA: This answer is incorrect because the US FISMA mandates that all US federal agencies and contractors develop a method of protecting their information systems.

178. [MCQ] COMPLIANCE

A company must adhere to which compliance act when investigating security incidents involving patients' personal medical information in the U.S.?

- A. FISMA
- B. PCI-DSS
- C. HIPAA
- D. FERPA

Answer: HIPAA

Explanation: HIPAA (Health Insurance Portability and Accountability Act): This answer is correct because the US HIPAA act protects the healthcare privacy of individual patients. It applies to all US healthcare agencies including hospitals, doctor's offices, and health insurance companies. PCI-DSS: This answer is incorrect because this global organization promotes regulations designed to reduce fraud and protect customer credit card information. FERPA: This answer is incorrect because the US FERPA act protects student educational records. FISMA: This answer is incorrect because the US FISMA mandates that all US federal agencies and contractors develop a method of protecting their information systems.

179. [MCQ] COMPLIANCE

A French company sells items online and processes credit card payments. Which compliance framework must this company adhere to in order to reduce security incidents involving credit card purchases?

- A. PCI-DSS
- B. GDPR
- C. HIPAA
- D. FERPA

Answer: PCI-DSS

Explanation: Payment Card Industry Data Security Standards (PCI-DSS): This answer is correct. This global organization promotes regulations designed to reduce fraud and protect customer credit card information. Health Insurance Portability and Accountability Act (HIPAA): This answer is incorrect. The US HIPAA act protects the healthcare privacy of individual patients. General Data Protection Regulation (GDPR): This answer is incorrect. The GDPR regulates the data protection and privacy of citizens of the European Union. Family Educational Rights and Privacy Act (FERPA): This answer is incorrect. The US FERPA act protects student educational records.

180. [MCQ] COMPLIANCE

Which US compliance framework requires colleges to ensure the privacy and security of student information?

- A. HIPAA
- B. FERPA
- C. PCI-DSS
- D. GDPR

Answer: FERPA

Explanation: Family Educational Rights and Privacy Act (FERPA): This answer is correct. The US FERPA act protects student educational records and must be implemented by all post-secondary institutions in the US including academies, colleges, seminaries, vocational and technical schools. Payment Card Industry Data Security Standards (PCI-DSS): This answer is incorrect. This global organization promotes regulations designed to reduce fraud and protect customer credit card information. Health Insurance Portability and Accountability Act (HIPAA): This answer is incorrect. The US HIPAA act protects the healthcare privacy of individual patients. General Data Protection Regulation (GDPR): This answer is incorrect. The GDPR regulates the data protection and privacy of citizens of the European Union.

181. [MCQ] GENERAL IT SECURITY

Which action will trigger a user account control (UAC) prompt in Windows?

- A. Changing settings in the Display Properties dialog box
- B. Restarting Windows
- C. Accessing the Internet
- D. Installing a new program
- E. Changing the time zone

Answer: Installing a new program

182. [MCQ] GENERAL IT SECURITY

You work as a network administrator for Peach Tree Inc. Rick, a Sales Manager, is unable to open a file that is stored on a network location. He requires editing that file for generating some reports. You provide him the Write NTFS permission on the file. He is still unable to access the file. He is a member of several groups. You want to check his effective permissions for the file. Which of the following steps will you take to accomplish the task?

- A. From the command prompt, run the WinRS utility
- B. In the file properties, view the Security tab.
- C. In the file properties > click the Advanced button on the Security tab. View Effective Permissions tab.
- D. From the command prompt, run the Winrm utility.

Answer: In the file properties > click the Advanced button on the Security tab. View Effective Permissions tab.

183. [MCQ] GENERAL IT SECURITY

You need to configure a folder that allows everyone in your group to view and modify files. Which item in the Share With menu should you use?

- A. Nobody
- B. Homegroup (Read
- C. Homegroup (Read/Write)
- D. Specific People

Answer: Homegroup (Read/Write)

184. [MCQ] GENERAL IT SECURITY

A Windows service is a:

- A. program or process that runs in the foreground
- B. hardware driver that provides support to the operating system
- C. hardware driver that provides support to a specific device
- D. program or process that runs in the background and does not require user intervention

Answer: program or process that runs in the background and does not require user intervention

185. [MCQ] GENERAL IT SECURITY

Which of the following network locations is controlled by the network administrator and cannot be selected or changed?

- A. Public network
- B. Home network
- C. Work network
- D. Domain network

Answer: Domain network

186. [MCQ] GENERAL IT SECURITY

Which Windows feature allows you to request that someone else control your computer from their computer?

- A. Sync Center
- B. Action Center
- C. Connect Now
- D. Remote Assistance

Answer: Remote Assistance

187. [MCQ] GENERAL IT SECURITY

Which of the following is the difference between local and network applications?

- A. A network application is loaded in a local computer and accessed from a remote computer, whereas a local application is loaded in a local computer and accessed only by the local computer.
- B. A local application is loaded in a local computer and accessed from a remote computer, whereas a network application is loaded in a local computer and accessed only by the local computer
- C. A network application is loaded in a local computer, whereas a local application is loaded in an administrative compute
- D. A network application is loaded in a remote computer, whereas a local application is loaded in a local computer.

Answer: A network application is loaded in a local computer and accessed from a remote computer, whereas a local application is loaded in a local computer and accessed only by the local computer.

188. [MCQ] GENERAL IT SECURITY

Which program will run on a 64-bit version of the Windows operating system?

- A. A 32-bit laser printer driver.
- B. A 32-bit version of Microsoft Office.
- C. A 32-bit wireless network adapter driver
- D. A 32-bit video card driver.

Answer: A 32-bit version of Microsoft Office.

189. [MCQ] GENERAL IT SECURITY

Which Windows feature will allow you to run automated scripts on a remote computer?

- A. Remote Desktop Connection
- B. Virtual Private Network
- C. Remote Access Service
- D. Windows Remote Management

Answer: Windows Remote Management

190. [MCQ] GENERAL IT SECURITY

Which feature allows you to manually configure a hardware device?

- A. Device Manager
- B. Registry Editor
- C. Windows Task Manager
- D. Ease of Access

Answer: Device Manager

191. [MCQ] GENERAL IT SECURITY

The Encrypting File System (EFS) is a:

- A. feature that enables files to be stored in a secure format
- B. sequence of characters used to encrypt and decrypt information stored in a folder
- C. digital document that verifies the identity of a user
- D. specially made hard disk drive that requires a password

Answer: sequence of characters used to encrypt and decrypt information stored in a folder

192. [MULTI-SELECT] GENERAL IT SECURITY

Which of the following steps will you take to install a local printer? Each correct answer represents a part of the solution. Choose all that apply.

- A. In the Add Printer wizard, click Add a local printer.
- B. On Choose a printer port, select Use an existing port, and then select the recommended port.
- C. On the Install the printer driver page, select the printer manufacturer and model, and then click next
- D. Click the Start button and open Device Manager.

Answer: In the Add Printer wizard, click Add a local printer., On Choose a printer port, select Use an existing port, and then select the recommended port., On the Install the printer driver page, select the printer manufacturer and model, and then click next

193. [MCQ] GENERAL IT SECURITY

Which prevents you from establishing a Remote Desktop connection to a remote computer?

- A. Incorrect screen resolution in the Display Properties dialog box.
- B. Incorrect port settings in Windows Firewall.
- C. Incorrect security settings in Internet Explorer.
- D. Incorrect monitor settings in Device Manager

Answer: Incorrect port settings in Windows Firewall.

194. [MCQ] GENERAL IT SECURITY

You need to be able to recover an encrypted file even if you lose the key. What should you do?

- A. Use Bitlocker encryption.
- B. Use System Restore to create a system restore point.
- C. Create a recovery certificate and store it on a portable device.
- D. Use the Encrypting File System (EFS).

Answer: Create a recovery certificate and store it on a portable device.

195. [MULTI-SELECT] GENERAL IT SECURITY

You want to connect to a wireless access point. You need to view a list of available networks. Which two actions should you perform? (Each correct answer presents a complete solution. Choose two.)

- A. Click the network icon in the notification area.
- B. From Control Panel, use Network and Sharing Center.
- C. From Control Panel, use Windows Mobility Center.
- D. From Control Panel, use Sync Center.
- E. From Control Panel, use Ease of Access.

Answer: Click the network icon in the notification area., From Control Panel, use Network and Sharing Center.

196. [MULTI-SELECT] GENERAL IT SECURITY

Which of the following steps will you take to remove a printer? Each correct answer represents a part of the solution. Choose all that apply.

- A. Open the Devices and Printers window.
- B. Open Device Manager.
- C. Right-click the device, and then click Enable.
- D. Right-click the printer and choose Remove device.

Answer: Open the Devices and Printers window., Right-click the printer and choose Remove device.

197. [MCQ] GENERAL IT SECURITY

Windows hides some files by default to:

- A. improve access to system file
- B. save disk space
- C. protect the confidentiality of the contents of files
- D. avoid accidental modification or deletion of system files

Answer: avoid accidental modification or deletion of system files

198. [MCQ] GENERAL IT SECURITY

The purpose of a Public folder is to:

- A. share files with everyone on a network

- B. share files with only one person on a network
- C. share files with a selected group of people on a network
- D. back up files to a location on a network

Answer: share files with everyone on a network

199. [MCQ] GENERAL IT SECURITY

Joseph works as a Desktop Support Technician for www.company.com Inc. As part of his responsibilities, he has to monitor the performance of computers on a regular basis. He runs Windows Defender on a computer and receives the following warning message: "Windows Defender Definitions haven't been updated". He wants to resolve this issue and ensure that this message is not displayed. For this, he has to update Windows Defender definition files. What will he do to update the files?

- A. Download and install the latest Windows Defender application from the Microsoft website.
- B. Restart the Windows Defender.
- C. Download and install the appropriate files from the Microsoft website.
- D. Repair the Microsoft Location Finder program.

Answer: Download and install the appropriate files from the Microsoft website.

200. [MCQ] GENERAL IT SECURITY

Where will you find information about removing computer viruses?

- A. System Restore
- B. Help and Support
- C. Disk Cleanup
- D. System Information

Answer: Help and Support

201. [MCQ] GENERAL IT SECURITY

Which Windows feature should you use to protect a computer against spyware?

- A. Encrypting File System
- B. User Account Control
- C. Windows Defender
- D. Group Policy

Answer: Windows Defender

202. [MCQ] GENERAL IT SECURITY

Which file system is designed for transfer of large files between a personal computer and flash devices?

- A. exFAT file system
- B. FAT16 file system
- C. NTFS file system
- D. FAT32 file system

Answer: exFAT file system

203. [MCQ] GENERAL IT SECURITY

What is the largest single file that you can store on a FAT32 file system?

- A. 32GB
- B. 16GB
- C. 4GB
- D. 8GB

Answer: 4GB

204. [MCQ] GENERAL IT SECURITY

You are an IT consultant for the startup company BlueSkwer.com which has only three computers. The company wants you to configure the computers so that they can share a few Word and Excel documents. You determine that creating a homegroup would fit their needs. When you go to the Control Panel and then Network and Internet, you see a notice that says: This computer can't connect to homegroup. What must you change so that this computer can connect to a homegroup

- A. The computer's network location must be set to Home.
- B. Reboot the computer.
- C. The computer's network location must be set to Work.
- D. The computer's network location must be set to Public.

Answer: The computer's network location must be set to Home.

205. [MCQ] GENERAL IT SECURITY

Which describes the purpose of Power Saver mode for a portable computer?

- A. To prevent unauthorized programs from consuming resources
- B. To lock the computer when it is idle
- C. To protect the display from burned-in images.
- D. To shut down idle devices to conserve battery charge

Answer: To shut down idle devices to conserve battery charge

206. [MULTI-SELECT] GENERAL IT SECURITY

You work as a System Administrator for BlueSkwer.com. It has been determined by the technology committee to use BitLocker to protect the company laptops. You will be utilizing BitLocker to protect the data on both fixed and removable data drives. In the next step, you must determine the unlock method. When using BitLocker, what are the available unlock options? Each correct answer represents a complete solution. Choose all that apply.

- A. Automatic unlocking
- B. Startup key
- C. Password
- D. Smart Card

Answer: Automatic unlocking, Password, Smart Card

207. [MCQ] GENERAL IT SECURITY

The Remote Desktop Connection is used to:

- A. access another personal computer
- B. attend a webinar
- C. search the Internet
- D. conduct a Lync Online Meeting

Answer: access another personal computer

208. [MCQ] GENERAL IT SECURITY

You attempt to print to a network printer, but you are unable to find the printer when you search for available printers. What is a reason that you might not be able to find the printer?

- A. Windows Firewall is blocking network discovery.
- B. The computer that the printer is connected to is turned off.
- C. The printer does not have the Plug and Play functionality.
- D. The printer is out of paper

Answer: Windows Firewall is blocking network discovery.

209. [MCQ] GENERAL IT SECURITY

You want to change your default home page in Internet Explorer. In which location should you modify settings?

- A. Internet Options
- B. Favorites
- C. View
- D. Trusted Sites

Answer: Internet Options

210. [MCQ] GENERAL IT SECURITY

Which Windows feature allows you to manually control another Windows computer?

- A. Remote Control Monitor
- B. Remote Desktop Connection
- C. Remote Power Management
- D. Remote Procedure Call

Answer: Remote Desktop Connection

211. [MCQ] GENERAL IT SECURITY

Which Windows component should you use to make a copy of all files on your computer?

- A. Disk Management
- B. System Image Backup
- C. Disk Cleanup
- D. System Restore

Answer: System Image Backup

212. [MCQ] GENERAL IT SECURITY

You need to be able to access a file stored in a shared folder on your network even when you are disconnected from the network. What should you do?

- A. Configure the folder permissions as Read/Write.
- B. From Control Panel, use Network and Internet.
- C. Make the folder available offline.
- D. Type the IP address of the network computer in the Address field of Internet Explorer.

Answer: Configure the folder permissions as Read/Write.

213. [MCQ] GENERAL IT SECURITY

Which feature allows you to run applications hosted on network file servers or web servers?

- A. Remote Desktop Connection
- B. Windows Virtual PC
- C. Windows Installer
- D. Application Virtualization Client

Answer: Application Virtualization Client

214. [MCQ] GENERAL IT SECURITY

You attempt to update your video driver. Your screen stops responding. You need to be able to restore the previous video driver. Which Windows feature should you use?

- A. Safe Mode
- B. Disk Defragmenter
- C. Disk Cleanup
- D. Check Disk (Chkdsk)

Answer: Safe Mode

215. [MCQ] GENERAL IT SECURITY

Which feature ensures that the latest device drivers are installed on your computer?

- A. System configuration Utility
- B. Reliability and Performance Monitor
- C. Windows Update
- D. Task Scheduler

Answer: Windows Update

216. [MCQ] GENERAL IT SECURITY

Which is a potential risk when redirecting a USB storage device during a Remote Desktop session?

- A. Access can be slower.
- B. Data can be lost.
- C. The session can stop responding.
- D. The device can stop working.

Answer: Data can be lost.

217. [MCQ] GENERAL IT SECURITY

Which Windows feature allows secure printing over the Internet?

- A. Secure Transfer Protocol (STP)
- B. Voce over Internet Protocol (VoIP)
- C. Web2Print
- D. Internet Printing Protocol (IPP) by using HTTPS

Answer: Internet Printing Protocol (IPP) by using HTTPS

218. [MCQ] GENERAL IT SECURITY

Your computer is running slower than usual. Where should you look to find out which applications are consuming the maximum number of resources?

- A. Administrative Tools
- B. Device Manager
- C. Network and Sharing Center
- D. System Tray
- E. Task Manager

Answer: Task Manager

219. [MCQ] GENERAL IT SECURITY

You need a script to run at a specific time. Which Windows component should you use?

- A. Event Viewer
- B. Device Manager
- C. Task Scheduler
- D. Task Manager

Answer: Task Scheduler

220. [MCQ] GENERAL IT SECURITY

Which feature allows you to change the display resolution of a computer monitor?

- A. Appearance and Personalization
- B. Device Manager
- C. Computer Management Console

D. System Configuration Tool

Answer: Appearance and Personalization

221. [MCQ] GENERAL IT SECURITY

BitLocker prevents:

- A. unauthorized access to files
- B. programs from accessing the memory of other programs
- C. the operating system from overwriting protected sectors on the hard disk drive
- D. unauthorized users from accessing the Internet

Answer: unauthorized access to files

222. [MCQ] GENERAL IT SECURITY

You work as a Network Administrator for www.company.com Inc. You want to use the cloud computing service over your organization. Which of the following is the biggest security control loss with cloud computing?

- A. Physical control loss over data
- B. Backup control loss over data
- C. Administrative access loss to data
- D. Logical control loss over data

Answer: Physical control loss over data

223. [MCQ] GENERAL IT SECURITY

You need to find out whether your computer has received the most recent critical Windows updates. What should you do?

- A. From Control Panel, use Programs.
- B. From Administration Tools, view Event Logs
- C. From the Computer Management console, view Services and Applications.
- D. From Windows Update, select View Update History.

Answer: From Administration Tools, view Event Logs

224. [MCQ] GENERAL IT SECURITY

Which feature should you use to install the most recent definitions for Windows Defender?

- A. Sync Center
- B. Programs and Features
- C. Windows Update
- D. Windows Installer

Answer: Windows Update

225. [MULTI-SELECT] GENERAL IT SECURITY

Which of the following steps will you take to configure automatic updates? Each correct answer represents a part of the solution. Choose all that apply.

- A. Open the Control Panel and click System and Security. (If the Control Panel is not in Category view, click Windows Update, and then click Change settings.)
- B. Under Windows Update, click "Turn automatic updating on or off". The Change Settings window opens.
- C. Configure the update options as needed and click OK.
- D. Open the Control Panel and click Add or Remove Program.

Answer: Open the Control Panel and click System and Security. (If the Control Panel is not in Category view, click Windows Update, and then click Change settings.), Under Windows Update, click "Turn automatic updating on or off". The Change Settings window opens., Configure the update options as needed and click OK.

226. [MCQ] GENERAL IT SECURITY

Your computer is slow to start, and file access in Windows is slow. Which Windows feature should you use to improve performance?

- A. System Restore
- B. Disk Format
- C. Disk Defragmenter
- D. windows Defender

Answer: System Restore

227. [MCQ] GENERAL IT SECURITY

PowerShell is used to:

- A. extend the life of the battery
- B. monitor user keystroke
- C. repair damaged hard disk drive sectors
- D. automate a routine task

Answer: automate a routine task

228. [MCQ] GENERAL IT SECURITY

You need to upgrade your computer from the FAT file system to an NTFS file system. What should you do?

- A. Use the Convert C:/fs:ntfs command.
- B. Clear the hard disk drive by using the Format tool.
- C. Use the Backup and Restore tool.
- D. Run the Windows Easy Transfer tool.

Answer: Use the Convert C:/fs:ntfs command.

229. [MCQ] GENERAL IT SECURITY

Windows Aero is a:

- A. desktop theme
- B. Windows application
- C. device driver
- D. pointing device

Answer: desktop theme

230. [MCQ] GENERAL IT SECURITY

Which feature ensures that your personal computer always has the latest patches and fixes for the operating system?

- A. Reliability and Performance Monitor
- B. Programs and Features
- C. Windows Update
- D. System Configuration Utility

Answer: Windows Update

231. [MCQ] GENERAL IT SECURITY

IPsec adds overhead for all network communications for which it is used.

- A. YES
- B. NO

Answer: YES

232. [MCQ] GENERAL IT SECURITY

Which enables you to change the permissions on a folder?

- A. Take ownership
- B. Auditing
- C. Modify
- D. Extended attributes

Answer: Modify

233. [MCQ] GENERAL IT SECURITY

User Account Control (UAC) reduces your permission to that of a standard user unless higher permissions are necessary.

- A. NO
- B. YES

Answer: YES

234. [MCQ] GENERAL IT SECURITY

You can view the audit logs in the Event Viewer.

- A. YES
- B. NO

Answer: YES

235. [MCQ] GENERAL IT SECURITY

Your password is 1Vu*cl!8sT. Which attack method is your password vulnerable to?

- A. Spidering
- B. Brute force
- C. Dictionary
- D. Rainbow table

Answer: Rainbow table

236. [MCQ] GENERAL IT SECURITY

A network sniffer is software or hardware that:

- A. Captures and analyzes network communication
- B. Records user activity and transmits it to the server
- C. Protects workstations from intrusions
- D. Catalogs network data to create a secure index

Answer: Captures and analyzes network communication

237. [MCQ] GENERAL IT SECURITY

An employee where you work is unable to access the company message board in Internet Explorer. You review her Internet Options dialog box, as shown in the following image: its_18.png The employee can see the site, but ActiveX controls will not load. You have to

- A. Change the security level on the Local Intranet
- B. Change the security level on the Internet
- C. Uncheck enabled protected mode.

Answer: Change the security level on the Local Intranet

238. [MCQ] GENERAL IT SECURITY

To prevent users from copying data to removable media, you should:

- A. Apply a group policy
- B. Store media in a locked room
- C. Lock the computer cases
- D. Disable copy and paste

Answer: Apply a group policy

239. [MCQ] GENERAL IT SECURITY

What is a service set identifier (SSID)?

- A. The broadcast name of an access point
- B. The wireless LAN transmission type
- C. A wireless security protocol
- D. A wireless encryption standard

Answer: The broadcast name of an access point

240. [MCQ] GENERAL IT SECURITY

E-mail bombing attacks a specific entity by:

- A. Sending high volumes of e-mail
- B. Triggering high levels of security alerts
- C. Redirecting all e-mail to another entity
- D. Tracing e-mail to the destination address

Answer: Sending high volumes of e-mail

241. [MCQ] GENERAL IT SECURITY

Role separation improves server security by:

- A. Placing servers on separate VLANs.
- B. Installing applications on separate hard disks.
- C. Physically separating high security servers from other servers.
- D. Enforcing the principle of least privilege.

Answer: Enforcing the principle of least privilege.

242. [MCQ] GENERAL IT SECURITY

What is a common method for password collection?

- A. Back door intrusions
- B. Network sniffers
- C. SQL Injection
- D. Email attachments

Answer: Network sniffers

243. [MCQ] GENERAL IT SECURITY

To protect users from untrusted browser pop-ups, you may set a default browser configuration that blocks all pop-ups and automated downloads.

- A. YES
- B. NO

Answer: NO

244. [MULTI-SELECT] GENERAL IT SECURITY

You are an intern and are working remotely. You need a solution that meets the following requirements: ✍ Allows you to access data on the company network securely ✍ Gives you the same privileges and access as if you were in the office What are two connection methods you could use? (Choose two.)

- A. Virtual Private Network (VPN)
- B. Remote Access Service (RAS)
- C. Forward Proxy
- D. Roaming Profiles

Answer: Virtual Private Network (VPN), Roaming Profiles

245. [MCQ] GENERAL IT SECURITY

You need to prevent unauthorized users from reading a specific file on a portable computer if the portable computer is stolen. What should you implement?

- A. BitLocker
- B. Folder-level permissions
- C. Advanced Encryption Standard (AES)
- D. File-level permissions
- E. Distributed File System (DFS)

Answer: BitLocker

246. [MULTI-SELECT] GENERAL IT SECURITY

What are three major attack vectors that a social engineering hacker may use? (Choose three.)

- A. Honey pot systems
- B. Waste management
- C. Reverse social engineering
- D. Telephone
- E. Firewall interface

Answer: Waste management, Reverse social engineering, Telephone

247. [MCQ] GENERAL IT SECURITY

Bitlocker to Go Reader allows you to encrypt drives.

- A. NO
- B. YES

Answer: NO

248. [MCQ] GENERAL IT SECURITY

Windows Server Update Services (WSUS) is a tool that:

- A. Manages updates for Microsoft software
- B. Updates licensing for Windows servers
- C. Updates data stored in Windows servers
- D. Manages the services that run on a server

Answer: Manages updates for Microsoft software

249. [MCQ] GENERAL IT SECURITY

The purpose of a digital certificate is to verify that a:

- A. Public key belongs to a sender.
- B. Digital document is complete.
- C. Computer is virus-free.
- D. Private key belongs to a sender.

Answer: Public key belongs to a sender.

250. [MCQ] GENERAL IT SECURITY

A mail system administrator scans for viruses in incoming emails to increase the speed of mail processing. Select the correct answer if the underlined text does not make the statement correct.

Select "No change is needed" if the underlined text makes the statement correct.

- A. Ensure that all links in the messages are trustworthy
- B. Decrease the chances of a virus getting to a client machine
- C. Verify that the senders of the messages are legitimate
- D. No change is needed.

Answer: Decrease the chances of a virus getting to a client machine

251. [MCQ] GENERAL IT SECURITY

To implement WPA2 Enterprise, you would need a/an:

- A. WEP server
- B. SSL server
- C. RADIUS server
- D. VPN server

Answer: RADIUS server

252. [MCQ] GENERAL IT SECURITY

You create a web server for your school. When users visit your site, they get a certificate error that says your site is not trusted. What should you do to fix this problem?

- A. Use a digital signature.
- B. Generate a certificate request.
- C. Install a certificate from a trusted Certificate Authority (CA).
- D. Enable Public Keys on your website.

Answer: Install a certificate from a trusted Certificate Authority (CA).

253. [MULTI-SELECT] GENERAL IT SECURITY

Which two are included in an enterprise antivirus program? (Choose two.)

- A. On-demand scanning
- B. Attack surface scanning
- C. Packet scanning
- D. Scheduled scanning

Answer: On-demand scanning, Scheduled scanning

254. [MCQ] GENERAL IT SECURITY

Which is a special folder permission?

- A. Modify
- B. Read
- C. Delete
- D. Write

Answer: Delete

255. [MCQ] GENERAL IT SECURITY

To protect systems from buffer overflow errors, you can use:

- A. An Intruder Prevention System
- B. A proxy server
- C. Data Execution Prevention
- D. Antivirus software

Answer: Data Execution Prevention

256. [MCQ] GENERAL IT SECURITY

Clients can verify that the DNS server that they are communicating with is legitimate.

- A. NO
- B. YES

Answer: YES

257. [MCQ] GENERAL IT SECURITY

A system access control list (SACL) enables administrators to log attempts to access a secured object.

- A. NO
- B. YES

Answer: YES

258. [MCQ] GENERAL IT SECURITY

In Internet Explorer 8, the InPrivate Browsing feature prevents:

- A. Any session data from being stored on the computer.
- B. Unauthorized private data input.
- C. User credentials from being sent over the Internet.
- D. Unencrypted communication between the client computer and the server.

Answer: Any session data from being stored on the computer.

259. [MCQ] GENERAL IT SECURITY

BitLocker to work on Windows Vista and Windows XP

- A. NO
- B. YES

Answer: YES

260. [MCQ] GENERAL IT SECURITY

The default password length for a Windows Server domain controller is:

- A. 5
- B. 0
- C. 14
- D. 7

Answer: 7

261. [MCQ] GENERAL IT SECURITY

If your computer is on a domain, your network administrator can reset your password.

- A. YES
- B. NO

Answer: YES

262. [MCQ] GENERAL IT SECURITY

An administrator account can reset a password for a standard user account.

- A. NO
- B. YES

Answer: YES

263. [MCQ] GENERAL IT SECURITY

Humongous Insurance needs to set up a domain controller in a branch office. Unfortunately, the server cannot be sufficiently secured from access by employees in that office, so the company is

installing a Primary Domain Controller. Select the correct answer if the underlined text does not make the statement correct. Select "No change is needed" if the underlined text makes the statement correct.

- A. Read-Only Domain Controller
- B. No change is needed.
- C. Backup Domain Controller
- D. Active Directory Server

Answer: Read-Only Domain Controller

264. [MCQ] GENERAL IT SECURITY

Bitlocker to Go Reader requires drives that are encrypted using a password.

- A. NO
- B. YES

Answer: YES

265. [MCQ] GENERAL IT SECURITY

Network Access Protection (NAP) enables administrators to control access to network resources based on a computer's:

- A. Physical location
- B. Warranty
- C. Encryption level
- D. Configuration

Answer: Configuration

266. [MCQ] GENERAL IT SECURITY

A group of users has access to Folder A and all of its contents. You need to prevent some of the users from accessing the subfolder inside Folder A. What should you do first?

- A. Disable folder sharing
- B. Hide the folder
- C. Block inheritance
- D. Change the owner

Answer: Disable folder sharing

267. [MCQ] GENERAL IT SECURITY

What is an example of non-propagating malicious code?

- A. A worm
- B. A hoax
- C. A Trojan horse
- D. A back door

Answer: A back door

268. [MCQ] GENERAL IT SECURITY

This question requires that you evaluate the underlined text to determine if it is correct. The first line of defense against attacks from the Internet is a software firewall. Select the correct answer if the underlined text does not make the statement correct. Select "No change is needed" if the underlined text makes the statement correct.

- A. No change is needed
- B. hardware firewall
- C. virus software

D. radius server

Answer: hardware firewall

269. [MCQ] GENERAL IT SECURITY

User Account Control (UAC) notifies you when additional permissions are required and asks if you wish to continue.

A. YES

B. NO

Answer: YES

270. [MCQ] GENERAL IT SECURITY

Alice sends her password to the game server in plaintext. Chuck is able to observe her password as shown in the following image: its_9.png Use the drop-down menu to select the answer choice that completes each statement. Each correct selection is worth one point. The scenario demonstrated is a (n) _____ attack.

A. denial of service

B. eavesdropping

C. man in the middle

Answer: eavesdropping

271. [MULTI-SELECT] GENERAL IT SECURITY

The Graphic Design Institute hires you to help them set up a server for their 20-person team. As a general practice of hardening the server, you start by performing which two tasks? (Choose two.)

A. Rename the admin account.

B. Remove the account lockout policy.

C. Format partitions with FAT32.

D. Disable the guest account.

Answer: Rename the admin account., Disable the guest account.

272. [MCQ] GENERAL IT SECURITY

When conducting a security audit the first step is to:

A. Set up a virus quarantine area

B. Inventory the company's technology assets

C. Install auditing software on your serve

D. Set up the system logs to audit security events

Answer: Inventory the company's technology assets

273. [MCQ] GENERAL IT SECURITY

Phishing is an attempt to:

A. Obtain information by posing as a trustworthy entity.

B. Corrupt e-mail databases through the use of viruses.

C. Steal data through the use of network intrusion.

D. Limit access to e-mail systems by authorized users.

Answer: Obtain information by posing as a trustworthy entity.

274. [MCQ] GENERAL IT SECURITY

Because senior executives have rights to access sensitive data, they should use administrator accounts.

A. YES

B. NO

Answer: NO

275. [MCQ] GENERAL IT SECURITY

IPsec encrypts data.

A. YES

B. NO

Answer: YES

276. [MCQ] GENERAL IT SECURITY

The WPA2 PreShared Key (PSK) is created by using a passphrase (password) and salting it with the WPS PIN. Select the correct answer if the underlined text does not make the statement correct. Select "No change is needed" if the underlined text makes the statement correct.

A. Admin password

B. Service Set Identifier (SSID)

C. WEP key

D. No change is needed

Answer: Service Set Identifier (SSID)

277. [MCQ] GENERAL IT SECURITY

You are preparing a local audit policy for your workstation. No auditing is enabled. The settings of your policy are shown in the following image: its_19.png In order to log in each time the computer validates your account credentials, the _____ policy needs to be enabled.

A. Audit Object Access

B. Audit account logon events

C. Audit logon events

Answer: Audit account logon events

278. [MCQ] GENERAL IT SECURITY

Bridging is a process of sending packets from source to destination on OSI layer 3. Select the correct answer if the underlined text does not make the statement correct. Select. "No change is needed" if the underlined text makes the statement correct.

A. Routing

B. Switching

C. Repeating

D. No change is needed.

Answer: Routing

279. [MCQ] GENERAL IT SECURITY

You need to install a domain controller in a branch office. You also need to secure the information on the domain controller. You will be unable to physically secure the server. What should you implement?

A. Read-Only Domain Controller

B. Layer 2 Tunneling Protocol (L2TP)

C. Server Core Domain Controller

D. Point-to-Point Tunneling Protocol (PPTP)

Answer: Read-Only Domain Controller

280. [MCQ] GENERAL IT SECURITY

You are preparing an audit policy for the workstations at Contoso, Ltd. Currently, no advanced auditing is enabled. These workstations are not members of the domain. The settings of your Advanced Audit Policy Configuration are shown in the following image: its_21.png To enable auditing of all local events, you need to turn on the _____ Advanced Audit Policy.

- A. Logon/Logoff
- B. System
- C. Account Logon

Answer: Account Logon

281. [MCQ] GENERAL IT SECURITY

There is a risk of losing access to encrypted files if a password is reset

- A. YES
- B. NO

Answer: YES

282. [MCQ] GENERAL IT SECURITY

IPsec requires network applications to be IPsec aware.

- A. NO
- B. YES

Answer: NO

283. [MCQ] GENERAL IT SECURITY

You are at school and logged in to a Windows 7 computer using a standard user account. You need to change some of the properties of a desktop icon for an assignment. Your instructor provides you with an administrator username and password and asks you to do two tasks. When you open the Need Admin Access Properties window, you see the following image: its_20.png To allow this log file to be opened as an administrator, you should _____.

- A. Click Advanced and choose "run as administrator."
- B. Click Run and choose "run as administer"
- C. Click on the Security tab and give admin rights to your standard account.

Answer: Click Run and choose "run as administer"

284. [MULTI-SELECT] GENERAL IT SECURITY

Cookies impact security by enabling: (Choose two.)

- A. Higher security Web site protections.
- B. Storage of Web site passwords.
- C. Websites to track browsing habits.
- D. Secure Sockets Layer (SSL).

Answer: Storage of Web site passwords., Websites to track browsing habits.

285. [MCQ] GENERAL IT SECURITY

The Windows Firewall protects computers from unauthorized network connections. Select the correct answer if the underlined text does not make the statement correct. Select "No change is needed" if the underlined text makes the statement correct.

- A. Email viruses
- B. No change is needed
- C. Phishing scams
- D. Unencrypted network access

Answer: No change is needed

286. [MULTI-SELECT] GENERAL IT SECURITY

The company that you work for wants to set up a secure network, but they do not have any servers. Which three security methods require the use of a server? (Choose three.)

- A. .802.1x
- B. WPA2 Personal
- C. 802.11ac
- D. WPA2 Enterprise
- E. RADIUS

Answer: .802.1x, 802.11ac, RADIUS

287. [MCQ] GENERAL IT SECURITY

The Active Directory controls, enforces, and assigns security policies and access rights for all users. Select the correct answer if the underlined text does not make the statement correct. Select "No change is needed" if the underlined text makes the statement correct.

- A. User Account Control
- B. Registry
- C. NTFS permissions
- D. No change is needed

Answer: No change is needed

288. [MCQ] GENERAL IT SECURITY

Which type of firewall allows for inspection of all characteristics of a packet?

- A. Stateless
- B. Windows Defender
- C. NAT
- D. Stateful

Answer: Stateful

289. [MCQ] GENERAL IT SECURITY

System Administrators should use a standard user account when performing routine functions like reading emails and browsing the Internet.

- A. NO
- B. YES

Answer: YES

290. [MCQ] GENERAL IT SECURITY

Which attack listens to network traffic of a computer resource?

- A. Eavesdropping
- B. ARP poisoning
- C. Denial of service
- D. Logic bomb
- E. Resource gathering

Answer: Eavesdropping

291. [MCQ] GENERAL IT SECURITY

Before you deploy Network Access Protection (NAP), you must install:

- A. Internet Information Server (IIS)

- B. Network Policy Server (NPS)
- C. Active Directory Federation Services
- D. Windows Update Service

Answer: Network Policy Server (NPS)

292. [MCQ] GENERAL IT SECURITY

Basic security questions used to reset a password are susceptible to:

- A. Trojan horses
- B. Hashing
- C. Network sniffing
- D. Social engineering

Answer: Social engineering

293. [MCQ] GENERAL IT SECURITY

Domain Name System Security Extensions (DNSSEC) prevents man-in-the middle attacks for DNS queries.

- A. NO
- B. YES

Answer: YES

294. [MCQ] GENERAL IT SECURITY

To keep third-party content providers from tracking your movements on the web, enable InPrivate Browsing. Select the correct answer if the underlined text does not make the statement correct. Select "No change is needed" if the underlined text makes the statement correct.

- A. Compatibility Mode
- B. InPrivate Filtering
- C. SmartScreen Filter
- D. No change is needed

Answer: InPrivate Filtering

295. [MCQ] GENERAL IT SECURITY

You are volunteering at an organization that gets a brand new web server. To make the server more secure, you should add a second administrator account. Select the correct answer if the underlined text does not make the statement correct. Select "No change is needed" if the underlined text makes the statement correct.

- A. Enable LM authentication
- B. No change is needed.
- C. Enable NTLM authentication
- D. Disable unused services

Answer: Disable unused services

296. [MCQ] GENERAL IT SECURITY

Setting a minimum password age restricts when users can:

- A. Request a password reset
- B. Set their own password expiration
- C. Change their passwords
- D. Log on by using their passwords

Answer: Change their passwords

297. [MCQ] GENERAL IT SECURITY

Password history policies are used to prevent:

- A. Users from sharing passwords
- B. Brute force attacks
- C. Social engineering
- D. Passwords from being reused immediately

Answer: Passwords from being reused immediately

298. [MCQ] GENERAL IT SECURITY

The User Account Control (UAC) has one overall goal: to grant users the lowest level of permission required to complete their tasks.

- A. NO
- B. YES

Answer: YES

299. [MCQ] GENERAL IT SECURITY

Which technology enables you to filter communications between a program and the Internet?

- A. Software firewall
- B. BitLocker To Go
- C. RADIUS server
- D. Antivirus software

Answer: Software firewall

300. [MCQ] GENERAL IT SECURITY

A user who receives a large number of emails selling prescription medicine is probably receiving pharming mail. Select the correct answer if the underlined text does not make the statement correct. Select "No change is needed" if the underlined text makes the statement correct.

- A. No change is needed.
- B. Spoofed mail
- C. Malware
- D. Spam

Answer: Spam

301. [MCQ] GENERAL IT SECURITY

Advance audit policies applied by a Group Policy are compatible with a basic audit policy.

- A. NO
- B. YES

Answer: NO

302. [MCQ] GENERAL IT SECURITY

You can configure an email event notification for an audited activity.

- A. NO
- B. YES

Answer: YES

303. [MCQ] GENERAL IT SECURITY

User Account Control (UAC) cannot be disabled.

- A. NO
- B. YES

Answer: NO

304. [MULTI-SELECT] GENERAL IT SECURITY

What are two attributes that an email message may contain that should cause a user to question whether the message is a phishing attempt? (Choose two.)

- A. Use of bold and italics
- B. Spelling and grammar errors
- C. An image contained in the message
- D. Threats of losing service

Answer: Spelling and grammar errors, Threats of losing service

305. [MULTI-SELECT] GENERAL IT SECURITY

Which two security settings can be controlled by using group policy? (Choose two.)

- A. Encrypted access from a smart phone
- B. Automatic file locking
- C. Password complexity
- D. Access to the Run... command

Answer: Password complexity, Access to the Run... command

306. [MCQ] GENERAL IT SECURITY

There are several built-in basic audit policies and advanced audit policies in Windows.

- A. YES
- B. NO

Answer: YES

307. [MCQ] GENERAL IT SECURITY

Which is the minimum requirement to create BitLocker-To-Go media on a client computer?

- A. Windows 7 Enterprise Edition
- B. Windows 2000 Professional Service Pack 4
- C. Windows Vista Enterprise Edition
- D. Windows XP Professional Service Pack 3

Answer: Windows XP Professional Service Pack 3

308. [MCQ] GENERAL IT SECURITY

You want to make your computer resistant to online hackers and malicious software. What should you do?

- A. Configure a forward proxy.
- B. Turn on Windows Firewall.
- C. Install anti-virus software.
- D. Enable spam filtering.

Answer: Install anti-virus software.

309. [MCQ] GENERAL IT SECURITY

Keeping a server updated:

- A. Fixes security holes
- B. Speeds up folder access
- C. Synchronizes the server
- D. Maximizes network efficiency

Answer: Fixes security holes

310. [MCQ] GENERAL IT SECURITY

Many Internet sites that you visit require a user name and password. How do you secure these passwords?

- A. Save them to an encrypted file
- B. Save them to a text file
- C. Reuse the same password
- D. Configure the browser to save passwords
- E. Enable session caching

Answer: Save them to an encrypted file

311. [MCQ] GENERAL IT SECURITY

You suspect a user's computer is infected by a virus. What should you do first?

- A. Restart the computer in safe mode
- B. Install antivirus software on the computer
- C. Disconnect the computer from the network
- D. Replace the computer's hard disk drive

Answer: Install antivirus software on the computer

312. [MCQ] GENERAL IT SECURITY

The primary method of authentication in an SSL connection is passwords. To answer, choose the option "No change is needed" if the underlined text is correct. If the underlined text is not correct, choose the correct answer.

- A. No change is needed
- B. Certificates
- C. Biometrics
- D. IPsec

Answer: Certificates

313. [MCQ] GENERAL IT SECURITY

Account lockout policies are used to prevent which type of security attack?

- A. Brute force attacks
- B. Users sharing passwords
- C. Social engineering
- D. Passwords being reused immediately

Answer: Brute force attacks

314. [MCQ] GENERAL IT SECURITY

The purpose of Microsoft Baseline Security Analyzer is to:

- A. Apply all current patches to a server.
- B. Set permissions to a default level.
- C. List system vulnerabilities.
- D. Correct a company's security state.

Answer: List system vulnerabilities.

315. [MCQ] GENERAL IT SECURITY

Domain Name System Security Extensions (DNSSEC) Prevents spoofing of query responses.

- A. YES
- B. NO

Answer: YES

316. [MCQ] GENERAL IT SECURITY

A digitally signed e-mail message:

- A. Validates the recipient
- B. Validates the sender
- C. Is encrypted
- D. Is virus-free

Answer: Validates the sender

317. [MCQ] GENERAL IT SECURITY

The certificate of a secure public web server on the Internet should be:

- A. Issued by an enterprise certificate authority (CA)
- B. Issued by a public certificate authority (CA)
- C. Signed by using a 4096-bit key
- D. Signed by using a 1024-bit key

Answer: Issued by a public certificate authority (CA)

318. [MCQ] GENERAL IT SECURITY

Coho Winery wants to increase their web presence and hires you to set up a new webserver. Coho already has servers for their business and would like to avoid purchasing a new one. Which server is best to use as a web server, considering the security and performance concerns?

- A. Application Server
- B. Domain Controller
- C. File Server
- D. SQL Server

Answer: Domain Controller

319. [MULTI-SELECT] GENERAL IT SECURITY

Which two characteristics should you recommend for a user's domain password? (Choose two.)

- A. Includes Unicode characters
- B. Hard to guess
- C. Easy to increment
- D. Easy to remember

Answer: Hard to guess, Easy to remember

320. [MCQ] GENERAL IT SECURITY

Audit logs have a size limit and cannot be adjusted.

- A. YES
- B. NO

Answer: NO

321. [MCQ] GENERAL IT SECURITY

Which enables access to all of the logged-in user's capabilities on a computer?

- A. Active Server Pages (ASP)
- B. Microsoft Silverlight
- C. ActiveX controls
- D. Java applets

Answer: ActiveX controls

322. [MCQ] GENERAL IT SECURITY

FAT32 has built-in security features that control user access.

- A. NO
- B. YES

Answer: NO

323. [MCQ] GENERAL IT SECURITY

NFTS has built-in security features that control file access.

- A. YES
- B. NO

Answer: YES

324. [MCQ] GENERAL IT SECURITY

You are trying to establish communications between a client's computer and a server. The server is not responding. You confirm that both the client and the server have network connectivity. Which should you check next?

- A. Data Execution Prevention
- B. Windows Firewall
- C. Active Directory Domains and Trusts
- D. Microsoft Update

Answer: Active Directory Domains and Trusts

325. [MCQ] GENERAL IT SECURITY

You have two servers that run Windows Server. All drives on both servers are formatted by using NTFS. You move a file from one server to the other server. The file's permissions in the new location will:

- A. Restrict access to the Administrators group
- B. Inherit the destination folder's permissions
- C. Enable full access to the everyone group
- D. Retain the original folder's permissions

Answer: Inherit the destination folder's permissions

326. [MCQ] GENERAL IT SECURITY

Smart cards can be used in biometrics-based systems.

- A. YES
- B. NO

Answer: YES

327. [MCQ] GENERAL IT SECURITY

Dumpster diving refers to a physical threat that a hacker might use to look for information about a computer network. Select the correct answer if the underlined text does not make the statement correct. Select "No change is needed" if the underlined text makes the statement correct.

- A. Malware
- B. No change is needed
- C. Reverse Social engineering
- D. Phishing

Answer: No change is needed

328. [MCQ] GENERAL IT SECURITY

Your company requires that users type a series of characters to access the wireless network. The series of characters must meet the following requirements: ✎ Contains more than 15 characters ✎ Contains at least one letter ✎ Contains at least one number ✎ Contains at least one symbol Which

security technology meets these requirements?

- A. WPA2 PSK
- B. WPA2 Enterprise
- C. WEP
- D. MAC filtering

Answer: WPA2 PSK

329. [MCQ] GENERAL IT SECURITY

Smart cards provide a means to securely store data on the card.

- A. YES
- B. NO

Answer: YES

330. [MULTI-SELECT] GENERAL IT SECURITY

What are three examples of two-factor authentication? (Choose three.)

- A. A password and a pin number
- B. A password and a smart card
- C. A fingerprint and a pattern
- D. A username and a password
- E. A pin number and a debit card

Answer: A password and a smart card, A fingerprint and a pattern, A pin number and a debit card

331. [MCQ] GENERAL IT SECURITY

Which provides the highest level of security in a firewall?

- A. Inbound packet filters
- B. Outbound packet filters
- C. Stateful inspection
- D. Stateless inspection

Answer: Stateful inspection

332. [MCQ] GENERAL IT SECURITY

Passwords that contain recognizable words are vulnerable to a:

- A. Denial of Service attack
- B. Replay attack
- C. Hashing attack
- D. Dictionary attack

Answer: Dictionary attack

333. [MCQ] GENERAL IT SECURITY

Administrator passwords may contain ASCII characters generated by a combination of the ALT key three digits on the numeric keypad.

- A. NO
- B. YES

Answer: YES

334. [MCQ] GENERAL IT SECURITY

Shredding documents helps prevent:

- A. Remote code execution
- B. Social networking

- C. File corruption
- D. Man-in-the-middle attacks
- E. Social engineering

Answer: Social engineering

335. [MCQ] GENERAL IT SECURITY

Your supervisor asks you to review file permission settings on the application.bat file. You need to report which file system the file is on and the type of permission the file has. You review the application Properties dialog box shown in the following image: its_29.png The "cygwin.bat" file in the image is currently on the _____ file system.

- A. FAT32
- B. NTFS
- C. FAT16

Answer: NTFS

336. [MCQ] GENERAL IT SECURITY

An example of a biometric device is a fingerprint scanner.

- A. NO
- B. YES

Answer: YES

337. [MCQ] GENERAL IT SECURITY

The removal of unused registry entries and executables increases the surface vulnerability of the server.

- A. NO
- B. YES

Answer: YES

338. [MCQ] GENERAL IT SECURITY

What is the primary advantage of using Active Directory Integrated Zones?

- A. Password protection
- B. Zone encryption
- C. Secure replication
- D. Non-repudiation

Answer: Secure replication

339. [MCQ] GENERAL IT SECURITY

Biometrics are used to authenticate users.

- A. NO
- B. YES

Answer: YES

340. [MCQ] GENERAL IT SECURITY

You are an intern at Litware, Inc. Your manager asks you to make password guess attempts harder by limiting login attempts on company computers. What should you do?

- A. Enforce password sniffing.
- B. Enforce password history.
- C. Make password complexity requirements higher.
- D. Implement account lockout policy.

Answer: Implement account lockout policy.

341. [MCQ] GENERAL IT SECURITY

An attorney hires you to increase the wireless network security for the law firm's office. The office has a very basic network, with just a modem and a router. Which of these security modes offers the highest security?

- A. WEP
- B. WPA-Personal
- C. WPA2-Personal
- D. WPA-Enterprise

Answer: WPA2-Personal

342. [MCQ] GENERAL IT SECURITY

How does the sender policy framework (SPF) aim to reduce spoofed emails?

- A. It provides a list of IP address ranges for particular domains so senders can be verified.
- B. It provides an encryption key so that authenticity of an email message can be validated
- C. It includes an XML policy file with each email that confirms the validity of the message.
- D. It lists servers that may legitimately forward mail for a particular domain.

Answer: It provides a list of IP address ranges for particular domains so senders can be verified.

343. [MCQ] GENERAL IT SECURITY

The purpose of User Account Control (UAC) is to:

- A. Secure your data from corruption
- B. Limit the privileges of software
- C. Facilitate Internet filtering
- D. Encrypt the user's account

Answer: Limit the privileges of software

344. [MCQ] GENERAL IT SECURITY

You need to limit the programs that can run on client computers to a specific list. Which technology should you implement?

- A. AppLocker group policies
- B. Windows Security Center
- C. System Configuration Utility
- D. Security Accounts Manager

Answer: Windows Security Center

345. [MCQ] GENERAL IT SECURITY

Windows Firewall is a built-in, host-based, stateless firewall. Select the correct answer if the underlined text does not make the statement correct. Select "No change is needed" if the underlined text makes the statement correct.

- A. Network layer
- B. No changes is needed
- C. Stateful
- D. Packet filter

Answer: Stateful

346. [MCQ] GENERAL IT SECURITY

All users on the same FAT32 file system have access rights to all files.

- A. NO
- B. YES

Answer: YES

347. [MCQ] GENERAL IT SECURITY

You are setting up Remote Desktop on your computer. Your computer is a member of a domain. Your firewall configuration is shown in the following image: its_28.png You need to allow Remote Desktop to be able to get through your firewall for users on your company's network. Which settings should you enable?

- A. Remote Desktop: Public
- B. Remote Assistance: Home/Work (Private)
- C. Remote Desktop: Home/Work (Private)
- D. Remote Assistance: Domain

Answer: Remote Assistance: Home/Work (Private)

348. [MCQ] GENERAL IT SECURITY

You would implement a wireless intrusion prevention system to:

- A. Prevent rogue wireless access points
- B. Detect wireless packet theft
- C. Enforce SSID broadcasting
- D. Prevent wireless interference

Answer: Prevent rogue wireless access points

349. [MCQ] GENERAL IT SECURITY

What does implementing Windows Server Update Services (WSUS) allow a company to manage?

- A. Windows updates for workstations and servers
- B. Shared private encryption key updates
- C. Active Directory server replication
- D. Updates to Group Policy Objects

Answer: Windows updates for workstations and servers

350. [MCQ] GENERAL IT SECURITY

A honey pot is an appliance or piece of software that allows or denies network access based on a preconfigured set of rules.

- A. YES
- B. NO

Answer: NO

351. [MCQ] GENERAL IT SECURITY

All computers that are not in compliance with NAP policies require manual intervention to be brought into compliance.

- A. YES
- B. NO

Answer: NO

352. [MCQ] GENERAL IT SECURITY

You are an intern at Wide World Importers and help manage 1000 workstations. All the workstations are members of an Active Domain. You need to push out an internal certificate to Internet Explorer on all workstations. What is the quickest method to do this?

- A. Local policy
- B. Windows Update
- C. Logon script
- D. Group policy

Answer: Local policy

353. [MCQ] GENERAL IT SECURITY

Honey pots are primarily used to attract potential attackers or hackers.

- A. NO
- B. YES

Answer: YES

354. [MCQ] GENERAL IT SECURITY

Alice and Bob are exchanging messages with each other. Chuck modifies the messages sent between Alice and Bob as shown in the following image: its_31.png Alice and Bob could add a _____ to avoid this type of attack.

- A. Digital Signature
- B. Check sum
- C. Timestamp

Answer: Digital Signature

355. [MCQ] GENERAL IT SECURITY

The manager of a coffee shop hires you to securely set up WiFi in the shop. To keep computer users from seeing each other, what should you use with an access point?

- A. Client isolation mode
- B. MAC address filtering
- C. Client bridge mode
- D. Client mode

Answer: Client isolation mode

356. [MCQ] GENERAL IT SECURITY

Humongous Insurance is an online healthcare insurance company. During an annual security audit a security firm tests the strength of the company's password policy and suggests that Humongous Insurance implement password history policy. What is the likely reason that the security firm suggests this?

- A. Previous password breaches involved use of past passwords.
- B. Past passwords were easily cracked by the brute force method.
- C. Past passwords lacked complexity and special characters.
- D. Past passwords of users contained dictionary words.

Answer: Past passwords of users contained dictionary words.

357. [MCQ] GENERAL IT SECURITY

Which password attack uses all possible alpha numeric combinations?

- A. Social engineering
- B. Brute force attack
- C. Dictionary attack
- D. Rainbow table attack

Answer: Dictionary attack

358. [MCQ] GENERAL IT SECURITY

By setting up a honey pot, an administrator can get insightful information about the attacker, such as the IP address.

- A. NO
- B. YES

Answer: YES

359. [MCQ] GENERAL IT SECURITY

You are trying to connect to an FTP server on the Internet from a computer in a school lab. You cannot get a connection. You try on another computer with the same results. The computers in the lab are able to browse the Internet. You are able to connect to this FTP server from home. What could be blocking the connection to the server?

- A. A wireless access point
- B. A layer-2 hub
- C. A layer-2 switch
- D. A firewall

Answer: A firewall

360. [MCQ] GENERAL IT SECURITY

You are an intern for a company where your manager wants to be sure you understand the social engineering threats that may occur. Your manager emphasizes the principles of the Microsoft Defense-in-Depth Security Model shown in the following image: its_30.png The _____ defense targets staff within an organization, explaining what to do, when, why, and by whom.

- A. Data Defenses
- B. Physical Security
- C. Policies, Procedures, and Awareness

Answer: Policies, Procedures, and Awareness

361. [MCQ] GENERAL IT SECURITY

Creating MD5 hash for files is an example of ensuring what?

- A. Least privilege
- B. Confidentiality
- C. Availability
- D. Integrity

Answer: Integrity

362. [MCQ] GENERAL IT SECURITY

The client computers on your network are stable and do not need any new features. Which is a benefit of applying operating system updates to these clients?

- A. Keep the software licensed
- B. Keep the server ports available
- C. Close existing vulnerabilities
- D. Update the hardware firewall

Answer: Close existing vulnerabilities

363. [MCQ] GENERAL IT SECURITY

Smart cards can read distances of several inches to many yards.

- A. NO
- B. YES

Answer: NO

364. [MCQ] GENERAL IT SECURITY

What is the standard or basic collection of NTFS permissions?

- A. Read attributes, list folder/read data, traverse folder/execute file
- B. Read and execute, read, write, full control, modify, list folder contents
- C. Change permissions, read permissions, write permissions
- D. Create files/write data, create folders/append data, take ownership

Answer: Read and execute, read, write, full control, modify, list folder contents

365. [MCQ] GENERAL IT SECURITY

You sign up for an online bank account. Every 6 months, the bank requires you to change your password. You have changed your password 5 times in the past. Instead of coming up with a new password, you decide to use one of your past passwords, but the bank's password history prevents you on doing so. Select the correct answer if the underlined text does not make the statement correct. Select "No change is needed" if the underlined text makes the statement correct.

- A. Minimum password age
- B. Maximum password duration
- C. Password complexity
- D. No change is needed.

Answer: No change is needed.

366. [MCQ] GENERAL IT SECURITY

Which of the following describes a VLAN?

- A. It allows different network protocols to communicate between different network segments.
- B. It connects to multiple networks and routes data packets.
- C. It is a subnetwork that reveals a company's externally facing resources to the public network.
- D. It is a logical broadcast domain across physical subnets.

Answer: It is a logical broadcast domain across physical subnets.

367. [MCQ] GENERAL IT SECURITY

Biometrics data is usually encrypted when it is gathered.

- A. NO
- B. YES

Answer: YES

368. [MULTI-SELECT] GENERAL IT SECURITY

You have a Windows 7 desktop computer, and you create a Standard User account for your roommate so that he can use the desktop from time to time. Your roommate has forgotten his password. What two actions can you take to reset your password? (Choose two.)

- A. Boot into Safe Mode using your roommate's account.
- B. Use your administrator account.
- C. From your roommate's account press CTRL+ALT+DELETE, and then click Change a password.
- D. Use your password reset disk.

Answer: Use your administrator account., Use your password reset disk.

369. [MULTI-SELECT] GENERAL IT SECURITY

What three elements does HTTPS encrypt? (Choose three.)

- A. Website URL

- B. Port numbers
- C. Server IP address
- D. Browser cookies
- E. Login information

Answer: Website URL, Browser cookies, Login information

370. [MCQ] GENERAL IT SECURITY

Intruder can find a wireless network if the Service Set Identifies (SSID) is hidden.

- A. NO
- B. YES

Answer: YES

371. [MCQ] GENERAL IT SECURITY

Tools like Microsoft Security Compliance Manager and Microsoft Baseline Security Analyzer can assist with server hardening.

- A. YES
- B. NO

Answer: YES

372. [MCQ] GENERAL IT SECURITY

You create a new file in a folder that has inheritance enabled. By default, the new file:

- A. Takes the permissions of other files in the same directory
- B. Takes the permissions of other folders in the same directory
- C. Does not take any permissions
- D. Takes the permissions of the parent folder

Answer: Takes the permissions of the parent folder

373. [MCQ] GENERAL IT SECURITY

You need to grant a set of users write access to a file on a network share. You should add the users to:

- A. A security group
- B. The Everyone group
- C. The Authenticated Users group
- D. A distribution group

Answer: The Authenticated Users group

374. [MCQ] GENERAL IT SECURITY

Where should you lock up the backup tapes for your servers?

- A. The tape library
- B. A filing cabinet
- C. An offsite fire safe
- D. The server room

Answer: An offsite fire safe

375. [MCQ] GENERAL IT SECURITY

E-mail spoofing:

- A. Forwards e-mail messages to all contacts
- B. Copies e-mail messages sent from a specific user
- C. Obscures the true e-mail sender

D. Modifies e-mail routing logs

Answer: Obscures the true e-mail sender

376. [MCQ] GENERAL IT SECURITY

WEP security is strong as long as it has a 128-bit key.

A. YES

B. NO

Answer: NO

377. [MCQ] GENERAL IT SECURITY

A brute force attack:

A. Tries all possible password variations

B. Uses the strongest possible algorithms

C. Targets all the ports

D. Uses response filtering

Answer: Tries all possible password variations

378. [MCQ] GENERAL IT SECURITY

NAP can enforce that client computers are running a firewall.

A. NO

B. YES

Answer: YES

379. [MCQ] GENERAL IT SECURITY

By using NAP, administrators can place non-compliant computers onto restricted networks.

A. YES

B. NO

Answer: YES

380. [MCQ] GENERAL IT SECURITY

An intruder can spoof the MAC address to get around the MAC address filtering.

A. YES

B. NO

Answer: YES

381. [MCQ] GENERAL IT SECURITY

The primary purpose of Network Access Protection (NAP) is to prevent:

A. Unauthorized users from accessing a network.

B. Non-compliant systems from connecting to a network.

C. Loss of data from client computers on a network.

D. Users on a network from installing software.

Answer: Non-compliant systems from connecting to a network.

382. [MCQ] GENERAL IT SECURITY

Physically securing servers prevents:

A. Denial of Service attacks

B. Man-in-the middle attacks

C. Compromise of the certificate chain

D. Theft

Answer: Theft

383. [MCQ] GENERAL IT SECURITY

To protect users from malicious browser pop-ups, you should set a default browser configuration that blocks untrusted pop-ups.

- A. YES
- B. NO

Answer: YES

384. [MCQ] GENERAL IT SECURITY

You have an application that uses IPsec to secure communications between an internet client and a server on the internal network. To which network security service must the IPsec client connect?

- A. SSH
- B. VPN
- C. SFTP
- D. RADIUS

Answer: VPN

385. [MCQ] GENERAL IT SECURITY

What is an example of physical security for a laptop?

- A. Fingerprint reader
- B. Cable lock
- C. External USB drive
- D. Docking station

Answer: Cable lock

386. [MULTI-SELECT] GENERAL IT SECURITY

You are responsible for ensuring that your network computers remain virus and malware free. Choose 2 answer. Which two strategies will help keep your devices free from viruses and malware?

- A. Keep antivirus and anti-malware software definitions up to date.
- B. Ensure that Real-time Protection is disabled.
- C. Ensure that the Windows Firewall is disabled so it doesn't interfere with any anti-malware software scans.
- D. Ensure that all network ports are available so all important network traffic can get through.
- E. Configure full antivirus and anti-malware scans to run automatically on a regular schedule.

Answer: Keep antivirus and anti-malware software definitions up to date., Configure full antivirus and anti-malware scans to run automatically on a regular schedule.

387. [MCQ] GENERAL IT SECURITY

Which class of IP address is used for multicast?

- A. Class B
- B. Class A
- C. Class D
- D. Class C

Answer: Class D

388. [MCQ] GENERAL IT SECURITY

ScenarioYou work on a team responsible for planning a backup strategy for a file server. Approximately 25% of the files on the server are modified each day. The team has proposed three different backup strategies
Backup Strategies
Strategy 1 Full backup every night
Strategy 2 Full backup Sunday night and incremental backup Monday through Saturday night
Strategy 3 Full backup

Sunday night and differential backup Monday through Saturday night Which is the correct sequence for the backup strategies?

- A. Strategy 1,3,2
- B. Strategy 1,2,3
- C. Strategy 2,1,3
- D. Strategy 3,2,1

Answer: Strategy 1,3,2

389. [MCQ] GENERAL IT SECURITY

What is a user probably receiving if they get a large number of emails selling prescription medicine?

- A. Spoofed mail
- B. Malware
- C. Pharming mail
- D. Spam

Answer: Spam

390. [MCQ] GENERAL IT SECURITY

What is the primary purpose of a subnet mask in IP networking?

- A. To divide an IP address into network and host portions
- B. To route traffic between networks
- C. To assign MAC addresses
- D. To encrypt data packets

Answer: To divide an IP address into network and host portions

391. [MCQ] GENERAL IT SECURITY

You can view audit logs in the Event Viewer.

- A. True
- B. False

Answer: True

392. [MULTI-SELECT] GENERAL IT SECURITY

Which two vulnerabilities is a wireless network client exposed to? (Choose 2)

- A. File corruption
- B. Buffer overflow
- C. Rogue access points
- D. Eavesdropping

Answer: Rogue access points, Eavesdropping

393. [MCQ] GENERAL IT SECURITY

What is the default subnet mask for a Class C IP address?

- A. 255.255.255.255
- B. 255.0.0.0
- C. 255.255.255.0
- D. 255.255.0.0

Answer: 255.255.255.0

394. [MCQ] GENERAL IT SECURITY

Why should you implement a wireless intrusion prevention system?

- A. To detect wireless packet theft

- B. To prevent wireless interference
- C. To prevent rogue wireless access points
- D. To enforce SSID broadcasting

Answer: To prevent rogue wireless access points

395. [MCQ] GENERAL IT SECURITY

How should the certificate of a secure public web server on the internet be signed?

- A. By using a 4096-bit key
- B. By an enterprise certificate authority (CA)
- C. By a public certificate authority (CA)
- D. By using a 1024-bit key

Answer: By a public certificate authority (CA)

396. [MCQ] GENERAL IT SECURITY

What protocol is used to assign IP addresses dynamically to devices on a network?

- A. FTP
- B. DNS
- C. HTTP
- D. DHCP

Answer: DHCP

397. [MCQ] GENERAL IT SECURITY

Which of the following is a valid IPv4 address?

- A. 20010db885a3000000008a2e03707334
- B. 10.0.0.256
- C. 172.16.254.1
- D. 192.168.300.1

Answer: 172.16.254.1

398. [MCQ] GENERAL IT SECURITY

Protecting users from untrusted pop-up applications is mostly a function of awareness.

- A. True
- B. False

Answer: True

399. [MULTI-SELECT] GENERAL IT SECURITY

What are two benefits to using an incremental backup solution instead of a differential backup solution? (Choose 2)

- A. Less time needed to back up data
- B. Less administrative effort
- C. Less storage space required
- D. Less time needed to recover data

Answer: Less time needed to back up data, Less storage space required

400. [MCQ] GENERAL IT SECURITY

You have two servers that run Windows Server. All the server drives have been formatted by using NTFS. You move a file from one server to the other server. What permissions does the file have in the new location?

- A. The file inherits the destination folder's permissions

- B. Access will be limited to members of the Administrators group
- C. The file retains the original folder's permissions
- D. Members of the Everyone group will have full access to the file

Answer: The file inherits the destination folder's permissions

401. [MCQ] GENERAL IT SECURITY

Audit logs have a set size limit and cannot be adjusted.

- A. True
- B. False

Answer: False

402. [MCQ] GENERAL IT SECURITY

What should you use to protect systems from buffer overflow errors?

- A. An Intruder Prevention System
- B. A proxy server
- C. Data Execution Prevention
- D. Antivirus software

Answer: Data Execution Prevention

403. [MCQ] GENERAL IT SECURITY

Which link is a valid secure link to the CompanyPro account management site?

- A. <http://VPN.VisitMe/logon.html>
- B. <http://secure.companypro/SecureSignIn>
- C. <http://VPN.VisitMe/SecureSignIn/>
- D. <https://companypro/SecureSignIn/>

Answer: <https://companypro/SecureSignIn/>

404. [MCQ] GENERAL IT SECURITY

Scenario You are a junior network administrator for CompanyPro. You have an off-domain computer that you suspect is infected with malware. After running anti-malware software, you are unsure whether the infection has been completely removed. You need to ensure that the computer is completely safe and the user files are available. In which sequence should you complete the actions?

- A. -Back up the entire system.-Restore the user data from the backup image.-Update everything, including the OS, applications, and anti-virus/anti-malware tools.-Reinstall the OS and applications from the original media.-Reformat the disk.
- B. -Reinstall the OS and applications from the original media.-Back up the entire system.-Restore the user data from the backup image.-Update everything, including the OS, applications, and anti-virus/anti-malware tools.-Reformat the disk.
- C. -Back up the entire system.-Reformat the disk.-Reinstall the OS and applications from the original media.-Update everything, including the OS, applications, and anti-virus/anti-malware tools.-Restore the user data from the backup image.
- D. -Update everything, including the OS, applications, and anti-virus/anti-malware tools.-Reinstall the OS and applications from the original media.-Reformat the disk.-Back up the entire system.-Restore the user data from the backup image.

Answer: -Back up the entire system.-Reformat the disk.-Reinstall the OS and applications from the original media.-Update everything, including the OS, applications, and anti-virus/anti-malware tools.-Restore the user data from the backup image.

405. [MCQ] GENERAL IT SECURITY

Your anti-spam program is blocking emails from a particular sender. Your company needs to receive emails from this sender. What should you do?

- A. List the sender's email address in DNS
- B. Reconfigure the SMS Gateway
- C. Add the email address to the whitelist
- D. Accept RSS feeds from their domain

Answer: Add the email address to the whitelist

406. [MCQ] GENERAL IT SECURITY

You can configure an event notification for an audited activity.

- A. True
- B. False

Answer: True

407. [MCQ] GENERAL IT SECURITY

Which technology examines packet header information to determine whether network traffic is allowed to enter the internal network?

- A. BitLocker To Go
- B. Antivirus software
- C. Dedicated firewall
- D. RADIUS server

Answer: Dedicated firewall

408. [MCQ] GENERAL IT SECURITY

What is the first step when conducting a physical security audit?

- A. Set up the system logs to audit security events
- B. Inventory the company's technology assets
- C. Install auditing software on your servers
- D. Set up a virus quarantine area

Answer: Inventory the company's technology assets

409. [MCQ] GENERAL IT SECURITY

For each statement, select True or False. One purpose of User Account Control (UAC) is to grant users the lowest level permissions required to complete their tasks.

- A. True
- B. False

Answer: True

410. [MCQ] GENERAL IT SECURITY

You are an intern for a company. Your manager wants to be sure that you understand the types of social engineering threats that might occur. Which type of threat mitigation educates the staff within an organization, explaining what to do, when, why, and by whom?

- A. Acceptable Use Policy
- B. Policies, Procedures, and Awareness
- C. Physical Security
- D. Defense in Depth

Answer: Policies, Procedures, and Awareness

411. [MCQ] GENERAL IT SECURITY

How does role separation improve server security?

- A. By installing applications on separate hard disks.

- B. By enforcing the principle of least privilege.
- C. By physically separating high-security servers from other servers.
- D. By placing servers on separate VLANs.

Answer: By placing servers on separate VLANs.

412. [MCQ] GENERAL IT SECURITY

You are the junior network administrator at your company. You learn that several employees within your organization have downloaded and installed a browser extension that will translate text from one language to another. What should you do?

- A. Disable the browser extension and implement controls to allow only corporate-approved browser extensions
- B. Remove the browser extension because it will perform malicious activities
- C. Make sure the browser extension is set to read-only mode, so it cannot overwrite critical information
- D. Nothing, browser extensions pose no harm to the machine or the user

Answer: Disable the browser extension and implement controls to allow only corporate-approved browser extensions

413. [MCQ] GENERAL IT SECURITY

Which networking protocol provides centralized authentication, authorization, and accounting?

- A. HTTPS
- B. RADIUS
- C. OpenID
- D. SMTP

Answer: RADIUS

414. [MCQ] GENERAL IT SECURITY

For each statement, select True or False. Because senior executives have rights to access sensitive data, they should use administrator accounts.

- A. True
- B. False

Answer: False

415. [MCQ] GENERAL IT SECURITY

Which protocol is responsible for resolving domain names to IP addresses?

- A. ICMP
- B. TCP
- C. DNS
- D. DHCP

Answer: DNS

416. [MCQ] GENERAL IT SECURITY

What can intercept passwords that are transmitted in clear text?

- A. A packet sniffer
- B. A rogue DHCP server
- C. An IPsec decoder
- D. A Kerberos client

Answer: A packet sniffer

417. [MCQ] GENERAL IT SECURITY

You are a network administrator. All computers run the Chrome browser. You need to prevent third-party cookies from being saved. What should you enforce?

- A. SmartScreen Filter
- B. Antivirus protection
- C. Cross-Site Scripting Filter
- D. Incognito

Answer: Incognito

418. [MCQ] GENERAL IT SECURITY

Pop-ups can display a realistic operating system or application error message.

- A. True
- B. False

Answer: True

419. [MCQ] GENERAL IT SECURITY

You are an intern at Sunset Web. You help manage 1000 workstations. All the workstations are members of an Active Directory Domain. You need to push an application security patch to all workstations. What is the quickest method to do this?

- A. Local security policy
- B. Logon script
- C. Group policy
- D. Windows Update

Answer: Group policy
