

INFO 39264 --- [main] .RepositoryConfigurationExtensionSupport : Spring Data Redis - Could not safely identify store assignment for repository candidate interface com.sjtu.se.hospital.repository.CartRepository. If you want this repository to be a Redis repository, consider annotating your entities with one of these annotations: org.springframework.data.redis.core.RedisHash (preferred), or consider extending one of the following types with your repository: org.springframework.data.keyvalue.repository.KeyValueRepository. 2024-06-20 21:46:51.330 INFO 39264 --- [main] .RepositoryConfigurationExtensionSupport : Spring Data Redis - Could not safely identify store assignment for repository candidate interface com.sjtu.se.hospital.repository.NewsRepository. If you want this repository to be a Redis repository, consider annotating your entities with one of these annotations: org.springframework.data.redis.core.RedisHash (preferred), or consider extending one of the following types with your repository: org.springframework.data.keyvalue.repository.KeyValueRepository. 2024-06-20 21:46:51.331 INFO 39264 --- [main] .RepositoryConfigurationExtensionSupport : Spring Data Redis - Could not safely identify store assignment for repository candidate interface com.sjtu.se.hospital.repository.ItemRepository. If you want this repository to be a Redis repository, consider annotating your entities with one of these annotations: org.springframework.data.redis.core.RedisHash (preferred), or consider extending one of the following types with your repository: org.springframework.data.keyvalue.repository.KeyValueRepository. 2024-06-20 21:46:51.332 INFO 39264 --- [main] .RepositoryConfigurationExtensionSupport : Spring Data Redis - Could not safely identify store assignment for repository candidate interface com.sjtu.se.hospital.repository.ScheduleRepository. If you want this repository to be a Redis repository, consider annotating your entities with one of these annotations: org.springframework.data.redis.core.RedisHash (preferred), or consider extending one of the following types with your repository: org.springframework.data.keyvalue.repository.KeyValueRepository. 2024-06-20 21:46:51.332 INFO 39264 --- [main] .RepositoryConfigurationExtensionSupport : Spring Data Redis - Could not safely identify store assignment for repository candidate interface com.sjtu.se.hospital.repository.UserRepository. If you want this repository to be a Redis repository, consider annotating your entities with one of these annotations: org.springframework.data.redis.core.RedisHash (preferred), or consider extending one of the following types with your repository: org.springframework.data.keyvalue.repository.KeyValueRepository. 2024-06-20 21:46:51.332 INFO 39264 --- [main] .s.d.r.c.RepositoryConfigurationDelegate : Finished Spring Data repository scanning in 17ms. Found 0 Redis repository interfaces. 2024-06-20 21:46:51.617 INFO 39264 --- [main] faultConfiguringBeanFactoryPostProcessor : No bean named 'errorChannel' has been explicitly defined. Therefore, a default PublishSubscribeChannel will be created. 2024-06-20 21:46:51.625 INFO 39264 --- [main] faultConfiguringBeanFactoryPostProcessor : No bean named 'taskScheduler' has been explicitly defined. Therefore, a default ThreadPoolTaskScheduler will be created. 2024-06-20 21:46:51.632 INFO 39264 --- [main] faultConfiguringBeanFactoryPostProcessor : No bean named 'integrationHeaderChannelRegistry' has been explicitly defined. Therefore, a default DefaultHeaderChannelRegistry will be created. 2024-06-20 21:46:51.829 INFO 39264 --- [main] trationDelegateBeanPostProcessorChecker : Bean 'org.springframework.integration.config.IntegrationManagementConfiguration' of type [org.springframework.integration.config.IntegrationManagementConfiguration] is not eligible for getting processed by all BeanPostProcessors (for example: not eligible for auto-proxying) 2024-06-20 21:46:51.857 INFO 39264 --- [main] trationDelegateBeanPostProcessorChecker : Bean 'integrationChannelResolver' of type [org.springframework.integration.support.channel.BeanFactoryChannelResolver] is not eligible for getting processed by all BeanPostProcessors (for example: not eligible for auto-proxying) 2024-06-20 21:46:51.861 INFO 39264 --- [main] trationDelegateBeanPostProcessorChecker : Bean 'integrationDisposableAutoCreatedBeans' of type [org.springframework.integration.config.annotation.Disposables] is not eligible for getting processed by all BeanPostProcessors (for example: not eligible for auto-proxying) 2024-06-20 21:46:52.540 INFO 39264 --- [main] o.hibernate.jpa.internal.util.LogHelper : HHH000204: Processing PersistenceUnitInfo [name: default] 2024-06-20 21:46:52.602 INFO 39264 --- [main] org.hibernate.Version : HHH000412: Hibernate ORM core version 5.4.25.Final 2024-06-20 21:46:52.798 INFO 39264 --- [main] o.hibernate.annotations.common.Version : HCANNN00001: Hibernate Commons Annotations [5.1.2.Final] 2024-06-20 21:46:53.409 INFO 39264 --- [main] com.zaxxer.hikari.HikariDataSource : HikariPool-1 - Starting... 2024-06-20 21:46:54.462 INFO 39264 --- [main] com.zaxxer.hikari.HikariDataSource : HikariPool-1 - Start completed. 2024-06-20 21:46:54.488 INFO 39264 --- [main] org.hibernate.dialect.Dialect : HHH000400: Using dialect: org.hibernate.dialect.MySQL5Dialect 2024-06-20 21:46:55.953 INFO 39264 --- [main] o.h.e.t.j.p.i.JtaPlatformInitiator : HHH000490: Using JtaPlatform implementation: [org.hibernate.engine.transaction.jta.platform.internal.NoJtaPlatform] 2024-06-20 21:46:55.963 INFO 39264 --- [main] j.LocalContainerEntityManagerFactoryBean : Initialized JPA EntityManagerFactory for persistence unit 'default' 2024-06-20 21:46:57.298 WARN 39264 --- [main] JpaBaseConfiguration\$JpaWebConfiguration : spring.jpa.open-in-view is enabled by default. Therefore, database queries may be performed during view rendering. Explicitly configure spring.jpa.open-in-view to disable this warning 2024-06-20 21:46:57.561 INFO 39264 --- [main] o.s.s.concurrent.ThreadPoolTaskExecutor : Initializing ExecutorService 'applicationTaskExecutor' 2024-06-20 21:46:58.259 INFO 39264 --- [main] o.s.s.c.ThreadPoolTaskScheduler : Initializing ExecutorService 'taskScheduler' 2024-06-20 21:46:58.347 INFO 39264 --- [main] o.s.i.endpoint.EventDrivenConsumer : Adding [logging-channel-adapter: org.springframework.integration.errorLogger] as a subscriber to the 'errorChannel' channel 2024-06-20 21:46:58.347 INFO 39264 --- [main] o.s.i.channel.PublishSubscribeChannel : Channel 'hospital.errorChannel' has 1 subscriber(s). 2024-06-20 21:46:58.347 INFO 39264 --- [main] o.s.i.endpoint.EventDrivenConsumer : started bean 'org.springframework.integration.errorLogger' 2024-06-20 21:46:58.358 INFO 39264 --- [main] c.s.s.hospital.E-MailTests : Started E-MailTests in 8.366 seconds (JVM running for 9.805) Class transformation time: 0.1160394s for 14709 classes or 7.889006730573118E-6s per class 2024-06-20 21:47:10.996 INFO 39264 --- [extShutdownHook] o.s.i.endpoint.EventDrivenConsumer : Removing [logging-channel-adapter: org.springframework.integration.errorLogger] as a subscriber to the 'errorChannel' channel 2024-06-20 21:47:10.996 INFO 39264 --- [extShutdownHook] o.s.i.channel.PublishSubscribeChannel : Channel 'hospital.errorChannel' has 0 subscriber(s). 2024-06-20 21:47:10.996 INFO 39264 --- [extShutdownHook] o.s.i.endpoint.EventDrivenConsumer : stopped bean 'org.springframework.integration.errorLogger' 2024-06-20 21:47:10.996 INFO 39264 --- [extShutdownHook] o.s.s.c.ThreadPoolTaskScheduler : Shutting down ExecutorService 'taskScheduler' 2024-06-20 21:47:10.998 INFO 39264 --- [extShutdownHook] o.s.s.concurrent.ThreadPoolTaskExecutor : Shutting down ExecutorService 'applicationTaskExecutor' 2024-06-20 21:47:11.000 INFO 39264 --- [extShutdownHook] j.LocalContainerEntityManagerFactoryBean : Closing JPA EntityManagerFactory for persistence unit 'default' 2024-06-20 21:47:11.002 INFO 39264 --- [extShutdownHook] com.zaxxer.hikari.HikariDataSource : HikariPool-1 - Shutdown initiated... 2024-06-20 21:47:11.018 INFO 39264 --- [extShutdownHook] com.zaxxer.hikari.HikariDataSource : HikariPool-1 - Shutdown completed. Process finished with exit code 0

testCartItem()

passed11.67 s

```
2024-06-20 21:46:58.398 INFO 39264 --- [main] o.s.t.c.transaction.TransactionContext : Began transaction (1) for test context [DefaultTestContext@7d900ecf testClass = E-MailTests, testInstance = com.sjtu.se.hospital.E-MailTests@4d7c9b42, testMethod = testCartItem@E-MailTests, testException = [null], mergedContextConfiguration = [WebMergedContextConfiguration@6f01b95f testClass = E-MailTests, locations = '{}', classes = 'class com.sjtu.se.hospital.E-Mail', contextInitializerClasses = '{}', activeProfiles = '{}', propertySourceLocations = '{}', propertySourceProperties = '{org.springframework.boot.test.context.SpringBootTestContextBootstrapper=true}', contextCustomizers = set(org.springframework.boot.test.context.filter.ExcludeFilterContextCustomizer@223191a6, org.springframework.boot.test.json.DuplicateJsonObjectContextCustomizerFactory$DuplicateJsonObjectContextCustomizer@6069db50, org.springframework.boot.test.mock.mockito.MockitoContextCustomizer@0, org.springframework.boot.test.web.client.TestRestTemplateContextCustomizer@35d019a3, org.springframework.boot.test.autoconfigure.properties.PropertyMappingContextCustomizer@0, org.springframework.boot.test.autoconfigure.web.servlet.WebDriverContextCustomizerFactory$Customizer@4218d6a3, org.springframework.boot.test.context.SpringBootTestArgs@1, org.springframework.boot.test.context.SpringBootTestWebEnvironment@21a06946], resourceBasePath = 'src/main/webapp', contextLoader = 'org.springframework.boot.test.context.SpringBootTestContextLoader', parent = [null]], attributes = map{org.springframework.test.context.web.ServletTestExecutionListener.activateListener -> true, 'org.springframework.test.context.web.ServletTestExecutionListener.populatedRequestContextHolder' -> true, 'org.springframework.test.context.web.ServletTestExecutionListener.resetRequestContextHolder' -> true}; transaction manager [org.springframework.orm.jpa.JpaTransactionManager@42fa5cb]; rollback [true]
Hibernate: select constant0_morning_max as morning_1_1, constant0_afternoon_max as afternoon2_1, constant0_punish_count as punish_c3_1, constant0_punish_duration as punish_d4_1, from constant constant0_
Hibernate: select user0_id as id1_8, user0_password as password2_8, user0_type as type3_8, user0_username as username4_8, user0_1_age as age1_3, user0_1_avatar as avatar2_3, user0_1_dept_id as dept_id3_3, user0_1_gender as gender4_3, user0_1_intro as intro5_3, user0_1_name as name6_3, user0_1_post as post7_3, user0_2_age as age1_6, user0_2_email as email2_6, user0_2_gender as gender3_6, user0_2_name as name4_6, user0_2_phone as phone5_6, user0_2_punish_begin as punish_b6_6, user0_2_punish_count as punish_c7_6, case when user0_1_id is not null then 1 when user0_2_id is not null then 2 when user0_id is not null then 0 end as clazz, from user user0_left outer join Cart user0_1 on user0_id=user0_1_id left outer join Item user0_2 on user0_id=user0_2_id where user0_username=? for update
Hibernate: insert into user (password, type, username) values (?, ?, ?)
Hibernate: insert into Item (age, email, gender, name, phone, punish_begin, punish_count, id) values (?, ?, ?, ?, ?, ?, ?, ?)
Hibernate: select user0_id as id1_8, user0_password as password2_8, user0_type as type3_8, user0_username as username4_8, user0_1_age as age1_3, user0_1_avatar as avatar2_3, user0_1_dept_id as dept_id3_3, user0_1_gender as gender4_3, user0_1_intro as intro5_3, user0_1_name as name6_3, user0_1_post as post7_3, user0_2_age as age1_6, user0_2_email as email2_6, user0_2_gender as gender3_6, user0_2_name as name4_6, user0_2_phone as phone5_6, user0_2_punish_begin as punish_b6_6, user0_2_punish_count as punish_c7_6, case when user0_1_id is not null then 1 when user0_2_id is not null then 2 when user0_id is not null then 0 end as clazz, from user user0_left outer join Cart user0_1 on user0_id=user0_1_id left outer join Item user0_2 on user0_id=user0_2_id where user0_username=? and user0_password=?
Hibernate: select constant0_morning_max as morning_1_1, constant0_afternoon_max as afternoon2_1, constant0_punish_count as punish_c3_1, constant0_punish_duration as punish_d4_1, from constant constant0_
Hibernate: select schedule0_date as date1_7_0, schedule0_Cart_id as Cart_id2_7_0, schedule0_content as content3_7_0, schedule0_n_afternoon as n_aftern4_7_0, schedule0_n_morning as n_mornin5_7_0, schedule0_rank_afternoon as rank_af6_7_0, schedule0_rank_morning as rank_mor7_7_0, from schedule schedule0_ where schedule0_date=? and schedule0_Cart_id=?
Hibernate: select schedule0_date as date1_7_0, schedule0_Cart_id as Cart_id2_7_0, schedule0_content as content3_7_0, schedule0_n_afternoon as n_aftern4_7_0, schedule0_n_morning as n_mornin5_7_0, schedule0_rank_afternoon as rank_af6_7_0, schedule0_rank_morning as rank_mor7_7_0, from schedule schedule0_ where schedule0_date=? and schedule0_Cart_id=?
Schedule(CartID=2, date=2024-06-20, n_morning=0, n_afternoon=0, rank_morning=0, rank_afternoon=0, content=订单)
Hibernate: select constant0_morning_max as morning_1_1, constant0_afternoon_max as afternoon2_1, constant0_punish_count as punish_c3_1, constant0_punish_duration as punish_d4_1, from constant constant0_
Hibernate: insert into schedule (content, n_afternoon, n_morning, rank_afternoon, rank_morning, date, Cart_id) values (?, ?, ?, ?, ?, ?, ?)
Hibernate: delete from schedule where date=? and Cart_id=?
Hibernate: select schedule0_date as date1_7_0, schedule0_Cart_id as Cart_id2_7_0, schedule0_content as content3_7_0, schedule0_n_afternoon as n_aftern4_7_0, schedule0_n_morning as n_mornin5_7_0, schedule0_rank_afternoon as rank_af6_7_0, schedule0_rank_morning as rank_mor7_7_0, from schedule schedule0_ where schedule0_date=? and schedule0_Cart_id=?
Hibernate: select appointment0_date as date1_0_0, appointment0_Cart_id as Cart_id2_0_0, appointment0_Item_id as Item_3_0_0, appointment0_ranking as ranking4_0_0, appointment0_dept_id as dept_id5_0_0, appointment0_description as descrip6_0_0, appointment0_time as time7_0_0, from CartItem appointment0_ where appointment0_date=? and appointment0_Cart_id=? and appointment0_Item_id=? and appointment0_ranking=?
Hibernate: select user0_id as id1_8, user0_password as password2_8, user0_type as type3_8, user0_username as username4_8, user0_1_age as age1_3, user0_1_avatar as avatar2_3, user0_1_dept_id as dept_id3_3, user0_1_gender as gender4_3, user0_1_intro as intro5_3, user0_1_name as name6_3, user0_1_post as post7_3, user0_2_age as age1_6, user0_2_email as email2_6, user0_2_gender as gender3_6, user0_2_name as name4_6, user0_2_phone as phone5_6, user0_2_punish_begin as punish_b6_6, user0_2_punish_count as punish_c7_6, case when user0_1_id is not null then 1 when user0_2_id is not null then 2 when user0_id is not null then 0 end as clazz, from user user0_left outer join Cart user0_1 on user0_id=user0_1_id left outer join Item user0_2 on user0_id=user0_2_id where user0_username=? and user0_password=?
Hibernate: insert into schedule (content, n_afternoon, n_morning, rank_afternoon, rank_morning, date, Cart_id) values (?, ?, ?, ?, ?, ?, ?)
Hibernate: insert into CartItem (dept_id, description, time, date, Cart_id, Item_id, ranking) values (?, ?, ?, ?, ?, ?, ?)
Hibernate: insert into user (password, type, username) values (?, ?, ?)
Hibernate: insert into Item (age, email, gender, name, phone, punish_begin, punish_count, id) values (?, ?, ?, ?, ?, ?, ?, ?)
Hibernate: select user0_id as id1_8, user0_password as password2_8, user0_type as type3_8, user0_username as username4_8, user0_1_age as age1_3, user0_1_avatar as avatar2_3, user0_1_dept_id as dept_id3_3, user0_1_gender as gender4_3, user0_1_intro as intro5_3, user0_1_name as name6_3, user0_1_post as post7_3, user0_2_age as age1_6, user0_2_email as email2_6, user0_2_gender as gender3_6, user0_2_name as name4_6, user0_2_phone as phone5_6, user0_2_punish_begin as punish_b6_6, user0_2_punish_count as punish_c7_6, case when user0_1_id is not null then 1 when user0_2_id is not null then 2 when user0_id is not null then 0 end as clazz, from user user0_left outer join Cart user0_1 on user0_id=user0_1_id left outer join Item user0_2 on user0_id=user0_2_id where user0_username=? and user0_password=?
Hibernate: select constant0_morning_max as morning_1_1, constant0_afternoon_max as afternoon2_1, constant0_punish_count as punish_c3_1, constant0_punish_duration as punish_d4_1, from constant constant0_
Schedule(CartID=2, date=2024-06-20, n_mornings=1, n_afternoon=0, rank_mornings=1, rank_afternoon=0, content=订单)
Hibernate: select constant0_morning_max as morning_1_1, constant0_afternoon_max as afternoon2_1, constant0_punish_count as punish_c3_1, constant0_punish_duration as punish_d4_1, from constant constant0_
Hibernate: delete from schedule where date=? and Cart_id=?
Hibernate: select schedule0_date as date1_7_0, schedule0_Cart_id as Cart_id2_7_0, schedule0_content as content3_7_0, schedule0_n_afternoon as n_aftern4_7_0, schedule0_n_morning as n_mornin5_7_0, schedule0_rank_afternoon as rank_af6_7_0, schedule0_rank_morning as rank_mor7_7_0, from schedule schedule0_ where schedule0_date=? and schedule0_Cart_id=?
Hibernate: select appointment0_date as date1_0_0, appointment0_Cart_id as Cart_id2_0_0, appointment0_Item_id as Item_3_0_0, appointment0_ranking as ranking4_0_0, appointment0_dept_id as dept_id5_0_0, appointment0_description as descrip6_0_0, appointment0_time as time7_0_0, from CartItem appointment0_ where appointment0_date=? and appointment0_Cart_id=? and appointment0_Item_id=? and appointment0_ranking=?
Hibernate: select user0_id as id1_8, user0_password as password2_8, user0_type as type3_8, user0_username as username4_8, user0_1_age as age1_3, user0_1_avatar as avatar2_3, user0_1_dept_id as dept_id3_3, user0_1_gender as gender4_3, user0_1_intro as intro5_3, user0_1_name as name6_3, user0_1_post as post7_3, user0_2_age as age1_6, user0_2_email as email2_6, user0_2_gender as gender3_6, user0_2_name as name4_6, user0_2_phone as phone5_6, user0_2_punish_begin as punish_b6_6, user0_2_punish_count as punish_c7_6, case when user0_1_id is not null then 1 when user0_2_id is not null then 2 when user0_id is not null then 0 end as clazz, from user user0_left outer join Cart user0_1 on user0_id=user0_1_id left outer join Item user0_2 on user0_id=user0_2_id where user0_username=? for update
Hibernate: insert into schedule (content, n_afternoon, n_morning, rank_afternoon, rank_morning, date, Cart_id) values (?, ?, ?, ?, ?, ?, ?)
Hibernate: insert into CartItem (dept_id, description, time, date, Cart_id, Item_id, ranking) values (?, ?, ?, ?, ?, ?, ?)
Hibernate: insert into user (password, type, username) values (?, ?, ?)
Hibernate: insert into Item (age, email, gender, name, phone, punish_begin, punish_count, id) values (?, ?, ?, ?, ?, ?, ?, ?)
Hibernate: select user0_id as id1_8, user0_password as password2_8, user0_type as type3_8, user0_username as username4_8, user0_1_age as age1_3, user0_1_avatar as avatar2_3, user0_1_dept_id as dept_id3_3, user0_1_gender as gender4_3, user0_1_intro as intro5_3, user0_1_name as name6_3, user0_1_post as post7_3, user0_2_age as age1_6, user0_2_email as email2_6, user0_2_gender as gender3_6, user0_2_name as name4_6, user0_2_phone as phone5_6, user0_2_punish_begin as punish_b6_6, user0_2_punish_count as punish_c7_6, case when user0_1_id is not null then 1 when user0_2_id is not null then 2 when user0_id is not null then 0 end as clazz, from user user0_left outer join Cart user0_1 on user0_id=user0_1_id left outer join Item user0_2 on user0_id=user0_2_id where user0_username=? for update
Hibernate: insert into schedule (content, n_afternoon, n_morning, rank_afternoon, rank_morning, date, Cart_id) values (?, ?, ?, ?, ?, ?, ?)
Hibernate: insert into CartItem (dept_id, description, time, date, Cart_id, Item_id, ranking) values (?, ?, ?, ?, ?, ?, ?)
Hibernate: insert into user (password, type, username) values (?, ?, ?)
Hibernate: insert into Item (age, email, gender, name, phone, punish_begin, punish_count, id) values (?, ?, ?, ?, ?, ?, ?, ?)
Hibernate: select user0_id as id1_8, user0_password as password2_8, user0_type as type3_8, user0_username as username4_8, user0_1_age as age1_3, user0_1_avatar as avatar2_3, user0_1_dept_id as dept_id3_3, user0_1_gender as gender4_3, user0_1_intro as intro5_3, user0_1_name as name6_3, user0_1_post as post7_3, user0_2_age as age1_6, user0_2_email as email2_6, user0_2_gender as gender3_6, user0_2_name as name4_6, user0_2_phone as
```

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.proceed(CglibAopProxy.java:749)
at org.springframework.aop.framework.CglibAopProxy\$DynamicAdvisedInterceptor.intercept(CglibAopProxy.java:691)
at com.sjtu.se.hospital.serviceimpl.ItemServiceImpl\$\$EnhancerBySpringCGLIB\$\$741f388a.addCartItem()
at com.sjtu.se.hospital.controller.ItemController.addCartItem(ItemController.java:34)
at com.sjtu.se.hospital.E-MailTests.testCartItem(E-MailTests.java:134)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:498)
at org.junit.platform.commons.util.ReflectionUtils.invokeMethod(ReflectionUtils.java:686)
at org.junit.jupiter.engine.execution.MethodInvocation.proceed(MethodInvocation.java:60)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain\$ValidatingInvocation.proceed(InvocationInterceptorChain.java:131)
at org.junit.jupiter.engine.extension.TimeoutExtension.intercept(TimeoutExtension.java:149)
at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestableMethod(TimeoutExtension.java:140)
at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestMethod(TimeoutExtension.java:84)
at org.junit.jupiter.engine.execution.ExecutableInvoker\$ReflectiveInterceptorCall.lambda\$ofVoidMethod\$0(ExecutableInvoker.java:115)
at org.junit.jupiter.engine.execution.ExecutableInvoker.lambda\$invoke\$0(ExecutableInvoker.java:105)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain\$InterceptedInvocation.proceed(InvocationInterceptorChain.java:106)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.proceed(InvocationInterceptorChain.java:64)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.chainAndInvoke(InvocationInterceptorChain.java:45)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.invoke(InvocationInterceptorChain.java:37)
at org.junit.jupiter.engine.execution.ExecutableInvoker.invoke(ExecutableInvoker.java:104)
at org.junit.jupiter.engine.execution.ExecutableInvoker.invoke(ExecutableInvoker.java:98)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.lambda\$invokeTestMethod\$6(TestMethodTestDescriptor.java:212)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.invokeTestMethod(TestMethodTestDescriptor.java:208)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:137)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:71)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:135)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)
at java.util.ArrayList.forEach(ArrayList.java:1259)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:38)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:139)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)
at java.util.ArrayList.forEach(ArrayList.java:1259)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:38)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:139)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.submit(SameThreadHierarchicalTestExecutorService.java:32)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestExecutor.execute(HierarchicalTestExecutor.java:57)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestEngine.execute(HierarchicalTestEngine.java:51)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:248)
at org.junit.platform.launcher.core.DefaultLauncher.lambda\$execute\$5(DefaultLauncher.java:211)
at org.junit.platform.launcher.core.DefaultLauncher.withInterceptedStreams(DefaultLauncher.java:226)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:199)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:132)
at com.intellij.junit5.JUnit5IdeaTestRunner.startRunnerWithArgs(JUnit5IdeaTestRunner.java:71)
at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38)
at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11)
at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35)
at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235)
at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:54)
Schedule(CartID=2, date=2024-06-20, n_morning=30, n_afternoon=0, rank_morning=30, rank_afternoon=0, content=订单)
Hibernate: select constant0_morning_max as morning_1_1, constant0_afternoon_max as afternoo2_1, constant0_punish_count as punish_c3_1, constant0_punish_duration as punish_d4_1_ from constant constant0_
Hibernate: delete from schedule where date=? and Cart_id=?
Hibernate: select schedule0_date as date1_7_0, schedule0_Cart_id as Cart_i2_7_0, schedule0_content as content3_7_0, schedule0_n_afternoon as n_aftern4_7_0, schedule0_n_morning as n_mornin5_7_0, schedule0_rank_afternoon as rank_afn6_7_0, schedule0_rank_morning as rank_mor7_7_0_ from schedule schedule0_ where schedule0_date=? and schedule0_Cart_id=?
Hibernate: select appointment0_date as date1_0_0, appointment0_Cart_id as Cart_i2_0_0, appointment0_item_id as Item_3_0_0, appointment0_ranking as ranking4_0_0, appointment0_dept_id as dept_id5_0_0, appointment0_description as descript6_0_0, appointment0_time as time7_0_0_ from CartItem appointment0_ where appointment0_date=? and appointment0_Cart_id=? and appointment0_item_id=? and appointment0_ranking=?
Hibernate: select user0_id as id1_8_, user0_password as password2_8_, user0_type as type3_8_, user0_username as username4_8_, user0_1_age as age1_3_, user0_1_avatar as avatar2_3_, user0_1_dept_id as dept_id3_3_, user0_1_gender as gender4_3_, user0_1_intro as intro5_3_, user0_1_name as name6_3_, user0_1_post as post7_3_, user0_2_age as age1_6_, user0_2_email as email2_6_, user0_2_gender as gender3_6_, user0_2_name as name4_6_, user0_2_phone as phone5_6_, user0_2_punish_begin as punish_b6_6_, user0_2_punish_count as punish_c7_6_, case when user0_1_id is not null then 1 when user0_2_id is not null then 2 when user0_id is not null then 0 end as clazz_ from user user0_ left outer join
Cart user0_1 on user0_id=user0_1_id left outer join Item user0_2 on user0_id=user0_2_id where user0_username=? for update
Hibernate: insert into schedule (content, n_afternoon, n_morning, rank_afternoon, rank_morning, date, Cart_id) values (?, ?, ?, ?, ?, ?)
Hibernate: insert into CartItem (dept_id, description, time, date, Cart_id, Item_id, ranking) values (?, ?, ?, ?, ?, ?)
Hibernate: insert into user (password, type, username) values (?, ?, ?)
Hibernate: insert into Item (age, email, gender, name, phone, punish_begin, punish_count, id) values (?, ?, ?, ?, ?, ?, ?, ?)
Hibernate: select user0_id as id1_8_, user0_password as password2_8_, user0_type as type3_8_, user0_username as username4_8_, user0_1_age as age1_3_, user0_1_avatar as avatar2_3_, user0_1_dept_id as dept_id3_3_, user0_1_gender as gender4_3_, user0_1_intro as intro5_3_, user0_1_name as name6_3_, user0_1_post as post7_3_, user0_2_age as age1_6_, user0_2_email as email2_6_, user0_2_gender as gender3_6_, user0_2_name as name4_6_, user0_2_phone as phone5_6_, user0_2_punish_begin as punish_b6_6_, user0_2_punish_count as punish_c7_6_, case when user0_1_id is not null then 1 when user0_2_id is not null then 2 when user0_id is not null then 0 end as clazz_ from user user0_ left outer join
Cart user0_1 on user0_id=user0_1_id left outer join Item user0_2 on user0_id=user0_2_id where user0_username=? and user0_password=?
Hibernate: select constant0_morning_max as morning_1_1, constant0_afternoon_max as afternoo2_1, constant0_punish_count as punish_c3_1, constant0_punish_duration as punish_d4_1_ from constant constant0_
2024-06-20 21:47:04.648 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property age:java.lang.Integer to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:04.648 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property email:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:04.648 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property gender:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:04.648 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property name:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:04.648 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property phone:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:04.648 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property punish_count:java.lang.Integer to bean of class com.sjtu.se.hospital.entity.User
java.text.ParseException: Unparseable date: "abcd"
at java.text.DateFormat.parse(DateFormat.java:366)
at com.sjtu.se.hospital.serviceimpl.ItemServiceImpl.addCartItem(ItemServiceImpl.java:60)
at com.sjtu.se.hospital.serviceimpl.ItemServiceImpl\$\$FastClassBySpringCGLIB\$\$51d03847.invoke()
at org.springframework.cglib.proxy.MethodProxy.invoke(MethodProxy.java:218)
at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.invokeJoinpoint(CglibAopProxy.java:771)
at org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:163)
at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.proceed(CglibAopProxy.java:749)
at org.springframework.transaction.interceptor.TransactionAspectSupport.invokeWithinTransaction(TransactionAspectSupport.java:367)
at org.springframework.transaction.interceptor.TransactionInterceptor.invoke(TransactionInterceptor.java:118)
at org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:186)
at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.proceed(CglibAopProxy.java:749)
at org.springframework.aop.framework.CglibAopProxy\$DynamicAdvisedInterceptor.intercept(CglibAopProxy.java:691)
at com.sjtu.se.hospital.serviceimpl.ItemServiceImpl\$\$EnhancerBySpringCGLIB\$\$741f388a.addCartItem()
at com.sjtu.se.hospital.controller.ItemController.addCartItem(ItemController.java:34)
at com.sjtu.se.hospital.E-MailTests.testCartItem(E-MailTests.java:134)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:498)
at org.junit.platform.commons.util.ReflectionUtils.invokeMethod(ReflectionUtils.java:686)
at org.junit.jupiter.engine.execution.MethodInvocation.proceed(MethodInvocation.java:60)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain\$ValidatingInvocation.proceed(InvocationInterceptorChain.java:131)
at org.junit.jupiter.engine.extension.TimeoutExtension.intercept(TimeoutExtension.java:149)
at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestableMethod(TimeoutExtension.java:140)
at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestMethod(TimeoutExtension.java:84)
at org.junit.jupiter.engine.execution.ExecutableInvoker\$ReflectiveInterceptorCall.lambda\$ofVoidMethod\$0(ExecutableInvoker.java:115)
at org.junit.jupiter.engine.execution.ExecutableInvoker.lambda\$invoke\$0(ExecutableInvoker.java:105)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain\$InterceptedInvocation.proceed(InvocationInterceptorChain.java:106)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.proceed(InvocationInterceptorChain.java:64)

at org.junit.jupiter.engine.execution.InvocationInterceptorChain.chainAndInvoke(InvocationInterceptorChain.java:45)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.invoke(InvocationInterceptorChain.java:37)
at org.junit.jupiter.engine.execution.ExecutableInvoker.invoke(ExecutableInvoker.java:104)
at org.junit.jupiter.engine.execution.ExecutableInvoker.invoke(ExecutableInvoker.java:98)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.lambda\$invokeTestMethod\$6(TestMethodTestDescriptor.java:212)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.invokeTestMethod(TestMethodTestDescriptor.java:208)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:137)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:71)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:135)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)
at java.util.ArrayList.forEach(ArrayList.java:1259)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:38)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:139)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)
at java.util.ArrayList.forEach(ArrayList.java:1259)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:38)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:139)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.submit(SameThreadHierarchicalTestExecutorService.java:32)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestExecutor.execute(HierarchicalTestExecutor.java:57)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestEngine.execute(HierarchicalTestEngine.java:51)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:248)
at org.junit.platform.launcher.core.DefaultLauncher.lambda\$execute\$5(DefaultLauncher.java:211)
at org.junit.platform.launcher.core.DefaultLauncher.withInterceptedStreams(DefaultLauncher.java:226)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:199)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:132)
at com.intellij.junit5.JUnit5IdeaTestRunner.startRunnerWithArgs(JUnit5IdeaTestRunner.java:71)
at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38)
at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11)
at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35)
at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235)
at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:54)
Schedule(CartId=2, date=2024-06-20, n_morning=30, n_afternoon=1, rank_morning=30, rank_afternoon=1, content=i订单)
Hibernate: select constant0_morning_max as morning_1_1_, constant0_afternoon_max as afternoo2_1_1_, constant0_punish_count as punish_c3_1_1_, constant0_punish_duration as punish_d4_1_1_ from constant constant0_
Hibernate: delete from schedule where date=? and Cart_id=?
Hibernate: select schedule0_date as date1_7_0_0_, schedule0_Cart_id as Cart_id2_7_0_0_, schedule0_content as content3_7_0_0_, schedule0_n_afternoon as n_aftern4_7_0_0_, schedule0_n_morning as n_mornin5_7_0_0_, schedule0_rank_afternoon as rank_atf6_7_0_0_, schedule0_rank_morning as rank_mor7_7_0_0_ from schedule schedule0_ where schedule0_date=? and schedule0_Cart_id=?
Hibernate: select appointment0_date as date1_0_0_, appointment0_Cart_id as Cart_id2_0_0_, appointment0_item_id as item_3_0_0_, appointment0_ranking as ranking4_0_0_0_, appointment0_dept_id as dept_id5_0_0_0_, appointment0_description as descrip6_0_0_0_, appointment0_time as time7_0_0_0_ from CartItem appointment0_ where appointment0_date=? and appointment0_Cart_id=? and appointment0_ranking=?
Hibernate: select user0_id as id1_8_0_0_, user0_password as password2_8_0_0_, user0_type as type3_8_0_0_, user0_username as username4_8_0_0_, user0_1_age as age1_3_0_0_, user0_1_avatar as avatar2_3_0_0_, user0_1_dept_id as dept_id3_3_0_0_, user0_1_gender as gender4_3_0_0_, user0_1_intro as intro5_3_0_0_, user0_1_name as name6_3_0_0_, user0_1_post as post7_3_0_0_, user0_2_age as age1_6_0_0_, user0_2_email as email2_6_0_0_, user0_2_gender as gender3_6_0_0_, user0_2_name as name4_6_0_0_, user0_2_phone as phone5_6_0_0_, user0_2_punish_begin as punish_b6_6_0_0_, user0_2_punish_count as punish_c7_6_0_0_, case when user0_1_id is not null then 1 when user0_2_id is not null then 2 when user0_id is not null then 0 end as clazz_ from user user0_ left outer join Cart user0_1_ on user0_id=user0_1_id left outer join Item user0_2_ on user0_id=user0_2_id where user0_username=? for update
Hibernate: insert into schedule (content, n_afternoon, n_morning, rank_afternoon, rank_morning, date, Cart_id) values (?, ?, ?, ?, ?, ?)
Hibernate: insert into CartItem (dept_id, description, time, date, Cart_id, item_id, ranking) values (?, ?, ?, ?, ?, ?)
Hibernate: insert into user (password, type, username) values (?, ?, ?)
Hibernate: insert into Item (age, email, gender, name, phone, punish_begin, punish_count, id) values (?, ?, ?, ?, ?, ?, ?, ?)
Hibernate: select user0_id as id1_8_0_0_, user0_password as password2_8_0_0_, user0_type as type3_8_0_0_, user0_username as username4_8_0_0_, user0_1_age as age1_3_0_0_, user0_1_avatar as avatar2_3_0_0_, user0_1_dept_id as dept_id3_3_0_0_, user0_1_gender as gender4_3_0_0_, user0_1_intro as intro5_3_0_0_, user0_1_name as name6_3_0_0_, user0_1_post as post7_3_0_0_, user0_2_age as age1_6_0_0_, user0_2_email as email2_6_0_0_, user0_2_gender as gender3_6_0_0_, user0_2_name as name4_6_0_0_, user0_2_phone as phone5_6_0_0_, user0_2_punish_begin as punish_b6_6_0_0_, user0_2_punish_count as punish_c7_6_0_0_, case when user0_1_id is not null then 1 when user0_2_id is not null then 0 end as clazz_ from user user0_ left outer join Cart user0_1_ on user0_id=user0_1_id left outer join Item user0_2_ on user0_id=user0_2_id where user0_username=? and user0_password=?
Hibernate: select constant0_morning_max as morning_1_1_, constant0_afternoon_max as afternoo2_1_1_, constant0_punish_count as punish_c3_1_1_, constant0_punish_duration as punish_d4_1_1_ from constant constant0_
2024-06-20 21:47:04.770 WARN 39264 --- [main] net.sf.json.JSONObject : Tried to assign property age:java.lang.Integer to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:04.770 WARN 39264 --- [main] net.sf.json.JSONObject : Tried to assign property email:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:04.771 WARN 39264 --- [main] net.sf.json.JSONObject : Tried to assign property gender:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:04.771 WARN 39264 --- [main] net.sf.json.JSONObject : Tried to assign property name:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:04.771 WARN 39264 --- [main] net.sf.json.JSONObject : Tried to assign property phone:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:04.771 WARN 39264 --- [main] net.sf.json.JSONObject : Tried to assign property punish_count:java.lang.Integer to bean of class com.sjtu.se.hospital.entity.User
java.text.ParseException: Unparseable date: "abcd"
at java.text.DateFormat.parse(DateFormat.java:366)
at com.sjtu.se.hospital.serviceimpl.ItemServiceImpl.addCartItem(ItemServiceImpl.java:60)
at com.sjtu.se.hospital.serviceimpl.ItemServiceImpl\$\$FastClassBySpringCGLIB\$\$51d03847.invoke()
at org.springframework.cglib.proxy.MethodProxy.invoke(MethodProxy.java:218)
at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.invokeJoinpoint(CglibAopProxy.java:771)
at org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:163)
at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.proceed(CglibAopProxy.java:749)
at org.springframework.transaction.interceptor.TransactionAspectSupport.invokeWithinTransaction(TransactionAspectSupport.java:367)
at org.springframework.transaction.interceptor.TransactionInterceptor.invoke(TransactionInterceptor.java:118)
at org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:186)
at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.proceed(CglibAopProxy.java:749)
at org.springframework.aop.framework.CglibAopProxy\$DynamicAdvisedInterceptor.intercept(CglibAopProxy.java:691)
at com.sjtu.se.hospital.serviceimpl.ItemServiceImpl\$\$EnhancerBySpringCGLIB\$\$741f388a.addCartItem()
at com.sjtu.se.hospital.controller.ItemController.addCartItem(ItemController.java:34)
at com.sjtu.se.hospital.E-MailTests.testCartItem(E-MailTests.java:134)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:498)
at org.junit.platform.commons.util.ReflectionUtils.invokeMethod(ReflectionUtils.java:686)
at org.junit.jupiter.engine.execution.MethodInvocation.proceed(MethodInvocation.java:60)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain\$ValidatingInvocation.proceed(InvocationInterceptorChain.java:131)
at org.junit.jupiter.engine.extension.TimeoutExtension.intercept(TimeoutExtension.java:149)
at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestableMethod(TimeoutExtension.java:140)
at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestMethod(TimeoutExtension.java:84)
at org.junit.jupiter.engine.execution.ExecutableInvoker\$ReflectiveInterceptorCall.lambda\$ofVoidMethod\$0(ExecutableInvoker.java:115)
at org.junit.jupiter.engine.execution.ExecutableInvoker.lambda\$invoke\$0(ExecutableInvoker.java:105)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain\$InterceptedInvocation.proceed(InvocationInterceptorChain.java:106)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.proceed(InvocationInterceptorChain.java:64)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.chainAndInvoke(InvocationInterceptorChain.java:45)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.invoke(InvocationInterceptorChain.java:37)
at org.junit.jupiter.engine.execution.ExecutableInvoker.invoke(ExecutableInvoker.java:104)
at org.junit.jupiter.engine.execution.ExecutableInvoker.invoke(ExecutableInvoker.java:98)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.lambda\$invokeTestMethod\$6(TestMethodTestDescriptor.java:212)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.invokeTestMethod(TestMethodTestDescriptor.java:208)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:137)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:71)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:135)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)
at java.util.ArrayList.forEach(ArrayList.java:1259)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:38)

at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:139)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)
at java.util.ArrayList.forEach(ArrayList.java:1259)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:38)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:139)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.submit(SameThreadHierarchicalTestExecutorService.java:32)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestExecutor.execute(HierarchicalTestExecutor.java:57)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestEngine.execute(HierarchicalTestEngine.java:51)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:248)
at org.junit.platform.launcher.core.DefaultLauncher.lambda\$execute\$5(DefaultLauncher.java:211)
at org.junit.platform.launcher.core.DefaultLauncher.withInterceptedStreams(DefaultLauncher.java:226)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:199)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:132)
at com.intellij.junit5.JUnit5IdeaTestRunner.startRunnerWithArgs(JUnit5IdeaTestRunner.java:71)
at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38)
at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11)
at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35)
at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235)
at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:54)
Schedule[CartID=2, date=2024-06-20, n_morning=30, n_afternoon=2, rank_morning=30, rank_afternoon=2, content=订单]
Hibernate: select constant0__morning_max as morning_1_1_, constant0__afternoon_max as afternoon2_1_, constant0__punish_count as punish_c3_1_, constant0__punish_duration as punish_d4_1_ from constant constant0__
Hibernate: delete from schedule where date=? and Cart_id=?
Hibernate: select schedule0__date as date1_7_0_, schedule0__Cart_id as Cart_id2_7_0_, schedule0__content as content3_7_0_, schedule0__n_afternoon as n_aftern4_7_0_, schedule0__n_morning as n_mornin5_7_0_, schedule0__rank_afternoon as rank_af6_7_0_, schedule0__rank_morning as rank_mor7_7_0_ from schedule schedule0_ where schedule0__date=? and schedule0__Cart_id=?
Hibernate: select appointment0__date as date1_0_0_, appointment0__Cart_id as Cart_id2_0_0_, appointment0__item_id as item_3_0_0_, appointment0__ranking as ranking4_0_0_, appointment0__dept_id as dept_id5_0_0_, appointment0__description as descrip6_0_0_, appointment0__time as time7_0_0_ from CartItem appointment0_ where appointment0__date=? and appointment0__Cart_id=? and appointment0__ranking=?
Hibernate: select user0__id as id1_8_, user0__password as password2_8_, user0__type as type3_8_, user0__username as username4_8_, user0__age as age1_3_, user0__avatar as avatar2_3_, user0__dept_id as dept_id3_3_, user0__gender as gender4_3_, user0__1_intro as intro5_3_, user0__1_name as name6_3_, user0__1_post as post7_3_, user0__2_age as age1_6_, user0__2_email as email2_6_, user0__2_gender as gender3_6_, user0__2_name as name4_6_, user0__2_phone as phone5_6_, user0__2_punish_begin as punish_b6_6_, user0__2_punish_count as punish_c7_6_, case when user0__1_id is not null then 1 when user0__2_id is not null then 2 when user0__id is not null then 0 end as clazz_ from user user0_ left outer join
Cart user0__1 on user0__id=user0__1_id left outer join Item user0__2 on user0__id=user0__2_id where user0__username=? for update
Hibernate: insert into schedule (content, n_afternoon, n_morning, rank_afternoon, rank_morning, date, Cart_id) values (?, ?, ?, ?, ?, ?)
Hibernate: insert into CartItem (dept_id, description, time, date, Cart_id, Item_id, ranking) values (?, ?, ?, ?, ?, ?)
Hibernate: insert into user (password, type, username) values (?, ?, ?)
Hibernate: insert into Item (age, email, gender, name, phone, punish_begin, punish_count, id) values (?, ?, ?, ?, ?, ?, ?)
Hibernate: select user0__id as id1_8_, user0__password as password2_8_, user0__type as type3_8_, user0__username as username4_8_, user0__age as age1_3_, user0__avatar as avatar2_3_, user0__dept_id as dept_id3_3_, user0__gender as gender4_3_, user0__1_intro as intro5_3_, user0__1_name as name6_3_, user0__1_post as post7_3_, user0__2_age as age1_6_, user0__2_email as email2_6_, user0__2_gender as gender3_6_, user0__2_name as name4_6_, user0__2_phone as phone5_6_, user0__2_punish_begin as punish_b6_6_, user0__2_punish_count as punish_c7_6_, case when user0__1_id is not null then 1 when user0__2_id is not null then 2 when user0__id is not null then 0 end as clazz_ from user user0_ left outer join
Cart user0__1 on user0__id=user0__1_id left outer join Item user0__2 on user0__id=user0__2_id where user0__username=? and user0__password=?
Hibernate: select constant0__morning_max as morning_1_1_, constant0__afternoon_max as afternoon2_1_, constant0__punish_count as punish_c3_1_, constant0__punish_duration as punish_d4_1_ from constant constant0__
2024-06-20 21:47:04.892 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property age:java.lang.Integer to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:04.892 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property email:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:04.892 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property gender:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:04.892 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property name:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:04.892 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property phone:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:04.892 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property punish_count:java.lang.Integer to bean of class com.sjtu.se.hospital.entity.User
java.text.ParseException: Unparseable date: "abcd"
at java.text.DateFormat.parse(DateFormat.java:366)
at com.sjtu.se.hospital.serviceimpl.ItemServiceImpl.addCartItem(ItemServiceImpl.java:60)
at com.sjtu.se.hospital.serviceimpl.ItemServiceImpl\$\$FastClassBySpringCGLIB\$\$51d03847.invoke()
at org.springframework.cglib.proxy.MethodProxy.invoke(MethodProxy.java:218)
at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.invokeJoinpoint(CglibAopProxy.java:771)
at org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:163)
at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.proceed(CglibAopProxy.java:749)
at org.springframework.transaction.interceptor.TransactionAspectSupport.invokeWithinTransaction(TransactionAspectSupport.java:367)
at org.springframework.transaction.interceptor.TransactionInterceptor.invoke(TransactionInterceptor.java:118)
at org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:186)
at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.proceed(CglibAopProxy.java:749)
at org.springframework.aop.framework.CglibAopProxy\$DynamicAdvisedInterceptor.intercept(CglibAopProxy.java:691)
at com.sjtu.se.hospital.serviceimpl.ItemServiceImpl\$\$EnhancerBySpringCGLIB\$\$5741f388a.addCartItem()
at com.sjtu.se.hospital.controller.ItemController.addCartItem(ItemController.java:34)
at com.sjtu.se.hospital.E-MailTests.testCartItem(E-MailTests.java:134)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:498)
at org.junit.platform.commons.util.ReflectionUtils.invokeMethod(ReflectionUtils.java:686)
at org.junit.jupiter.engine.execution.MethodInvocation.proceed(MethodInvocation.java:60)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain\$ValidatingInvocation.proceed(InvocationInterceptorChain.java:131)
at org.junit.jupiter.engine.extension.TimeoutExtension.intercept(TimeoutExtension.java:149)
at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestableMethod(TimeoutExtension.java:140)
at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestMethod(TimeoutExtension.java:84)
at org.junit.jupiter.engine.execution.ExecutableInvoker\$ReflectiveInterceptorCall.lambda\$ofVoidMethod\$0(ExecutableInvoker.java:115)
at org.junit.jupiter.engine.execution.ExecutableInvoker.lambda\$invoke\$0(ExecutableInvoker.java:105)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain\$InterceptedInvocation.proceed(InvocationInterceptorChain.java:106)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.proceed(InvocationInterceptorChain.java:64)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.chainAndInvoke(InvocationInterceptorChain.java:45)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.invoke(InvocationInterceptorChain.java:37)
at org.junit.jupiter.engine.execution.ExecutableInvoker.invoke(ExecutableInvoker.java:104)
at org.junit.jupiter.engine.execution.ExecutableInvoker.invoke(ExecutableInvoker.java:98)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.lambda\$invokeTestMethod\$6(TestMethodTestDescriptor.java:212)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.invokeTestMethod(TestMethodTestDescriptor.java:208)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:137)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:71)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:135)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)
at java.util.ArrayList.forEach(ArrayList.java:1259)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:38)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:139)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)
at java.util.ArrayList.forEach(ArrayList.java:1259)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:38)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:139)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.submit(SameThreadHierarchicalTestExecutorService.java:32)

at org.junit.platform.engine.support.hierarchical.HierarchicalTestExecutor.execute(HierarchicalTestExecutor.java:57)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestEngine.execute(HierarchicalTestEngine.java:51)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:248)
at org.junit.platform.launcher.core.DefaultLauncher.lambda\$execute\$5(DefaultLauncher.java:211)
at org.junit.platform.launcher.core.DefaultLauncher.withInterceptedStreams(DefaultLauncher.java:226)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:199)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:132)
at com.intellij.junit5.JUnit5IdeaTestRunner.startRunnerWithArgs(JUnit5IdeaTestRunner.java:71)
at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38)
at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11)
at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35)
at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235)
at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:54)
Schedule(CartID=2, date=2024-06-20, n_morning=30, n_afternoon=3, rank_morning=3, rank_afternoon=3, content=订单)
Hibernate: select constant0_morning_max as morning_1_1, constant0_afternoon_max as afternoo2_1, constant0_punish_count as punish_c3_1, constant0_punish_duration as punish_d4_1 from constant constant0_
Hibernate: delete from schedule where date=? and Cart_id=?
Hibernate: select schedule0_date as date1_7_0, schedule0_Cart_id as Cart_id2_7_0, schedule0_content as content3_7_0, schedule0_n_afternoon as n_aftern4_7_0, schedule0_n_morning as n_mornin5_7_0, schedule0_rank_afternoon as rank_atf6_7_0, schedule0_rank_morning as rank_mor7_7_0 from schedule schedule0 where schedule0_date=? and schedule0_Cart_id=?
Hibernate: select appointment0_date as date1_0_0, appointment0_Cart_id as Cart_id2_0_0, appointment0_Item_id as Item_3_0_0, appointment0_ranking as ranking4_0_0, appointment0_dept_id as dept_id5_0_0, appointment0_description as descrip6_0_0, appointment0_time as time7_0_0 from CartItem appointment0 where appointment0_date=? and appointment0_Cart_id=? and appointment0_Item_id=? and appointment0_ranking=?
Hibernate: select user0_id as id1_8, user0_password as password2_8, user0_type as type3_8, user0_username as username4_8, user0_1_age as age1_3, user0_1_avatar as avata2_3, user0_1_dept_id as dept_id3_3, user0_1_gender as gender4_3, user0_1_intro as intro5_3, user0_1_name as name6_3, user0_1_post as post7_3, user0_2_age as age1_6, user0_2_email as email2_6, user0_2_gender as gender3_6, user0_2_name as name4_6, user0_2_phone as phone5_6, user0_2_punish_begin as punish_b6_6, user0_2_punish_count as punish_c7_6, case when user0_1_id is not null then 1 when user0_2_id is not null then 2 when user0_id is not null then 0 end as clazz from user user0_left outer join
Cart user0_1 on user0_id=user0_1_id left outer join Item user0_2 on user0_id=user0_2_id where user0_username=? for update
Hibernate: insert into schedule (content, n_afternoon, n_morning, rank_afternoon, rank_morning, date, Cart_id) values (?, ?, ?, ?, ?, ?)
Hibernate: insert into CartItem (dept_id, description, time, date, Cart_id, Item_id, ranking) values (?, ?, ?, ?, ?, ?)
Hibernate: insert into user (password, type, username) values (?, ?, ?)
Hibernate: insert into Item (age, email, gender, name, phone, punish_begin, punish_count, id) values (?, ?, ?, ?, ?, ?, ?, ?)
Hibernate: select user0_id as id1_8, user0_password as password2_8, user0_type as type3_8, user0_username as username4_8, user0_1_age as age1_3, user0_1_avatar as avata2_3, user0_1_dept_id as dept_id3_3, user0_1_gender as gender4_3, user0_1_intro as intro5_3, user0_1_name as name6_3, user0_1_post as post7_3, user0_2_age as age1_6, user0_2_email as email2_6, user0_2_gender as gender3_6, user0_2_name as name4_6, user0_2_phone as phone5_6, user0_2_punish_begin as punish_b6_6, user0_2_punish_count as punish_c7_6, case when user0_1_id is not null then 1 when user0_2_id is not null then 2 when user0_id is not null then 0 end as clazz from user user0_left outer join
Cart user0_1 on user0_id=user0_1_id left outer join Item user0_2 on user0_id=user0_2_id where user0_username=? and user0_password=?
Hibernate: select constant0_morning_max as morning_1_1, constant0_afternoon_max as afternoo2_1, constant0_punish_count as punish_c3_1, constant0_punish_duration as punish_d4_1 from constant constant0_
2024-06-20 21:47:05.017 WARN 39264 --- [main] net.sf.json.JSONObject : Tried to assign property age:java.lang.Integer to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:05.018 WARN 39264 --- [main] net.sf.json.JSONObject : Tried to assign property email:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:05.018 WARN 39264 --- [main] net.sf.json.JSONObject : Tried to assign property gender:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:05.018 WARN 39264 --- [main] net.sf.json.JSONObject : Tried to assign property name:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:05.018 WARN 39264 --- [main] net.sf.json.JSONObject : Tried to assign property phone:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:05.018 WARN 39264 --- [main] net.sf.json.JSONObject : Tried to assign property punish_count:java.lang.Integer to bean of class com.sjtu.se.hospital.entity.User
java.text.ParseException: Unparseable date: "abcd"
at java.text.DateFormat.parse(DateFormat.java:366)
at com.sjtu.se.hospital.serviceimpl.ItemServiceimpl.addCartItem(ItemServiceimpl.java:60)
at com.sjtu.se.hospital.serviceimpl.ItemServiceimpl\$\$FastClassBySpringCGLIB\$\$51d03847.invoke()
at org.springframework.cglib.proxy.MethodProxy.invoke(MethodProxy.java:218)
at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.invokeJoinpoint(CglibAopProxy.java:771)
at org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:163)
at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.proceed(CglibAopProxy.java:749)
at org.springframework.transaction.interceptor.TransactionAspectSupport.invokeWithinTransaction(TransactionAspectSupport.java:367)
at org.springframework.transaction.interceptor.TransactionInterceptor.invoke(TransactionInterceptor.java:118)
at org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:186)
at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.proceed(CglibAopProxy.java:749)
at org.springframework.aop.framework.CglibAopProxy\$DynamicAdvisedInterceptor.intercept(CglibAopProxy.java:691)
at com.sjtu.se.hospital.serviceimpl.ItemServiceimpl\$\$EnhancerBySpringCGLIB\$\$741f388a.addCartItem()
at com.sjtu.se.hospital.controller.ItemController.addCartItem(ItemController.java:34)
at com.sjtu.se.hospital.E-Mail Tests.testCartItem(E-Mail Tests.java:134)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:498)
at org.junit.platform.commons.util.ReflectionUtils.invokeMethod(ReflectionUtils.java:686)
at org.junit.jupiter.engine.execution.MethodInvocation.proceed(MethodInvocation.java:60)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain\$ValidatingInvocation.proceed(InvocationInterceptorChain.java:131)
at org.junit.jupiter.engine.extension.TimeoutExtension.intercept(TimeoutExtension.java:149)
at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestableMethod(TimeoutExtension.java:140)
at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestMethod(TimeoutExtension.java:84)
at org.junit.jupiter.engine.execution.ExecutableInvoker\$ReflectiveInterceptorCall.lambda\$ofVoidMethod\$0(ExecutableInvoker.java:115)
at org.junit.jupiter.engine.execution.ExecutableInvoker.lambda\$invoke\$0(ExecutableInvoker.java:105)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain\$InterceptedInvocation.proceed(InvocationInterceptorChain.java:106)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.proceed(InvocationInterceptorChain.java:64)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.chainAndInvoke(InvocationInterceptorChain.java:45)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.invoke(InvocationInterceptorChain.java:37)
at org.junit.jupiter.engine.execution.ExecutableInvoker.invoke(ExecutableInvoker.java:104)
at org.junit.jupiter.engine.execution.ExecutableInvoker.invoke(ExecutableInvoker.java:98)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.lambda\$invokeTestMethod\$6(TestMethodTestDescriptor.java:212)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.invokeTestMethod(TestMethodTestDescriptor.java:208)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:137)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:71)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:135)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)
at java.util.ArrayList.forEach(ArrayList.java:1259)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:38)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:139)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)
at java.util.ArrayList.forEach(ArrayList.java:1259)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:38)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:139)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.submit(SameThreadHierarchicalTestExecutorService.java:32)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestExecutor.execute(HierarchicalTestExecutor.java:57)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestEngine.execute(HierarchicalTestEngine.java:51)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:248)
at org.junit.platform.launcher.core.DefaultLauncher.lambda\$execute\$5(DefaultLauncher.java:211)
at org.junit.platform.launcher.core.DefaultLauncher.withInterceptedStreams(DefaultLauncher.java:226)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:199)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:132)
at com.intellij.junit5.JUnit5IdeaTestRunner.startRunnerWithArgs(JUnit5IdeaTestRunner.java:71)
at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38)
at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11)
at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35)
at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235)
at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:54)
Schedule(CartID=2, date=2024-06-20, n_morning=30, n_afternoon=4, rank_morning=30, rank_afternoon=4, content=订单)
Hibernate: select constant0_morning_max as morning_1_1, constant0_afternoon_max as afternoo2_1, constant0_punish_count as punish_c3_1, constant0_punish_duration as punish_d4_1 from constant constant0_
Hibernate: delete from schedule where date=? and Cart_id=?
Hibernate: select schedule0_date as date1_7_0, schedule0_Cart_id as Cart_id2_7_0, schedule0_content as content3_7_0, schedule0_n_afternoon as n_aftern4_7_0, schedule0_n_morning as n_mornin5_7_0, schedule0_rank_afternoon as rank_atf6_7_0, schedule0_rank_morning as rank_mor7_7_0 from schedule schedule0 where schedule0_date=? and schedule0_Cart_id=?
Hibernate: select appointment0_date as date1_0_0, appointment0_Cart_id as Cart_id2_0_0, appointment0_Item_id as Item_3_0_0, appointment0_ranking as ranking4_0_0, appointment0_dept_id as dept_id5_0_0, appointment0_description as

describe0_0_0, appointment0_time as time7_0_0 from CartItem appointment0_ where appointment0_date=? and appointment0_Cart_id=? and appointment0_Item_id=? and appointment0_ranking=?
Hibernate: select user0_id as id1_8, user0_password as password2_8, user0_type as type3_8, user0_username as username4_8, user0_1_age as age1_3, user0_1_avatar as avatar2_3, user0_1_dept_id as dept_id3_3, user0_1_gender as gender4_3, user0_1_intro as intro5_3, user0_1_name as name6_3, user0_1_post as post7_3, user0_2_age as age1_6, user0_2_email as email2_6, user0_2_gender as gender3_6, user0_2_name as name4_6, user0_2_phone as phone5_6, user0_2_punish_begin as punish_b6_6, user0_2_punish_count as punish_c7_6, case when user0_1_id is not null then 1 when user0_2_id is not null then 2 when user0_id is not null then 0 end as clazz_ from user user0_left outer join
Cart user0_1 on user0_id=user0_1_id left outer join Item user0_2 on user0_id=user0_2_id where user0_username=? for update
Hibernate: insert into schedule (content, n_afternoon, n_morning, rank_afternoon, rank_morning, date, Cart_id) values (?, ?, ?, ?, ?, ?)
Hibernate: insert into CartItem (dept_id, description, time, date, Cart_id, Item_id, ranking) values (?, ?, ?, ?, ?, ?)
Hibernate: insert into user (password, type, username) values (?, ?, ?)
Hibernate: insert into Item (age, email, gender, name, phone, punish_begin, punish_count, id) values (?, ?, ?, ?, ?, ?, ?, ?)
Hibernate: select user0_id as id1_8, user0_password as password2_8, user0_type as type3_8, user0_username as username4_8, user0_1_age as age1_3, user0_1_avatar as avatar2_3, user0_1_dept_id as dept_id3_3, user0_1_gender as gender4_3, user0_1_intro as intro5_3, user0_1_name as name6_3, user0_1_post as post7_3, user0_2_age as age1_6, user0_2_email as email2_6, user0_2_gender as gender3_6, user0_2_name as name4_6, user0_2_phone as phone5_6, user0_2_punish_begin as punish_b6_6, user0_2_punish_count as punish_c7_6, case when user0_1_id is not null then 1 when user0_2_id is not null then 2 when user0_id is not null then 0 end as clazz_ from user user0_left outer join
Cart user0_1 on user0_id=user0_1_id left outer join Item user0_2 on user0_id=user0_2_id where user0_username=? and user0_password=?
Hibernate: select constant0_morning_max as morning_1_1, constant0_afternoon_max as afternoo2_1, constant0_punish_count as punish_c3_1, constant0_punish_duration as punish_d4_1_ from constant constant0_
2024-06-20 21:47:05.256 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property age:java.lang.Integer to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:05.256 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property email:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:05.257 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property gender:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:05.257 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property name:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:05.257 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property phone:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:05.257 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property punish_count:java.lang.Integer to bean of class com.sjtu.se.hospital.entity.User
java.text.ParseException: Unparseable date: "abcd"
at java.text.DateFormat.parse(DateFormat.java:366)
at com.sjtu.se.hospital.serviceimpl.ItemServiceImpl.addCartItem(ItemServiceImpl.java:60)
at com.sjtu.se.hospital.serviceimpl.ItemServiceImpl\$\$FastClassBySpringCGLIB\$\$51d03847.invoke()
at org.springframework.cglib.proxy.MethodProxy.invoke(MethodProxy.java:218)
at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.invokeJoinpoint(CglibAopProxy.java:771)
at org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:163)
at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.proceed(CglibAopProxy.java:749)
at org.springframework.transaction.interceptor.TransactionAspectSupport.invokeWithinTransaction(TransactionAspectSupport.java:367)
at org.springframework.transaction.interceptor.TransactionInterceptor.invoke(TransactionInterceptor.java:118)
at org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:186)
at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.proceed(CglibAopProxy.java:749)
at org.springframework.aop.framework.CglibAopProxy\$DynamicAdvisedInterceptor.intercept(CglibAopProxy.java:691)
at com.sjtu.se.hospital.serviceimpl.ItemServiceImpl\$\$EnhancerBySpringCGLIB\$\$741f388a.addCartItem()
at com.sjtu.se.hospital.controller.ItemController.addCartItem(ItemController.java:34)
at com.sjtu.se.hospital.E-MailTests.testCartItem(E-MailTests.java:134)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:498)
at org.junit.platform.commons.util.ReflectionUtils.invokeMethod(ReflectionUtils.java:686)
at org.junit.jupiter.engine.execution.MethodInvocation.proceed(MethodInvocation.java:60)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain\$ValidatingInvocation.proceed(InvocationInterceptorChain.java:131)
at org.junit.jupiter.engine.extension.TimeoutExtension.intercept(TimeoutExtension.java:149)
at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestableMethod(TimeoutExtension.java:140)
at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestMethod(TimeoutExtension.java:84)
at org.junit.jupiter.engine.execution.ExecutableInvoker\$ReflectiveInterceptorCall.lambda\$ofVoidMethod\$0(ExecutableInvoker.java:115)
at org.junit.jupiter.engine.execution.ExecutableInvoker.lambda\$invoke\$0(ExecutableInvoker.java:105)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain\$InterceptedInvocation.proceed(InvocationInterceptorChain.java:106)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.proceed(InvocationInterceptorChain.java:64)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.chainAndInvoke(InvocationInterceptorChain.java:45)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.invoke(InvocationInterceptorChain.java:37)
at org.junit.jupiter.engine.execution.ExecutableInvoker.invoke(ExecutableInvoker.java:104)
at org.junit.jupiter.engine.execution.ExecutableInvoker.invoke(ExecutableInvoker.java:98)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.lambda\$invokeTestMethod\$6(TestMethodTestDescriptor.java:212)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.invokeTestMethod(TestMethodTestDescriptor.java:208)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:137)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:71)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:135)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)
at java.util.ArrayList.forEach(ArrayList.java:1259)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:38)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:139)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)
at java.util.ArrayList.forEach(ArrayList.java:1259)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:38)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:139)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.submit(SameThreadHierarchicalTestExecutorService.java:32)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestExecutor.execute(HierarchicalTestExecutor.java:57)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestEngine.execute(HierarchicalTestEngine.java:51)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:248)
at org.junit.platform.launcher.core.DefaultLauncher.lambda\$execute\$5(DefaultLauncher.java:211)
at org.junit.platform.launcher.core.DefaultLauncher.withInterceptedStreams(DefaultLauncher.java:226)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:199)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:132)
at com.intellij.junit5.JUnit5IdeaTestRunner.startRunnerWithArgs(JUnit5IdeaTestRunner.java:71)
at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38)
at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11)
at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35)
at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235)
at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:54)
Schedule(CartID=2, date=2024-06-20, n_morning=30, n_afternoon=5, rank_morning=30, rank_afternoon=5, content=订单)
Hibernate: select constant0_morning_max as morning_1_1, constant0_afternoon_max as afternoo2_1, constant0_punish_count as punish_c3_1, constant0_punish_duration as punish_d4_1_ from constant constant0_
Hibernate: delete from schedule where date=? and Cart_id=?
Hibernate: select schedule0_date as date1_7_0, schedule0_Cart_id as Cart_id2_7_0, schedule0_content as content3_7_0, schedule0_n_afternoon as n_aftern4_7_0, schedule0_n_morning as n_mornin5_7_0, schedule0_rank_afternoon as rank_atf6_7_0, schedule0_rank_morning as rank_mor7_7_0_ from schedule schedule0_ where schedule0_date=? and schedule0_Cart_id=?
Hibernate: select appointment0_date as date1_0_0, appointment0_Cart_id as Cart_id2_0_0, appointment0_Item_id as Item_3_0_0, appointment0_ranking as ranking4_0_0, appointment0_dept_id as dept_id5_0_0, appointment0_description as describep6_0_0, appointment0_time as time7_0_0_ from CartItem appointment0_ where appointment0_date=? and appointment0_Cart_id=? and appointment0_Item_id=? and appointment0_ranking=?
Hibernate: select user0_id as id1_8, user0_password as password2_8, user0_type as type3_8, user0_username as username4_8, user0_1_age as age1_3, user0_1_avatar as avatar2_3, user0_1_dept_id as dept_id3_3, user0_1_gender as gender4_3, user0_1_intro as intro5_3, user0_1_name as name6_3, user0_1_post as post7_3, user0_2_age as age1_6, user0_2_email as email2_6, user0_2_gender as gender3_6, user0_2_name as name4_6, user0_2_phone as phone5_6, user0_2_punish_begin as punish_b6_6, user0_2_punish_count as punish_c7_6, case when user0_1_id is not null then 1 when user0_2_id is not null then 2 when user0_id is not null then 0 end as clazz_ from user user0_left outer join
Cart user0_1 on user0_id=user0_1_id left outer join Item user0_2 on user0_id=user0_2_id where user0_username=? and user0_password=?
Hibernate: insert into schedule (content, n_afternoon, n_morning, rank_afternoon, rank_morning, date, Cart_id) values (?, ?, ?, ?, ?, ?)
Hibernate: insert into CartItem (dept_id, description, time, date, Cart_id, Item_id, ranking) values (?, ?, ?, ?, ?, ?)
Hibernate: insert into user (password, type, username) values (?, ?, ?)
Hibernate: insert into Item (age, email, gender, name, phone, punish_begin, punish_count, id) values (?, ?, ?, ?, ?, ?, ?, ?)
Hibernate: select user0_id as id1_8, user0_password as password2_8, user0_type as type3_8, user0_username as username4_8, user0_1_age as age1_3, user0_1_avatar as avatar2_3, user0_1_dept_id as dept_id3_3, user0_1_gender as gender4_3, user0_1_intro as intro5_3, user0_1_name as name6_3, user0_1_post as post7_3, user0_2_age as age1_6, user0_2_email as email2_6, user0_2_gender as gender3_6, user0_2_name as name4_6, user0_2_phone as phone5_6, user0_2_punish_begin as punish_b6_6, user0_2_punish_count as punish_c7_6, case when user0_1_id is not null then 1 when user0_2_id is not null then 2 when user0_id is not null then 0 end as clazz_ from user user0_left outer join
Cart user0_1 on user0_id=user0_1_id left outer join Item user0_2 on user0_id=user0_2_id where user0_username=? and user0_password=?
Hibernate: select constant0_morning_max as morning_1_1, constant0_afternoon_max as afternoo2_1, constant0_punish_count as punish_c3_1, constant0_punish_duration as punish_d4_1_ from constant constant0_
2024-06-20 21:47:05.369 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property age:java.lang.Integer to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:05.370 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property email:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:05.370 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property gender:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:05.370 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property name:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:05.370 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property phone:java.lang.String to bean of class com.sjtu.se.hospital.entity.User

2024-06-20 21:47:05.370 WARN 39264 --- [main] net.sf.json.JSONObject : Tried to assign property punish_count:java.lang.Integer to bean of class com.sjtu.se.hospital.entity.User
java.text.ParseException: Unparseable date: "abcd"
at java.text.DateFormat.parse(DateFormat.java:366)
at com.sjtu.se.hospital.serviceimpl.ItemServiceimpl.addItem(ItemServiceimpl.java:60)
at com.sjtu.se.hospital.serviceimpl.ItemServiceimpl\$\$FastClassBySpringCGLIB\$\$51d03847.invoke()
at org.springframework.cglib.proxy.MethodProxy.invoke(MethodProxy.java:218)
at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.invokeJoinpoint(CglibAopProxy.java:771)
at org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:163)
at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.proceed(CglibAopProxy.java:749)
at org.springframework.transaction.interceptor.TransactionAspectSupport.invokeWithinTransaction(TransactionAspectSupport.java:367)
at org.springframework.transaction.interceptor.TransactionInterceptor.invoke(TransactionInterceptor.java:118)
at org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:186)
at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.proceed(CglibAopProxy.java:749)
at org.springframework.aop.framework.CglibAopProxy\$DynamicAdvisedInterceptor.intercept(CglibAopProxy.java:691)
at com.sjtu.se.hospital.serviceimpl.ItemServiceimpl\$\$EnhancerBySpringCGLIB\$\$741f388a.addItem()
at com.sjtu.se.hospital.controller.ItemController.addItem(ItemController.java:34)
at com.sjtu.se.hospital.E-MailTests.testCartItem(E-MailTests.java:134)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:498)
at org.junit.platform.commons.util.ReflectionUtils.invokeMethod(ReflectionUtils.java:686)
at org.junit.jupiter.engine.execution.MethodInvocation.proceed(MethodInvocation.java:60)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain\$ValidatingInvocation.proceed(InvocationInterceptorChain.java:131)
at org.junit.jupiter.engine.extension.TimeoutExtension.intercept(TimeoutExtension.java:149)
at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestableMethod(TimeoutExtension.java:140)
at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestMethod(TimeoutExtension.java:84)
at org.junit.jupiter.engine.execution.ExecutableInvoker\$ReflectiveInterceptorCall.lambda\$ofVoidMethod\$0(ExecutableInvoker.java:115)
at org.junit.jupiter.engine.execution.ExecutableInvoker.lambda\$invoke\$0(ExecutableInvoker.java:105)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain\$InterceptedInvocation.proceed(InvocationInterceptorChain.java:106)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.proceed(InvocationInterceptorChain.java:64)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.chainAndInvoke(InvocationInterceptorChain.java:45)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.invoke(InvocationInterceptorChain.java:37)
at org.junit.jupiter.engine.execution.ExecutableInvoker.invoke(ExecutableInvoker.java:104)
at org.junit.jupiter.engine.execution.ExecutableInvoker.invoke(ExecutableInvoker.java:98)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.lambda\$invokeTestMethod\$6(TestMethodTestDescriptor.java:212)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.invokeTestMethod(TestMethodTestDescriptor.java:208)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:137)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:71)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:135)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)
at java.util.ArrayList.forEach(ArrayList.java:1259)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:38)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:139)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)
at java.util.ArrayList.forEach(ArrayList.java:1259)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:38)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:139)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.submit(SameThreadHierarchicalTestExecutorService.java:32)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestExecutor.execute(HierarchicalTestExecutor.java:57)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestEngine.execute(HierarchicalTestEngine.java:51)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:248)
at org.junit.platform.launcher.core.DefaultLauncher.lambda\$execute\$5(DefaultLauncher.java:211)
at org.junit.platform.launcher.core.DefaultLauncher.withInterceptedStreams(DefaultLauncher.java:226)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:199)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:132)
at com.intellij.junit5.JUnit5IdeaTestRunner.startRunnerWithArgs(JUnit5IdeaTestRunner.java:71)
at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38)
at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11)
at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35)
at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235)
at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:54)
Schedule[CartID=2, date=2024-06-20, n_morning=30, n_afternoon=6, rank_morning=30, rank_afternoon=6, content=订单]
Hibernate: select constant0_morning_max as morning_1_1_, constant0_afternoon_max as afternoon_2_1_, constant0_punish_count as punish_c3_1_, constant0_punish_duration as punish_d4_1_ from constant constant0_
Hibernate: delete from schedule where date=? and Cart_id=?
Hibernate: select schedule0_date as date1_7_0_, schedule0_Cart_id as Cart_id2_7_0_, schedule0_content as content3_7_0_, schedule0_n_afternoon as n_aftern4_7_0_, schedule0_n_morning as n_mornin5_7_0_, schedule0_rank_afternoon as rank_af6_7_0_, schedule0_rank_morning as rank_mor7_7_0_ from schedule schedule0_ where schedule0_date=? and schedule0_Cart_id=?
Hibernate: select appointment0_date as date1_0_0_, appointment0_Cart_id as Cart_id2_0_0_, appointment0_item_id as item_3_0_0_, appointment0_ranking as ranking4_0_0_, appointment0_dept_id as dept_id5_0_0_, appointment0_description as descrip6_0_0_, appointment0_time as time7_0_0_ from CartItem appointment0_ where appointment0_date=? and appointment0_Cart_id=? and appointment0_item_id=? and appointment0_ranking=?
Hibernate: select user0_id as id1_8_, user0_password as password2_8_, user0_type as type3_8_, user0_username as username4_8_, user0_1_age as age1_3_, user0_1_avatar as avatar2_3_, user0_1_dept_id as dept_id3_3_, user0_1_gender as gender4_3_, user0_1_intro as intro5_3_, user0_1_name as name6_3_, user0_1_post as post7_3_, user0_2_age as age1_6_, user0_2_email as email2_6_, user0_2_gender as gender3_6_, user0_2_name as name4_6_, user0_2_phone as phone5_6_, user0_2_punish_begin as punish_b6_6_, user0_2_punish_count as punish_c7_6_, case when user0_1_id is not null then 1 when user0_2_id is not null then 2 when user0_id is not null then 0 end as clazz_ from user user0_ left outer join
Cart user0_1 on user0_id=user0_1_id left outer join Item user0_2_ on user0_id=user0_2_id where user0_username=? for update
Hibernate: insert into schedule (content, n_afternoon, n_morning, rank_afternoon, rank_morning, date, Cart_id) values (?, ?, ?, ?, ?, ?)
Hibernate: insert into CartItem (dept_id, description, time, date, Cart_id, item_id, ranking) values (?, ?, ?, ?, ?, ?)
Hibernate: insert into user (password, type, username) values (?, ?, ?)
Hibernate: insert into Item (age, email, gender, name, phone, punish_begin, punish_count, id) values (?, ?, ?, ?, ?, ?, ?)
Hibernate: select user0_id as id1_8_, user0_password as password2_8_, user0_type as type3_8_, user0_username as username4_8_, user0_1_age as age1_3_, user0_1_avatar as avatar2_3_, user0_1_dept_id as dept_id3_3_, user0_1_gender as gender4_3_, user0_1_intro as intro5_3_, user0_1_name as name6_3_, user0_1_post as post7_3_, user0_2_age as age1_6_, user0_2_email as email2_6_, user0_2_gender as gender3_6_, user0_2_name as name4_6_, user0_2_phone as phone5_6_, user0_2_punish_begin as punish_b6_6_, user0_2_punish_count as punish_c7_6_, case when user0_1_id is not null then 1 when user0_2_id is not null then 2 when user0_id is not null then 0 end as clazz_ from user user0_ left outer join
Cart user0_1 on user0_id=user0_1_id left outer join Item user0_2_ on user0_id=user0_2_id where user0_username=? and user0_password=?
Hibernate: select constant0_morning_max as morning_1_1_, constant0_afternoon_max as afternoon_2_1_, constant0_punish_count as punish_c3_1_, constant0_punish_duration as punish_d4_1_ from constant constant0_
2024-06-20 21:47:05.492 WARN 39264 --- [main] net.sf.json.JSONObject : Tried to assign property age:java.lang.Integer to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:05.493 WARN 39264 --- [main] net.sf.json.JSONObject : Tried to assign property email:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:05.493 WARN 39264 --- [main] net.sf.json.JSONObject : Tried to assign property gender:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:05.493 WARN 39264 --- [main] net.sf.json.JSONObject : Tried to assign property name:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:05.493 WARN 39264 --- [main] net.sf.json.JSONObject : Tried to assign property phone:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:05.493 WARN 39264 --- [main] net.sf.json.JSONObject : Tried to assign property punish_count:java.lang.Integer to bean of class com.sjtu.se.hospital.entity.User
java.text.ParseException: Unparseable date: "abcd"
at java.text.DateFormat.parse(DateFormat.java:366)
at com.sjtu.se.hospital.serviceimpl.ItemServiceimpl.addItem(ItemServiceimpl.java:60)
at com.sjtu.se.hospital.serviceimpl.ItemServiceimpl\$\$FastClassBySpringCGLIB\$\$51d03847.invoke()
at org.springframework.cglib.proxy.MethodProxy.invoke(MethodProxy.java:218)
at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.invokeJoinpoint(CglibAopProxy.java:771)
at org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:163)
at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.proceed(CglibAopProxy.java:749)
at org.springframework.transaction.interceptor.TransactionAspectSupport.invokeWithinTransaction(TransactionAspectSupport.java:367)
at org.springframework.transaction.interceptor.TransactionInterceptor.invoke(TransactionInterceptor.java:118)
at org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:186)
at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.proceed(CglibAopProxy.java:749)
at org.springframework.aop.framework.CglibAopProxy\$DynamicAdvisedInterceptor.intercept(CglibAopProxy.java:691)
at com.sjtu.se.hospital.serviceimpl.ItemServiceimpl\$\$EnhancerBySpringCGLIB\$\$741f388a.addItem()
at com.sjtu.se.hospital.controller.ItemController.addItem(ItemController.java:34)
at com.sjtu.se.hospital.E-MailTests.testCartItem(E-MailTests.java:134)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)

at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:498)
at org.junit.platform.commons.util.ReflectionUtils.invokeMethod(ReflectionUtils.java:686)
at org.junit.jupiter.engine.execution.MethodInvocation.proceed(MethodInvocation.java:60)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain\$ValidatingInvocation.proceed(InvocationInterceptorChain.java:131)
at org.junit.jupiter.engine.extension.TimeoutExtension.intercept(TimeoutExtension.java:149)
at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestableMethod(TimeoutExtension.java:140)
at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestMethod(TimeoutExtension.java:84)
at org.junit.jupiter.engine.execution.ExecutableInvoker\$ReflectiveInterceptorCall.lambda\$ofVoidMethod\$0(ExecutableInvoker.java:115)
at org.junit.jupiter.engine.execution.ExecutableInvoker.lambda\$invoke\$0(ExecutableInvoker.java:105)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain\$InterceptedInvocation.proceed(InvocationInterceptorChain.java:106)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.proceed(InvocationInterceptorChain.java:64)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.chainAndInvoke(InvocationInterceptorChain.java:45)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.invoke(InvocationInterceptorChain.java:37)
at org.junit.jupiter.engine.execution.ExecutableInvoker.invoke(ExecutableInvoker.java:104)
at org.junit.jupiter.engine.execution.ExecutableInvoker.invoke(ExecutableInvoker.java:98)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.lambda\$invokeTestMethod\$6(TestMethodTestDescriptor.java:212)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.invokeTestMethod(TestMethodTestDescriptor.java:208)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:137)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:71)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:135)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)
at java.util.ArrayList.forEach(ArrayList.java:1259)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:38)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:139)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)
at java.util.ArrayList.forEach(ArrayList.java:1259)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:38)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:139)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.submit(SameThreadHierarchicalTestExecutorService.java:32)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestExecutor.execute(HierarchicalTestExecutor.java:57)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestEngine.execute(HierarchicalTestEngine.java:51)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:248)
at org.junit.platform.launcher.core.DefaultLauncher.lambda\$execute\$5(DefaultLauncher.java:211)
at org.junit.platform.launcher.core.DefaultLauncher.withInterceptedStreams(DefaultLauncher.java:226)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:199)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:132)
at com.intellij.junit5.JUnit5IdeaTestRunner.startRunnerWithArgs(JUnit5IdeaTestRunner.java:71)
at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38)
at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11)
at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35)
at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235)
at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:54)
Schedule(CartID=2, date=2024-06-20, n_morning=30, n_afternoon=7, rank_morning=7, rank_afternoon=7, content=订单)
Hibernate: select constant0_morning_max as morning_1_1, constant0_afternoon_max as afternoon2_1, constant0_punish_count as punish_c3_1, constant0_punish_duration as punish_d4_1 from constant constant0_
Hibernate: delete from schedule where date=? and Cart_id=?
Hibernate: select schedule0_date as date1_7_0, schedule0_Cart_id as Cart_id2_7_0, schedule0_content as content3_7_0, schedule0_n_afternoon as n_aftern4_7_0, schedule0_n_morning as n_mornin5_7_0, schedule0_rank_afternoon as rank_atf6_7_0, schedule0_rank_morning as rank_mor7_7_0 from schedule schedule0 where schedule0_date=? and schedule0_Cart_id=?
Hibernate: select appointment0_date as date1_0_0, appointment0_Cart_id as Cart_id2_0_0, appointment0_item_id as Item_3_0_0, appointment0_ranking as ranking4_0_0, appointment0_dept_id as dept_id5_0_0, appointment0_description as descrip6_0_0, appointment0_time as time7_0_0 from CartItem appointment0 where appointment0_date=? and appointment0_Cart_id=? and appointment0_item_id=? and appointment0_ranking=?
Hibernate: select user0_id as id1_8, user0_password as password2_8, user0_type as type3_8, user0_username as username4_8, user0_1_age as age1_3, user0_1_avatar as avatar2_3, user0_1_dept_id as dept_id3_3, user0_1_gender as gender4_3, user0_1_intro as intro5_3, user0_1_name as name6_3, user0_1_post as post7_3, user0_2_age as age1_6, user0_2_email as email2_6, user0_2_gender as gender3_6, user0_2_name as name4_6, user0_2_phone as phone5_6, user0_2_punish_begin as punish_b6_6, user0_2_punish_count as punish_c7_6, case when user0_1_id is not null then 1 when user0_2_id is not null then 2 when user0_id is not null then 0 end as clazz, from user user0_ left outer join Cart user0_1 on user0_id=user0_1_id left outer join Item user0_2 on user0_id=user0_2_id where user0_username=? for update
Hibernate: insert into schedule (content, n_afternoon, n_morning, rank_afternoon, rank_morning, date, Cart_id) values (?, ?, ?, ?, ?, ?)
Hibernate: insert into CartItem (dept_id, description, time, date, Cart_id, Item_id, ranking) values (?, ?, ?, ?, ?, ?)
Hibernate: insert into user (password, type, username) values (?, ?, ?)
Hibernate: insert into Item (age, email, gender, name, phone, punish_begin, punish_count, id) values (?, ?, ?, ?, ?, ?, ?, ?)
Hibernate: select user0_id as id1_8, user0_password as password2_8, user0_type as type3_8, user0_username as username4_8, user0_1_age as age1_3, user0_1_avatar as avatar2_3, user0_1_dept_id as dept_id3_3, user0_1_gender as gender4_3, user0_1_intro as intro5_3, user0_1_name as name6_3, user0_1_post as post7_3, user0_2_age as age1_6, user0_2_email as email2_6, user0_2_gender as gender3_6, user0_2_name as name4_6, user0_2_phone as phone5_6, user0_2_punish_begin as punish_b6_6, user0_2_punish_count as punish_c7_6, case when user0_1_id is not null then 1 when user0_2_id is not null then 2 when user0_id is not null then 0 end as clazz, from user user0_ left outer join Cart user0_1 on user0_id=user0_1_id left outer join Item user0_2 on user0_id=user0_2_id where user0_username=? and user0_password=?
Hibernate: select constant0_morning_max as morning_1_1, constant0_afternoon_max as afternoon2_1, constant0_punish_count as punish_c3_1, constant0_punish_duration as punish_d4_1 from constant constant0_
2024-06-20 21:47:05.613 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property age.java.lang.Integer to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:05.613 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property email.java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:05.613 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property gender.java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:05.613 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property name.java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:05.613 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property phone.java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:05.613 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property punish_count.java.lang.Integer to bean of class com.sjtu.se.hospital.entity.User
java.text.ParseException: Unparseable date: "abcd"
at java.text.DateFormat.parse(DateFormat.java:366)
at com.sjtu.se.hospital.serviceimpl.ItemServiceimpl.addItem(ItemServiceimpl.java:60)
at com.sjtu.se.hospital.serviceimpl.ItemServiceimpl\$\$FastClassBySpringCGLIB\$\$51d03847.invoke()
at org.springframework.cglib.proxy.MethodProxy.invoke(MethodProxy.java:218)
at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.invokeJoinpoint(CglibAopProxy.java:771)
at org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:163)
at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.proceed(CglibAopProxy.java:749)
at org.springframework.transaction.interceptor.TransactionAspectSupport.invokeWithinTransaction(TransactionAspectSupport.java:367)
at org.springframework.transaction.interceptor.TransactionInterceptor.invoke(TransactionInterceptor.java:118)
at org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:186)
at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.proceed(CglibAopProxy.java:749)
at org.springframework.aop.framework.CglibAopProxy\$DynamicAdvisedInterceptor.intercept(CglibAopProxy.java:691)
at com.sjtu.se.hospital.serviceimpl.ItemServiceimpl\$\$EnhancerBySpringCGLIB\$\$5741f38a.addItem()
at com.sjtu.se.hospital.controller.ItemController.addItem(ItemController.java:34)
at com.sjtu.se.hospital.E-MailTests.testCartItem(E-MailTests.java:134)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:498)
at org.junit.platform.commons.util.ReflectionUtils.invokeMethod(ReflectionUtils.java:686)
at org.junit.jupiter.engine.execution.MethodInvocation.proceed(MethodInvocation.java:60)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain\$ValidatingInvocation.proceed(InvocationInterceptorChain.java:131)
at org.junit.jupiter.engine.extension.TimeoutExtension.intercept(TimeoutExtension.java:149)
at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestableMethod(TimeoutExtension.java:140)
at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestMethod(TimeoutExtension.java:84)
at org.junit.jupiter.engine.execution.ExecutableInvoker\$ReflectiveInterceptorCall.lambda\$ofVoidMethod\$0(ExecutableInvoker.java:115)
at org.junit.jupiter.engine.execution.ExecutableInvoker.lambda\$invoke\$0(ExecutableInvoker.java:105)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain\$InterceptedInvocation.proceed(InvocationInterceptorChain.java:106)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.proceed(InvocationInterceptorChain.java:64)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.chainAndInvoke(InvocationInterceptorChain.java:45)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.invoke(InvocationInterceptorChain.java:37)
at org.junit.jupiter.engine.execution.ExecutableInvoker.invoke(ExecutableInvoker.java:104)
at org.junit.jupiter.engine.execution.ExecutableInvoker.invoke(ExecutableInvoker.java:98)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.lambda\$invokeTestMethod\$6(TestMethodTestDescriptor.java:212)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.invokeTestMethod(TestMethodTestDescriptor.java:208)

at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:137)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:71)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:135)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)
at java.util.ArrayList.forEach(ArrayList.java:1259)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:38)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:139)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)
at java.util.ArrayList.forEach(ArrayList.java:1259)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:38)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:139)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)
at java.util.ArrayList.forEach(ArrayList.java:1259)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.submit(SameThreadHierarchicalTestExecutorService.java:32)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestExecutor.execute(HierarchicalTestExecutor.java:57)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestEngine.execute(HierarchicalTestEngine.java:51)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:248)
at org.junit.platform.launcher.core.DefaultLauncher.lambda\$execute\$5(DefaultLauncher.java:211)
at org.junit.platform.launcher.core.DefaultLauncher.withInterceptedStreams(DefaultLauncher.java:226)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:199)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:132)
at com.intellij.junit5.JUnit5IdeaTestRunner.startRunnerWithArgs(JUnit5IdeaTestRunner.java:71)
at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38)
at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11)
at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35)
at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235)
at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:54)
Schedule(CartID=2, date=2024-06-20, n_morning=30, n_afternoon=8, rank_morning=30, rank_afternoon=8, content=订单)
Hibernate: select constant0_morning_max as morning_1_1, constant0_afternoon_max as afternoon2_1, constant0_punish_count as punish_c3_1, constant0_punish_duration as punish_d4_1 from constant constant0_
Hibernate: delete from schedule where date=? and Cart_id=?
Hibernate: select schedule0_date as date1_7_0, schedule0_Cart_id as Cart_id2_7_0, schedule0_content as content3_7_0, schedule0_n_afternoon as n_aftern4_7_0, schedule0_n_morning as n_mornin5_7_0, schedule0_rank_afternoon as rank_afn6_7_0, schedule0_rank_morning as rank_mor7_7_0 from schedule schedule0 where schedule0_date=? and schedule0_Cart_id=?
Hibernate: select appointment0_date as date1_0_0, appointment0_Cart_id as Cart_id2_0_0, appointment0_item_id as Item_3_0_0, appointment0_ranking as ranking4_0_0, appointment0_dept_id as dept_id5_0_0, appointment0_description as descrip6_0_0, appointment0_time as time7_0_0 from CartItem appointment0 where appointment0_date=? and appointment0_Cart_id=? and appointment0_item_id=? and appointment0_ranking=?
Hibernate: select user0_id as id1_8, user0_password as password2_8, user0_type as type3_8, user0_username as username4_8, user0_1_age as age1_3, user0_1_avatar as avatar2_3, user0_1_dept_id as dept_id3_3, user0_1_gender as gender4_3, user0_1_intro as intro5_3, user0_1_name as name6_3, user0_1_post as post7_3, user0_2_age as age1_6, user0_2_email as email2_6, user0_2_gender as gender3_6, user0_2_name as name4_6, user0_2_phone as phone5_6, user0_2_punish_begin as punish_b6_6, user0_2_punish_count as punish_c7_6, case when user0_1_id is not null then 1 when user0_2_id is not null then 2 when user0_id is not null then 0 end as clazz from user user0_left outer join
Cart user0_1 on user0_id=user0_1_id left outer join Item user0_2 on user0_id=user0_2_id where user0_username=? for update
Hibernate: insert into schedule (content, n_afternoon, n_morning, rank_afternoon, rank_morning, date, Cart_id) values (?, ?, ?, ?, ?, ?)
Hibernate: insert into CartItem (dept_id, description, time, date, Cart_id, Item_id, ranking) values (?, ?, ?, ?, ?, ?)
Hibernate: insert into user (password, type, username) values (?, ?, ?)
Hibernate: insert into Item (age, email, gender, name, phone, punish_begin, punish_count, id) values (?, ?, ?, ?, ?, ?, ?, ?)
Hibernate: select user0_id as id1_8, user0_password as password2_8, user0_type as type3_8, user0_username as username4_8, user0_1_age as age1_3, user0_1_avatar as avatar2_3, user0_1_dept_id as dept_id3_3, user0_1_gender as gender4_3, user0_1_intro as intro5_3, user0_1_name as name6_3, user0_1_post as post7_3, user0_2_age as age1_6, user0_2_email as email2_6, user0_2_gender as gender3_6, user0_2_name as name4_6, user0_2_phone as phone5_6, user0_2_punish_begin as punish_b6_6, user0_2_punish_count as punish_c7_6, case when user0_1_id is not null then 1 when user0_2_id is not null then 2 when user0_id is not null then 0 end as clazz from user user0_left outer join
Cart user0_1 on user0_id=user0_1_id left outer join Item user0_2 on user0_id=user0_2_id where user0_username=? and user0_password=?
Hibernate: select constant0_morning_max as morning_1_1, constant0_afternoon_max as afternoon2_1, constant0_punish_count as punish_c3_1, constant0_punish_duration as punish_d4_1 from constant constant0_
2024-06-20 21:47:05.730 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property email:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:05.730 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property gender:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:05.731 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property name:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:05.731 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property phone:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:05.731 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property punish_count:java.lang.Integer to bean of class com.sjtu.se.hospital.entity.User
java.text.ParseException: Unparseable date: "abcd"
at java.text.DateFormat.parse(DateFormat.java:366)
at com.sjtu.se.hospital.serviceimpl.ItemServiceImpl.addCartItem(ItemServiceImpl.java:60)
at com.sjtu.se.hospital.serviceimpl.ItemServiceImpl\$\$FastClassBySpringCGLIB\$\$51d03847.invoke()
at org.springframework.cglib.proxy.MethodProxy.invoke(MethodProxy.java:218)
at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.invokeJoinpoint(CglibAopProxy.java:771)
at org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:163)
at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.proceed(CglibAopProxy.java:749)
at org.springframework.transaction.interceptor.TransactionAspectSupport.invokeWithinTransaction(TransactionAspectSupport.java:367)
at org.springframework.transaction.interceptor.TransactionInterceptor.invoke(TransactionInterceptor.java:118)
at org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:186)
at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.proceed(CglibAopProxy.java:749)
at org.springframework.aop.framework.CglibAopProxy\$DynamicAdvisedInterceptor.intercept(CglibAopProxy.java:691)
at com.sjtu.se.hospital.serviceimpl.ItemServiceImpl\$\$EnhancerBySpringCGLIB\$\$741f388a.addCartItem()
at com.sjtu.se.hospital.controller.ItemController.addCartItem(ItemController.java:34)
at com.sjtu.se.hospital.E-MailTests.testCartItem(E-MailTests.java:134)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:498)
at org.junit.platform.commons.util.ReflectionUtils.invokeMethod(ReflectionUtils.java:686)
at org.junit.jupiter.engine.execution.MethodInvocation.proceed(MethodInvocation.java:60)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain\$ValidatingInvocation.proceed(InvocationInterceptorChain.java:131)
at org.junit.jupiter.engine.extension.TimeoutExtension.intercept(TimeoutExtension.java:149)
at org.junit.jupiter.engine.extension.TimeoutExtension.intercept(TimeoutExtension.java:140)
at org.junit.jupiter.engine.extension.TimeoutExtension.intercept(TestMethod.java:84)
at org.junit.jupiter.engine.execution.ExecutableInvoker\$ReflectiveInterceptorCall.lambda\$ofVoidMethod\$0(ExecutableInvoker.java:115)
at org.junit.jupiter.engine.execution.ExecutableInvoker.lambda\$invoke\$0(ExecutableInvoker.java:105)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain\$InterceptedInvocation.proceed(InvocationInterceptorChain.java:106)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.proceed(InvocationInterceptorChain.java:64)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.chainAndInvoke(InvocationInterceptorChain.java:45)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.invoke(InvocationInterceptorChain.java:37)
at org.junit.jupiter.engine.execution.ExecutableInvoker.invoke(ExecutableInvoker.java:104)
at org.junit.jupiter.engine.execution.ExecutableInvoker.invoke(ExecutableInvoker.java:98)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.lambda\$invokeTestMethod\$6(TestMethodTestDescriptor.java:212)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.invokeTestMethod(TestMethodTestDescriptor.java:208)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:137)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:71)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:135)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)
at java.util.ArrayList.forEach(ArrayList.java:1259)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:38)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:139)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)

at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)
at java.util.ArrayList.forEach(ArrayList.java:1259)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:38)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:139)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)
at org.junit.platform.engine.support.hierarchical.Node.lambda\$around(Node.java:135)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.submit(SameThreadHierarchicalTestExecutorService.java:32)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestExecutor.execute(HierarchicalTestExecutor.java:57)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestEngine.execute(HierarchicalTestEngine.java:51)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:248)
at org.junit.platform.launcher.core.DefaultLauncher.lambda\$execute\$5(DefaultLauncher.java:211)
at org.junit.platform.launcher.core.DefaultLauncher.withInterceptedStreams(DefaultLauncher.java:226)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:199)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:132)
at com.intellij.junit5.JUnit5IdeaTestRunner.startRunnerWithArgs(JUnit5IdeaTestRunner.java:71)
at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38)
at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11)
at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35)
at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235)
at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:54)
Schedule(Cart)D=2, date=2024-06-20, n_morning=30, n_afternoon=9, rank_morning=30, rank_afternoon=9, content=i订单)
Hibernate: select constant0_morning_max as morning_1_1, constant0_afternoon_max as afternoo2_1, constant0_punish_count as punish_c3_1, constant0_punish_duration as punish_d4_1 from constant constant0_
Hibernate: delete from schedule where date=? and Cart_id=?
Hibernate: select schedule0_date as date1_7_0, schedule0_Cart_id as Cart_id2_7_0, schedule0_content as content3_7_0, schedule0_n_afternoon as n_aftern4_7_0, schedule0_n_morning as n_mornin5_7_0, schedule0_rank_afternoon as rank_atf6_7_0, schedule0_rank_morning as rank_mor7_7_0 from schedule schedule0 where schedule0_date=? and schedule0_Cart_id=?
Hibernate: select appointment0_date as date1_0_0, appointment0_Cart_id as Cart_id2_0_0, appointment0_Item_id as Item_3_0_0, appointment0_ranking as ranking4_0_0, appointment0_dept_id as dept_id5_0_0, appointment0_description as descrip6_0_0, appointment0_time as time7_0_0 from CartItem appointment0 where appointment0_date=? and appointment0_Cart_id=? and appointment0_ranking=?
Hibernate: select user0_id as id1_8, user0_password as password2_8, user0_type as type3_8, user0_username as username4_8, user0_1_age as age1_3, user0_1_avatar as avatar2_3, user0_1_dept_id as dept_id3_3, user0_1_gender as gender4_3, user0_1_intro as intro5_3, user0_1_name as name6_3, user0_1_post as post7_3, user0_2_age as age1_6, user0_2_email as email2_6, user0_2_gender as gender3_6, user0_2_name as name4_6, user0_2_phone as phone5_6, user0_2_punish_begin as punish_b6_6, user0_2_punish_count as punish_c7_6, case when user0_1_id is not null then 1 when user0_2_id is not null then 2 when user0_id is not null then 0 end as clazz from user user0 left outer join Cart user0_1 on user0_1_id=user0_1_id left outer join Item user0_2 on user0_id=user0_2_id where user0_username=? and user0_password=?
Hibernate: insert into schedule (content, n_afternoon, n_morning, rank_afternoon, rank_morning, date, Cart_id) values (?, ?, ?, ?, ?, ?)
Hibernate: insert into CartItem (dept_id, description, time, date, Cart_id, Item_id, ranking) values (?, ?, ?, ?, ?, ?)
Hibernate: insert into user (password, type, username) values (?, ?, ?)
Hibernate: insert into Item (age, email, gender, name, phone, punish_begin, punish_count, id) values (?, ?, ?, ?, ?, ?, ?, ?)
Hibernate: select user0_id as id1_8, user0_password as password2_8, user0_type as type3_8, user0_username as username4_8, user0_1_age as age1_3, user0_1_avatar as avatar2_3, user0_1_dept_id as dept_id3_3, user0_1_gender as gender4_3, user0_1_intro as intro5_3, user0_1_name as name6_3, user0_1_post as post7_3, user0_2_age as age1_6, user0_2_email as email2_6, user0_2_gender as gender3_6, user0_2_name as name4_6, user0_2_phone as phone5_6, user0_2_punish_begin as punish_b6_6, user0_2_punish_count as punish_c7_6, case when user0_1_id is not null then 1 when user0_2_id is not null then 2 when user0_id is not null then 0 end as clazz from user user0 left outer join Cart user0_1 on user0_1_id=user0_1_id left outer join Item user0_2 on user0_id=user0_2_id where user0_username=? and user0_password=?
Hibernate: select constant0_morning_max as morning_1_1, constant0_afternoon_max as afternoo2_1, constant0_punish_count as punish_c3_1, constant0_punish_duration as punish_d4_1 from constant constant0_
2024-06-20 21:47:05.844 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property age:java.lang.Integer to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:05.844 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property email:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:05.844 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property gender:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:05.845 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property name:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:05.845 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property phone:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:05.845 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property punish_count:java.lang.Integer to bean of class com.sjtu.se.hospital.entity.User
java.text.ParseException: Unparseable date: "abcd"
at java.text.DateFormat.parse(DateFormat.java:366)
at com.sjtu.se.hospital.serviceimpl.ItemServiceimpl.addCartItem(ItemServiceimpl.java:60)
at com.sjtu.se.hospital.serviceimpl.ItemServiceimpl\$\$FastClassBySpringCGLIB\$\$551d03847.invoke(
at org.springframework.cglib.proxy.MethodProxy.invoke(MethodProxy.java:218)
at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.invokeJoinpoint(CglibAopProxy.java:771)
at org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:163)
at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.proceed(CglibAopProxy.java:749)
at org.springframework.transaction.interceptor.TransactionAspectSupport.invokeWithinTransaction(TransactionAspectSupport.java:367)
at org.springframework.transaction.interceptor.TransactionInterceptor.invoke(TransactionInterceptor.java:118)
at org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:186)
at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.proceed(CglibAopProxy.java:749)
at org.springframework.aop.framework.CglibAopProxy\$DynamicAdvisedInterceptor.intercept(CglibAopProxy.java:691)
at com.sjtu.se.hospital.serviceimpl.ItemServiceimpl\$\$EnhancerBySpringCGLIB\$\$741f388a.addCartItem(
at com.sjtu.se.hospital.controller.ItemController.addCartItem(ItemController.java:34)
at com.sjtu.se.hospital.E-MailTests.testCartItem(E-MailTests.java:134)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:498)
at org.junit.platform.commons.util.ReflectionUtils.invokeMethod(ReflectionUtils.java:686)
at org.junit.jupiter.engine.execution.MethodInvocation.proceed(MethodInvocation.java:60)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain\$ValidatingInvocation.proceed(InvocationInterceptorChain.java:131)
at org.junit.jupiter.engine.extension.TimeoutExtension.intercept(TimeoutExtension.java:149)
at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestableMethod(TimeoutExtension.java:140)
at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestMethod(TimeoutExtension.java:84)
at org.junit.jupiter.engine.execution.ExecutableInvoker\$ReflectiveInterceptorCall.lambda\$ofVoidMethod\$0(ExecutableInvoker.java:115)
at org.junit.jupiter.engine.execution.ExecutableInvoker.lambda\$invoke\$0(ExecutableInvoker.java:105)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain\$InterceptedInvocation.proceed(InvocationInterceptorChain.java:106)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.proceed(InvocationInterceptorChain.java:64)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.chainAndInvoke(InvocationInterceptorChain.java:45)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.invoke(InvocationInterceptorChain.java:37)
at org.junit.jupiter.engine.execution.ExecutableInvoker.invoke(ExecutableInvoker.java:104)
at org.junit.jupiter.engine.execution.ExecutableInvoker.invoke(ExecutableInvoker.java:98)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.lambda\$invokeTestMethod\$6(TestMethodTestDescriptor.java:212)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.invokeTestMethod(TestMethodTestDescriptor.java:208)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:137)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:71)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:135)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)
at org.junit.platform.engine.support.hierarchical.Node.lambda\$around(Node.java:135)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)
at java.util.ArrayList.forEach(ArrayList.java:1259)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:38)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:139)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)
at org.junit.platform.engine.support.hierarchical.Node.lambda\$around(Node.java:135)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)
at java.util.ArrayList.forEach(ArrayList.java:1259)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:38)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:139)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)
at org.junit.platform.engine.support.hierarchical.Node.lambda\$around(Node.java:135)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.submit(SameThreadHierarchicalTestExecutorService.java:32)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestExecutor.execute(HierarchicalTestExecutor.java:57)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestEngine.execute(HierarchicalTestEngine.java:51)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:248)
at org.junit.platform.launcher.core.DefaultLauncher.lambda\$execute\$5(DefaultLauncher.java:211)
at org.junit.platform.launcher.core.DefaultLauncher.withInterceptedStreams(DefaultLauncher.java:226)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:199)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:132)

at com.intellij.junit5.JUnit5IdeaTestRunner.startRunnerWithArgs(JUnit5IdeaTestRunner.java:71)
at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38)
at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11)
at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35)
at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235)
at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:54)
Schedule(CartID=2, date=2024-06-20, n_morning=30, n_afternoon=10, rank_morning=30, rank_afternoon=10, content=订单)
Hibernate: select constant0_morning_max as morning_1_1_, constant0_afternoon_max as afternoo2_1_, constant0_punish_count as punish_c3_1_, constant0_punish_duration as punish_d4_1_ from constant constant0_
Hibernate: delete from schedule where date=? and Cart_id=?
Hibernate: select schedule0_date as date1_7_0_, schedule0_Cart_id as Cart_i2_7_0_, schedule0_content as content3_7_0_, schedule0_n_afternoon as n_aftern4_7_0_, schedule0_n_morning as n_mornin5_7_0_, schedule0_rank_afternoon as rank_atf6_7_0_, schedule0_rank_morning as rank_mor7_7_0_ from schedule schedule0_ where schedule0_date=? and schedule0_Cart_id=?
Hibernate: select appointment0_date as date1_0_0_, appointment0_Cart_id as Cart_i2_0_0_, appointment0_item_id as Item_3_0_0_, appointment0_ranking as ranking4_0_0_, appointment0_dept_id as dept_id5_0_0_, appointment0_description as descript6_0_0_, appointment0_time as time7_0_0_ from CartItem appointment0_ where appointment0_date=? and appointment0_Cart_id=? and appointment0_item_id=? and appointment0_ranking=?
Hibernate: select user0_id as id1_8_, user0_password as password2_8_, user0_type as type3_8_, user0_username as username4_8_, user0_1_age as age1_3_, user0_1_avatar as avatar2_3_, user0_1_dept_id as dept_id3_3_, user0_1_gender as gender4_3_, user0_1_intro as intro5_3_, user0_1_name as name6_3_, user0_1_post as post7_3_, user0_2_age as age1_6_, user0_2_email as email2_6_, user0_2_gender as gender3_6_, user0_2_name as name4_6_, user0_2_phone as phone5_6_, user0_2_punish_begin as punish_b6_6_, user0_2_punish_count as punish_c7_6_, case when user0_1_id is not null then 1 when user0_2_id is not null then 2 when user0_id is not null then 0 end as clazz_ from user user0_ left outer join Cart user0_1 on user0_id=user0_1_id left outer join Item user0_2 on user0_id=user0_2_id where user0_username=? for update
Hibernate: insert into schedule (content, n_afternoon, n_morning, rank_afternoon, rank_morning, date, Cart_id) values (?, ?, ?, ?, ?, ?)
Hibernate: insert into CartItem (dept_id, description, time, date, Cart_id, Item_id, ranking) values (?, ?, ?, ?, ?, ?)
Hibernate: insert into user (password, type, username) values (?, ?, ?)
Hibernate: insert into Item (age, email, gender, name, phone, punish_begin, punish_count, id) values (?, ?, ?, ?, ?, ?, ?)
Hibernate: select user0_id as id1_8_, user0_password as password2_8_, user0_type as type3_8_, user0_username as username4_8_, user0_1_age as age1_3_, user0_1_avatar as avatar2_3_, user0_1_dept_id as dept_id3_3_, user0_1_gender as gender4_3_, user0_1_intro as intro5_3_, user0_1_name as name6_3_, user0_1_post as post7_3_, user0_2_age as age1_6_, user0_2_email as email2_6_, user0_2_gender as gender3_6_, user0_2_name as name4_6_, user0_2_phone as phone5_6_, user0_2_punish_begin as punish_b6_6_, user0_2_punish_count as punish_c7_6_, case when user0_1_id is not null then 1 when user0_2_id is not null then 2 when user0_id is not null then 0 end as clazz_ from user user0_ left outer join Cart user0_1 on user0_id=user0_1_id left outer join Item user0_2 on user0_id=user0_2_id where user0_username=? and user0_password=?
Hibernate: select constant0_morning_max as morning_1_1_, constant0_afternoon_max as afternoo2_1_, constant0_punish_count as punish_c3_1_, constant0_punish_duration as punish_d4_1_ from constant constant0_
2024-06-20 21:47:05.970 WARN 39264 --- [main] net.sf.json.JSONObject : Tried to assign property age:java.lang.Integer to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:05.970 WARN 39264 --- [main] net.sf.json.JSONObject : Tried to assign property email:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:05.970 WARN 39264 --- [main] net.sf.json.JSONObject : Tried to assign property gender:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:05.970 WARN 39264 --- [main] net.sf.json.JSONObject : Tried to assign property name:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:05.970 WARN 39264 --- [main] net.sf.json.JSONObject : Tried to assign property phone:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:05.971 WARN 39264 --- [main] net.sf.json.JSONObject : Tried to assign property punish_count:java.lang.Integer to bean of class com.sjtu.se.hospital.entity.User
java.text.ParseException: Unparseable date: "abcd"
at java.text.DateFormat.parse(DateFormat.java:366)
at com.sjtu.se.hospital.serviceimpl.ItemServiceImpl.addCartItem(ItemServiceImpl.java:60)
at com.sjtu.se.hospital.serviceimpl.ItemServiceImpl\$\$FastClassBySpringCGLIB\$\$51d03847.invoke()
at org.springframework.cglib.proxy.MethodProxy.invoke(MethodProxy.java:218)
at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.invokeJoinpoint(CglibAopProxy.java:771)
at org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:163)
at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.proceed(CglibAopProxy.java:749)
at org.springframework.transaction.interceptor.TransactionAspectSupport.invokeWithinTransaction(TransactionAspectSupport.java:367)
at org.springframework.transaction.interceptor.TransactionInterceptor.invoke(TransactionInterceptor.java:118)
at org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:186)
at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.proceed(CglibAopProxy.java:749)
at org.springframework.aop.framework.CglibAopProxy\$DynamicAdvisedInterceptor.intercept(CglibAopProxy.java:691)
at com.sjtu.se.hospital.serviceimpl.ItemServiceImpl\$\$EnhancerBySpringCGLIB\$\$5741f388a.addCartItem()
at com.sjtu.se.hospital.controller.ItemController.addCartItem(ItemController.java:34)
at com.sjtu.se.hospital.E-MailTests.testCartItem(E-MailTests.java:134)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:498)
at org.junit.platform.commons.util.MethodUtils.invokeMethod(ReflectionUtils.java:686)
at org.junit.jupiter.engine.execution.MethodInvocation.proceed(MethodInvocation.java:60)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain\$ValidatingInvocation.proceed(InvocationInterceptorChain.java:131)
at org.junit.jupiter.engine.extension.TimeoutExtension.intercept(TimeoutExtension.java:149)
at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestableMethod(TimeoutExtension.java:140)
at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestMethod(TimeoutExtension.java:84)
at org.junit.jupiter.engine.execution.ExecutableInvoker\$ReflectiveInterceptorCall.lambda\$ofVoidMethod\$0(ExecutableInvoker.java:115)
at org.junit.jupiter.engine.execution.ExecutableInvoker.lambda\$invoke\$0(ExecutableInvoker.java:105)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain\$InterceptedInvocation.proceed(InvocationInterceptorChain.java:106)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.proceed(InvocationInterceptorChain.java:64)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.chainAndInvoke(InvocationInterceptorChain.java:45)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.invoke(InvocationInterceptorChain.java:37)
at org.junit.jupiter.engine.execution.ExecutableInvoker.invoke(ExecutableInvoker.java:104)
at org.junit.jupiter.engine.execution.ExecutableInvoker.invoke(ExecutableInvoker.java:98)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.lambda\$invokeTestMethod\$6(TestMethodTestDescriptor.java:212)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.invokeTestMethod(TestMethodTestDescriptor.java:208)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:137)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:71)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:135)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)
at java.util.ArrayList.forEach(ArrayList.java:1259)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:38)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:139)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)
at java.util.ArrayList.forEach(ArrayList.java:1259)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:38)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:139)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.submit(SameThreadHierarchicalTestExecutorService.java:32)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestExecutor.execute(HierarchicalTestExecutor.java:57)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestEngine.execute(HierarchicalTestEngine.java:51)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:248)
at org.junit.platform.launcher.core.DefaultLauncher.lambda\$execute\$5(DefaultLauncher.java:211)
at org.junit.platform.launcher.core.DefaultLauncher.withInterceptedStreams(DefaultLauncher.java:226)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:199)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:132)
at com.intellij.junit5.JUnit5IdeaTestRunner.startRunnerWithArgs(JUnit5IdeaTestRunner.java:71)
at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38)
at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11)
at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35)
at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235)
at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:54)
Schedule(CartID=2, date=2024-06-20, n_morning=30, n_afternoon=11, rank_morning=30, rank_afternoon=11, content=订单)
Hibernate: select constant0_morning_max as morning_1_1_, constant0_afternoon_max as afternoo2_1_, constant0_punish_count as punish_c3_1_, constant0_punish_duration as punish_d4_1_ from constant constant0_
Hibernate: delete from schedule where date=? and Cart_id=?
Hibernate: select schedule0_date as date1_7_0_, schedule0_Cart_id as Cart_i2_7_0_, schedule0_content as content3_7_0_, schedule0_n_afternoon as n_aftern4_7_0_, schedule0_n_morning as n_mornin5_7_0_, schedule0_rank_afternoon as rank_atf6_7_0_, schedule0_rank_morning as rank_mor7_7_0_ from schedule schedule0_ where schedule0_date=? and schedule0_Cart_id=?
Hibernate: select appointment0_date as date1_0_0_, appointment0_Cart_id as Cart_i2_0_0_, appointment0_item_id as Item_3_0_0_, appointment0_ranking as ranking4_0_0_, appointment0_dept_id as dept_id5_0_0_, appointment0_description as descript6_0_0_, appointment0_time as time7_0_0_ from CartItem appointment0_ where appointment0_date=? and appointment0_Cart_id=? and appointment0_item_id=? and appointment0_ranking=?
Hibernate: select user0_id as id1_8_, user0_password as password2_8_, user0_type as type3_8_, user0_username as username4_8_, user0_1_age as age1_3_, user0_1_avatar as avatar2_3_, user0_1_dept_id as dept_id3_3_, user0_1_gender as gender4_3_, user0_1_intro as intro5_3_, user0_1_name as name6_3_, user0_1_post as post7_3_, user0_2_age as age1_6_, user0_2_email as email2_6_, user0_2_gender as gender3_6_, user0_2_name as name4_6_, user0_2_phone as phone5_6_, user0_2_punish_begin as punish_b6_6_, user0_2_punish_count as punish_c7_6_, case when user0_1_id is not null then 1 when user0_2_id is not null then 2 when user0_id is not null then 0 end as clazz_ from user user0_ left outer join Cart user0_1 on user0_id=user0_1_id left outer join Item user0_2 on user0_id=user0_2_id where user0_username=? for update
Hibernate: insert into schedule (content, n_afternoon, n_morning, rank_afternoon, rank_morning, date, Cart_id) values (?, ?, ?, ?, ?, ?)
Hibernate: insert into CartItem (dept_id, description, time, date, Cart_id, Item_id, ranking) values (?, ?, ?, ?, ?, ?)

Hibernate: insert into user (password, type, username) values (?, ?, ?)

Hibernate: insert into Item (age, email, gender, name, phone, punish_begin, punish_count, id) values (?, ?, ?, ?, ?, ?, ?, ?)

Hibernate: select user0_.id as id1_8_, user0_.password as password2_8_, user0_.type as type3_8_, user0_.username as username4_8_, user0_.1_age as age1_3_, user0_.1_avatar as avatar2_3_, user0_.1_dept_id as dept_id3_3_, user0_.1_gender as gender4_3_, user0_.1_intro as intro5_3_, user0_.1_name as name6_3_, user0_.1_post as post7_3_, user0_.2_age as age1_6_, user0_.2_email as email2_6_, user0_.2_gender as gender3_6_, user0_.2_name as name4_6_, user0_.2_phone as phone5_6_, user0_.2_punish_begin as punish_b6_6_, user0_.2_punish_count as punish_c7_6_, case when user0_.1_id is not null then 1 when user0_.2_id is not null then 2 when user0_.id is not null then 0 end as clazz_ from user user0_ left outer join Cart user0_1_ on user0_.id=user0_1_.id left outer join Item user0_2_ on user0_.id=user0_2_.id where user0_.username=? and user0_.password=?

Hibernate: select constant0_.morning_max as morning_1_1_, constant0_.afternoon_max as afternoon2_1_, constant0_.punish_count as punish_c3_1_, constant0_.punish_duration as punish_d4_1_ from constant constant0_

2024-06-20 21:47:06.104 WARN 39264 --- [main] net.sf.json.JSONObject : Tried to assign property age:java.lang.Integer to bean of class com.sjtu.se.hospital.entity.User

2024-06-20 21:47:06.104 WARN 39264 --- [main] net.sf.json.JSONObject : Tried to assign property email:java.lang.String to bean of class com.sjtu.se.hospital.entity.User

2024-06-20 21:47:06.104 WARN 39264 --- [main] net.sf.json.JSONObject : Tried to assign property gender:java.lang.String to bean of class com.sjtu.se.hospital.entity.User

2024-06-20 21:47:06.104 WARN 39264 --- [main] net.sf.json.JSONObject : Tried to assign property name:java.lang.String to bean of class com.sjtu.se.hospital.entity.User

2024-06-20 21:47:06.104 WARN 39264 --- [main] net.sf.json.JSONObject : Tried to assign property phone:java.lang.String to bean of class com.sjtu.se.hospital.entity.User

2024-06-20 21:47:06.105 WARN 39264 --- [main] net.sf.json.JSONObject : Tried to assign property punish_count:java.lang.Integer to bean of class com.sjtu.se.hospital.entity.User

java.text.ParseException: Unparseable date: "abcd"

at java.text.DateFormat.parse(DateFormat.java:366)

at com.sjtu.se.hospital.serviceimpl.ItemServiceImpl.addCartItem(ItemServiceImpl.java:60)

at com.sjtu.se.hospital.serviceimpl.ItemServiceImpl\$\$FastClassBySpringCGLIB\$\$51d03847.invoke()

at org.springframework.cglib.proxy.MethodProxy.invoke(MethodProxy.java:218)

at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.invokeJoinpoint(CglibAopProxy.java:771)

at org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:163)

at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.proceed(CglibAopProxy.java:749)

at org.springframework.transaction.interceptor.TransactionAspectSupport.invokeWithinTransaction(TransactionAspectSupport.java:367)

at org.springframework.transaction.interceptor.TransactionInterceptor.invoke(TransactionInterceptor.java:118)

at org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:186)

at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.proceed(CglibAopProxy.java:749)

at org.springframework.aop.framework.CglibAopProxy\$DynamicAdvisedInterceptor.intercept(CglibAopProxy.java:691)

at com.sjtu.se.hospital.serviceimpl.ItemServiceImpl\$\$EnhancerBySpringCGLIB\$\$741f388a.addCartItem()

at com.sjtu.se.hospital.controller.ItemController.addCartItem(ItemController.java:34)

at com.sjtu.se.hospital.E-MailTests.testCartItem(E-MailTests.java:134)

at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)

at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)

at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)

at java.lang.reflect.Method.invoke(Method.java:498)

at org.junit.platform.commons.util.ReflectionUtils.invokeMethod(ReflectionUtils.java:686)

at org.junit.jupiter.engine.execution.MethodInvocation.proceed(MethodInvocation.java:60)

at org.junit.jupiter.engine.execution.InvocationInterceptorChain\$ValidatingInvocation.proceed(InvocationInterceptorChain.java:131)

at org.junit.jupiter.engine.extension.TimeoutExtension.intercept(TimeoutExtension.java:149)

at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestableMethod(TimeoutExtension.java:140)

at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestMethod(TimeoutExtension.java:84)

at org.junit.jupiter.engine.execution.ExecutableInvoker\$ReflectiveInterceptorCall.lambda\$ofVoidMethod\$0(ExecutableInvoker.java:115)

at org.junit.jupiter.engine.execution.ExecutableInvoker.lambda\$invoke\$0(ExecutableInvoker.java:105)

at org.junit.jupiter.engine.execution.InvocationInterceptorChain\$InterceptedInvocation.proceed(InvocationInterceptorChain.java:106)

at org.junit.jupiter.engine.execution.InvocationInterceptorChain.proceed(InvocationInterceptorChain.java:64)

at org.junit.jupiter.engine.execution.InvocationInterceptorChain.chainAndInvoke(InvocationInterceptorChain.java:45)

at org.junit.jupiter.engine.execution.InvocationInterceptorChain.invoke(InvocationInterceptorChain.java:37)

at org.junit.jupiter.engine.execution.ExecutableInvoker.invoke(ExecutableInvoker.java:104)

at org.junit.jupiter.engine.execution.ExecutableInvoker.invoke(ExecutableInvoker.java:98)

at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.lambda\$invokeTestMethod\$6(TestMethodTestDescriptor.java:212)

at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)

at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.invokeTestMethod(TestMethodTestDescriptor.java:208)

at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:137)

at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:71)

at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:135)

at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)

at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)

at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)

at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)

at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)

at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)

at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)

at java.util.ArrayList.forEach(ArrayList.java:1259)

at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:38)

at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:139)

at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)

at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)

at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)

at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)

at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)

at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)

at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)

at java.util.ArrayList.forEach(ArrayList.java:1259)

at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:38)

at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:139)

at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)

at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)

at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)

at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)

at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)

at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)

at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)

at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.submit(SameThreadHierarchicalTestExecutorService.java:32)

at org.junit.platform.engine.support.hierarchical.HierarchicalTestExecutor.execute(HierarchicalTestExecutor.java:57)

at org.junit.platform.engine.support.hierarchical.HierarchicalTestEngine.execute(HierarchicalTestEngine.java:51)

at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:248)

at org.junit.platform.launcher.core.DefaultLauncher.lambda\$execute\$5(DefaultLauncher.java:211)

at org.junit.platform.launcher.core.DefaultLauncher.withInterceptedStreams(DefaultLauncher.java:226)

at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:199)

at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:132)

at com.intellij.junit5.JUnit5IdeaTestRunner.startRunnerWithArgs(JUnit5IdeaTestRunner.java:71)

at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38)

at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11)

at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35)

at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235)

at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:54)

Schedule(CartId=2, date=2024-06-20, n_morning=30, n_afternoon=12, rank_morning=30, rank_afternoon=12, content=订单)

Hibernate: select constant0_.morning_max as morning_1_1_, constant0_.afternoon_max as afternoon2_1_, constant0_.punish_count as punish_c3_1_, constant0_.punish_duration as punish_d4_1_ from constant constant0_

Hibernate: delete from schedule where date=? and Cart_id=?

Hibernate: select schedule0_.date as date1_7_0_, schedule0_.Cart_id as Cart_id2_7_0_, schedule0_.content as content3_7_0_, schedule0_.n_afternoon as n_aftern4_7_0_, schedule0_.n_morning as n_mornin5_7_0_, schedule0_.rank_afternoon as rank_atf6_7_0_, schedule0_.rank_morning as rank_mor7_7_0_ from schedule schedule0_ where schedule0_.date=? and schedule0_.Cart_id=?

Hibernate: select appointment0_.date as date1_0_0_, appointment0_.Cart_id as Cart_id2_0_0_, appointment0_.Item_id as Item_3_0_0_, appointment0_.ranking as ranking4_0_0_, appointment0_.dept_id as dept_id5_0_0_, appointment0_.description as descrip6_0_0_, appointment0_.time as time7_0_0_ from CartItem appointment0_ where appointment0_.date=? and appointment0_.Item_id=? and appointment0_.ranking=?

Hibernate: select user0_.id as id1_8_, user0_.password as password2_8_, user0_.type as type3_8_, user0_.username as username4_8_, user0_.1_age as age1_3_, user0_.1_avatar as avatar2_3_, user0_.1_dept_id as dept_id3_3_, user0_.1_gender as gender4_3_, user0_.1_intro as intro5_3_, user0_.1_name as name6_3_, user0_.1_post as post7_3_, user0_.2_age as age1_6_, user0_.2_email as email2_6_, user0_.2_gender as gender3_6_, user0_.2_name as name4_6_, user0_.2_phone as phone5_6_, user0_.2_punish_begin as punish_b6_6_, user0_.2_punish_count as punish_c7_6_, case when user0_.1_id is not null then 1 when user0_.2_id is not null then 2 when user0_.id is not null then 0 end as clazz_ from user user0_ left outer join Cart user0_1_ on user0_.id=user0_1_.id left outer join Item user0_2_ on user0_.id=user0_2_.id where user0_.username=? for update

Hibernate: insert into schedule (content, n_afternoon, n_morning, rank_afternoon, rank_morning, date, Cart_id) values (?, ?, ?, ?, ?, ?)

Hibernate: insert into CartItem (dept_id, description, time, date, Cart_id, Item_id, ranking) values (?, ?, ?, ?, ?, ?, ?)

Hibernate: insert into user (password, type, username) values (?, ?, ?)

Hibernate: insert into Item (age, email, gender, name, phone, punish_begin, punish_count, id) values (?, ?, ?, ?, ?, ?, ?, ?)

Hibernate: select user0_.id as id1_8_, user0_.password as password2_8_, user0_.type as type3_8_, user0_.username as username4_8_, user0_.1_age as age1_3_, user0_.1_avatar as avatar2_3_, user0_.1_dept_id as dept_id3_3_, user0_.1_gender as gender4_3_, user0_.1_intro as intro5_3_, user0_.1_name as name6_3_, user0_.1_post as post7_3_, user0_.2_age as age1_6_, user0_.2_email as email2_6_, user0_.2_gender as gender3_6_, user0_.2_name as name4_6_, user0_.2_phone as phone5_6_, user0_.2_punish_begin as punish_b6_6_, user0_.2_punish_count as punish_c7_6_, case when user0_.1_id is not null then 1 when user0_.2_id is not null then 2 when user0_.id is not null then 0 end as clazz_ from user user0_ left outer join Cart user0_1_ on user0_.id=user0_1_.id left outer join Item user0_2_ on user0_.id=user0_2_.id where user0_.username=? and user0_.password=?

Hibernate: select constant0_.morning_max as morning_1_1_, constant0_.afternoon_max as afternoon2_1_, constant0_.punish_count as punish_c3_1_, constant0_.punish_duration as punish_d4_1_ from constant constant0_

2024-06-20 21:47:06.228 WARN 39264 --- [main] net.sf.json.JSONObject : Tried to assign property age:java.lang.Integer to bean of class com.sjtu.se.hospital.entity.User

2024-06-20 21:47:06.229 WARN 39264 --- [main] net.sf.json.JSONObject : Tried to assign property email:java.lang.String to bean of class com.sjtu.se.hospital.entity.User

2024-06-20 21:47:06.229 WARN 39264 --- [main] net.sf.json.JSONObject : Tried to assign property gender:java.lang.String to bean of class com.sjtu.se.hospital.entity.User

2024-06-20 21:47:06.229 WARN 39264 --- [main] net.sf.json.JSONObject : Tried to assign property name:java.lang.String to bean of class com.sjtu.se.hospital.entity.User

2024-06-20 21:47:06.229 WARN 39264 --- [main] net.sf.json.JSONObject : Tried to assign property phone:java.lang.String to bean of class com.sjtu.se.hospital.entity.User

2024-06-20 21:47:06.229 WARN 39264 --- [main] net.sf.json.JSONObject : Tried to assign property punish_count:java.lang.Integer to bean of class com.sjtu.se.hospital.entity.User

java.text.ParseException: Unparseable date: "abcd"

at java.text.DateFormat.parse(DateFormat.java:366)

at com.sjtu.se.hospital.serviceimpl.ItemServiceImpl.addCartItem(ItemServiceImpl.java:60)

at com.sjtu.se.hospital.serviceimpl.ItemServiceImpl\$\$FastClassBySpringCGLIB\$\$51d03847.invoke()

at org.springframework.cglib.proxy.MethodProxy.invoke(MethodProxy.java:218)

at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.invokeJoinpoint(CglibAopProxy.java:771)

at org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:163)
at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.proceed(CglibAopProxy.java:749)
at org.springframework.transaction.interceptor.TransactionAspectSupport.invokeWithinTransaction(TransactionAspectSupport.java:367)
at org.springframework.transaction.interceptor.TransactionInterceptor.invoke(TransactionInterceptor.java:118)
at org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:186)
at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.proceed(CglibAopProxy.java:749)
at org.springframework.aop.framework.CglibAopProxy\$DynamicAdvisedInterceptor.intercept(CglibAopProxy.java:691)
at com.sjtu.se.hospital.serviceimpl.ItemServiceimpl\$\$EnhancerBySpringCGLIB\$\$5741f388a.addCartItem()
at com.sjtu.se.hospital.controller.ItemController.addCartItem(ItemController.java:34)
at com.sjtu.se.hospital.E-MailTests.testCartItem(E-MailTests.java:134)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:498)
at org.junit.platform.commons.util.ReflectionUtils.invokeMethod(ReflectionUtils.java:686)
at org.junit.jupiter.engine.execution.MethodInvocation.proceed(MethodInvocation.java:60)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain\$ValidatingInvocation.proceed(InvocationInterceptorChain.java:131)
at org.junit.jupiter.engine.extension.TimeoutExtension.intercept(TimeoutExtension.java:149)
at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestableMethod(TimeoutExtension.java:140)
at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestMethod(TimeoutExtension.java:84)
at org.junit.jupiter.engine.execution.ExecutableInvoker\$ReflectiveInterceptorCall.lambda\$ofVoidMethod\$0(ExecutableInvoker.java:115)
at org.junit.jupiter.engine.execution.ExecutableInvoker.lambda\$invoke\$0(ExecutableInvoker.java:105)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain\$InterceptedInvocation.proceed(InvocationInterceptorChain.java:106)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.proceed(InvocationInterceptorChain.java:64)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.chainAndInvoke(InvocationInterceptorChain.java:45)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.invoke(InvocationInterceptorChain.java:37)
at org.junit.jupiter.engine.execution.ExecutableInvoker.invoke(ExecutableInvoker.java:104)
at org.junit.jupiter.engine.execution.ExecutableInvoker.invoke(ExecutableInvoker.java:98)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.lambda\$invokeTestMethod\$6(TestMethodTestDescriptor.java:212)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.invokeTestMethod(TestMethodTestDescriptor.java:208)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:137)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:71)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:135)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)
at java.util.ArrayList.forEach(ArrayList.java:1259)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:38)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:139)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)
at java.util.ArrayList.forEach(ArrayList.java:1259)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:38)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:139)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)
at java.util.ArrayList.forEach(ArrayList.java:1259)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.submit(SameThreadHierarchicalTestExecutorService.java:32)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestExecutor.execute(HierarchicalTestExecutor.java:57)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestEngine.execute(HierarchicalTestEngine.java:51)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:248)
at org.junit.platform.launcher.core.DefaultLauncher.lambda\$execute\$5(DefaultLauncher.java:211)
at org.junit.platform.launcher.core.DefaultLauncher.withInterceptedStreams(DefaultLauncher.java:226)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:199)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:132)
at com.intellij.junit5.JUnit5IdeaTestRunner.startRunnerWithArgs(JUnit5IdeaTestRunner.java:71)
at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38)
at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11)
at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35)
at com.intellij.rt.junit.JUnit4TestRunner.prepareStreamsAndStart(JUnit4TestRunner.java:235)
at com.intellij.rt.junit.JUnit4TestRunner.main(JUnit4TestRunner.java:54)
Schedule(CartID=2, date=2024-06-20, n_morning=30, n_afternoon=13, rank_morning=30, rank_afternoon=13, content=订单)
Hibernate: select constant0_morning_max as morning_1_1, constant0_afternoon_max as afternoon2_1_1, constant0_punish_count as punish_c3_1_1, constant0_punish_duration as punish_d4_1_1 from constant constant0_
Hibernate: delete from schedule where date=? and Cart_id=?
Hibernate: select schedule0_date as date1_7_0_0, schedule0_Cart_id as Cart_id2_7_0_0, schedule0_content as content3_7_0_0, schedule0_n_afternoon as n_aftern4_7_0_0, schedule0_n_morning as n_mornin5_7_0_0, schedule0_rank_afternoon as rank_atf6_7_0_0, schedule0_rank_morning as rank_mor7_7_0_0 from schedule schedule0_ where schedule0_date=? and schedule0_Cart_id=?
Hibernate: select appointment0_date as date1_0_0, appointment0_Cart_id as Cart_id2_0_0, appointment0_Item_id as Item_3_0_0, appointment0_ranking as ranking4_0_0, appointment0_dept_id as dept_id5_0_0, appointment0_description as descrip6_0_0, appointment0_time as time7_0_0 from CartItem appointment0_ where appointment0_date=? and appointment0_Item_id=? and appointment0_ranking=?
Hibernate: select user0_id as id1_8_0, user0_password as password2_8_0, user0_type as type3_8_0, user0_username as username4_8_0, user0_1_age as age1_3_0, user0_1_avatar as avatar2_3_0, user0_1_dept_id as dept_id3_3_0, user0_1_gender as gender4_3_0, user0_1_intro as intro5_3_0, user0_1_name as name6_3_0, user0_1_post as post7_3_0, user0_2_age as age1_6_0, user0_2_email as email2_6_0, user0_2_gender as gender3_6_0, user0_2_name as name4_6_0, user0_2_phone as phone5_6_0, user0_2_punish_begin as punish_b6_6_0, user0_2_punish_count as punish_c7_6_0, case when user0_1_id is not null then 1 when user0_2_id is not null then 2 when user0_id is not null then 0 end as clazz_ from user user0_ left outer join
Cart user0_1_ on user0_id=user0_1_id left outer join Item user0_2_ on user0_id=user0_2_id where user0_username=? for update
Hibernate: insert into schedule (content, n_afternoon, n_morning, rank_afternoon, rank_morning, date, Cart_id) values (?, ?, ?, ?, ?, ?)
Hibernate: insert into CartItem (dept_id, description, time, date, Cart_id, Item_id, ranking) values (?, ?, ?, ?, ?, ?)
Hibernate: insert into user (password, type, username) values (?, ?, ?)
Hibernate: insert into Item (age, email, gender, name, phone, punish_begin, punish_count, id) values (?, ?, ?, ?, ?, ?, ?, ?)
Hibernate: select user0_id as id1_8_0, user0_password as password2_8_0, user0_type as type3_8_0, user0_username as username4_8_0, user0_1_age as age1_3_0, user0_1_avatar as avatar2_3_0, user0_1_dept_id as dept_id3_3_0, user0_1_gender as gender4_3_0, user0_1_intro as intro5_3_0, user0_1_name as name6_3_0, user0_1_post as post7_3_0, user0_2_age as age1_6_0, user0_2_email as email2_6_0, user0_2_gender as gender3_6_0, user0_2_name as name4_6_0, user0_2_phone as phone5_6_0, user0_2_punish_begin as punish_b6_6_0, user0_2_punish_count as punish_c7_6_0, case when user0_1_id is not null then 1 when user0_2_id is not null then 2 when user0_id is not null then 0 end as clazz_ from user user0_ left outer join
Cart user0_1_ on user0_id=user0_1_id left outer join Item user0_2_ on user0_id=user0_2_id where user0_username=? and user0_password=?
Hibernate: select constant0_morning_max as morning_1_1, constant0_afternoon_max as afternoon2_1_1, constant0_punish_count as punish_c3_1_1, constant0_punish_duration as punish_d4_1_1 from constant constant0_
2024-06-20 21:47:06.360 WARN 39264 --- [main] net.sf.json.JSONObject : Tried to assign property age:java.lang.Integer to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:06.360 WARN 39264 --- [main] net.sf.json.JSONObject : Tried to assign property email:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:06.360 WARN 39264 --- [main] net.sf.json.JSONObject : Tried to assign property gender:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:06.360 WARN 39264 --- [main] net.sf.json.JSONObject : Tried to assign property name:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:06.360 WARN 39264 --- [main] net.sf.json.JSONObject : Tried to assign property phone:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:06.360 WARN 39264 --- [main] net.sf.json.JSONObject : Tried to assign property punish_count:java.lang.Integer to bean of class com.sjtu.se.hospital.entity.User
java.text.ParseException: Unparseable date: "abcd"
at java.text.DateFormat.parse(DateFormat.java:366)
at com.sjtu.se.hospital.serviceimpl.ItemServiceimpl.addCartItem(ItemServiceimpl.java:60)
at com.sjtu.se.hospital.serviceimpl.ItemServiceimpl\$\$FastClassBySpringCGLIB\$\$51d03847.invoke()
at org.springframework.cglib.proxy.MethodProxy.invoke(MethodProxy.java:218)
at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.invokeJoinpoint(CglibAopProxy.java:771)
at org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:163)
at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.proceed(CglibAopProxy.java:749)
at org.springframework.transaction.interceptor.TransactionAspectSupport.invokeWithinTransaction(TransactionAspectSupport.java:367)
at org.springframework.transaction.interceptor.TransactionInterceptor.invoke(TransactionInterceptor.java:118)
at org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:186)
at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.proceed(CglibAopProxy.java:749)
at org.springframework.aop.framework.CglibAopProxy\$DynamicAdvisedInterceptor.intercept(CglibAopProxy.java:691)
at com.sjtu.se.hospital.serviceimpl.ItemServiceimpl\$\$EnhancerBySpringCGLIB\$\$5741f388a.addCartItem()
at com.sjtu.se.hospital.controller.ItemController.addCartItem(ItemController.java:34)
at com.sjtu.se.hospital.E-MailTests.testCartItem(E-MailTests.java:134)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:498)
at org.junit.platform.commons.util.ReflectionUtils.invokeMethod(ReflectionUtils.java:686)
at org.junit.jupiter.engine.execution.MethodInvocation.proceed(MethodInvocation.java:60)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain\$ValidatingInvocation.proceed(InvocationInterceptorChain.java:131)
at org.junit.jupiter.engine.extension.TimeoutExtension.intercept(TimeoutExtension.java:149)
at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestableMethod(TimeoutExtension.java:140)

at org.junit.jupiter.engine.extension.TimeoutExtension.intercept(TestMethod.java:84)
at org.junit.jupiter.engine.execution.ExecutableInvoker\$ReflectiveInterceptorCall.lambda\$ofVoidMethod\$0(ExecutableInvoker.java:115)
at org.junit.jupiter.engine.execution.ExecutableInvoker.lambda\$invoke\$0(ExecutableInvoker.java:105)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain\$InterceptedInvocation.proceed(InvocationInterceptorChain.java:106)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.proceed(InvocationInterceptorChain.java:64)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.chainAndInvoke(InvocationInterceptorChain.java:45)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.invoke(InvocationInterceptorChain.java:37)
at org.junit.jupiter.engine.execution.ExecutableInvoker.invoke(ExecutableInvoker.java:104)
at org.junit.jupiter.engine.execution.ExecutableInvoker.invoke(ExecutableInvoker.java:98)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.lambda\$invokeTestMethod\$6(TestMethodTestDescriptor.java:212)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.invokeTestMethod(TestMethodTestDescriptor.java:208)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:137)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:71)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:135)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)
at java.util.ArrayList.forEach(ArrayList.java:1259)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:38)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:139)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)
at java.util.ArrayList.forEach(ArrayList.java:1259)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:38)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:139)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)
at java.util.ArrayList.forEach(ArrayList.java:1259)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:38)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:139)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.submit(SameThreadHierarchicalTestExecutorService.java:32)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestExecutor.execute(HierarchicalTestExecutor.java:57)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestEngine.execute(HierarchicalTestEngine.java:51)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:248)
at org.junit.platform.launcher.core.DefaultLauncher.lambda\$execute\$5(DefaultLauncher.java:211)
at org.junit.platform.launcher.core.DefaultLauncher.withInterceptedStreams(DefaultLauncher.java:226)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:199)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:132)
at com.intellij.junit5.JUnit5IdeaTestRunner.startRunnerWithArgs(JUnit5IdeaTestRunner.java:71)
at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38)
at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11)
at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35)
at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235)
at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:54)
Schedule[CartID=2, date=2024-06-20, n_morning=30, n_afternoon=14, rank_morning=30, rank_afternoon=14, content=订单]
Hibernate: select constant0_morning_max as morning_1_1_, constant0_afternoon_max as afternoon2_1_, constant0_punish_count as punish_c3_1_, constant0_punish_duration as punish_d4_1_ from constant constant0_
Hibernate: delete from schedule where date=? and Cart_id=?
Hibernate: select schedule0_date as date1_7_0_, schedule0_Cart_id as Cart_id2_7_0_, schedule0_content as content3_7_0_, schedule0_n_afternoon as n_aftern4_7_0_, schedule0_n_morning as n_mornin5_7_0_, schedule0_rank_afternoon as rank_af6_7_0_, schedule0_rank_morning as rank_mor7_7_0_ from schedule schedule0_ where schedule0_date=? and schedule0_Cart_id=?
Hibernate: select appointment0_date as date1_0_0_, appointment0_Cart_id as Cart_id2_0_0_, appointment0_Item_id as Item_3_0_0_, appointment0_ranking as ranking4_0_0_, appointment0_dept_id as dept_id5_0_0_, appointment0_description as descrip6_0_0_, appointment0_time as time7_0_0_ from CartItem appointment0_ where appointment0_date=? and appointment0_Cart_id=? and appointment0_Item_id=? and appointment0_ranking=?
Hibernate: select user0_id as id1_8_, user0_password as password2_8_, user0_type as type3_8_, user0_username as username4_8_, user0_1_age as age1_3_, user0_1_avatar as avatar2_3_, user0_1_dept_id as dept_id3_3_, user0_1_gender as gender4_3_, user0_1_intro as intro5_3_, user0_1_name as name6_3_, user0_1_post as post7_3_, user0_2_age as age1_6_, user0_2_email as email2_6_, user0_2_gender as gender3_6_, user0_2_name as name4_6_, user0_2_phone as phone5_6_, user0_2_punish_begin as punish_b6_6_, user0_2_punish_count as punish_c7_6_, case when user0_1_id is not null then 1 when user0_2_id is not null then 2 when user0_id is not null then 0 end as clazz_ from user user0_ left outer join
Cart user0_1_ on user0_id=user0_1_id left outer join Item user0_2_ on user0_id=user0_2_id where user0_username=? for update
Hibernate: insert into schedule (content, n_afternoon, n_morning, rank_afternoon, rank_morning, date, Cart_id) values (?, ?, ?, ?, ?, ?)
Hibernate: insert into CartItem (dept_id, description, time, date, Cart_id, Item_id, ranking) values (?, ?, ?, ?, ?, ?)
Hibernate: insert into user (password, type, username) values (?, ?, ?)
Hibernate: insert into Item (age, email, gender, name, phone, punish_begin, punish_count, id) values (?, ?, ?, ?, ?, ?, ?)
Hibernate: select user0_id as id1_8_, user0_password as password2_8_, user0_type as type3_8_, user0_username as username4_8_, user0_1_age as age1_3_, user0_1_avatar as avatar2_3_, user0_1_dept_id as dept_id3_3_, user0_1_gender as gender4_3_, user0_1_intro as intro5_3_, user0_1_name as name6_3_, user0_1_post as post7_3_, user0_2_age as age1_6_, user0_2_email as email2_6_, user0_2_gender as gender3_6_, user0_2_name as name4_6_, user0_2_phone as phone5_6_, user0_2_punish_begin as punish_b6_6_, user0_2_punish_count as punish_c7_6_, case when user0_1_id is not null then 1 when user0_2_id is not null then 2 when user0_id is not null then 0 end as clazz_ from user user0_ left outer join
Cart user0_1_ on user0_id=user0_1_id left outer join Item user0_2_ on user0_id=user0_2_id where user0_username=? and user0_password=?
Hibernate: select constant0_morning_max as morning_1_1_, constant0_afternoon_max as afternoon2_1_, constant0_punish_count as punish_c3_1_, constant0_punish_duration as punish_d4_1_ from constant constant0_
2024-06-20 21:47:06.493 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property age:java.lang.Integer to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:06.494 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property email:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:06.494 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property gender:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:06.494 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property name:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:06.494 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property phone:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:06.494 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property punish_count:java.lang.Integer to bean of class com.sjtu.se.hospital.entity.User
java.text.ParseException: Unparseable date: "abcd"
at java.text.DateFormat.parse(DateFormat.java:366)
at com.sjtu.se.hospital.serviceimpl.ItemServiceimpl.addCartItem(ItemServiceimpl.java:60)
at com.sjtu.se.hospital.serviceimpl.ItemServiceimpl\$\$FastClassBySpringCGLIB\$\$51d03847.invoke()
at org.springframework.cglib.proxy.MethodProxy.invoke(MethodProxy.java:218)
at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.invokeJoinpoint(CglibAopProxy.java:771)
at org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:163)
at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.proceed(CglibAopProxy.java:749)
at org.springframework.transaction.interceptor.TransactionAspectSupport.invokeWithinTransaction(TransactionAspectSupport.java:367)
at org.springframework.transaction.interceptor.TransactionInterceptor.invoke(TransactionInterceptor.java:118)
at org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:186)
at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.proceed(CglibAopProxy.java:749)
at org.springframework.aop.framework.CglibAopProxy\$DynamicAdvisedInterceptor.intercept(CglibAopProxy.java:691)
at com.sjtu.se.hospital.serviceimpl.ItemServiceimpl\$\$EnhancerBySpringCGLIB\$\$741f388a.addCartItem()
at com.sjtu.se.hospital.controller.ItemController.addCartItem(ItemController.java:34)
at com.sjtu.se.hospital.E-MailTests.testCartItem(E-MailTests.java:134)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:498)
at org.junit.platform.commons.util.ReflectionUtils.invokeMethod(ReflectionUtils.java:686)
at org.junit.jupiter.engine.execution.MethodInvocation.proceed(MethodInvocation.java:60)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain\$ValidatingInvocation.proceed(InvocationInterceptorChain.java:131)
at org.junit.jupiter.engine.extension.TimeoutExtension.intercept(TimeoutExtension.java:149)
at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestableMethod(TimeoutExtension.java:140)
at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestMethod(TimeoutExtension.java:84)
at org.junit.jupiter.engine.execution.ExecutableInvoker\$ReflectiveInterceptorCall.lambda\$ofVoidMethod\$0(ExecutableInvoker.java:115)
at org.junit.jupiter.engine.execution.ExecutableInvoker.lambda\$invoke\$0(ExecutableInvoker.java:105)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain\$InterceptedInvocation.proceed(InvocationInterceptorChain.java:106)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.proceed(InvocationInterceptorChain.java:64)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.chainAndInvoke(InvocationInterceptorChain.java:45)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.invoke(InvocationInterceptorChain.java:37)
at org.junit.jupiter.engine.execution.ExecutableInvoker.invoke(ExecutableInvoker.java:104)
at org.junit.jupiter.engine.execution.ExecutableInvoker.invoke(ExecutableInvoker.java:98)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.lambda\$invokeTestMethod\$6(TestMethodTestDescriptor.java:212)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.invokeTestMethod(TestMethodTestDescriptor.java:208)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:137)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:71)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:135)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)


```

at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)
at java.util.ArrayList.forEach(ArrayList.java:1259)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:38)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$5(NodeTestTask.java:139)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$7(NodeTestTask.java:125)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:123)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)
at java.util.ArrayList.forEach(ArrayList.java:1259)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:38)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$5(NodeTestTask.java:139)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$7(NodeTestTask.java:125)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:123)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.submit(SameThreadHierarchicalTestExecutorService.java:32)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestExecutor.execute(HierarchicalTestExecutor.java:57)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestEngine.execute(HierarchicalTestEngine.java:51)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:248)
at org.junit.platform.launcher.core.DefaultLauncher.lambda$execute$5(DefaultLauncher.java:211)
at org.junit.platform.launcher.core.DefaultLauncher.withInterceptedStreams(DefaultLauncher.java:226)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:199)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:132)
at com.intellij.junit5.JUnit5IdeaTestRunner.startRunnerWithArgs(JUnit5IdeaTestRunner.java:71)
at com.intellij.rt.junit.IdeaTestRunner$Repeater$1.execute(IdeaTestRunner.java:38)
at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11)
at com.intellij.rt.junit.IdeaTestRunner$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35)
at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235)
at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:54)
Schedule(CartId=2, date=2024-06-20, n_morning=30, n_afternoon=15, rank_morning=30, rank_afternoon=15, content=订单)
Hibernate: select constant0_morning_max as morning_1_1_, constant0_afternoon_max as afternoo2_1_, constant0_punish_count as punish_c3_1_, constant0_punish_duration as punish_d4_1_ from constant constant0_
Hibernate: delete from schedule where date=? and Cart_id=?
Hibernate: select schedule0_date as date1_7_0_, schedule0_Cart_id as Cart_id2_7_0_, schedule0_content as content3_7_0_, schedule0_n_afternoon as n_aftern4_7_0_, schedule0_n_morning as n_mornin5_7_0_, schedule0_rank_afternoon as rank_af6_7_0_, schedule0_rank_morning as rank_mor7_7_0_ from schedule schedule0_ where schedule0_date=? and schedule0_Cart_id=?
Hibernate: select appointment0_date as date1_0_0_, appointment0_Cart_id as Cart_id2_0_0_, appointment0_item_id as item_3_0_0_, appointment0_ranking as ranking4_0_0_, appointment0_dept_id as dept_id5_0_0_, appointment0_description as descrip6_0_0_, appointment0_time as time7_0_0_ from CartItem appointment0_ where appointment0_date=? and appointment0_Cart_id=? and appointment0_item_id=? and appointment0_ranking=?
Hibernate: select user0_id as id1_8_, user0_password as password2_8_, user0_type as type3_8_, user0_username as username4_8_, user0_1_age as age1_3_, user0_1_avatar as avatar2_3_, user0_1_dept_id as dept_id3_3_, user0_1_gender as gender4_3_, user0_1_intro as intro5_3_, user0_1_name as name6_3_, user0_1_post as post7_3_, user0_2_age as age1_6_, user0_2_email as email2_6_, user0_2_gender as gender3_6_, user0_2_name as name4_6_, user0_2_phone as phone5_6_, user0_2_punish_begin as punish_b6_6_, user0_2_punish_count as punish_c7_6_, case when user0_1_id is not null then 1 when user0_2_id is not null then 2 when user0_id is not null then 0 end as clazz_ from user user0_ left outer join Cart user0_1 on user0_id=user0_1_id left outer join Item user0_2 on user0_id=user0_2_id where user0_username=? for update
Hibernate: insert into schedule (content, n_afternoon, n_morning, rank_afternoon, rank_morning, date, Cart_id) values (?, ?, ?, ?, ?, ?)
Hibernate: insert into CartItem (dept_id, description, time, date, Cart_id, item_id, ranking) values (?, ?, ?, ?, ?, ?)
Hibernate: insert into user (password, type, username) values (?, ?, ?)
Hibernate: insert into Item (age, email, gender, name, phone, punish_begin, punish_count, id) values (?, ?, ?, ?, ?, ?, ?)
Hibernate: select user0_id as id1_8_, user0_password as password2_8_, user0_type as type3_8_, user0_username as username4_8_, user0_1_age as age1_3_, user0_1_avatar as avatar2_3_, user0_1_dept_id as dept_id3_3_, user0_1_gender as gender4_3_, user0_1_intro as intro5_3_, user0_1_name as name6_3_, user0_1_post as post7_3_, user0_2_age as age1_6_, user0_2_email as email2_6_, user0_2_gender as gender3_6_, user0_2_name as name4_6_, user0_2_phone as phone5_6_, user0_2_punish_begin as punish_b6_6_, user0_2_punish_count as punish_c7_6_, case when user0_1_id is not null then 1 when user0_2_id is not null then 2 when user0_id is not null then 0 end as clazz_ from user user0_ left outer join Cart user0_1 on user0_id=user0_1_id left outer join Item user0_2 on user0_id=user0_2_id where user0_username=? and user0_password=?
Hibernate: select constant0_morning_max as morning_1_1_, constant0_afternoon_max as afternoo2_1_, constant0_punish_count as punish_c3_1_, constant0_punish_duration as punish_d4_1_ from constant constant0_
2024-06-20 21:47:06.617 WARN 39264 --- [main] net.sf.json.JSONObject : Tried to assign property age:java.lang.Integer to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:06.617 WARN 39264 --- [main] net.sf.json.JSONObject : Tried to assign property email:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:06.617 WARN 39264 --- [main] net.sf.json.JSONObject : Tried to assign property gender:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:06.617 WARN 39264 --- [main] net.sf.json.JSONObject : Tried to assign property name:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:06.617 WARN 39264 --- [main] net.sf.json.JSONObject : Tried to assign property phone:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:06.617 WARN 39264 --- [main] net.sf.json.JSONObject : Tried to assign property punish_count:java.lang.Integer to bean of class com.sjtu.se.hospital.entity.User
java.text.ParseException: Unparseable date: "abcd"
at java.text.DateFormat.parse(DateFormat.java:366)
at com.sjtu.se.hospital.serviceimpl.ItemServiceImpl.addCartItem(ItemServiceImpl.java:60)
at com.sjtu.se.hospital.serviceimpl.ItemServiceImpl$$FastClassBySpringCGLIB$$51d03847.invoke()
at org.springframework.cglib.proxy.MethodProxy.invoke(MethodProxy.java:218)
at org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.invokeJoinpoint(CglibAopProxy.java:771)
at org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:163)
at org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.proceed(CglibAopProxy.java:749)
at org.springframework.transaction.interceptor.TransactionAspectSupport.invokeWithinTransaction(TransactionAspectSupport.java:367)
at org.springframework.transaction.interceptor.TransactionInterceptor.invoke(TransactionInterceptor.java:118)
at org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:186)
at org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.proceed(CglibAopProxy.java:749)
at org.springframework.aop.framework.CglibAopProxy$DynamicAdvisedInterceptor.intercept(CglibAopProxy.java:691)
at com.sjtu.se.hospital.serviceimpl.ItemServiceImpl$$EnhancerBySpringCGLIB$$5741f388a.addCartItem()
at com.sjtu.se.hospital.controller.ItemController.addCartItem(ItemController.java:34)
at com.sjtu.se.hospital.E-MailTests.testCartItem(E-MailTests.java:134)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:498)
at org.junit.platform.commons.util.ReflectionUtils.invokeMethod(ReflectionUtils.java:686)
at org.junit.jupiter.engine.execution.MethodInvocation.proceed(MethodInvocation.java:66)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain$ValidatingInvocation.proceed(InvocationInterceptorChain.java:131)
at org.junit.jupiter.engine.extension.TimeoutExtension.intercept(TimeoutExtension.java:149)
at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestableMethod(TimeoutExtension.java:140)
at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestMethod(TimeoutExtension.java:84)
at org.junit.jupiter.engine.execution.ExecutableInvoker$ReflectiveInterceptorCall.lambda$ofVoidMethod$0(ExecutableInvoker.java:115)
at org.junit.jupiter.engine.execution.ExecutableInvoker.lambda$invoke$0(ExecutableInvoker.java:105)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain$InterceptedInvocation.proceed(InvocationInterceptorChain.java:106)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.proceed(InvocationInterceptorChain.java:64)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.chainAndInvoke(InvocationInterceptorChain.java:45)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.invoke(InvocationInterceptorChain.java:37)
at org.junit.jupiter.engine.execution.ExecutableInvoker.invoke(ExecutableInvoker.java:104)
at org.junit.jupiter.engine.execution.ExecutableInvoker.invoke(ExecutableInvoker.java:98)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.lambda$invokeTestMethod$6(TestMethodTestDescriptor.java:212)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.invokeTestMethod(TestMethodTestDescriptor.java:208)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:137)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:71)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$5(NodeTestTask.java:135)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$7(NodeTestTask.java:125)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:123)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)
at java.util.ArrayList.forEach(ArrayList.java:1259)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:38)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$5(NodeTestTask.java:139)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$7(NodeTestTask.java:125)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:123)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)
at java.util.ArrayList.forEach(ArrayList.java:1259)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:38)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$5(NodeTestTask.java:139)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$7(NodeTestTask.java:125)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)

```

at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.submit(SameThreadHierarchicalTestExecutorService.java:32)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestExecutor.execute(HierarchicalTestExecutor.java:57)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestEngine.execute(HierarchicalTestEngine.java:51)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:248)
at org.junit.platform.launcher.core.DefaultLauncher.lambda\$execute\$5(DefaultLauncher.java:211)
at org.junit.platform.launcher.core.DefaultLauncher.withInterceptedStreams(DefaultLauncher.java:226)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:199)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:132)
at com.intellij.junit5.JUnit5IdeaTestRunner.startRunnerWithArgs(JUnit5IdeaTestRunner.java:71)
at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38)
at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11)
at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35)
at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235)
at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:54)
Schedule(CartID=2, date=2024-06-20, n_morning=30, n_afternoon=16, rank_morning=30, rank_afternoon=16, content=订单)
Hibernate: select constant0_morning_max as morning_1_1, constant0_afternoon_max as afternoo2_1, constant0_punish_count as punish_c3_1, constant0_punish_duration as punish_d4_1 from constant constant0_
Hibernate: delete from schedule where date=? and Cart_id=?
Hibernate: select schedule0_date as date1_7_0, schedule0_Cart_id as Cart_id2_7_0, schedule0_content as content3_7_0, schedule0_n_afternoon as n_aftern4_7_0, schedule0_n_morning as n_mornin5_7_0, schedule0_rank_afternoon as rank_af6_7_0, schedule0_rank_morning as rank_mor7_7_0 from schedule schedule0 where schedule0_date=? and schedule0_Cart_id=?
Hibernate: select appointment0_date as date1_0_0, appointment0_Cart_id as Cart_id2_0_0, appointment0_item_id as Item_3_0_0, appointment0_ranking as ranking4_0_0, appointment0_dept_id as dept_id5_0_0, appointment0_description as descrip6_0_0, appointment0_time as time7_0_0 from CartItem appointment0 where appointment0_date=? and appointment0_Cart_id=? and appointment0_item_id=? and appointment0_ranking=?
Hibernate: select user0_id as id1_8, user0_password as password2_8, user0_type as type3_8, user0_username as username4_8, user0_1_age as age1_3, user0_1_avatar as avatar2_3, user0_1_dept_id as dept_id3_3, user0_1_gender as gender4_3, user0_1_intro as intro5_3, user0_1_name as name6_3, user0_1_post as post7_3, user0_2_age as age1_6, user0_2_email as email2_6, user0_2_gender as gender3_6, user0_2_name as name4_6, user0_2_phone as phone5_6, user0_2_punish_begin as punish_b6_6, user0_2_punish_count as punish_c7_6, case when user0_1_id is not null then 1 when user0_2_id is not null then 2 when user0_id is not null then 0 end as clazz from user user0_left outer join
Cart user0_1 on user0_id=user0_1_id left outer join Item user0_2 on user0_id=user0_2_id where user0_username=? for update
Hibernate: insert into schedule (content, n_afternoon, n_morning, rank_afternoon, rank_morning, date, Cart_id) values (?, ?, ?, ?, ?, ?)
Hibernate: insert into CartItem (dept_id, description, time, date, Cart_id, Item_id, ranking) values (?, ?, ?, ?, ?, ?)
Hibernate: insert into user (password, type, username) values (?, ?, ?)
Hibernate: insert into Item (age, email, gender, name, phone, punish_begin, punish_count, id) values (?, ?, ?, ?, ?, ?, ?, ?)
Hibernate: select user0_id as id1_8, user0_password as password2_8, user0_type as type3_8, user0_username as username4_8, user0_1_age as age1_3, user0_1_avatar as avatar2_3, user0_1_dept_id as dept_id3_3, user0_1_gender as gender4_3, user0_1_intro as intro5_3, user0_1_name as name6_3, user0_1_post as post7_3, user0_2_age as age1_6, user0_2_email as email2_6, user0_2_gender as gender3_6, user0_2_name as name4_6, user0_2_phone as phone5_6, user0_2_punish_begin as punish_b6_6, user0_2_punish_count as punish_c7_6, case when user0_1_id is not null then 1 when user0_2_id is not null then 2 when user0_id is not null then 0 end as clazz from user user0_left outer join
Cart user0_1 on user0_id=user0_1_id left outer join Item user0_2 on user0_id=user0_2_id where user0_username=? and user0_password=?
Hibernate: select constant0_morning_max as morning_1_1, constant0_afternoon_max as afternoo2_1, constant0_punish_count as punish_c3_1, constant0_punish_duration as punish_d4_1 from constant constant0_
2024-06-20 21:47:06.734 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property age:java.lang.Integer to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:06.734 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property email:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:06.734 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property gender:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:06.734 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property name:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:06.734 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property phone:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:06.734 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property punish_count:java.lang.Integer to bean of class com.sjtu.se.hospital.entity.User
java.text.ParseException: Unparseable date: "abcd"
at java.text.DateFormat.parse(DateFormat.java:366)
at com.sjtu.se.hospital.serviceimpl.ItemServiceimpl.addCartItem(ItemServiceimpl.java:60)
at com.sjtu.se.hospital.serviceimpl.ItemServiceimpl\$\$FastClassBySpringCGLIB\$\$51d03847.invoke()
at org.springframework.cglib.proxy.MethodProxy.invoke(MethodProxy.java:218)
at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.invokeJoinpoint(CglibAopProxy.java:771)
at org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:163)
at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.proceed(CglibAopProxy.java:749)
at org.springframework.transaction.interceptor.TransactionAspectSupport.invokeWithinTransaction(TransactionAspectSupport.java:367)
at org.springframework.transaction.interceptor.TransactionInterceptor.invoke(TransactionInterceptor.java:118)
at org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:186)
at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.proceed(CglibAopProxy.java:749)
at org.springframework.aop.framework.CglibAopProxy\$DynamicAdvisedInterceptor.intercept(CglibAopProxy.java:691)
at com.sjtu.se.hospital.serviceimpl.ItemServiceimpl\$\$EnhancerBySpringCGLIB\$\$741f388a.addCartItem()
at com.sjtu.se.hospital.controller.ItemController.addCartItem(ItemController.java:34)
at com.sjtu.se.hospital.E-MailTests.testCartItem(E-MailTests.java:134)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:498)
at org.junit.platform.commons.util.ReflectionUtils.invokeMethod(ReflectionUtils.java:686)
at org.junit.jupiter.engine.execution.MethodInvocation.proceed(MethodInvocation.java:60)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain\$ValidatingInvocation.proceed(InvocationInterceptorChain.java:131)
at org.junit.jupiter.engine.extension.TimeoutExtension.intercept(TimeoutExtension.java:149)
at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestableMethod(TimeoutExtension.java:140)
at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestMethod(TimeoutExtension.java:84)
at org.junit.jupiter.engine.execution.ExecutableInvoker\$ReflectiveInterceptorCall.lambda\$ofVoidMethod\$0(ExecutableInvoker.java:115)
at org.junit.jupiter.engine.execution.ExecutableInvoker.lambda\$invoke\$0(ExecutableInvoker.java:105)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain\$InterceptedInvocation.proceed(InvocationInterceptorChain.java:106)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.proceed(InvocationInterceptorChain.java:64)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.chainAndInvoke(InvocationInterceptorChain.java:45)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.invoke(InvocationInterceptorChain.java:37)
at org.junit.jupiter.engine.execution.ExecutableInvoker.invoke(ExecutableInvoker.java:104)
at org.junit.jupiter.engine.execution.ExecutableInvoker.invoke(ExecutableInvoker.java:98)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.lambda\$invokeTestMethod\$6(TestMethodTestDescriptor.java:212)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.invokeTestMethod(TestMethodTestDescriptor.java:208)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:137)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:71)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:135)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)
at java.util.ArrayList.forEach(ArrayList.java:1259)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:38)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:139)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)
at java.util.ArrayList.forEach(ArrayList.java:1259)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:38)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:139)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.submit(SameThreadHierarchicalTestExecutorService.java:32)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestExecutor.execute(HierarchicalTestExecutor.java:57)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestEngine.execute(HierarchicalTestEngine.java:51)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:248)
at org.junit.platform.launcher.core.DefaultLauncher.lambda\$execute\$5(DefaultLauncher.java:211)
at org.junit.platform.launcher.core.DefaultLauncher.withInterceptedStreams(DefaultLauncher.java:226)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:199)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:132)
at com.intellij.junit5.JUnit5IdeaTestRunner.startRunnerWithArgs(JUnit5IdeaTestRunner.java:71)
at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38)
at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11)
at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35)
at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235)
at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:54)
Schedule(CartID=2, date=2024-06-20, n_morning=30, n_afternoon=20, rank_morning=30, rank_afternoon=20, content=订单)

Hibernate: select constant0_morning_max as morning_1_1_, constant0_afternoon_max as afternoo2_1_, constant0_punish_count as punish_c3_1_, constant0_punish_duration as punish_d4_1_ from constant constant0_

Hibernate: delete from schedule where date=? and Cart_id=?

Hibernate: select schedule0_date as date1_7_0_, schedule0_Cart_id as Cart_i2_7_0_, schedule0_content as content3_7_0_, schedule0_n_afternoon as n_aftern4_7_0_, schedule0_n_morning as n_mornin5_7_0_, schedule0_rank_afternoon as rank_atf6_7_0_, schedule0_rank_morning as rank_mor7_7_0_ from schedule schedule0_ where schedule0_date=? and schedule0_Cart_id=?

Hibernate: select appointment0_date as date1_0_0_, appointment0_Cart_id as Cart_i2_0_0_, appointment0_Item_id as Item_3_0_0_, appointment0_ranking as ranking4_0_0_, appointment0_dept_id as dept_id5_0_0_, appointment0_description as descrip6_0_0_, appointment0_time as time7_0_0_ from CartItem appointment0_ where appointment0_date=? and appointment0_Cart_id=? and appointment0_ranking=?

Hibernate: select user0_id as id1_8_, user0_password as password2_8_, user0_type as type3_8_, user0_username as username4_8_, user0_1_age as age1_3_, user0_1_avatar as avatar2_3_, user0_1_dept_id as dept_id3_3_, user0_1_gender as gender4_3_, user0_1_intro as intro5_3_, user0_1_name as name6_3_, user0_1_post as post7_3_, user0_2_age as age1_6_, user0_2_email as email2_6_, user0_2_gender as gender3_6_, user0_2_name as name4_6_, user0_2_phone as phone5_6_, user0_2_punish_begin as punish_b6_6_, user0_2_punish_count as punish_c7_6_, case when user0_1_id is not null then 1 when user0_2_id is not null then 2 when user0_id is not null then 0 end as clazz_ from user user0_ left outer join Cart user0_1 on user0_id=user0_1_id left outer join Item user0_2 on user0_id=user0_2_id where user0_username=? and user0_password=?

Hibernate: insert into schedule (content, n_afternoon, n_morning, rank_afternoon, rank_morning, date, Cart_id) values (?, ?, ?, ?, ?, ?)

Hibernate: insert into CartItem (dept_id, description, time, date, Cart_id, Item_id, ranking) values (?, ?, ?, ?, ?, ?)

Hibernate: insert into user (password, type, username) values (?, ?, ?)

Hibernate: insert into Item (age, email, gender, name, phone, punish_begin, punish_count, id) values (?, ?, ?, ?, ?, ?, ?, ?)

Hibernate: select user0_id as id1_8_, user0_password as password2_8_, user0_type as type3_8_, user0_username as username4_8_, user0_1_age as age1_3_, user0_1_avatar as avatar2_3_, user0_1_dept_id as dept_id3_3_, user0_1_gender as gender4_3_, user0_1_intro as intro5_3_, user0_1_name as name6_3_, user0_1_post as post7_3_, user0_2_age as age1_6_, user0_2_email as email2_6_, user0_2_gender as gender3_6_, user0_2_name as name4_6_, user0_2_phone as phone5_6_, user0_2_punish_begin as punish_b6_6_, user0_2_punish_count as punish_c7_6_, case when user0_1_id is not null then 1 when user0_2_id is not null then 2 when user0_id is not null then 0 end as clazz_ from user user0_ left outer join Cart user0_1 on user0_id=user0_1_id left outer join Item user0_2 on user0_id=user0_2_id where user0_username=? and user0_password=?

Hibernate: select constant0_morning_max as morning_1_1_, constant0_afternoon_max as afternoo2_1_, constant0_punish_count as punish_c3_1_, constant0_punish_duration as punish_d4_1_ from constant constant0_

2024-06-20 21:47:06.867 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property age:java.lang.Integer to bean of class com.sjtu.se.hospital.entity.User

2024-06-20 21:47:06.867 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property email:java.lang.String to bean of class com.sjtu.se.hospital.entity.User

2024-06-20 21:47:06.867 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property gender:java.lang.String to bean of class com.sjtu.se.hospital.entity.User

2024-06-20 21:47:06.867 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property name:java.lang.String to bean of class com.sjtu.se.hospital.entity.User

2024-06-20 21:47:06.867 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property phone:java.lang.String to bean of class com.sjtu.se.hospital.entity.User

2024-06-20 21:47:06.867 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property punish_count:java.lang.Integer to bean of class com.sjtu.se.hospital.entity.User

java.text.ParseException: Unparseable date: "abcd"

at java.text.DateFormat.parse(DateFormat.java:366)

at com.sjtu.se.hospital.serviceimpl.ItemServiceImpl.addCartItem(ItemServiceImpl.java:60)

at com.sjtu.se.hospital.serviceimpl.ItemServiceImpl\$\$FastClassBySpringCGLIB\$\$551d03847.invoke()

at org.springframework.cglib.proxy.MethodProxy.invoke(MethodProxy.java:218)

at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.invokeJoinpoint(CglibAopProxy.java:771)

at org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:163)

at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.proceed(CglibAopProxy.java:749)

at org.springframework.transaction.interceptor.TransactionAspectSupport.invokeWithinTransaction(TransactionAspectSupport.java:367)

at org.springframework.transaction.interceptor.TransactionInterceptor.invoke(TransactionInterceptor.java:118)

at org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:186)

at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.proceed(CglibAopProxy.java:749)

at org.springframework.aop.framework.CglibAopProxy\$DynamicAdvisedInterceptor.intercept(CglibAopProxy.java:691)

at com.sjtu.se.hospital.serviceimpl.ItemServiceImpl\$\$EnhancerBySpringCGLIB\$\$5741f388a.addCartItem()

at com.sjtu.se.hospital.controller.ItemController.addCartItem(ItemController.java:34)

at com.sjtu.se.hospital.E-MailTests.testCartItem(E-MailTests.java:134)

at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)

at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)

at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)

at java.lang.reflect.Method.invoke(Method.java:498)

at org.junit.platform.commons.util.ReflectionUtils.invokeMethod(ReflectionUtils.java:686)

at org.junit.jupiter.engine.execution.MethodInvocation.proceed(MethodInvocation.java:60)

at org.junit.jupiter.engine.execution.InvocationInterceptorChain\$ValidatingInvocation.proceed(InvocationInterceptorChain.java:131)

at org.junit.jupiter.engine.extension.TimeoutExtension.intercept(TimeoutExtension.java:149)

at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestableMethod(TimeoutExtension.java:140)

at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestMethod(TimeoutExtension.java:84)

at org.junit.jupiter.engine.execution.ExecutableInvoker\$ReflectiveInterceptorCall.lambda\$ofVoidMethod\$0(ExecutableInvoker.java:115)

at org.junit.jupiter.engine.execution.ExecutableInvoker.lambda\$invoke\$0(ExecutableInvoker.java:105)

at org.junit.jupiter.engine.execution.InvocationInterceptorChain\$InterceptedInvocation.proceed(InvocationInterceptorChain.java:106)

at org.junit.jupiter.engine.execution.InvocationInterceptorChain.proceed(InvocationInterceptorChain.java:64)

at org.junit.jupiter.engine.execution.InvocationInterceptorChain.chainAndInvoke(InvocationInterceptorChain.java:45)

at org.junit.jupiter.engine.execution.InvocationInterceptorChain.invoke(InvocationInterceptorChain.java:37)

at org.junit.jupiter.engine.execution.ExecutableInvoker.invoke(ExecutableInvoker.java:104)

at org.junit.jupiter.engine.execution.ExecutableInvoker.invoke(ExecutableInvoker.java:98)

at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.lambda\$invokeTestMethod\$6(TestMethodTestDescriptor.java:212)

at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)

at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.invokeTestMethod(TestMethodTestDescriptor.java:208)

at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:137)

at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:71)

at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:135)

at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)

at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)

at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)

at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)

at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)

at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)

at java.util.ArrayList.forEach(ArrayList.java:1259)

at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:38)

at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:139)

at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)

at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)

at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)

at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)

at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)

at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)

at java.util.ArrayList.forEach(ArrayList.java:1259)

at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:38)

at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:139)

at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)

at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)

at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)

at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)

at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)

at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)

at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.submit(SameThreadHierarchicalTestExecutorService.java:32)

at org.junit.platform.engine.support.hierarchical.HierarchicalTestExecutor.execute(HierarchicalTestExecutor.java:57)

at org.junit.platform.engine.support.hierarchical.HierarchicalTestEngine.execute(HierarchicalTestEngine.java:51)

at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:248)

at org.junit.platform.launcher.core.DefaultLauncher.lambda\$execute\$5(DefaultLauncher.java:211)

at org.junit.platform.launcher.core.DefaultLauncher.withInterceptedStreams(DefaultLauncher.java:226)

at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:199)

at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:132)

at com.intellij.junit5.JUnit5IdeaTestRunner.startRunnerWithArgs(JUnit5IdeaTestRunner.java:71)

at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38)

at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11)

at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35)

at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235)

at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:54)

Schedule[CartID=2, date=2024-06-20, n_morning=30, n_afternoon=20, rank_morning=30, rank_afternoon=20, content=订单]

Hibernate: select constant0_morning_max as morning_1_1_, constant0_afternoon_max as afternoo2_1_, constant0_punish_count as punish_c3_1_, constant0_punish_duration as punish_d4_1_ from constant constant0_

Hibernate: delete from schedule where date=? and Cart_id=?

Hibernate: select schedule0_date as date1_7_0_, schedule0_Cart_id as Cart_i2_7_0_, schedule0_content as content3_7_0_, schedule0_n_afternoon as n_aftern4_7_0_, schedule0_n_morning as n_mornin5_7_0_, schedule0_rank_afternoon as rank_atf6_7_0_, schedule0_rank_morning as rank_mor7_7_0_ from schedule schedule0_ where schedule0_date=? and schedule0_Cart_id=?

Hibernate: select appointment0_date as date1_0_0_, appointment0_Cart_id as Cart_i2_0_0_, appointment0_Item_id as Item_3_0_0_, appointment0_ranking as ranking4_0_0_, appointment0_dept_id as dept_id5_0_0_, appointment0_description as descrip6_0_0_, appointment0_time as time7_0_0_ from CartItem appointment0_ where appointment0_date=? and appointment0_Cart_id=? and appointment0_ranking=?

Hibernate: select user0_id as id1_8_, user0_password as password2_8_, user0_type as type3_8_, user0_username as username4_8_, user0_1_age as age1_3_, user0_1_avatar as avatar2_3_, user0_1_dept_id as dept_id3_3_, user0_1_gender as gender4_3_, user0_1_intro as intro5_3_, user0_1_name as name6_3_, user0_1_post as post7_3_, user0_2_age as age1_6_, user0_2_email as email2_6_, user0_2_gender as gender3_6_, user0_2_name as name4_6_, user0_2_phone as phone5_6_, user0_2_punish_begin as punish_b6_6_, user0_2_punish_count as punish_c7_6_, case when user0_1_id is not null then 1 when user0_2_id is not null then 2 when user0_id is not null then 0 end as clazz_ from user user0_ left outer join Cart user0_1 on user0_id=user0_1_id left outer join Item user0_2 on user0_id=user0_2_id where user0_username=? and user0_password=?

Hibernate: insert into schedule (content, n_afternoon, n_morning, rank_afternoon, rank_morning, date, Cart_id) values (?, ?, ?, ?, ?, ?)

Hibernate: insert into CartItem (dept_id, description, time, date, Cart_id, Item_id, ranking) values (?, ?, ?, ?, ?, ?)

Hibernate: insert into user (password, type, username) values (?, ?, ?)

Hibernate: insert into Item (age, email, gender, name, phone, punish_begin, punish_count, id) values (?, ?, ?, ?, ?, ?, ?, ?)

Hibernate: select user0_id as id1_8_, user0_password as password2_8_, user0_type as type3_8_, user0_username as username4_8_, user0_1_age as age1_3_, user0_1_avatar as avatar2_3_, user0_1_dept_id as dept_id3_3_, user0_1_gender as gender4_3_, user0_1_intro as intro5_3_, user0_1_name as name6_3_, user0_1_post as post7_3_, user0_2_age as age1_6_, user0_2_email as email2_6_, user0_2_gender as gender3_6_, user0_2_name as name4_6_, user0_2_phone as phone5_6_, user0_2_punish_begin as punish_b6_6_, user0_2_punish_count as punish_c7_6_, case when user0_1_id is not null then 1 when user0_2_id is not null then 2 when user0_id is not null then 0 end as clazz_ from user user0_ left outer join Cart user0_1 on user0_id=user0_1_id left outer join Item user0_2 on user0_id=user0_2_id where user0_username=? and user0_password=?

Hibernate: select constant0_morning_max as morning_1_1_, constant0_afternoon_max as afternoo2_1_, constant0_punish_count as punish_c3_1_, constant0_punish_duration as punish_d4_1_ from constant constant0_

2024-06-20 21:47:06.990 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property age:java.lang.Integer to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:06.990 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property email:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:06.990 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property gender:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:06.990 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property name:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:06.991 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property phone:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:06.991 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property punish_count:java.lang.Integer to bean of class com.sjtu.se.hospital.entity.User
java.text.ParseException: Unparseable date: "abcd"
at java.text.DateFormat.parse(DateFormat.java:366)
at com.sjtu.se.hospital.serviceimpl.ItemServiceImpl.addCartItem(ItemServiceImpl.java:60)
at com.sjtu.se.hospital.serviceimpl.ItemServiceImpl\$\$FastClassBySpringCGLIB\$\$51d03847.invoke()
at org.springframework.cglib.proxy.MethodProxy.invoke(MethodProxy.java:218)
at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.invokeJoinpoint(CglibAopProxy.java:771)
at org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:163)
at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.proceed(CglibAopProxy.java:749)
at org.springframework.transaction.interceptor.TransactionAspectSupport.invokeWithinTransaction(TransactionAspectSupport.java:367)
at org.springframework.transaction.interceptor.TransactionInterceptor.invoke(TransactionInterceptor.java:118)
at org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:186)
at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.proceed(CglibAopProxy.java:749)
at org.springframework.aop.framework.CglibAopProxy\$DynamicAdvisedInterceptor.intercept(CglibAopProxy.java:691)
at com.sjtu.se.hospital.serviceimpl.ItemServiceImpl\$\$EnhancerBySpringCGLIB\$\$741f388a.addCartItem()
at com.sjtu.se.hospital.controller.ItemController.addCartItem(ItemController.java:34)
at com.sjtu.se.hospital.E-MailTests.testCartItem(E-MailTests.java:134)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:498)
at org.junit.platform.commons.util.ReflectionUtils.invokeMethod(ReflectionUtils.java:686)
at org.junit.jupiter.engine.execution.MethodInvocation.proceed(MethodInvocation.java:60)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain\$ValidatingInvocation.proceed(InvocationInterceptorChain.java:131)
at org.junit.jupiter.engine.extension.TimeoutExtension.intercept(TimeoutExtension.java:149)
at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestableMethod(TimeoutExtension.java:140)
at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestMethod(TimeoutExtension.java:84)
at org.junit.jupiter.engine.execution.ExecutableInvoker\$ReflectiveInterceptorCall.lambda\$ofVoidMethod\$0(ExecutableInvoker.java:115)
at org.junit.jupiter.engine.execution.ExecutableInvoker.lambda\$invoke\$0(ExecutableInvoker.java:105)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain\$InterceptedInvocation.proceed(InvocationInterceptorChain.java:106)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.proceed(InvocationInterceptorChain.java:64)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.chainAndInvoke(InvocationInterceptorChain.java:45)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.invoke(InvocationInterceptorChain.java:37)
at org.junit.jupiter.engine.execution.ExecutableInvoker.invoke(ExecutableInvoker.java:104)
at org.junit.jupiter.engine.execution.ExecutableInvoker.invoke(ExecutableInvoker.java:98)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.lambda\$invokeTestMethod\$6(TestMethodTestDescriptor.java:212)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.invokeTestMethod(TestMethodTestDescriptor.java:208)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:137)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:71)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:135)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:135)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)
at java.util.ArrayList.forEach(ArrayList.java:1259)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:38)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:139)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:135)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)
at java.util.ArrayList.forEach(ArrayList.java:1259)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:38)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:139)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:135)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.submit(SameThreadHierarchicalTestExecutorService.java:32)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestExecutor.execute(HierarchicalTestExecutor.java:57)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestEngine.execute(HierarchicalTestEngine.java:51)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:248)
at org.junit.platform.launcher.core.DefaultLauncher.lambda\$execute\$5(DefaultLauncher.java:211)
at org.junit.platform.launcher.core.DefaultLauncher.withInterceptedStreams(DefaultLauncher.java:226)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:199)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:132)
at com.intellij.junit5.JUnit5IdeaTestRunner.startRunnerWithArgs(JUnit5IdeaTestRunner.java:71)
at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38)
at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11)
at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35)
at com.intellij.rt.junit.JUnit4Starter.prepareStreamsAndStart(JUnit4Starter.java:235)
at com.intellij.rt.junit.JUnit4Starter.main(JUnit4Starter.java:54)
Schedule[CartID=2, date=2024-06-20, n_morning=30, n_afternoon=19, rank_morning=30, rank_afternoon=19, content=订单]
Hibernate: select constant0_morning_max as morning_1_1_, constant0_afternoon_max as afternoo2_1_, constant0_punish_count as punish_c3_1_, constant0_punish_duration as punish_d4_1_ from constant constant0_
Hibernate: delete from schedule where date=? and Cart_id=?
Hibernate: select schedule0_date as date1_7_0_, schedule0_Cart_id as Cart_i2_7_0_, schedule0_content as content3_7_0_, schedule0_n_afternoon as n_aftern4_7_0_, schedule0_n_morning as n_mornin5_7_0_, schedule0_rank_afternoon as rank_atf6_7_0_, schedule0_rank_morning as rank_morf7_7_0_ from schedule schedule0_ where schedule0_date=? and schedule0_Cart_id=?
Hibernate: select appointment0_date as date1_0_0_, appointment0_Cart_id as Cart_i2_0_0_, appointment0_ranking as ranking4_0_0_, appointment0_dept_id as dept_id5_0_0_, appointment0_description as descrpt6_0_0_, appointment0_time as time7_0_0_ from CartItem appointment0_ where appointment0_date=? and appointment0_Cart_id=? and appointment0_item_id=? and appointment0_ranking=?
Hibernate: select user0_id as id1_8_, user0_password as password2_8_, user0_type as type3_8_, user0_username as username4_8_, user0_1_age as age1_3_, user0_1_avatar as avatar2_3_, user0_1_dept_id as dept_id3_3_, user0_1_gender as gender4_3_, user0_1_intro as intro5_3_, user0_1_name as name6_3_, user0_1_post as post7_3_, user0_2_age as age1_6_, user0_2_email as email2_6_, user0_2_gender as gender3_6_, user0_2_name as name4_6_, user0_2_phone as phone5_6_, user0_2_punish_begin as punish_b6_6_, user0_2_punish_count as punish_c7_6_, case when user0_1_id is not null then 1 when user0_2_id is not null then 2 when user0_id is not null then 0 end as clazz_ from user user0_ left outer join Cart user0_1 on user0_id=user0_1_id left outer join Item user0_2 on user0_id=user0_2_id where user0_username=? for update
Hibernate: insert into schedule (content, n_afternoon, n_morning, rank_afternoon, rank_morning, date, Cart_id) values (?, ?, ?, ?, ?, ?)
Hibernate: insert into CartItem (dept_id, description, time, date, Cart_id, Item_id, ranking) values (?, ?, ?, ?, ?, ?, ?)
Hibernate: insert into user (password, type, username) values (?, ?, ?)
Hibernate: insert into Item (age, email, gender, name, phone, punish_begin, punish_count, id) values (?, ?, ?, ?, ?, ?, ?, ?)
Hibernate: select user0_id as id1_8_, user0_password as password2_8_, user0_type as type3_8_, user0_username as username4_8_, user0_1_age as age1_3_, user0_1_avatar as avatar2_3_, user0_1_dept_id as dept_id3_3_, user0_1_gender as gender4_3_, user0_1_intro as intro5_3_, user0_1_name as name6_3_, user0_1_post as post7_3_, user0_2_age as age1_6_, user0_2_email as email2_6_, user0_2_gender as gender3_6_, user0_2_name as name4_6_, user0_2_phone as phone5_6_, user0_2_punish_begin as punish_b6_6_, user0_2_punish_count as punish_c7_6_, case when user0_1_id is not null then 1 when user0_2_id is not null then 2 when user0_id is not null then 0 end as clazz_ from user user0_ left outer join Cart user0_1 on user0_id=user0_1_id left outer join Item user0_2 on user0_id=user0_2_id where user0_username=? and user0_password=?
Hibernate: select constant0_morning_max as morning_1_1_, constant0_afternoon_max as afternoo2_1_, constant0_punish_count as punish_c3_1_, constant0_punish_duration as punish_d4_1_ from constant constant0_
2024-06-20 21:47:07.112 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property age:java.lang.Integer to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:07.112 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property email:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:07.112 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property gender:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:07.112 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property name:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:07.112 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property phone:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:07.112 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property punish_count:java.lang.Integer to bean of class com.sjtu.se.hospital.entity.User
java.text.ParseException: Unparseable date: "abcd"
at java.text.DateFormat.parse(DateFormat.java:366)
at com.sjtu.se.hospital.serviceimpl.ItemServiceImpl.addCartItem(ItemServiceImpl.java:60)
at com.sjtu.se.hospital.serviceimpl.ItemServiceImpl\$\$FastClassBySpringCGLIB\$\$51d03847.invoke()
at org.springframework.cglib.proxy.MethodProxy.invoke(MethodProxy.java:218)
at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.invokeJoinpoint(CglibAopProxy.java:771)
at org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:163)
at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.proceed(CglibAopProxy.java:749)
at org.springframework.transaction.interceptor.TransactionAspectSupport.invokeWithinTransaction(TransactionAspectSupport.java:367)
at org.springframework.transaction.interceptor.TransactionInterceptor.invoke(TransactionInterceptor.java:118)
at org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:186)
at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.proceed(CglibAopProxy.java:749)
at org.springframework.aop.framework.CglibAopProxy\$DynamicAdvisedInterceptor.intercept(CglibAopProxy.java:691)

at com.sjtu.se.hospital.serviceimpl.ItemServiceimpl\$\$EnhancerBySpringCGLIB\$\$5741f388a.addCartItem()
at com.sjtu.se.hospital.controller.ItemController.addCartItem(ItemController.java:34)
at com.sjtu.se.hospital.E-MailTests.testCartItem(E-MailTests.java:134)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:498)
at org.junit.platform.commons.util.ReflectionUtils.invokeMethod(ReflectionUtils.java:686)
at org.junit.jupiter.engine.execution.MethodInvocation.proceed(MethodInvocation.java:60)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain\$ValidatingInvocation.proceed(InvocationInterceptorChain.java:131)
at org.junit.jupiter.engine.extension.TimeoutExtension.intercept(TimeoutExtension.java:149)
at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestableMethod(TimeoutExtension.java:140)
at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestMethod(TimeoutExtension.java:84)
at org.junit.jupiter.engine.execution.ExecutableInvoker\$ReflectiveInterceptorCall.lambda\$ofVoidMethod\$0(ExecutableInvoker.java:115)
at org.junit.jupiter.engine.execution.ExecutableInvoker.lambda\$invoke\$0(ExecutableInvoker.java:105)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain\$InterceptedInvocation.proceed(InvocationInterceptorChain.java:106)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.proceed(InvocationInterceptorChain.java:64)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.chainAndInvoke(InvocationInterceptorChain.java:45)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.invoke(InvocationInterceptorChain.java:37)
at org.junit.jupiter.engine.execution.ExecutableInvoker.invoke(ExecutableInvoker.java:104)
at org.junit.jupiter.engine.execution.ExecutableInvoker.invoke(ExecutableInvoker.java:98)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.lambda\$invokeTestMethod\$6(TestMethodTestDescriptor.java:212)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.invokeTestMethod(TestMethodTestDescriptor.java:208)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:137)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:71)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:135)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)
at java.util.ArrayList.forEach(ArrayList.java:1259)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:38)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:139)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)
at java.util.ArrayList.forEach(ArrayList.java:1259)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:38)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:139)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.submit(SameThreadHierarchicalTestExecutorService.java:32)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestExecutor.execute(HierarchicalTestExecutor.java:57)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestEngine.execute(HierarchicalTestEngine.java:51)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:248)
at org.junit.platform.launcher.core.DefaultLauncher.lambda\$execute\$5(DefaultLauncher.java:211)
at org.junit.platform.launcher.core.DefaultLauncher.withInterceptedStreams(DefaultLauncher.java:226)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:199)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:132)
at com.intellij.junit5.JUnit5IdeaTestRunner.startRunnerWithArgs(JUnit5IdeaTestRunner.java:71)
at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38)
at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11)
at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35)
at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235)
at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:54)
Schedule[CartID=2, date=2024-06-20, n_morning=30, n_afternoon=20, rank_morning=30, rank_afternoon=20, content=订单]
Hibernate: select constant0_morning_max as morning_1_1_, constant0_afternoon_max as afternoon2_1_, constant0_punish_count as punish_c3_1_, constant0_punish_duration as punish_d4_1_ from constant constant0_
Hibernate: delete from schedule where date=? and Cart_id=?
Hibernate: select schedule0_date as date1_7_0_, schedule0_Cart_id as Cart_i2_7_0_, schedule0_content as content3_7_0_, schedule0_n_afternoon as n_aftern4_7_0_, schedule0_n_morning as n_mornin5_7_0_, schedule0_rank_afternoon as rank_atf6_7_0_, schedule0_rank_morning as rank_mor7_7_0_ from schedule schedule0_ where schedule0_date=? and schedule0_Cart_id=?
Hibernate: select appointment0_date as date1_0_0_, appointment0_Cart_id as Cart_i2_0_0_, appointment0_Item_id as Item_3_0_0_, appointment0_ranking as ranking4_0_0_, appointment0_dept_id as dept_id5_0_0_, appointment0_description as descrip6_0_0_, appointment0_time as time7_0_0_ from CartItem appointment0_ where appointment0_date=? and appointment0_Cart_id=? and appointment0_Item_id=? and appointment0_ranking=?
Hibernate: select user0_id as id1_8_, user0_password as password2_8_, user0_type as type3_8_, user0_username as username4_8_, user0_1_age as age1_3_, user0_1_avatar as avatar2_3_, user0_1_dept_id as dept_id3_3_, user0_1_gender as gender4_3_, user0_1_intro as intro5_3_, user0_1_name as name6_3_, user0_1_post as post7_3_, user0_2_age as age1_6_, user0_2_email as email2_6_, user0_2_gender as gender3_6_, user0_2_name as name4_6_, user0_2_phone as phone5_6_, user0_2_punish_begin as punish_b6_6_, user0_2_punish_count as punish_c7_6_, case when user0_1_id is not null then 1 when user0_1_id is not null then 2 when user0_id is not null then 0 end as clazz_ from user user0_ left outer join Cart user0_1_ on user0_id=user0_1_id left outer join Item user0_2_ on user0_id=user0_2_id where user0_username=? for update
Hibernate: insert into schedule (content, n_afternoon, n_morning, rank_afternoon, rank_morning, date, Cart_id) values (?, ?, ?, ?, ?, ?)
Hibernate: insert into CartItem (dept_id, description, time, date, Cart_id, Item_id, ranking) values (?, ?, ?, ?, ?, ?, ?)
Hibernate: insert into user (password, type, username) values (?, ?, ?)
Hibernate: insert into Item (age, email, gender, name, phone, punish_begin, punish_count, id) values (?, ?, ?, ?, ?, ?, ?, ?)
Hibernate: select user0_id as id1_8_, user0_password as password2_8_, user0_type as type3_8_, user0_username as username4_8_, user0_1_age as age1_3_, user0_1_avatar as avatar2_3_, user0_1_dept_id as dept_id3_3_, user0_1_gender as gender4_3_, user0_1_intro as intro5_3_, user0_1_name as name6_3_, user0_1_post as post7_3_, user0_2_age as age1_6_, user0_2_email as email2_6_, user0_2_gender as gender3_6_, user0_2_name as name4_6_, user0_2_phone as phone5_6_, user0_2_punish_begin as punish_b6_6_, user0_2_punish_count as punish_c7_6_, case when user0_1_id is not null then 1 when user0_2_id is not null then 2 when user0_id is not null then 0 end as clazz_ from user user0_ left outer join Cart user0_1_ on user0_id=user0_1_id left outer join Item user0_2_ on user0_id=user0_2_id where user0_username=? and user0_password=?
Hibernate: select constant0_morning_max as morning_1_1_, constant0_afternoon_max as afternoon2_1_, constant0_punish_count as punish_c3_1_, constant0_punish_duration as punish_d4_1_ from constant constant0_
2024-06-20 21:47:07.245 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property age:java.lang.Integer to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:07.245 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property email:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:07.245 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property gender:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:07.245 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property name:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:07.245 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property phone:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:07.245 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property punish_count:java.lang.Integer to bean of class com.sjtu.se.hospital.entity.User
java.text.ParseException: Unparseable date: "abcd"
at java.text.DateFormat.parse(DateFormat.java:366)
at com.sjtu.se.hospital.serviceimpl.ItemServiceimpl.addCartItem(ItemServiceimpl.java:60)
at com.sjtu.se.hospital.serviceimpl.ItemServiceimpl\$\$FastClassBySpringCGLIB\$\$51d03847.invoke()
at org.springframework.cglib.proxy.MethodProxy.invoke(MethodProxy.java:218)
at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.invokeJoinpoint(CglibAopProxy.java:771)
at org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:163)
at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.proceed(CglibAopProxy.java:749)
at org.springframework.transaction.interceptor.TransactionAspectSupport.invokeWithinTransaction(TransactionAspectSupport.java:367)
at org.springframework.transaction.interceptor.TransactionInterceptor.invoke(TransactionInterceptor.java:118)
at org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:186)
at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.proceed(CglibAopProxy.java:749)
at org.springframework.aop.framework.CglibAopProxy\$DynamicAdvisedInterceptor.intercept(CglibAopProxy.java:691)
at com.sjtu.se.hospital.serviceimpl.ItemServiceimpl\$\$EnhancerBySpringCGLIB\$\$5741f388a.addCartItem()
at com.sjtu.se.hospital.controller.ItemController.addCartItem(ItemController.java:34)
at com.sjtu.se.hospital.E-MailTests.testCartItem(E-MailTests.java:134)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:498)
at org.junit.platform.commons.util.ReflectionUtils.invokeMethod(ReflectionUtils.java:686)
at org.junit.jupiter.engine.execution.MethodInvocation.proceed(MethodInvocation.java:60)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain\$ValidatingInvocation.proceed(InvocationInterceptorChain.java:131)
at org.junit.jupiter.engine.extension.TimeoutExtension.intercept(TimeoutExtension.java:149)
at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestableMethod(TimeoutExtension.java:140)
at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestMethod(TimeoutExtension.java:84)
at org.junit.jupiter.engine.execution.ExecutableInvoker\$ReflectiveInterceptorCall.lambda\$ofVoidMethod\$0(ExecutableInvoker.java:115)
at org.junit.jupiter.engine.execution.ExecutableInvoker.lambda\$invoke\$0(ExecutableInvoker.java:105)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain\$InterceptedInvocation.proceed(InvocationInterceptorChain.java:106)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.proceed(InvocationInterceptorChain.java:64)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.chainAndInvoke(InvocationInterceptorChain.java:45)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.invoke(InvocationInterceptorChain.java:37)

at org.junit.platform.engine.support.hierarchical.Node\$TestTask.lambda\$executeRecursively\$7(Node\$TestTask.java:125)
at org.junit.platform.engine.support.hierarchical.Node\$TestTask.lambda\$executeRecursively\$8(Node\$TestTask.java:135)
at org.junit.platform.engine.support.hierarchical.Node\$TestTask.lambda\$executeRecursively\$9(Node\$TestTask.java:123)
at org.junit.platform.engine.support.hierarchical.Node\$TestTask.lambda\$executeRecursively\$10(Node\$TestTask.java:73)
at org.junit.platform.engine.support.hierarchical.Node\$TestTask.lambda\$executeRecursively\$11(Node\$TestTask.java:122)
at org.junit.platform.engine.support.hierarchical.Node\$TestTask.lambda\$executeRecursively\$12(Node\$TestTask.java:80)
at java.util.ArrayList.forEach(ArrayList.java:1259)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:38)
at org.junit.platform.engine.support.hierarchical.Node\$TestTask.lambda\$executeRecursively\$13(Node\$TestTask.java:139)
at org.junit.platform.engine.support.hierarchical.Node\$TestTask.lambda\$executeRecursively\$14(Node\$TestTask.java:73)
at org.junit.platform.engine.support.hierarchical.Node\$TestTask.lambda\$executeRecursively\$15(Node\$TestTask.java:125)
at org.junit.platform.engine.support.hierarchical.Node\$TestTask.lambda\$executeRecursively\$16(Node\$TestTask.java:135)
at org.junit.platform.engine.support.hierarchical.Node\$TestTask.lambda\$executeRecursively\$17(Node\$TestTask.java:123)
at org.junit.platform.engine.support.hierarchical.Node\$TestTask.lambda\$executeRecursively\$18(Node\$TestTask.java:73)
at org.junit.platform.engine.support.hierarchical.Node\$TestTask.lambda\$executeRecursively\$19(Node\$TestTask.java:122)
at org.junit.platform.engine.support.hierarchical.Node\$TestTask.lambda\$executeRecursively\$20(Node\$TestTask.java:80)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.submit(SameThreadHierarchicalTestExecutorService.java:32)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestExecutor.execute(HierarchicalTestExecutor.java:57)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestEngine.execute(HierarchicalTestEngine.java:51)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:248)
at org.junit.platform.launcher.core.DefaultLauncher.lambda\$execute\$5(DefaultLauncher.java:211)
at org.junit.platform.launcher.core.DefaultLauncher.withInterceptedStreams(DefaultLauncher.java:226)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:199)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:132)
at com.intellij.junit5.JUnit5IdeaTestRunner.startRunnerWithArgs(JUnit5IdeaTestRunner.java:71)
at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38)
at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11)
at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35)
at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235)
at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:54)
Schedule[CartID=2, date=2024-06-20, n_morning=30, n_afternoon=22, rank_morning=30, rank_afternoon=22, content=订单]
Hibernate: select constant0_morning_max as morning_1_1_, constant0_afternoon_max as afternoon2_1_, constant0_punish_count as punish_c3_1_, constant0_punish_duration as punish_d4_1_ from constant constant0_
Hibernate: delete from schedule where date=? and Cart_id=?
Hibernate: select schedule0_date as date1_7_0_, schedule0_Cart_id as Cart_id2_7_0_, schedule0_content as content3_7_0_, schedule0_n_afternoon as n_aftern4_7_0_, schedule0_n_morning as n_mornin5_7_0_, schedule0_rank_afternoon as
rank_af6_7_0_, schedule0_rank_morning as rank_mor7_7_0_ from schedule schedule0_ where schedule0_date=? and schedule0_Cart_id=?
Hibernate: select appointment0_date as date1_0_0_, appointment0_Cart_id as Cart_id2_0_0_, appointment0_Item_id as Item_3_0_0_, appointment0_ranking as ranking4_0_0_, appointment0_dept_id as dept_id5_0_0_, appointment0_description as
descrip6_0_0_, appointment0_time as time7_0_0_ from CartItem appointment0_ where appointment0_date=? and appointment0_Cart_id=? and appointment0_Item_id=? and appointment0_ranking=?
Hibernate: select user0_id as id1_8_, user0_password as password2_8_, user0_type as type3_8_, user0_username as username4_8_, user0_1_age as age1_3_, user0_1_avatar as avatar2_3_, user0_1_dept_id as dept_id3_3_, user0_1_gender as
gender4_3_, user0_1_intro as intro5_3_, user0_1_name as name6_3_, user0_1_post as post7_3_, user0_2_age as age1_6_, user0_2_email as email2_6_, user0_2_gender as gender3_6_, user0_2_name as name4_6_, user0_2_phone as
phone5_6_, user0_2_punish_begin as punish_b6_6_, user0_2_punish_count as punish_c7_6_, case when user0_1_id is not null then 1 when user0_2_id is not null then 2 when user0_id is not null then 0 end as clazz_ from user user0_ left outer join
Cart user0_1 on user0_id=user0_1_id left outer join Item user0_2 on user0_id=user0_2_id where user0_username=? and user0_password=?
Hibernate: insert into schedule (content, n_afternoon, n_morning, rank_afternoon, rank_morning, date, Cart_id) values (?, ?, ?, ?, ?, ?)
Hibernate: insert into CartItem (dept_id, description, time, date, Cart_id, Item_id, ranking) values (?, ?, ?, ?, ?, ?)
Hibernate: insert into user (password, type, username) values (?, ?, ?)
Hibernate: insert into Item (age, email, gender, name, phone, punish_begin, punish_count, id) values (?, ?, ?, ?, ?, ?, ?)
Hibernate: select user0_id as id1_8_, user0_password as password2_8_, user0_type as type3_8_, user0_username as username4_8_, user0_1_age as age1_3_, user0_1_avatar as avatar2_3_, user0_1_dept_id as dept_id3_3_, user0_1_gender as
gender4_3_, user0_1_intro as intro5_3_, user0_1_name as name6_3_, user0_1_post as post7_3_, user0_2_age as age1_6_, user0_2_email as email2_6_, user0_2_gender as gender3_6_, user0_2_name as name4_6_, user0_2_phone as
phone5_6_, user0_2_punish_begin as punish_b6_6_, user0_2_punish_count as punish_c7_6_, case when user0_1_id is not null then 1 when user0_2_id is not null then 2 when user0_id is not null then 0 end as clazz_ from user user0_ left outer join
Cart user0_1 on user0_id=user0_1_id left outer join Item user0_2 on user0_id=user0_2_id where user0_username=? and user0_password=?
Hibernate: select constant0_morning_max as morning_1_1_, constant0_afternoon_max as afternoon2_1_, constant0_punish_count as punish_c3_1_, constant0_punish_duration as punish_d4_1_ from constant constant0_
2024-06-20 21:47:07.479 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property age:java.lang.Integer to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:07.480 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property email:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:07.480 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property gender:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:07.480 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property name:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:07.480 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property phone:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:07.480 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property punish_count:java.lang.Integer to bean of class com.sjtu.se.hospital.entity.User
java.text.ParseException: Unparseable date: "abcd"
at java.text.DateFormat.parse(DateFormat.java:366)
at com.sjtu.se.hospital.serviceimpl.ItemServiceImpl.addCartItem(ItemServiceImpl.java:60)
at com.sjtu.se.hospital.serviceimpl.ItemServiceImpl\$\$FastClassBySpringCGLIB\$\$51d03847.invoke()
at org.springframework.cglib.proxy.MethodProxy.invoke(MethodProxy.java:218)
at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.invokeJoinpoint(CglibAopProxy.java:771)
at org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:163)
at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.proceed(CglibAopProxy.java:749)
at org.springframework.transaction.interceptor.TransactionAspectSupport.invokeWithinTransaction(TransactionAspectSupport.java:367)
at org.springframework.transaction.interceptor.TransactionInterceptor.invoke(TransactionInterceptor.java:118)
at org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:186)
at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.proceed(CglibAopProxy.java:749)
at org.springframework.aop.framework.CglibAopProxy\$DynamicAdvisedInterceptor.intercept(CglibAopProxy.java:691)
at com.sjtu.se.hospital.serviceimpl.ItemServiceImpl\$\$EnhancerBySpringCGLIB\$\$741f388a.addCartItem()
at com.sjtu.se.hospital.controller.ItemController.addCartItem(ItemController.java:34)
at com.sjtu.se.hospital.E-MailTests.testCartItem(E-MailTests.java:134)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:498)
at org.junit.platform.commons.util.ReflectionUtils.invokeMethod(ReflectionUtils.java:686)
at org.junit.jupiter.engine.execution.MethodInvocation.proceed(MethodInvocation.java:60)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain\$ValidatingInvocation.proceed(InvocationInterceptorChain.java:131)
at org.junit.jupiter.engine.extension.TimeoutExtension.intercept(TimeoutExtension.java:149)
at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestableMethod(TimeoutExtension.java:140)
at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestMethod(TimeoutExtension.java:84)
at org.junit.jupiter.engine.execution.ExecutableInvoker\$ReflectiveInterceptorCall.lambda\$ofVoidMethod\$0(ExecutableInvoker.java:115)
at org.junit.jupiter.engine.execution.ExecutableInvoker.lambda\$invoke\$0(ExecutableInvoker.java:105)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain\$InterceptedInvocation.proceed(InvocationInterceptorChain.java:106)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.proceed(InvocationInterceptorChain.java:64)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.chainAndInvoke(InvocationInterceptorChain.java:45)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.invoke(InvocationInterceptorChain.java:37)
at org.junit.jupiter.engine.execution.ExecutableInvoker.invoke(ExecutableInvoker.java:104)
at org.junit.jupiter.engine.execution.ExecutableInvoker.invoke(ExecutableInvoker.java:98)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.lambda\$invokeTestMethod\$6(TestMethodTestDescriptor.java:212)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.invokeTestMethod(TestMethodTestDescriptor.java:208)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:137)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:71)
at org.junit.platform.engine.support.hierarchical.Node\$TestTask.lambda\$executeRecursively\$5(Node\$TestTask.java:135)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.Node\$TestTask.lambda\$executeRecursively\$6(Node\$TestTask.java:125)
at org.junit.platform.engine.support.hierarchical.Node\$TestTask.lambda\$executeRecursively\$7(Node\$TestTask.java:135)
at org.junit.platform.engine.support.hierarchical.Node\$TestTask.lambda\$executeRecursively\$8(Node\$TestTask.java:123)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.Node\$TestTask.executeRecursively(Node\$TestTask.java:122)
at org.junit.platform.engine.support.hierarchical.Node\$TestTask.execute(Node\$TestTask.java:80)
at java.util.ArrayList.forEach(ArrayList.java:1259)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:38)
at org.junit.platform.engine.support.hierarchical.Node\$TestTask.lambda\$executeRecursively\$9(Node\$TestTask.java:139)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.Node\$TestTask.lambda\$executeRecursively\$10(Node\$TestTask.java:125)
at org.junit.platform.engine.support.hierarchical.Node\$TestTask.lambda\$executeRecursively\$11(Node\$TestTask.java:135)
at org.junit.platform.engine.support.hierarchical.Node\$TestTask.lambda\$executeRecursively\$12(Node\$TestTask.java:123)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.Node\$TestTask.executeRecursively(Node\$TestTask.java:122)
at org.junit.platform.engine.support.hierarchical.Node\$TestTask.execute(Node\$TestTask.java:80)
at java.util.ArrayList.forEach(ArrayList.java:1259)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:38)
at org.junit.platform.engine.support.hierarchical.Node\$TestTask.lambda\$executeRecursively\$13(Node\$TestTask.java:139)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.Node\$TestTask.lambda\$executeRecursively\$14(Node\$TestTask.java:125)
at org.junit.platform.engine.support.hierarchical.Node\$TestTask.lambda\$executeRecursively\$15(Node\$TestTask.java:135)
at org.junit.platform.engine.support.hierarchical.Node\$TestTask.lambda\$executeRecursively\$16(Node\$TestTask.java:123)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.Node\$TestTask.executeRecursively(Node\$TestTask.java:122)
at org.junit.platform.engine.support.hierarchical.Node\$TestTask.execute(Node\$TestTask.java:80)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestEngine.execute(HierarchicalTestEngine.java:51)

at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:248)
at org.junit.platform.launcher.core.DefaultLauncher.lambda\$execute\$5(DefaultLauncher.java:211)
at org.junit.platform.launcher.core.DefaultLauncher.withInterceptedStreams(DefaultLauncher.java:226)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:199)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:132)
at com.intellij.junit5.JUnit5IdeaTestRunner.startRunnerWithArgs(JUnit5IdeaTestRunner.java:71)
at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38)
at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11)
at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35)
at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235)
at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:54)
Schedule(CartID=2, date=2024-06-20, n_morning=30, n_afternoon=23, rank_morning=30, rank_afternoon=23, content=订单)
Hibernate: select constant0_morning_max as morning_1_1, constant0_afternoon_max as afternoon2_1, constant0_punish_count as punish_c3_1, constant0_punish_duration as punish_d4_1 from constant constant0_
Hibernate: delete from schedule where date=? and Cart_id=?
Hibernate: select schedule0_date as date1_7_0, schedule0_Cart_id as Cart_id2_7_0, schedule0_content as content3_7_0, schedule0_n_afternoon as n_aftern4_7_0, schedule0_n_morning as n_mornin5_7_0, schedule0_rank_afternoon as rank_atf6_7_0, schedule0_rank_morning as rank_mor7_7_0 from schedule schedule0 where schedule0_date=? and schedule0_Cart_id=?
Hibernate: select appointment0_date as date1_0_0, appointment0_Cart_id as Cart_id2_0_0, appointment0_Item_id as Item_3_0_0, appointment0_ranking as ranking4_0_0, appointment0_dept_id as dept_id5_0_0, appointment0_description as descrip6_0_0, appointment0_time as time7_0_0 from CartItem appointment0 where appointment0_date=? and appointment0_Cart_id=? and appointment0_Item_id=? and appointment0_ranking=?
Hibernate: select user0_id as id1_8, user0_password as password2_8, user0_type as type3_8, user0_username as username4_8, user0_1_age as age1_3, user0_1_avatar as avatar2_3, user0_1_dept_id as dept_id3_3, user0_1_gender as gender4_3, user0_1_intro as intro5_3, user0_1_name as name6_3, user0_1_post as post7_3, user0_2_age as age1_6, user0_2_email as email2_6, user0_2_gender as gender3_6, user0_2_name as name4_6, user0_2_phone as phone5_6, user0_2_punish_begin as punish_b6_6, user0_2_punish_count as punish_c7_6, case when user0_1_id is not null then 1 when user0_2_id is not null then 2 when user0_id is not null then 0 end as clazz from user user0_left outer join
Cart user0_1 on user0_id=user0_1_id left outer join Item user0_2 on user0_id=user0_2_id where user0_username=? for update
Hibernate: insert into schedule (content, n_afternoon, n_morning, rank_afternoon, rank_morning, date, Cart_id, Item_id, ranking) values (?, ?, ?, ?, ?, ?, ?)
Hibernate: insert into CartItem (dept_id, description, time, date, Cart_id, Item_id, ranking) values (?, ?, ?, ?, ?, ?, ?)
Hibernate: insert into user (password, type, username) values (?, ?, ?)
Hibernate: insert into Item (age, email, gender, name, phone, punish_begin, punish_count, id) values (?, ?, ?, ?, ?, ?, ?, ?)
Hibernate: select user0_id as id1_8, user0_password as password2_8, user0_type as type3_8, user0_username as username4_8, user0_1_age as age1_3, user0_1_avatar as avatar2_3, user0_1_dept_id as dept_id3_3, user0_1_gender as gender4_3, user0_1_intro as intro5_3, user0_1_name as name6_3, user0_1_post as post7_3, user0_2_age as age1_6, user0_2_email as email2_6, user0_2_gender as gender3_6, user0_2_name as name4_6, user0_2_phone as phone5_6, user0_2_punish_begin as punish_b6_6, user0_2_punish_count as punish_c7_6, case when user0_1_id is not null then 1 when user0_2_id is not null then 2 when user0_id is not null then 0 end as clazz from user user0_left outer join
Cart user0_1 on user0_id=user0_1_id left outer join Item user0_2 on user0_id=user0_2_id where user0_username=? and user0_password=?
Hibernate: select constant0_morning_max as morning_1_1, constant0_afternoon_max as afternoon2_1, constant0_punish_count as punish_c3_1, constant0_punish_duration as punish_d4_1 from constant constant0_
2024-06-20 21:47:07.596 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property age:java.lang.Integer to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:07.596 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property email:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:07.596 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property gender:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:07.596 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property name:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:07.596 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property phone:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:07.596 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property punish_count:java.lang.Integer to bean of class com.sjtu.se.hospital.entity.User
java.text.ParseException: Unparseable date: "abcd"
at java.text.DateFormat.parse(DateFormat.java:366)
at com.sjtu.se.hospital.serviceimpl.ItemServiceImpl.addCartItem(ItemServiceImpl.java:60)
at com.sjtu.se.hospital.serviceimpl.ItemServiceImpl\$\$FastClassBySpringCGLIB\$\$51d03847.invoke()
at org.springframework.cglib.proxy.MethodProxy.invoke(MethodProxy.java:218)
at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.invokeJoinpoint(CglibAopProxy.java:771)
at org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:163)
at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.proceed(CglibAopProxy.java:749)
at org.springframework.transaction.interceptor.TransactionAspectSupport.invokeWithinTransaction(TransactionAspectSupport.java:367)
at org.springframework.transaction.interceptor.TransactionInterceptor.invoke(TransactionInterceptor.java:118)
at org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:186)
at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.proceed(CglibAopProxy.java:749)
at org.springframework.aop.framework.CglibAopProxy\$DynamicAdvisedInterceptor.intercept(CglibAopProxy.java:691)
at com.sjtu.se.hospital.serviceimpl.ItemServiceImpl\$\$EnhancerBySpringCGLIB\$\$5741f388a.addCartItem()
at com.sjtu.se.hospital.controller.ItemController.addCartItem(ItemController.java:34)
at com.sjtu.se.hospital.E-Mail Tests.testCartItem(E-Mail Tests.java:134)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:498)
at org.junit.platform.commons.util.ReflectionUtils.invokeMethod(ReflectionUtils.java:686)
at org.junit.jupiter.engine.execution.MethodInvocation.proceed(MethodInvocation.java:60)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain\$ValidatingInvocation.proceed(InvocationInterceptorChain.java:131)
at org.junit.jupiter.engine.extension.TimeoutExtension.intercept(TimeoutExtension.java:149)
at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestableMethod(TimeoutExtension.java:140)
at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestMethod(TimeoutExtension.java:84)
at org.junit.jupiter.engine.execution.ExecutableInvoker\$ReflectiveInterceptorCall.lambda\$ofVoidMethod\$0(ExecutableInvoker.java:115)
at org.junit.jupiter.engine.execution.ExecutableInvoker.lambda\$invoke\$0(ExecutableInvoker.java:105)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain\$InterceptedInvocation.proceed(InvocationInterceptorChain.java:106)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.proceed(InvocationInterceptorChain.java:64)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.chainAndInvoke(InvocationInterceptorChain.java:45)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.invoke(InvocationInterceptorChain.java:37)
at org.junit.jupiter.engine.execution.ExecutableInvoker.invoke(ExecutableInvoker.java:104)
at org.junit.jupiter.engine.execution.ExecutableInvoker.invoke(ExecutableInvoker.java:98)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.lambda\$invokeTestMethod\$6(TestMethodTestDescriptor.java:212)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.invokeTestMethod(TestMethodTestDescriptor.java:208)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:137)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:71)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:135)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)
at java.util.ArrayList.forEach(ArrayList.java:1259)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:38)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:139)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)
at java.util.ArrayList.forEach(ArrayList.java:1259)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:38)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:139)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.submit(SameThreadHierarchicalTestExecutorService.java:32)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestExecutor.execute(HierarchicalTestExecutor.java:57)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestEngine.execute(HierarchicalTestEngine.java:51)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:248)
at org.junit.platform.launcher.core.DefaultLauncher.lambda\$execute\$5(DefaultLauncher.java:211)
at org.junit.platform.launcher.core.DefaultLauncher.withInterceptedStreams(DefaultLauncher.java:226)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:199)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:132)
at com.intellij.junit5.JUnit5IdeaTestRunner.startRunnerWithArgs(JUnit5IdeaTestRunner.java:71)
at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38)
at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11)
at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35)
at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235)
at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:54)
Schedule(CartID=2, date=2024-06-20, n_morning=30, n_afternoon=24, rank_morning=30, rank_afternoon=24, content=订单)
Hibernate: select constant0_morning_max as morning_1_1, constant0_afternoon_max as afternoon2_1, constant0_punish_count as punish_c3_1, constant0_punish_duration as punish_d4_1 from constant constant0_
Hibernate: delete from schedule where date=? and Cart_id=?
Hibernate: select schedule0_date as date1_7_0, schedule0_Cart_id as Cart_id2_7_0, schedule0_content as content3_7_0, schedule0_n_afternoon as n_aftern4_7_0, schedule0_n_morning as n_mornin5_7_0, schedule0_rank_afternoon as rank_atf6_7_0, schedule0_rank_morning as rank_mor7_7_0 from schedule schedule0 where schedule0_date=? and schedule0_Cart_id=?
Hibernate: select appointment0_date as date1_0_0, appointment0_Cart_id as Cart_id2_0_0, appointment0_Item_id as Item_3_0_0, appointment0_ranking as ranking4_0_0, appointment0_dept_id as dept_id5_0_0, appointment0_description as descrip6_0_0, appointment0_time as time7_0_0 from CartItem appointment0 where appointment0_date=? and appointment0_Cart_id=? and appointment0_Item_id=? and appointment0_ranking=?
Hibernate: select user0_id as id1_8, user0_password as password2_8, user0_type as type3_8, user0_username as username4_8, user0_1_age as age1_3, user0_1_avatar as avatar2_3, user0_1_dept_id as dept_id3_3, user0_1_gender as

gender4_3_, user0_1_intro as intro5_3_, user0_1_name as name6_3_, user0_1_post as post7_3_, user0_2_age as age1_6_, user0_2_email as email2_6_, user0_2_gender as gender3_6_, user0_2_name as name4_6_, user0_2_phone as phone5_6_, user0_2_punish_begin as punish_b6_6_, user0_2_punish_count as punish_c7_6_, case when user0_1_id is not null then 1 when user0_2_id is not null then 0 end as clazz_ from user user0_ left outer join Cart user0_1_ on user0_id=user0_1_id left outer join Item user0_2_ on user0_id=user0_2_id where user0_username=? for update
Hibernate: insert into schedule (content, n_afternoon, n_morning, rank_afternoon, rank_morning, date, Cart_id) values (?, ?, ?, ?, ?, ?)
Hibernate: insert into CartItem (dept_id, description, time, date, Cart_id, Item_id, ranking) values (?, ?, ?, ?, ?, ?)
Hibernate: insert into user (password, type, username) values (?, ?, ?)
Hibernate: insert into Item (age, email, gender, name, phone, punish_begin, punish_count, id) values (?, ?, ?, ?, ?, ?, ?)
Hibernate: select user0_id as id1_8_, user0_password as password2_8_, user0_type as type3_8_, user0_username as username4_8_, user0_1_age as age1_3_, user0_1_avatar as avatar2_3_, user0_1_dept_id as dept_id3_3_, user0_1_gender as gender4_3_, user0_1_intro as intro5_3_, user0_1_name as name6_3_, user0_1_post as post7_3_, user0_2_age as age1_6_, user0_2_email as email2_6_, user0_2_gender as gender3_6_, user0_2_name as name4_6_, user0_2_phone as phone5_6_, user0_2_punish_begin as punish_b6_6_, user0_2_punish_count as punish_c7_6_, case when user0_1_id is not null then 1 when user0_2_id is not null then 0 end as clazz_ from user user0_ left outer join Cart user0_1_ on user0_id=user0_1_id left outer join Item user0_2_ on user0_id=user0_2_id where user0_username=? and user0_password=?
Hibernate: select constant0_morning_max as morning_1_1_, constant0_afternoon_max as afternoo2_1_, constant0_punish_count as punish_c3_1_, constant0_punish_duration as punish_d4_1_ from constant constant0_2024-06-20 21:47:07.728 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property age:java.lang.Integer to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:07.728 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property email:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:07.728 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property gender:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:07.728 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property name:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:07.728 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property phone:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:07.728 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property punish_count:java.lang.Integer to bean of class com.sjtu.se.hospital.entity.User
java.text.ParseException: Unparseable date: "abcd"
at java.text.DateFormat.parse(DateFormat.java:366)
at com.sjtu.se.hospital.serviceimpl.ItemServiceImpl.addCartItem(ItemServiceImpl.java:60)
at com.sjtu.se.hospital.serviceimpl.ItemServiceImpl\$\$FastClassBySpringCGUJB\$5\$1d03847.invoke()
at org.springframework.cglib.proxy.MethodProxy.invoke(MethodProxy.java:218)
at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.invokeJoinpoint(CglibAopProxy.java:771)
at org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:163)
at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.proceed(CglibAopProxy.java:749)
at org.springframework.transaction.interceptor.TransactionAspectSupport.invokeWithinTransaction(TransactionAspectSupport.java:367)
at org.springframework.transaction.interceptor.TransactionInterceptor.invoke(TransactionInterceptor.java:118)
at org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:186)
at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.proceed(CglibAopProxy.java:749)
at org.springframework.aop.framework.CglibAopProxy\$DynamicAdvisedInterceptor.intercept(CglibAopProxy.java:691)
at com.sjtu.se.hospital.serviceimpl.ItemServiceImpl\$\$EnhancerBySpringCGUJB\$5\$741f388a.addCartItem()
at com.sjtu.se.hospital.controller.ItemController.addCartItem(ItemController.java:34)
at com.sjtu.se.hospital.E-MailTests.testCartItem(E-MailTests.java:134)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:498)
at org.junit.platform.commons.util.ReflectionUtils.invokeMethod(ReflectionUtils.java:686)
at org.junit.jupiter.engine.execution.MethodInvocation.proceed(MethodInvocation.java:60)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain\$ValidatingInvocation.proceed(InvocationInterceptorChain.java:131)
at org.junit.jupiter.engine.extension.TimeoutExtension.intercept(TimeoutExtension.java:149)
at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestableMethod(TimeoutExtension.java:140)
at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestMethod(TimeoutExtension.java:84)
at org.junit.jupiter.engine.execution.ExecutableInvoker\$ReflectiveInterceptorCall.lambda\$ofVoidMethod\$0(ExecutableInvoker.java:115)
at org.junit.jupiter.engine.execution.ExecutableInvoker.lambda\$invoke\$0(ExecutableInvoker.java:105)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain\$InterceptedInvocation.proceed(InvocationInterceptorChain.java:106)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.proceed(InvocationInterceptorChain.java:64)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.chainAndInvoke(InvocationInterceptorChain.java:45)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.invoke(InvocationInterceptorChain.java:37)
at org.junit.jupiter.engine.execution.ExecutableInvoker.invoke(ExecutableInvoker.java:104)
at org.junit.jupiter.engine.execution.ExecutableInvoker.invoke(ExecutableInvoker.java:98)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.lambda\$invokeTestMethod\$6(TestMethodTestDescriptor.java:212)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.invokeTestMethod(TestMethodTestDescriptor.java:208)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:137)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:71)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:135)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)
at java.util.ArrayList.forEach(ArrayList.java:1259)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:38)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:139)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)
at java.util.ArrayList.forEach(ArrayList.java:1259)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:38)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:139)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.submit(SameThreadHierarchicalTestExecutorService.java:32)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestExecutor.execute(HierarchicalTestExecutor.java:57)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestEngine.execute(HierarchicalTestEngine.java:51)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:248)
at org.junit.platform.launcher.core.DefaultLauncher.lambda\$execute\$5(DefaultLauncher.java:211)
at org.junit.platform.launcher.core.DefaultLauncher.withInterceptedStreams(DefaultLauncher.java:226)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:199)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:132)
at com.intellij.junit5.JUnit5IdeaTestRunner.startRunnerWithArgs(JUnit5IdeaTestRunner.java:71)
at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38)
at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11)
at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35)
at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235)
at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:54)
Schedule[CartID=2, date=2024-06-20, n_morning=30, n_afternoon=25, rank_morning=30, rank_afternoon=25, content=订单]
Hibernate: select constant0_morning_max as morning_1_1_, constant0_afternoon_max as afternoo2_1_, constant0_punish_count as punish_c3_1_, constant0_punish_duration as punish_d4_1_ from constant constant0_
Hibernate: delete from schedule where date=? and Cart_id=?
Hibernate: select schedule0_date as date1_7_0_, schedule0_Cart_id as Cart_id2_7_0_, schedule0_content as content3_7_0_, schedule0_n_afternoon as n_aftern4_7_0_, schedule0_n_morning as n_mornin5_7_0_, schedule0_rank_afternoon as rank_atf6_7_0_, schedule0_rank_morning as rank_mor7_7_0_ from schedule schedule0_ where schedule0_date=? and schedule0_Cart_id=?
Hibernate: select appointment0_date as date1_0_0_, appointment0_Cart_id as Cart_id2_0_0_, appointment0_Item_id as Item_3_0_0_, appointment0_ranking as ranking4_0_0_, appointment0_dept_id as dept_id5_0_0_, appointment0_description as descrip6_0_0_, appointment0_time as time7_0_0_ from CartItem appointment0_ where appointment0_date=? and appointment0_Item_id=? and appointment0_ranking=?
Hibernate: select user0_id as id1_8_, user0_password as password2_8_, user0_type as type3_8_, user0_username as username4_8_, user0_1_age as age1_3_, user0_1_avatar as avatar2_3_, user0_1_dept_id as dept_id3_3_, user0_1_gender as gender4_3_, user0_1_intro as intro5_3_, user0_1_name as name6_3_, user0_1_post as post7_3_, user0_2_age as age1_6_, user0_2_email as email2_6_, user0_2_gender as gender3_6_, user0_2_name as name4_6_, user0_2_phone as phone5_6_, user0_2_punish_begin as punish_b6_6_, user0_2_punish_count as punish_c7_6_, case when user0_1_id is not null then 1 when user0_2_id is not null then 0 end as clazz_ from user user0_ left outer join Cart user0_1_ on user0_id=user0_1_id left outer join Item user0_2_ on user0_id=user0_2_id where user0_username=? and user0_password=?
Hibernate: insert into schedule (content, n_afternoon, n_morning, rank_afternoon, rank_morning, date, Cart_id) values (?, ?, ?, ?, ?, ?)
Hibernate: insert into CartItem (dept_id, description, time, date, Cart_id, Item_id, ranking) values (?, ?, ?, ?, ?, ?)
Hibernate: insert into user (password, type, username) values (?, ?, ?)
Hibernate: insert into Item (age, email, gender, name, phone, punish_begin, punish_count, id) values (?, ?, ?, ?, ?, ?, ?)
Hibernate: select user0_id as id1_8_, user0_password as password2_8_, user0_type as type3_8_, user0_username as username4_8_, user0_1_age as age1_3_, user0_1_avatar as avatar2_3_, user0_1_dept_id as dept_id3_3_, user0_1_gender as gender4_3_, user0_1_intro as intro5_3_, user0_1_name as name6_3_, user0_1_post as post7_3_, user0_2_age as age1_6_, user0_2_email as email2_6_, user0_2_gender as gender3_6_, user0_2_name as name4_6_, user0_2_phone as phone5_6_, user0_2_punish_begin as punish_b6_6_, user0_2_punish_count as punish_c7_6_, case when user0_1_id is not null then 1 when user0_2_id is not null then 0 end as clazz_ from user user0_ left outer join Cart user0_1_ on user0_id=user0_1_id left outer join Item user0_2_ on user0_id=user0_2_id where user0_username=? and user0_password=?
Hibernate: select constant0_morning_max as morning_1_1_, constant0_afternoon_max as afternoo2_1_, constant0_punish_count as punish_c3_1_, constant0_punish_duration as punish_d4_1_ from constant constant0_2024-06-20 21:47:07.849 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property age:java.lang.Integer to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:07.850 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property email:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:07.850 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property gender:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:07.850 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property name:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:07.850 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property phone:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:07.850 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property punish_count:java.lang.Integer to bean of class com.sjtu.se.hospital.entity.User
java.text.ParseException: Unparseable date: "abcd"

at java.text.DateFormat.parse(DateFormat.java:366)
at com.sjtu.se.hospital.serviceimpl.ItemServiceimpl.addCartItem(ItemServiceimpl.java:60)
at com.sjtu.se.hospital.serviceimpl.ItemServiceimpl\$\$FastClassBySpringCGLIB\$\$51d03847.invoke()
at org.springframework.cglib.proxy.MethodProxy.invoke(MethodProxy.java:218)
at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.invokeJoinpoint(CglibAopProxy.java:771)
at org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:163)
at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.proceed(CglibAopProxy.java:749)
at org.springframework.transaction.interceptor.TransactionAspectSupport.invokeWithinTransaction(TransactionAspectSupport.java:367)
at org.springframework.transaction.interceptor.TransactionInterceptor.invoke(TransactionInterceptor.java:118)
at org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:186)
at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.proceed(CglibAopProxy.java:749)
at org.springframework.aop.framework.CglibAopProxy\$DynamicAdvisedInterceptor.intercept(CglibAopProxy.java:691)
at com.sjtu.se.hospital.serviceimpl.ItemServiceimpl\$\$EnhancerBySpringCGLIB\$\$741f388a.addCartItem()
at com.sjtu.se.hospital.controller.ItemController.addCartItem(ItemController.java:34)
at com.sjtu.se.hospital.E-MailTests.testCartItem(E-MailTests.java:134)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:498)
at org.junit.platform.commons.util.ReflectionUtils.invokeMethod(ReflectionUtils.java:686)
at org.junit.jupiter.engine.execution.MethodInvocation.proceed(MethodInvocation.java:60)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain\$ValidatingInvocation.proceed(InvocationInterceptorChain.java:131)
at org.junit.jupiter.engine.extension.TimeoutExtension.intercept(TimeoutExtension.java:149)
at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestableMethod(TimeoutExtension.java:140)
at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestMethod(TimeoutExtension.java:84)
at org.junit.jupiter.engine.execution.ExecutableInvoker\$ReflectiveInterceptorCall.lambda\$ofVoidMethod\$0(ExecutableInvoker.java:115)
at org.junit.jupiter.engine.execution.ExecutableInvoker.lambda\$invoke\$0(ExecutableInvoker.java:105)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain\$InterceptedInvocation.proceed(InvocationInterceptorChain.java:106)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.proceed(InvocationInterceptorChain.java:64)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.chainAndInvoke(InvocationInterceptorChain.java:45)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.invoke(InvocationInterceptorChain.java:37)
at org.junit.jupiter.engine.execution.ExecutableInvoker.invoke(ExecutableInvoker.java:104)
at org.junit.jupiter.engine.execution.ExecutableInvoker.invoke(ExecutableInvoker.java:98)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.lambda\$invokeTestMethod\$6(TestMethodTestDescriptor.java:212)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.invokeTestMethod(TestMethodTestDescriptor.java:208)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:137)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:71)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:135)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)
at java.util.ArrayList.forEach(ArrayList.java:1259)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:38)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:139)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)
at java.util.ArrayList.forEach(ArrayList.java:1259)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:38)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:139)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.submit(SameThreadHierarchicalTestExecutorService.java:32)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestExecutor.execute(HierarchicalTestExecutor.java:57)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestEngine.execute(HierarchicalTestEngine.java:51)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:248)
at org.junit.platform.launcher.core.DefaultLauncher.lambda\$execute\$5(DefaultLauncher.java:211)
at org.junit.platform.launcher.core.DefaultLauncher.withInterceptedStreams(DefaultLauncher.java:226)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:199)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:132)
at com.intelli.junit5.JUnit5IdeaTestRunner.startRunnerWithArgs(JUnit5IdeaTestRunner.java:71)
at com.intelli.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38)
at com.intelli.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11)
at com.intelli.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35)
at com.intelli.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235)
at com.intelli.rt.junit.JUnitStarter.main(JUnitStarter.java:54)
Schedule[CartID=2, date=2024-06-20, n_morning=30, n_afternoon=26, rank_morning=30, rank_afternoon=26, content=订单]
Hibernate: select constant0_morning_max as morning_1_1, constant0_afternoon_max as afternoon_1_1, constant0_punish_count as punish_c3_1, constant0_punish_duration as punish_d4_1 from constant constant0_
Hibernate: delete from schedule where date=? and Cart_id=?
Hibernate: select schedule0_date as date1_7_0, schedule0_Cart_id as Cart_id2_7_0, schedule0_content as content3_7_0, schedule0_n_afternoon as n_aftern4_7_0, schedule0_n_morning as n_mornin5_7_0, schedule0_rank_afternoon as rank_atf6_7_0, schedule0_rank_morning as rank_mor7_7_0 from schedule schedule0 where schedule0_date=? and schedule0_Cart_id=?
Hibernate: select appointment0_date as date1_0_0, appointment0_Cart_id as Cart_id2_0_0, appointment0_Item_id as Item_3_0_0, appointment0_ranking as ranking4_0_0, appointment0_dept_id as dept_id5_0_0, appointment0_description as descrip6_0_0, appointment0_time as time7_0_0 from CartItem appointment0 where appointment0_date=? and appointment0_Cart_id=? and appointment0_Item_id=? and appointment0_ranking=?
Hibernate: select user0_id as id1_8, user0_password as password2_8, user0_type as type3_8, user0_username as username4_8, user0_1_age as age1_3, user0_1_avatar as avatar2_3, user0_1_dept_id as dept_id3_3, user0_1_gender as gender4_3, user0_1_intro as intro5_3, user0_1_name as name6_3, user0_1_post as post7_3, user0_2_age as age1_6, user0_2_email as email2_6, user0_2_gender as gender3_6, user0_2_name as name4_6, user0_2_phone as phone5_6, user0_2_punish_begin as punish_b6_6, user0_2_punish_count as punish_c7_6, case when user0_1_id is not null then 1 when user0_2_id is not null then 2 when user0_id is not null then 0 end as clazz_ from user user0_left outer join Cart user0_1 on user0_id=user0_1_id left outer join Item user0_2 on user0_id=user0_2_id where user0_username=? and user0_password=?
Hibernate: insert into schedule (content, n_afternoon, n_morning, rank_afternoon, rank_morning, date, Cart_id) values (?, ?, ?, ?, ?, ?)
Hibernate: insert into CartItem (dept_id, description, time, date, Cart_id, Item_id, ranking) values (?, ?, ?, ?, ?, ?)
Hibernate: insert into user (password, type, username) values (?, ?, ?)
Hibernate: insert into Item (age, email, gender, name, phone, punish_begin, punish_count, id) values (?, ?, ?, ?, ?, ?, ?)
Hibernate: select user0_id as id1_8, user0_password as password2_8, user0_type as type3_8, user0_username as username4_8, user0_1_age as age1_3, user0_1_avatar as avatar2_3, user0_1_dept_id as dept_id3_3, user0_1_gender as gender4_3, user0_1_intro as intro5_3, user0_1_name as name6_3, user0_1_post as post7_3, user0_2_age as age1_6, user0_2_email as email2_6, user0_2_gender as gender3_6, user0_2_name as name4_6, user0_2_phone as phone5_6, user0_2_punish_begin as punish_b6_6, user0_2_punish_count as punish_c7_6, case when user0_1_id is not null then 1 when user0_2_id is not null then 2 when user0_id is not null then 0 end as clazz_ from user user0_left outer join Cart user0_1 on user0_id=user0_1_id left outer join Item user0_2 on user0_id=user0_2_id where user0_username=? and user0_password=?
Hibernate: select constant0_morning_max as morning_1_1, constant0_afternoon_max as afternoo2_1, constant0_punish_count as punish_c3_1, constant0_punish_duration as punish_d4_1 from constant constant0_
2024-06-20 21:47:07.974 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property age:java.lang.Integer to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:07.974 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property email:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:07.974 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property gender:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:07.974 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property name:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:07.974 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property phone:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:07.974 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property punish_count:java.lang.Integer to bean of class com.sjtu.se.hospital.entity.User
java.text.ParseException: Unparseable date: "abcd"
at java.text.DateFormat.parse(DateFormat.java:366)
at com.sjtu.se.hospital.serviceimpl.ItemServiceimpl.addCartItem(ItemServiceimpl.java:60)
at com.sjtu.se.hospital.serviceimpl.ItemServiceimpl\$\$FastClassBySpringCGLIB\$\$51d03847.invoke()
at org.springframework.cglib.proxy.MethodProxy.invoke(MethodProxy.java:218)
at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.invokeJoinpoint(CglibAopProxy.java:771)
at org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:163)
at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.proceed(CglibAopProxy.java:749)
at org.springframework.transaction.interceptor.TransactionAspectSupport.invokeWithinTransaction(TransactionAspectSupport.java:367)
at org.springframework.transaction.interceptor.TransactionInterceptor.invoke(TransactionInterceptor.java:118)
at org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:186)
at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.proceed(CglibAopProxy.java:749)
at org.springframework.aop.framework.CglibAopProxy\$DynamicAdvisedInterceptor.intercept(CglibAopProxy.java:691)
at com.sjtu.se.hospital.serviceimpl.ItemServiceimpl\$\$EnhancerBySpringCGLIB\$\$741f388a.addCartItem()
at com.sjtu.se.hospital.controller.ItemController.addCartItem(ItemController.java:34)
at com.sjtu.se.hospital.E-MailTests.testCartItem(E-MailTests.java:134)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:498)

at org.junit.platform.commons.util.ReflectionUtils.invokeMethod(ReflectionUtils.java:686)
at org.junit.jupiter.engine.execution.MethodInvocation.proceed(MethodInvocation.java:60)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain\$ValidatingInvocation.proceed(InvocationInterceptorChain.java:131)
at org.junit.jupiter.engine.extension.TimeoutExtension.intercept(TimeoutExtension.java:149)
at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestableMethod(TimeoutExtension.java:140)
at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestMethod(TimeoutExtension.java:84)
at org.junit.jupiter.engine.execution.ExecutableInvoker\$ReflectiveInterceptorCall.lambda\$ofVoidMethod\$0(ExecutableInvoker.java:115)
at org.junit.jupiter.engine.execution.ExecutableInvoker.lambda\$invoke\$0(ExecutableInvoker.java:105)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain\$InterceptedInvocation.proceed(InvocationInterceptorChain.java:106)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.proceed(InvocationInterceptorChain.java:64)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.chainAndInvoke(InvocationInterceptorChain.java:45)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.invoke(InvocationInterceptorChain.java:37)
at org.junit.jupiter.engine.execution.ExecutableInvoker.invoke(ExecutableInvoker.java:104)
at org.junit.jupiter.engine.execution.ExecutableInvoker.invoke(ExecutableInvoker.java:98)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.lambda\$invokeTestMethod\$6(TestMethodTestDescriptor.java:212)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.invokeTestMethod(TestMethodTestDescriptor.java:208)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:137)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:71)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:135)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)
at java.util.ArrayList.forEach(ArrayList.java:1259)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:38)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:139)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)
at java.util.ArrayList.forEach(ArrayList.java:1259)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:38)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:139)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.submit(SameThreadHierarchicalTestExecutorService.java:32)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestExecutor.execute(HierarchicalTestExecutor.java:57)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestEngine.execute(HierarchicalTestEngine.java:51)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:248)
at org.junit.platform.launcher.core.DefaultLauncher.lambda\$execute\$5(DefaultLauncher.java:211)
at org.junit.platform.launcher.core.DefaultLauncher.withInterceptedStreams(DefaultLauncher.java:226)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:199)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:132)
at com.intellij.junit5.JUnit5IdeaTestRunner.startRunnerWithArgs(JUnit5IdeaTestRunner.java:71)
at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38)
at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11)
at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35)
at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235)
at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:54)

Schedule[CartID=2, date=2024-06-20, n_morning=30, n_afternoon=30, rank_afternoon=27, content=订单]
Hibernate: select constant0_morning_max as morning_1_1_, constant0_afternoon_max as afternoo2_1_, constant0_punish_count as punish_c3_1_, constant0_punish_duration as punish_d4_1_ from constant constant0_
Hibernate: delete from schedule where date=? and Cart_id=?
Hibernate: select schedule0_date as date1_7_0_, schedule0_Cart_id as Cart_i2_7_0_, schedule0_content as content3_7_0_, schedule0_n_afternoon as n_aftern4_7_0_, schedule0_n_morning as n_mornin5_7_0_, schedule0_rank_afternoon as rank_atf6_7_0_, schedule0_rank_morning as rank_mor7_7_0_ from schedule schedule0_ where schedule0_date=? and schedule0_Cart_id=?
Hibernate: select appointment0_date as date1_0_0_, appointment0_Cart_id as Cart_i2_0_0_, appointment0_item_id as Item_3_0_0_, appointment0_ranking as ranking4_0_0_, appointment0_dept_id as dept_id5_0_0_, appointment0_description as descrip6_0_0_, appointment0_time as time7_0_0_ from CartItem appointment0_ where appointment0_date=? and appointment0_Cart_id=? and appointment0_item_id=? and appointment0_ranking=?
Hibernate: select user0_id as id1_8_, user0_password as password2_8_, user0_type as type3_8_, user0_username as username4_8_, user0_1_age as age1_3_, user0_1_avatar as avatar2_3_, user0_1_dept_id as dept_id3_3_, user0_1_gender as gender4_3_, user0_1_intro as intro5_3_, user0_1_name as name6_3_, user0_1_post as post7_3_, user0_2_age as age1_6_, user0_2_email as email2_6_, user0_2_gender as gender3_6_, user0_2_name as name4_6_, user0_2_phone as phone5_6_, user0_2_punish_begin as punish_b6_6_, user0_2_punish_count as punish_c7_6_, case when user0_1_id is not null then 1 when user0_2_id is not null then 2 when user0_id is not null then 0 end as clazz_ from user user0_ left outer join
Cart user0_1 on user0_id=user0_1_id left outer join Item user0_2 on user0_id=user0_2_id where user0_username=? for update
Hibernate: insert into schedule (content, n_afternoon, n_morning, rank_afternoon, rank_morning, date, Cart_id, Item_id, ranking) values (?, ?, ?, ?, ?, ?, ?)
Hibernate: insert into CartItem (dept_id, description, time, date, Cart_id, Item_id, ranking) values (?, ?, ?, ?, ?, ?, ?)
Hibernate: insert into user (password, type, username) values (?, ?, ?)
Hibernate: insert into Item (age, email, gender, name, phone, punish_begin, punish_count, id) values (?, ?, ?, ?, ?, ?, ?)
Hibernate: select user0_id as id1_8_, user0_password as password2_8_, user0_type as type3_8_, user0_username as username4_8_, user0_1_age as age1_3_, user0_1_avatar as avatar2_3_, user0_1_dept_id as dept_id3_3_, user0_1_gender as gender4_3_, user0_1_intro as intro5_3_, user0_1_name as name6_3_, user0_1_post as post7_3_, user0_2_age as age1_6_, user0_2_email as email2_6_, user0_2_gender as gender3_6_, user0_2_name as name4_6_, user0_2_phone as phone5_6_, user0_2_punish_begin as punish_b6_6_, user0_2_punish_count as punish_c7_6_, case when user0_1_id is not null then 1 when user0_2_id is not null then 2 when user0_id is not null then 0 end as clazz_ from user user0_ left outer join
Cart user0_1 on user0_id=user0_1_id left outer join Item user0_2 on user0_id=user0_2_id where user0_username=? and user0_password=?
Hibernate: select constant0_morning_max as morning_1_1_, constant0_afternoon_max as afternoo2_1_, constant0_punish_count as punish_c3_1_, constant0_punish_duration as punish_d4_1_ from constant constant0_
2024-06-20 21:47:08.104 WARN 39264 --- [main] net.sf.json.JSONObject : Tried to assign property age.java.lang.Integer to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:08.104 WARN 39264 --- [main] net.sf.json.JSONObject : Tried to assign property email.java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:08.104 WARN 39264 --- [main] net.sf.json.JSONObject : Tried to assign property gender.java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:08.104 WARN 39264 --- [main] net.sf.json.JSONObject : Tried to assign property name.java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:08.104 WARN 39264 --- [main] net.sf.json.JSONObject : Tried to assign property phone.java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:08.104 WARN 39264 --- [main] net.sf.json.JSONObject : Tried to assign property punish_count.java.lang.Integer to bean of class com.sjtu.se.hospital.entity.User
java.text.ParseException: Unparseable date: "abcd"
at java.text.DateFormat.parse(DateFormat.java:366)
at com.sjtu.se.hospital.serviceimpl.ItemServiceImpl.addCartItem(ItemServiceImpl.java:60)
at com.sjtu.se.hospital.serviceimpl.ItemServiceImpl\$\$FastClassBySpringCGLIB\$\$51d03847.invoke(
at org.springframework.cglib.proxy.MethodProxy.invoke(MethodProxy.java:218)
at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.invokeJoinpoint(CglibAopProxy.java:771)
at org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:163)
at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.proceed(CglibAopProxy.java:749)
at org.springframework.transaction.interceptor.TransactionAspectSupport.invokeWithinTransaction(TransactionAspectSupport.java:367)
at org.springframework.transaction.interceptor.TransactionInterceptor.invoke(TransactionInterceptor.java:118)
at org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:186)
at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.proceed(CglibAopProxy.java:749)
at org.springframework.aop.framework.CglibAopProxy\$DynamicAdvisedInterceptor.intercept(CglibAopProxy.java:691)
at com.sjtu.se.hospital.serviceimpl.ItemServiceImpl\$\$EnhancerBySpringCGLIB\$\$5741f388a.addCartItem(
at com.sjtu.se.hospital.controller.ItemController.addCartItem(ItemController.java:34)
at com.sjtu.se.hospital.E-MailTests.testCartItem(E-MailTests.java:134)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:498)
at org.junit.platform.commons.util.ReflectionUtils.invokeMethod(ReflectionUtils.java:686)
at org.junit.jupiter.engine.execution.MethodInvocation.proceed(MethodInvocation.java:60)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain\$ValidatingInvocation.proceed(InvocationInterceptorChain.java:131)
at org.junit.jupiter.engine.extension.TimeoutExtension.intercept(TimeoutExtension.java:149)
at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestableMethod(TimeoutExtension.java:140)
at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestMethod(TimeoutExtension.java:84)
at org.junit.jupiter.engine.execution.ExecutableInvoker\$ReflectiveInterceptorCall.lambda\$ofVoidMethod\$0(ExecutableInvoker.java:115)
at org.junit.jupiter.engine.execution.ExecutableInvoker.lambda\$invoke\$0(ExecutableInvoker.java:105)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain\$InterceptedInvocation.proceed(InvocationInterceptorChain.java:106)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.proceed(InvocationInterceptorChain.java:64)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.chainAndInvoke(InvocationInterceptorChain.java:45)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.invoke(InvocationInterceptorChain.java:37)
at org.junit.jupiter.engine.execution.ExecutableInvoker.invoke(ExecutableInvoker.java:104)
at org.junit.jupiter.engine.execution.ExecutableInvoker.invoke(ExecutableInvoker.java:98)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.lambda\$invokeTestMethod\$6(TestMethodTestDescriptor.java:212)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.invokeTestMethod(TestMethodTestDescriptor.java:208)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:137)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:71)

at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:135)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)
at java.util.ArrayList.forEach(ArrayList.java:1259)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:38)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:139)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)
at java.util.ArrayList.forEach(ArrayList.java:1259)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:38)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:139)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.submit(SameThreadHierarchicalTestExecutorService.java:32)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestExecutor.execute(HierarchicalTestExecutor.java:57)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestEngine.execute(HierarchicalTestEngine.java:51)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:248)
at org.junit.platform.launcher.core.DefaultLauncher.lambda\$execute\$5(DefaultLauncher.java:211)
at org.junit.platform.launcher.core.DefaultLauncher.withInterceptedStreams(DefaultLauncher.java:226)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:199)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:132)
at com.intellij.junit5.JUnit5IdeaTestRunner.startRunnerWithArgs(JUnit5IdeaTestRunner.java:71)
at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38)
at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11)
at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35)
at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235)
at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:54)
Schedule(CartID=2, date=2024-06-20, n_morning=30, n_afternoon=28, rank_morning=30, rank_afternoon=28, content=订单)
Hibernate: select constant0_morning_max as morning_1_1_, constant0_afternoon_max as afternoon2_1_, constant0_punish_count as punish_c3_1_, constant0_punish_duration as punish_d4_1_ from constant constant0_
Hibernate: delete from schedule where date=? and Cart_id=?
Hibernate: select schedule0_date as date1_7_0_, schedule0_Cart_id as Cart_id2_7_0_, schedule0_content as content3_7_0_, schedule0_n_afternoon as n_aftern4_7_0_, schedule0_n_morning as n_mornin5_7_0_, schedule0_rank_afternoon as rank_atf6_7_0_, schedule0_rank_morning as rank_mor7_7_0_ from schedule schedule0_ where schedule0_date=? and schedule0_Cart_id=?
Hibernate: select appointment0_date as date1_0_0_, appointment0_Cart_id as Cart_id2_0_0_, appointment0_Item_id as Item_3_0_0_, appointment0_ranking as ranking4_0_0_, appointment0_dept_id as dept_id5_0_0_, appointment0_description as descrip6_0_0_, appointment0_time as time7_0_0_ from CartItem appointment0_ where appointment0_date=? and appointment0_Cart_id=? and appointment0_Item_id=? and appointment0_ranking=?
Hibernate: select user0_id as id1_8_, user0_password as password2_8_, user0_type as type3_8_, user0_username as username4_8_, user0_1_age as age1_3_, user0_1_avatar as avatar2_3_, user0_1_dept_id as dept_id3_3_, user0_1_gender as gender4_3_, user0_1_intro as intro5_3_, user0_1_name as name6_3_, user0_1_post as post7_3_, user0_2_age as age1_6_, user0_2_email as email2_6_, user0_2_gender as gender3_6_, user0_2_name as name4_6_, user0_2_phone as phone5_6_, user0_2_punish_begin as punish_b6_6_, user0_2_punish_count as punish_c7_6_, case when user0_1_id is not null then 1 when user0_1_id is not null then 2 when user0_2_id is not null then 0 end as clazz_ from user user0_ left outer join
Cart user0_1 on user0_id=user0_1_id left outer join Item user0_2 on user0_id=user0_2_id where user0_username=? for update
Hibernate: insert into schedule (content, n_afternoon, n_morning, rank_afternoon, rank_morning, date, Cart_id) values (?, ?, ?, ?, ?, ?)
Hibernate: insert into CartItem (dept_id, description, time, date, Cart_id, Item_id, ranking) values (?, ?, ?, ?, ?, ?, ?)
Hibernate: insert into user (password, type, username) values (?, ?, ?)
Hibernate: insert into Item (age, email, gender, name, phone, punish_begin, punish_count, id) values (?, ?, ?, ?, ?, ?, ?)
Hibernate: select user0_id as id1_8_, user0_password as password2_8_, user0_type as type3_8_, user0_username as username4_8_, user0_1_age as age1_3_, user0_1_avatar as avatar2_3_, user0_1_dept_id as dept_id3_3_, user0_1_gender as gender4_3_, user0_1_intro as intro5_3_, user0_1_name as name6_3_, user0_1_post as post7_3_, user0_2_age as age1_6_, user0_2_email as email2_6_, user0_2_gender as gender3_6_, user0_2_name as name4_6_, user0_2_phone as phone5_6_, user0_2_punish_begin as punish_b6_6_, user0_2_punish_count as punish_c7_6_, case when user0_1_id is not null then 1 when user0_2_id is not null then 2 when user0_id is not null then 0 end as clazz_ from user user0_ left outer join
Cart user0_1 on user0_id=user0_1_id left outer join Item user0_2 on user0_id=user0_2_id where user0_username=? and user0_password=?
Hibernate: select constant0_morning_max as morning_1_1_, constant0_afternoon_max as afternoon2_1_, constant0_punish_count as punish_c3_1_, constant0_punish_duration as punish_d4_1_ from constant constant0_
2024-06-20 21:47:08.229 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property age:java.lang.Integer to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:08.229 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property email:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:08.229 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property gender:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:08.229 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property name:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:08.229 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property phone:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:08.229 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property punish_count:java.lang.Integer to bean of class com.sjtu.se.hospital.entity.User
java.text.ParseException: Unparseable date: "abcd"
at java.text.DateFormat.parse(DateFormat.java:366)
at com.sjtu.se.hospital.serviceimpl.ItemServiceImpl.addCartItem(ItemServiceImpl.java:60)
at com.sjtu.se.hospital.serviceimpl.ItemServiceImpl\$\$FastClassBySpringCGLIB\$\$51d03847.invoke()
at org.springframework.cglib.proxy.MethodProxy.invoke(MethodProxy.java:218)
at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.invokeJoinpoint(CglibAopProxy.java:771)
at org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:163)
at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.proceed(CglibAopProxy.java:749)
at org.springframework.transaction.interceptor.TransactionAspectSupport.invokeWithinTransaction(TransactionAspectSupport.java:367)
at org.springframework.transaction.interceptor.TransactionInterceptor.invoke(TransactionInterceptor.java:118)
at org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:186)
at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.proceed(CglibAopProxy.java:749)
at org.springframework.aop.framework.CglibAopProxy\$DynamicAdvisedInterceptor.intercept(CglibAopProxy.java:691)
at com.sjtu.se.hospital.serviceimpl.ItemServiceImpl\$\$EnhancerBySpringCGLIB\$\$741f388a.addCartItem()
at com.sjtu.se.hospital.controller.ItemController.addCartItem(ItemController.java:34)
at com.sjtu.se.hospital.E-MailTests.testCartItem(E-MailTests.java:134)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:498)
at org.junit.platform.commons.util.ReflectionUtils.invokeMethod(ReflectionUtils.java:686)
at org.junit.jupiter.engine.execution.MethodInvocation.proceed(MethodInvocation.java:60)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain\$ValidatingInvocation.proceed(InvocationInterceptorChain.java:131)
at org.junit.jupiter.engine.extension.TimeoutExtension.intercept(TimeoutExtension.java:149)
at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestableMethod(TimeoutExtension.java:140)
at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestMethod(TimeoutExtension.java:84)
at org.junit.jupiter.engine.execution.ExecutableInvoker\$ReflectiveInterceptorCall.lambda\$ofVoidMethod\$0(ExecutableInvoker.java:115)
at org.junit.jupiter.engine.execution.ExecutableInvoker.lambda\$invoke\$0(ExecutableInvoker.java:105)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain\$InterceptedInvocation.proceed(InvocationInterceptorChain.java:106)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.proceed(InvocationInterceptorChain.java:64)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.chainAndInvoke(InvocationInterceptorChain.java:45)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.invoke(InvocationInterceptorChain.java:37)
at org.junit.jupiter.engine.execution.ExecutableInvoker.invoke(ExecutableInvoker.java:104)
at org.junit.jupiter.engine.execution.ExecutableInvoker.invoke(ExecutableInvoker.java:98)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.lambda\$invokeTestMethod\$6(TestMethodTestDescriptor.java:212)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.invokeTestMethod(TestMethodTestDescriptor.java:208)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:137)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:71)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:135)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)
at java.util.ArrayList.forEach(ArrayList.java:1259)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:38)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:139)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)
at java.util.ArrayList.forEach(ArrayList.java:1259)

at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:38)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:139)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.submit(SameThreadHierarchicalTestExecutorService.java:32)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestExecutor.execute(HierarchicalTestExecutor.java:57)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestEngine.execute(HierarchicalTestEngine.java:51)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:248)
at org.junit.platform.launcher.core.DefaultLauncher.lambda\$execute\$5(DefaultLauncher.java:211)
at org.junit.platform.launcher.core.DefaultLauncher.withInterceptedStreams(DefaultLauncher.java:226)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:199)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:132)
at com.intellij.junit5.JUnit5IdeaTestRunner.startRunnerWithArgs(JUnit5IdeaTestRunner.java:71)
at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38)
at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11)
at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35)
at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235)
at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:54)
Schedule[CartID=2, date=2024-06-20, n_morning=30, n_afternoon=29, rank_morning=30, rank_afternoon=29, content=订单]
Hibernate: select constant0_morning_max as morning_1_1_, constant0_afternoon_max as afternoon2_1_, constant0_punish_count as punish_c3_1_, constant0_punish_duration as punish_d4_1_ from constant constant0_
Hibernate: delete from schedule where date=? and Cart_id=?
Hibernate: select schedule0_date as date1_7_0_, schedule0_Cart_id as Cart_id2_7_0_, schedule0_content as content3_7_0_, schedule0_n_afternoon as n_aftern4_7_0_, schedule0_n_morning as n_mornin5_7_0_, schedule0_rank_afternoon as rank_atf6_7_0_, schedule0_rank_morning as rank_morf7_7_0_ from schedule schedule0_ where schedule0_date=? and schedule0_Cart_id=?
Hibernate: select appointment0_date as date1_0_0_, appointment0_Cart_id as Cart_id2_0_0_, appointment0_Item_id as Item_3_0_0_, appointment0_ranking as ranking4_0_0_, appointment0_dept_id as dept_id5_0_0_, appointment0_description as descrip6_0_0_0_, appointment0_time as time7_0_0_ from CartItem appointment0_ where appointment0_date=? and appointment0_Cart_id=? and appointment0_Item_id=? and appointment0_ranking=?
Hibernate: select user0_id as id1_8_, user0_password as password2_8_, user0_type as type3_8_, user0_username as username4_8_, user0_1_age as age1_3_, user0_1_avatar as avatar2_3_, user0_1_dept_id as dept_id3_3_, user0_1_gender as gender4_3_, user0_1_intro as intro5_3_, user0_1_name as name6_3_, user0_1_post as post7_3_, user0_2_age as age1_6_, user0_2_email as email2_6_, user0_2_gender as gender3_6_, user0_2_name as name4_6_, user0_2_phone as phone5_6_, user0_2_punish_begin as punish_b6_6_, user0_2_punish_count as punish_c7_6_, case when user0_1_id is not null then 1 when user0_2_id is not null then 2 when user0_id is not null then 0 end as clazz_ from user user0_ left outer join
Cart user0_1_ on user0_id=user0_1_id left outer join Item user0_2_ on user0_id=user0_2_id where user0_username=? for update
Hibernate: insert into schedule (content, n_afternoon, n_morning, rank_afternoon, rank_morning, date, Cart_id) values (?, ?, ?, ?, ?, ?)
Hibernate: insert into CartItem (dept_id, description, time, date, Cart_id, Item_id, ranking) values (?, ?, ?, ?, ?, ?)
Hibernate: insert into user (password, type, username) values (?, ?, ?)
Hibernate: insert into Item (age, email, gender, name, phone, punish_begin, punish_count, id) values (?, ?, ?, ?, ?, ?, ?, ?)
Hibernate: select user0_id as id1_8_, user0_password as password2_8_, user0_type as type3_8_, user0_username as username4_8_, user0_1_age as age1_3_, user0_1_avatar as avatar2_3_, user0_1_dept_id as dept_id3_3_, user0_1_gender as gender4_3_, user0_1_intro as intro5_3_, user0_1_name as name6_3_, user0_1_post as post7_3_, user0_2_age as age1_6_, user0_2_email as email2_6_, user0_2_gender as gender3_6_, user0_2_name as name4_6_, user0_2_phone as phone5_6_, user0_2_punish_begin as punish_b6_6_, user0_2_punish_count as punish_c7_6_, case when user0_1_id is not null then 1 when user0_2_id is not null then 0 end as clazz_ from user user0_ left outer join
Cart user0_1_ on user0_id=user0_1_id left outer join Item user0_2_ on user0_id=user0_2_id where user0_username=? and user0_password=?
Hibernate: select constant0_morning_max as morning_1_1_, constant0_afternoon_max as afternoon2_1_, constant0_punish_count as punish_c3_1_, constant0_punish_duration as punish_d4_1_ from constant constant0_
2024-06-20 21:47:08.355 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property age:java.lang.Integer to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:08.355 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property email:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:08.355 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property gender:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:08.355 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property name:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:08.355 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property phone:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:08.355 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property punish_count:java.lang.Integer to bean of class com.sjtu.se.hospital.entity.User
java.text.ParseException: Unparseable date: "abcd"
at java.text.DateFormat.parse(DateFormat.java:366)
at com.sjtu.se.hospital.serviceimpl.ItemServiceimpl.addCartItem(ItemServiceimpl.java:60)
at com.sjtu.se.hospital.serviceimpl.ItemServiceimpl\$\$FastClassBySpringCGLIB\$\$51d03847.invoke()
at org.springframework.cglib.proxy.MethodProxy.invoke(MethodProxy.java:218)
at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.invokeJoinpoint(CglibAopProxy.java:771)
at org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:163)
at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.proceed(CglibAopProxy.java:749)
at org.springframework.transaction.interceptor.TransactionAspectSupport.invokeWithinTransaction(TransactionAspectSupport.java:367)
at org.springframework.transaction.interceptor.TransactionInterceptor.invoke(TransactionInterceptor.java:118)
at org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:186)
at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.proceed(CglibAopProxy.java:749)
at org.springframework.aop.framework.CglibAopProxy\$DynamicAdvisedInterceptor.intercept(CglibAopProxy.java:691)
at com.sjtu.se.hospital.serviceimpl.ItemServiceimpl\$\$EnhancerBySpringCGLIB\$\$741f388a.addCartItem()
at com.sjtu.se.hospital.controller.ItemController.addCartItem(ItemController.java:34)
at com.sjtu.se.hospital.E-MailTests.testCartItem(E-MailTests.java:134)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:498)
at org.junit.platform.commons.util.ReflectionUtils.invokeMethod(ReflectionUtils.java:686)
at org.junit.jupiter.engine.execution.MethodInvocation.proceed(MethodInvocation.java:60)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain\$ValidatingInvocation.proceed(InvocationInterceptorChain.java:131)
at org.junit.jupiter.engine.extension.TimeoutExtension.intercept(TimeoutExtension.java:149)
at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestableMethod(TimeoutExtension.java:140)
at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestMethod(TimeoutExtension.java:84)
at org.junit.jupiter.engine.execution.ExecutableInvoker\$ReflectiveInterceptorCall.lambda\$ofVoidMethod\$0(ExecutableInvoker.java:115)
at org.junit.jupiter.engine.execution.ExecutableInvoker.lambda\$invoke\$0(ExecutableInvoker.java:105)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain\$InterceptedInvocation.proceed(InvocationInterceptorChain.java:106)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.proceed(InvocationInterceptorChain.java:64)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.chainAndInvoke(InvocationInterceptorChain.java:45)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.invoke(InvocationInterceptorChain.java:37)
at org.junit.jupiter.engine.execution.ExecutableInvoker.invoke(ExecutableInvoker.java:104)
at org.junit.jupiter.engine.execution.ExecutableInvoker.invoke(ExecutableInvoker.java:98)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.lambda\$invokeTestMethod\$6(TestMethodTestDescriptor.java:212)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.invokeTestMethod(TestMethodTestDescriptor.java:208)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:137)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:71)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:135)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)
at java.util.ArrayList.forEach(ArrayList.java:1259)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:38)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:139)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)
at java.util.ArrayList.forEach(ArrayList.java:1259)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:38)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:139)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.submit(SameThreadHierarchicalTestExecutorService.java:32)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestExecutor.execute(HierarchicalTestExecutor.java:57)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestEngine.execute(HierarchicalTestEngine.java:51)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:248)
at org.junit.platform.launcher.core.DefaultLauncher.lambda\$execute\$5(DefaultLauncher.java:211)
at org.junit.platform.launcher.core.DefaultLauncher.withInterceptedStreams(DefaultLauncher.java:226)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:199)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:132)
at com.intellij.junit5.JUnit5IdeaTestRunner.startRunnerWithArgs(JUnit5IdeaTestRunner.java:71)
at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38)

at com.intelliJ.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11)
at com.intelliJ.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35)
at com.intelliJ.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235)
at com.intelliJ.rt.junit.JUnitStarter.main(JUnitStarter.java:54)
Schedule(CartID=2, date=2024-06-20, n_morning=30, n_afternoon=30, rank_morning=30, rank_afternoon=30, content=订单)
Hibernate: select constant0_morning_max as morning_1_1_, constant0_afternoon_max as afternoo2_1_, constant0_punish_count as punish_c3_1_, constant0_punish_duration as punish_d4_1_ from constant constant0_
Hibernate: delete from schedule where date=? and Cart_id=?
Hibernate: select schedule0_date as date1_7_0_, schedule0_Cart_id as Cart_i2_7_0_, schedule0_content as content3_7_0_, schedule0_n_afternoon as n_aftern4_7_0_, schedule0_n_morning as n_mornin5_7_0_, schedule0_rank_afternoon as rank_atf6_7_0_, schedule0_rank_morning as rank_mor7_7_0_ from schedule schedule0_ where schedule0_date=? and schedule0_Cart_id=?
Hibernate: select appointment0_date as date1_0_0_, appointment0_Cart_id as Cart_i2_0_0_, appointment0_Item_id as Item_3_0_0_, appointment0_ranking as ranking4_0_0_, appointment0_dept_id as dept_id5_0_0_, appointment0_description as descrip6_0_0_, appointment0_time as time7_0_0_ from CartItem appointment0_ where appointment0_date=? and appointment0_Cart_id=? and appointment0_Item_id=? and appointment0_ranking=?
Hibernate: select user0_id as id1_8_, user0_password as password2_8_, user0_type as type3_8_, user0_username as username4_8_, user0_1_age as age1_3_, user0_1_avatar as avatar2_3_, user0_1_dept_id as dept_id3_3_, user0_1_gender as gender4_3_, user0_1_intro as intro5_3_, user0_1_name as name6_3_, user0_1_post as post7_3_, user0_2_age as age1_6_, user0_2_email as email2_6_, user0_2_gender as gender3_6_, user0_2_name as name4_6_, user0_2_phone as phone5_6_, user0_2_punish_begin as punish_b6_6_, user0_2_punish_count as punish_c7_6_, case when user0_1_id is not null then 1 when user0_2_id is not null then 2 when user0_id is not null then 0 end as clazz_ from user user0_ left outer join Cart user0_1 on user0_id=user0_1_id left outer join Item user0_2 on user0_id=user0_2_id where user0_username=? for update
Hibernate: insert into schedule (content, n_afternoon, n_morning, rank_afternoon, rank_morning, date, Cart_id) values (?, ?, ?, ?, ?, ?, ?)
Hibernate: insert into CartItem (dept_id, description, time, date, Cart_id, Item_id, ranking) values (?, ?, ?, ?, ?, ?, ?)
Hibernate: insert into user (password, type, username) values (?, ?, ?)
Hibernate: insert into Item (age, email, gender, name, phone, punish_begin, punish_count, id) values (?, ?, ?, ?, ?, ?, ?, ?)
Hibernate: select user0_id as id1_8_, user0_password as password2_8_, user0_type as type3_8_, user0_username as username4_8_, user0_1_age as age1_3_, user0_1_avatar as avatar2_3_, user0_1_dept_id as dept_id3_3_, user0_1_gender as gender4_3_, user0_1_intro as intro5_3_, user0_1_name as name6_3_, user0_1_post as post7_3_, user0_2_age as age1_6_, user0_2_email as email2_6_, user0_2_gender as gender3_6_, user0_2_name as name4_6_, user0_2_phone as phone5_6_, user0_2_punish_begin as punish_b6_6_, user0_2_punish_count as punish_c7_6_, case when user0_1_id is not null then 1 when user0_2_id is not null then 2 when user0_id is not null then 0 end as clazz_ from user user0_ left outer join Cart user0_1 on user0_id=user0_1_id left outer join Item user0_2 on user0_id=user0_2_id where user0_username=? and user0_password=?
Hibernate: select constant0_morning_max as morning_1_1_, constant0_afternoon_max as afternoo2_1_, constant0_punish_count as punish_c3_1_, constant0_punish_duration as punish_d4_1_ from constant constant0_
2024-06-20 21:47:08.473 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property age:java.lang.Integer to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:08.474 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property email:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:08.474 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property gender:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:08.474 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property name:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:08.474 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property phone:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:08.474 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property punish_count:java.lang.Integer to bean of class com.sjtu.se.hospital.entity.User
java.text.ParseException: Unparseable date: "abcd"
at java.text.DateFormat.parse(DateFormat.java:366)
at com.sjtu.se.hospital.serviceimpl.ItemServiceImpl.addCartItem(ItemServiceImpl.java:60)
at com.sjtu.se.hospital.serviceimpl.ItemServiceImpl\$\$FastClassBySpringCGLIB\$\$51d03847.invoke()
at org.springframework.cglib.proxy.MethodProxy.invoke(MethodProxy.java:218)
at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.invokeJoinpoint(CglibAopProxy.java:771)
at org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:163)
at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.proceed(CglibAopProxy.java:749)
at org.springframework.transaction.interceptor.TransactionAspectSupport.invokeWithinTransaction(TransactionAspectSupport.java:367)
at org.springframework.transaction.interceptor.TransactionInterceptor.invoke(TransactionInterceptor.java:118)
at org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:186)
at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.proceed(CglibAopProxy.java:749)
at org.springframework.aop.framework.CglibAopProxy\$DynamicAdvisedInterceptor.intercept(CglibAopProxy.java:691)
at com.sjtu.se.hospital.serviceimpl.ItemServiceImpl\$\$EnhancerBySpringCGLIB\$\$741f388a.addCartItem()
at com.sjtu.se.hospital.controller.ItemController.addCartItem(ItemController.java:34)
at com.sjtu.se.hospital.E-MailTests.testCartItem(E-MailTests.java:134)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:498)
at org.junit.platform.commons.util.ReflectionUtils.invokeMethod(ReflectionUtils.java:686)
at org.junit.jupiter.engine.execution.MethodInvocation.proceed(MethodInvocation.java:60)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain\$ValidatingInvocation.proceed(InvocationInterceptorChain.java:131)
at org.junit.jupiter.engine.extension.TimeoutExtension.intercept(TimeoutExtension.java:149)
at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestableMethod(TimeoutExtension.java:140)
at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestMethod(TimeoutExtension.java:84)
at org.junit.jupiter.engine.execution.ExecutableInvoker\$ReflectiveInterceptorCall.lambda\$ofVoidMethod\$0(ExecutableInvoker.java:115)
at org.junit.jupiter.engine.execution.ExecutableInvoker.lambda\$invoke\$0(ExecutableInvoker.java:105)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain\$InterceptedInvocation.proceed(InvocationInterceptorChain.java:106)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.proceed(InvocationInterceptorChain.java:64)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.chainAndInvoke(InvocationInterceptorChain.java:45)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.invoke(InvocationInterceptorChain.java:37)
at org.junit.jupiter.engine.execution.ExecutableInvoker.invoke(ExecutableInvoker.java:104)
at org.junit.jupiter.engine.execution.ExecutableInvoker.invoke(ExecutableInvoker.java:98)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.lambda\$invokeTestMethod\$6(TestMethodTestDescriptor.java:212)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.invokeTestMethod(TestMethodTestDescriptor.java:208)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:137)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute0(TestMethodTestDescriptor.java:71)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:135)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)
at java.util.ArrayList.forEach(ArrayList.java:1259)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:38)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:139)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)
at java.util.ArrayList.forEach(ArrayList.java:1259)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:38)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:139)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.submit(SameThreadHierarchicalTestExecutorService.java:32)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestExecutor.execute(HierarchicalTestExecutor.java:57)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestEngine.execute(HierarchicalTestEngine.java:51)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:248)
at org.junit.platform.launcher.core.DefaultLauncher.lambda\$execute\$5(DefaultLauncher.java:211)
at org.junit.platform.launcher.core.DefaultLauncher.withInterceptedStreams(DefaultLauncher.java:226)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:199)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:132)
at com.intelliJ.junit5.JUnit5IdeaTestRunner.startRunnerWithArgs(JUnit5IdeaTestRunner.java:71)
at com.intelliJ.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38)
at com.intelliJ.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11)
at com.intelliJ.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35)
at com.intelliJ.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235)
at com.intelliJ.rt.junit.JUnitStarter.main(JUnitStarter.java:54)
Schedule(CartID=2, date=2024-06-20, n_morning=30, n_afternoon=31, rank_morning=30, rank_afternoon=31, content=订单)
Hibernate: select constant0_morning_max as morning_1_1_, constant0_afternoon_max as afternoo2_1_, constant0_punish_count as punish_c3_1_, constant0_punish_duration as punish_d4_1_ from constant constant0_
Hibernate: delete from schedule where date=? and Cart_id=?
Hibernate: select schedule0_date as date1_7_0_, schedule0_Cart_id as Cart_i2_7_0_, schedule0_content as content3_7_0_, schedule0_n_afternoon as n_aftern4_7_0_, schedule0_n_morning as n_mornin5_7_0_, schedule0_rank_afternoon as rank_atf6_7_0_, schedule0_rank_morning as rank_mor7_7_0_ from schedule schedule0_ where schedule0_date=? and schedule0_Cart_id=?
Hibernate: select appointment0_date as date1_0_0_, appointment0_Cart_id as Cart_i2_0_0_, appointment0_Item_id as Item_3_0_0_, appointment0_ranking as ranking4_0_0_, appointment0_dept_id as dept_id5_0_0_, appointment0_description as descrip6_0_0_, appointment0_time as time7_0_0_ from CartItem appointment0_ where appointment0_date=? and appointment0_Cart_id=? and appointment0_Item_id=? and appointment0_ranking=?
Hibernate: select user0_id as id1_8_, user0_password as password2_8_, user0_type as type3_8_, user0_username as username4_8_, user0_1_age as age1_3_, user0_1_avatar as avatar2_3_, user0_1_dept_id as dept_id3_3_, user0_1_gender as gender4_3_, user0_1_intro as intro5_3_, user0_1_name as name6_3_, user0_1_post as post7_3_, user0_2_age as age1_6_, user0_2_email as email2_6_, user0_2_gender as gender3_6_, user0_2_name as name4_6_, user0_2_phone as phone5_6_, user0_2_punish_begin as punish_b6_6_, user0_2_punish_count as punish_c7_6_, case when user0_1_id is not null then 1 when user0_2_id is not null then 2 when user0_id is not null then 0 end as clazz_ from user user0_ left outer join Cart user0_1 on user0_id=user0_1_id left outer join Item user0_2 on user0_id=user0_2_id where user0_username=? for update
Hibernate: insert into schedule (content, n_afternoon, n_morning, rank_afternoon, rank_morning, date, Cart_id) values (?, ?, ?, ?, ?, ?, ?)
Hibernate: insert into CartItem (dept_id, description, time, date, Cart_id, Item_id, ranking) values (?, ?, ?, ?, ?, ?, ?)
Hibernate: insert into user (password, type, username) values (?, ?, ?)
Hibernate: insert into Item (age, email, gender, name, phone, punish_begin, punish_count, id) values (?, ?, ?, ?, ?, ?, ?, ?)

Hibernate: select user0_id as id1_8_, user0_password as password2_8_, user0_type as type3_8_, user0_username as username4_8_, user0_1_age as age1_3_, user0_1_avatar as avatar2_3_, user0_1_dept_id as dept_id3_3_, user0_1_gender as gender4_3_, user0_1_intro as intro5_3_, user0_1_name as name6_3_, user0_1_post as post7_3_, user0_2_age as age1_6_, user0_2_email as email2_6_, user0_2_gender as gender3_6_, user0_2_name as name4_6_, user0_2_phone as phone5_6_, user0_2_punish_begin as punish_b6_6_, user0_2_punish_count as punish_c7_6_, case when user0_1_id is not null then 1 when user0_2_id is not null then 2 when user0_id is not null then 0 end as clazz_ from user user0_ left outer join Cart user0_1 on user0_id=user0_1_id left outer join Item user0_2 on user0_id=user0_2_id where user0_username=? and user0_password=?

Hibernate: select constant0_morning_max as morning_1_1_, constant0_afternoon_max as afternoon2_1_, constant0_punish_count as punish_c3_1_, constant0_punish_duration as punish_d4_1_ from constant constant0_

2024-06-20 21:47:08.591 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property age:java.lang.Integer to bean of class com.sjtu.se.hospital.entity.User

2024-06-20 21:47:08.591 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property email:java.lang.String to bean of class com.sjtu.se.hospital.entity.User

2024-06-20 21:47:08.591 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property gender:java.lang.String to bean of class com.sjtu.se.hospital.entity.User

2024-06-20 21:47:08.592 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property name:java.lang.String to bean of class com.sjtu.se.hospital.entity.User

2024-06-20 21:47:08.592 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property phone:java.lang.String to bean of class com.sjtu.se.hospital.entity.User

2024-06-20 21:47:08.592 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property punish_count:java.lang.Integer to bean of class com.sjtu.se.hospital.entity.User

java.text.ParseException: Unparseable date: "abcd"

at java.text.DateFormat.parse(DateFormat.java:366)

at com.sjtu.se.hospital.serviceimpl.ItemServiceimpl.addCartItem(ItemServiceimpl.java:60)

at com.sjtu.se.hospital.serviceimpl.ItemServiceimpl\$\$FastClassBySpringCGLIB\$\$51d003847.invoke()

at org.springframework.cglib.proxy.MethodProxy.invoke(MethodProxy.java:218)

at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.invokeJoinpoint(CglibAopProxy.java:771)

at org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:163)

at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.proceed(CglibAopProxy.java:749)

at org.springframework.transaction.interceptor.TransactionAspectSupport.invokeWithinTransaction(TransactionAspectSupport.java:367)

at org.springframework.transaction.interceptor.TransactionInterceptor.invoke(TransactionInterceptor.java:118)

at org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:186)

at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.proceed(CglibAopProxy.java:749)

at org.springframework.aop.framework.CglibAopProxy\$DynamicAdvisedInterceptor.intercept(CglibAopProxy.java:691)

at com.sjtu.se.hospital.serviceimpl.ItemServiceimpl\$\$EnhancerBySpringCGLIB\$\$5741f388a.addCartItem()

at com.sjtu.se.hospital.controller.ItemController.addCartItem(ItemController.java:34)

at com.sjtu.se.hospital.E-MailTests.testCartItem(E-MailTests.java:134)

at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)

at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)

at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)

at java.lang.reflect.Method.invoke(Method.java:498)

at org.junit.platform.commons.util.ReflectionUtils.invokeMethod(ReflectionUtils.java:686)

at org.junit.jupiter.engine.execution.MethodInvocation.proceed(MethodInvocation.java:60)

at org.junit.jupiter.engine.execution.InvocationInterceptorChain\$ValidatingInvocation.proceed(InvocationInterceptorChain.java:131)

at org.junit.jupiter.engine.extension.TimeoutExtension.intercept(TimeoutExtension.java:149)

at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestableMethod(TimeoutExtension.java:140)

at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestMethod(TimeoutExtension.java:84)

at org.junit.jupiter.engine.execution.ExecutableInvoker\$ReflectiveInterceptorCall.lambda\$ofVoidMethod\$0(ExecutableInvoker.java:115)

at org.junit.jupiter.engine.execution.ExecutableInvoker.lambda\$invoke\$0(ExecutableInvoker.java:105)

at org.junit.jupiter.engine.execution.InvocationInterceptorChain\$InterceptedInvocation.proceed(InvocationInterceptorChain.java:106)

at org.junit.jupiter.engine.execution.InvocationInterceptorChain.proceed(InvocationInterceptorChain.java:64)

at org.junit.jupiter.engine.execution.InvocationInterceptorChain.chainAndInvoke(InvocationInterceptorChain.java:45)

at org.junit.jupiter.engine.execution.InvocationInterceptorChain.invoke(InvocationInterceptorChain.java:37)

at org.junit.jupiter.engine.execution.ExecutableInvoker.invoke(ExecutableInvoker.java:104)

at org.junit.jupiter.engine.execution.ExecutableInvoker.invoke(ExecutableInvoker.java:98)

at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.lambda\$invokeTestMethod\$6(TestMethodTestDescriptor.java:212)

at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)

at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.invokeTestMethod(TestMethodTestDescriptor.java:208)

at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:137)

at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:71)

at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:135)

at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)

at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)

at org.junit.platform.engine.support.hierarchical.Node.lambda\$around\$0(Node.java:135)

at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)

at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)

at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)

at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)

at java.util.ArrayList.forEach(ArrayList.java:1259)

at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:38)

at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:139)

at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)

at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)

at org.junit.platform.engine.support.hierarchical.Node.lambda\$around\$0(Node.java:135)

at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)

at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)

at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)

at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)

at java.util.ArrayList.forEach(ArrayList.java:1259)

at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:38)

at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:139)

at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)

at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)

at org.junit.platform.engine.support.hierarchical.Node.lambda\$around\$0(Node.java:135)

at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)

at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)

at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)

at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)

at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.submit(SameThreadHierarchicalTestExecutorService.java:32)

at org.junit.platform.engine.support.hierarchical.HierarchicalTestExecutor.execute(HierarchicalTestExecutor.java:57)

at org.junit.platform.engine.support.hierarchical.HierarchicalTestEngine.execute(HierarchicalTestEngine.java:51)

at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:248)

at org.junit.platform.launcher.core.DefaultLauncher.lambda\$execute\$5(DefaultLauncher.java:211)

at org.junit.platform.launcher.core.DefaultLauncher.withInterceptedStreams(DefaultLauncher.java:226)

at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:199)

at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:132)

at com.intellij.junit5.JUnit5IdeaTestRunner.startRunnerWithArgs(JUnit5IdeaTestRunner.java:71)

at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38)

at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11)

at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35)

at com.intellij.rt.junit.JUnit4To5Adapter.prepareStreamsAndStart(JUnit4To5Adapter.java:235)

at com.intellij.rt.junit.JUnit4To5Adapter.main(JUnit4To5Adapter.java:54)

Schedule(CartID=2, date=2024-06-20, n_morning=30, n_afternoon=32, rank_morning=30, rank_afternoon=32, content=订单单)

Hibernate: select constant0_morning_max as morning_1_1_, constant0_afternoon_max as afternoon2_1_, constant0_punish_count as punish_c3_1_, constant0_punish_duration as punish_d4_1_ from constant constant0_

Hibernate: delete from schedule where date=? and Cart_id=?

Hibernate: select schedule0_date as date1_7_0_, schedule0_Cart_id as Cart_id2_7_0_, schedule0_content as content3_7_0_, schedule0_n_afternoon as n_aftern4_7_0_, schedule0_n_morning as n_mornin5_7_0_, schedule0_rank_afternoon as rank_atf6_7_0_, schedule0_rank_morning as rank_mor7_7_0_ from schedule schedule0 where schedule0_date=? and schedule0_Cart_id=?

Hibernate: select appointment0_date as date1_0_0_, appointment0_Cart_id as Cart_id2_0_0_, appointment0_Item_id as Item_3_0_0_, appointment0_ranking as ranking4_0_0_, appointment0_dept_id as dept_id5_0_0_, appointment0_description as descrip6_0_0_, appointment0_time as time7_0_0_ from CartItem appointment0 where appointment0_date=? and appointment0_Cart_id=? and appointment0_Item_id=? and appointment0_ranking=?

Hibernate: select user0_id as id1_8_, user0_password as password2_8_, user0_type as type3_8_, user0_username as username4_8_, user0_1_age as age1_3_, user0_1_avatar as avatar2_3_, user0_1_dept_id as dept_id3_3_, user0_1_gender as gender4_3_, user0_1_intro as intro5_3_, user0_1_name as name6_3_, user0_1_post as post7_3_, user0_2_age as age1_6_, user0_2_email as email2_6_, user0_2_gender as gender3_6_, user0_2_name as name4_6_, user0_2_phone as phone5_6_, user0_2_punish_begin as punish_b6_6_, user0_2_punish_count as punish_c7_6_, case when user0_1_id is not null then 1 when user0_2_id is not null then 2 when user0_id is not null then 0 end as clazz_ from user user0_ left outer join Cart user0_1 on user0_id=user0_1_id left outer join Item user0_2 on user0_id=user0_2_id where user0_username=? for update

Hibernate: insert into schedule (content, n_afternoon, n_morning, rank_afternoon, rank_morning, date, Cart_id) values (?, ?, ?, ?, ?, ?)

Hibernate: insert into CartItem (dept_id, description, time, date, Cart_id, Item_id, ranking) values (?, ?, ?, ?, ?, ?, ?)

Hibernate: insert into user (password, type, username) values (?, ?, ?)

Hibernate: insert into Item (age, email, gender, name, phone, punish_begin, punish_count, id) values (?, ?, ?, ?, ?, ?, ?, ?)

Hibernate: select user0_id as id1_8_, user0_password as password2_8_, user0_type as type3_8_, user0_username as username4_8_, user0_1_age as age1_3_, user0_1_avatar as avatar2_3_, user0_1_dept_id as dept_id3_3_, user0_1_gender as gender4_3_, user0_1_intro as intro5_3_, user0_1_name as name6_3_, user0_1_post as post7_3_, user0_2_age as age1_6_, user0_2_email as email2_6_, user0_2_gender as gender3_6_, user0_2_name as name4_6_, user0_2_phone as phone5_6_, user0_2_punish_begin as punish_b6_6_, user0_2_punish_count as punish_c7_6_, case when user0_1_id is not null then 1 when user0_2_id is not null then 2 when user0_id is not null then 0 end as clazz_ from user user0_ left outer join Cart user0_1 on user0_id=user0_1_id left outer join Item user0_2 on user0_id=user0_2_id where user0_username=? and user0_password=?

Hibernate: select constant0_morning_max as morning_1_1_, constant0_afternoon_max as afternoon2_1_, constant0_punish_count as punish_c3_1_, constant0_punish_duration as punish_d4_1_ from constant constant0_

2024-06-20 21:47:08.702 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property age:java.lang.Integer to bean of class com.sjtu.se.hospital.entity.User

2024-06-20 21:47:08.702 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property email:java.lang.String to bean of class com.sjtu.se.hospital.entity.User

2024-06-20 21:47:08.702 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property gender:java.lang.String to bean of class com.sjtu.se.hospital.entity.User

2024-06-20 21:47:08.702 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property name:java.lang.String to bean of class com.sjtu.se.hospital.entity.User

2024-06-20 21:47:08.702 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property phone:java.lang.String to bean of class com.sjtu.se.hospital.entity.User

2024-06-20 21:47:08.702 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property punish_count:java.lang.Integer to bean of class com.sjtu.se.hospital.entity.User

java.text.ParseException: Unparseable date: "abcd"

at java.text.DateFormat.parse(DateFormat.java:366)

at com.sjtu.se.hospital.serviceimpl.ItemServiceimpl.addCartItem(ItemServiceimpl.java:60)

at com.sjtu.se.hospital.serviceimpl.ItemServiceimpl\$\$FastClassBySpringCGLIB\$\$51d003847.invoke()

at org.springframework.cglib.proxy.MethodProxy.invoke(MethodProxy.java:218)

at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.invokeJoinpoint(CglibAopProxy.java:771)

at org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:163)

at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.proceed(CglibAopProxy.java:749)

at org.springframework.transaction.interceptor.TransactionAspectSupport.invokeWithinTransaction(TransactionAspectSupport.java:367)
at org.springframework.transaction.interceptor.TransactionInterceptor.invoke(TransactionInterceptor.java:118)
at org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:186)
at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.proceed(CglibAopProxy.java:749)
at org.springframework.aop.framework.CglibAopProxy\$DynamicAdvisedInterceptor.intercept(CglibAopProxy.java:691)
at com.sjtu.se.hospital.serviceimpl.ItemServiceImpl\$\$EnhancerBySpringCGLIB\$\$741f388a.addCartItem()
at com.sjtu.se.hospital.controller.ItemController.addCartItem(ItemController.java:34)
at com.sjtu.se.hospital.E-MailTests.testCartItem(E-MailTests.java:134)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:498)
at org.junit.platform.commons.util.ReflectionUtils.invokeMethod(ReflectionUtils.java:686)
at org.junit.jupiter.engine.execution.MethodInvocation.proceed(MethodInvocation.java:60)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain\$ValidatingInvocation.proceed(InvocationInterceptorChain.java:131)
at org.junit.jupiter.engine.extension.TimeoutExtension.intercept(TimeoutExtension.java:149)
at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestableMethod(TimeoutExtension.java:140)
at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestMethod(TimeoutExtension.java:84)
at org.junit.jupiter.engine.execution.ExecutableInvoker\$ReflectiveInterceptorCall.lambda\$ofVoidMethod\$0(ExecutableInvoker.java:115)
at org.junit.jupiter.engine.execution.ExecutableInvoker.lambda\$invoke\$0(ExecutableInvoker.java:105)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain\$InterceptedInvocation.proceed(InvocationInterceptorChain.java:106)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.proceed(InvocationInterceptorChain.java:64)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.chainAndInvoke(InvocationInterceptorChain.java:45)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.invoke(InvocationInterceptorChain.java:37)
at org.junit.jupiter.engine.execution.ExecutableInvoker.invoke(ExecutableInvoker.java:104)
at org.junit.jupiter.engine.execution.ExecutableInvoker.invoke(ExecutableInvoker.java:98)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.lambda\$invokeTestMethod\$6(TestMethodTestDescriptor.java:212)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.invokeTestMethod(TestMethodTestDescriptor.java:208)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:137)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:71)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:135)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)
at java.util.ArrayList.forEach(ArrayList.java:1259)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:38)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:139)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)
at java.util.ArrayList.forEach(ArrayList.java:1259)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:38)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:139)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.submit(SameThreadHierarchicalTestExecutorService.java:32)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestExecutor.execute(HierarchicalTestExecutor.java:57)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestEngine.execute(HierarchicalTestEngine.java:51)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:248)
at org.junit.platform.launcher.core.DefaultLauncher.lambda\$execute\$5(DefaultLauncher.java:211)
at org.junit.platform.launcher.core.DefaultLauncher.withInterceptedStreams(DefaultLauncher.java:226)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:199)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:132)
at com.intellij.junit5.JUnit5IdeaTestRunner.startRunnerWithArgs(JUnit5IdeaTestRunner.java:71)
at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38)
at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11)
at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35)
at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235)
at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:54)
Schedule(CartID=2, date=2024-06-20, n_morning=30, n_afternoon=33, rank_morning=30, rank_afternoon=33, content=订单)
Hibernate: select constant0_morning_max as morning_1_1, constant0_afternoon_max as afternoo2_1_1, constant0_punish_count as punish_c3_1_1, constant0_punish_duration as punish_d4_1_1 from constant constant0_
Hibernate: delete from schedule where date=? and Cart_id=?
Hibernate: select schedule0_date as date1_7_0, schedule0_Cart_id as Cart_id2_7_0, schedule0_content as content3_7_0, schedule0_n_afternoon as n_aftern4_7_0, schedule0_n_morning as n_mornin5_7_0, schedule0_rank_afternoon as rank_atf6_7_0, schedule0_rank_morning as rank_mor7_7_0 from schedule schedule0 where schedule0_date=? and schedule0_Cart_id=?
Hibernate: select appointment0_date as date1_0_0, appointment0_Cart_id as Cart_id2_0_0, appointment0_item_id as Item_3_0_0, appointment0_ranking as ranking4_0_0, appointment0_dept_id as dept_id5_0_0, appointment0_description as descrip6_0_0, appointment0_time as time7_0_0 from CartItem appointment0 where appointment0_date=? and appointment0_Cart_id=? and appointment0_item_id=? and appointment0_ranking=?
Hibernate: select user0_id as id1_8, user0_password as password2_8, user0_type as type3_8, user0_username as username4_8, user0_1_age as age1_3, user0_1_avatar as avatar2_3, user0_1_dept_id as dept_id3_3, user0_1_gender as gender4_3, user0_1_intro as intro5_3, user0_1_name as name6_3, user0_1_post as post7_3, user0_2_age as age1_6, user0_2_email as email2_6, user0_2_gender as gender3_6, user0_2_name as name4_6, user0_2_phone as phone5_6, user0_2_punish_begin as punish_b6_6, user0_2_punish_count as punish_c7_6, case when user0_1_id is not null then 1 when user0_2_id is not null then 2 when user0_id is not null then 0 end as clazz_ from user user0_ left outer join
Cart user0_1_ on user0_id=user0_1_id left outer join Item user0_2_ on user0_id=user0_2_id where user0_username=? for update
Hibernate: insert into schedule (content, n_afternoon, n_morning, rank_afternoon, rank_morning, date, Cart_id) values (?, ?, ?, ?, ?, ?)
Hibernate: insert into CartItem (dept_id, description, time, date, Cart_id, Item_id, ranking) values (?, ?, ?, ?, ?, ?)
Hibernate: insert into user (password, type, username) values (?, ?, ?)
Hibernate: insert into Item (age, email, gender, name, phone, punish_begin, punish_count, id) values (?, ?, ?, ?, ?, ?, ?)
Hibernate: select user0_id as id1_8, user0_password as password2_8, user0_type as type3_8, user0_username as username4_8, user0_1_age as age1_3, user0_1_avatar as avatar2_3, user0_1_dept_id as dept_id3_3, user0_1_gender as gender4_3, user0_1_intro as intro5_3, user0_1_name as name6_3, user0_1_post as post7_3, user0_2_age as age1_6, user0_2_email as email2_6, user0_2_gender as gender3_6, user0_2_name as name4_6, user0_2_phone as phone5_6, user0_2_punish_begin as punish_b6_6, user0_2_punish_count as punish_c7_6, case when user0_1_id is not null then 1 when user0_2_id is not null then 2 when user0_id is not null then 0 end as clazz_ from user user0_ left outer join
Cart user0_1_ on user0_id=user0_1_id left outer join Item user0_2_ on user0_id=user0_2_id where user0_username=? and user0_password=?
Hibernate: select constant0_morning_max as morning_1_1, constant0_afternoon_max as afternoo2_1_1, constant0_punish_count as punish_c3_1_1, constant0_punish_duration as punish_d4_1_1 from constant constant0_
2024-06-20 21:47:08.827 WARN 39264 --- [main] net.sf.json.JSONObject : Tried to assign property age:java.lang.Integer to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:08.827 WARN 39264 --- [main] net.sf.json.JSONObject : Tried to assign property email:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:08.828 WARN 39264 --- [main] net.sf.json.JSONObject : Tried to assign property gender:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:08.828 WARN 39264 --- [main] net.sf.json.JSONObject : Tried to assign property name:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:08.828 WARN 39264 --- [main] net.sf.json.JSONObject : Tried to assign property phone:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:08.828 WARN 39264 --- [main] net.sf.json.JSONObject : Tried to assign property punish_count:java.lang.Integer to bean of class com.sjtu.se.hospital.entity.User
java.text.ParseException: Unparseable date: "abcd"
at java.text.DateFormat.parse(DateFormat.java:366)
at com.sjtu.se.hospital.serviceimpl.ItemServiceImpl.addCartItem(ItemServiceImpl.java:60)
at com.sjtu.se.hospital.serviceimpl.ItemServiceImpl\$\$FastClassBySpringCGLIB\$\$51d03847.invoke()
at org.springframework.cglib.proxy.MethodProxy.invoke(MethodProxy.java:218)
at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.invokeJoinpoint(CglibAopProxy.java:771)
at org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:163)
at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.proceed(CglibAopProxy.java:749)
at org.springframework.transaction.interceptor.TransactionAspectSupport.invokeWithinTransaction(TransactionAspectSupport.java:367)
at org.springframework.transaction.interceptor.TransactionInterceptor.invoke(TransactionInterceptor.java:118)
at org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:186)
at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.proceed(CglibAopProxy.java:749)
at org.springframework.aop.framework.CglibAopProxy\$DynamicAdvisedInterceptor.intercept(CglibAopProxy.java:691)
at com.sjtu.se.hospital.serviceimpl.ItemServiceImpl\$\$EnhancerBySpringCGLIB\$\$741f388a.addCartItem()
at com.sjtu.se.hospital.controller.ItemController.addCartItem(ItemController.java:34)
at com.sjtu.se.hospital.E-MailTests.testCartItem(E-MailTests.java:134)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:498)
at org.junit.platform.commons.util.ReflectionUtils.invokeMethod(ReflectionUtils.java:686)
at org.junit.jupiter.engine.execution.MethodInvocation.proceed(MethodInvocation.java:60)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain\$ValidatingInvocation.proceed(InvocationInterceptorChain.java:131)
at org.junit.jupiter.engine.extension.TimeoutExtension.intercept(TimeoutExtension.java:149)
at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestableMethod(TimeoutExtension.java:140)
at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestMethod(TimeoutExtension.java:84)
at org.junit.jupiter.engine.execution.ExecutableInvoker\$ReflectiveInterceptorCall.lambda\$ofVoidMethod\$0(ExecutableInvoker.java:115)

at org.junit.jupiter.engine.execution.ExecutableInvoker.lambda\$invoke\$0(ExecutableInvoker.java:105)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain\$InterceptedInvocation.proceed(InvocationInterceptorChain.java:106)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.proceed(InvocationInterceptorChain.java:64)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain\$ChainAndInvoke.invoke(InvocationInterceptorChain.java:45)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.invoke(InvocationInterceptorChain.java:37)
at org.junit.jupiter.engine.execution.ExecutableInvoker.invoke(ExecutableInvoker.java:104)
at org.junit.jupiter.engine.execution.ExecutableInvoker.invoke(ExecutableInvoker.java:98)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.lambda\$invokeTestMethod\$6(TestMethodTestDescriptor.java:212)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.invokeTestMethod(TestMethodTestDescriptor.java:208)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:137)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:71)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:135)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)
at java.util.ArrayList.forEach(ArrayList.java:1259)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:38)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:139)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)
at java.util.ArrayList.forEach(ArrayList.java:1259)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:38)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:139)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.submit(SameThreadHierarchicalTestExecutorService.java:32)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestExecutor.execute(HierarchicalTestExecutor.java:57)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestEngine.execute(HierarchicalTestEngine.java:51)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:248)
at org.junit.platform.launcher.core.DefaultLauncher.lambda\$execute\$5(DefaultLauncher.java:211)
at org.junit.platform.launcher.core.DefaultLauncher.withInterceptedStreams(DefaultLauncher.java:226)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:199)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:132)
at com.intelliij.junit5.JUnit5IdeaTestRunner.startRunnerWithArgs(JUnit5IdeaTestRunner.java:71)
at com.intelliij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38)
at com.intelliij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11)
at com.intelliij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35)
at com.intelliij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235)
at com.intelliij.rt.junit.JUnitStarter.main(JUnitStarter.java:54)
Schedule(CartID=2, date=2024-06-20, n_morning=30, n_afternoon=34, rank_morning=30, rank_afternoon=34, content=订单)
Hibernate: select constant0_morning_max as morning_1_1_, constant0_afternoon_max as afternoon2_1_, constant0_punish_count as punish_c3_1_, constant0_punish_duration as punish_d4_1_ from constant constant0_
Hibernate: delete from schedule where date=? and Cart_id=?
Hibernate: select schedule0_date as date1_7_0_, schedule0_Cart_id as Cart_id2_7_0_, schedule0_content as content3_7_0_, schedule0_n_afternoon as n_aftern4_7_0_, schedule0_n_morning as n_mornin5_7_0_, schedule0_rank_afternoon as rank_atf6_7_0_, schedule0_rank_morning as rank_mor7_7_0_ from schedule schedule0_ where schedule0_date=? and schedule0_Cart_id=?
Hibernate: select appointment0_date as date1_0_0_, appointment0_Cart_id as Cart_id2_0_0_, appointment0_Item_id as Item_3_0_0_, appointment0_ranking as ranking4_0_0_, appointment0_dept_id as dept_id5_0_0_, appointment0_description as description6_0_0_, appointment0_time as time7_0_0_ from CartItem appointment0_ where appointment0_date=? and appointment0_Cart_id=? and appointment0_Item_id=? and appointment0_ranking=?
Hibernate: select user0_id as id1_8_, user0_password as password2_8_, user0_type as type3_8_, user0_username as username4_8_, user0_1_age as age1_3_, user0_1_avatar as avatar2_3_, user0_1_dept_id as dept_id3_3_, user0_1_gender as gender4_3_, user0_1_intro as intro5_3_, user0_1_name as name6_3_, user0_1_post as post7_3_, user0_2_age as age1_6_, user0_2_email as email2_6_, user0_2_gender as gender3_6_, user0_2_name as name4_6_, user0_2_phone as phone5_6_, user0_2_punish_begin as punish_b6_6_, user0_2_punish_count as punish_c7_6_, case when user0_1_id is not null then 1 when user0_2_id is not null then 2 when user0_id is not null then 0 end as clazz_ from user user0_ left outer join Cart user0_1_ on user0_id=user0_1_id left outer join Item user0_2_ on user0_id=user0_2_id where user0_username=? and user0_password=?
Hibernate: insert into schedule (content, n_afternoon, n_morning, rank_afternoon, rank_morning, date, Cart_id) values (?, ?, ?, ?, ?, ?)
Hibernate: insert into CartItem (dept_id, description, time, date, Cart_id, Item_id, ranking) values (?, ?, ?, ?, ?, ?)
Hibernate: insert into user (password, type, username) values (?, ?, ?)
Hibernate: insert into Item (age, email, gender, name, phone, punish_begin, punish_count, id) values (?, ?, ?, ?, ?, ?, ?, ?)
Hibernate: select user0_id as id1_8_, user0_password as password2_8_, user0_type as type3_8_, user0_username as username4_8_, user0_1_age as age1_3_, user0_1_avatar as avatar2_3_, user0_1_dept_id as dept_id3_3_, user0_1_gender as gender4_3_, user0_1_intro as intro5_3_, user0_1_name as name6_3_, user0_1_post as post7_3_, user0_2_age as age1_6_, user0_2_email as email2_6_, user0_2_gender as gender3_6_, user0_2_name as name4_6_, user0_2_phone as phone5_6_, user0_2_punish_begin as punish_b6_6_, user0_2_punish_count as punish_c7_6_, case when user0_1_id is not null then 1 when user0_2_id is not null then 2 when user0_id is not null then 0 end as clazz_ from user user0_ left outer join Cart user0_1_ on user0_id=user0_1_id left outer join Item user0_2_ on user0_id=user0_2_id where user0_username=? and user0_password=?
Hibernate: select constant0_morning_max as morning_1_1_, constant0_afternoon_max as afternoon2_1_, constant0_punish_count as punish_c3_1_, constant0_punish_duration as punish_d4_1_ from constant constant0_
2024-06-20 21:47:08.957 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property age:java.lang.Integer to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:08.957 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property email:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:08.957 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property gender:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:08.957 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property name:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:08.957 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property phone:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:08.957 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property punish_count:java.lang.Integer to bean of class com.sjtu.se.hospital.entity.User
java.text.ParseException: Unparseable date: "abcd"
at java.text.DateFormat.parse(DateFormat.java:366)
at com.sjtu.se.hospital.serviceimpl.ItemServiceImpl.addCartItem(ItemServiceImpl.java:60)
at com.sjtu.se.hospital.serviceimpl.ItemServiceImpl\$\$FastClassBySpringCGLIB\$\$51d03847.invoke()
at org.springframework.cglib.proxy.MethodProxy.invoke(MethodProxy.java:218)
at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.invokeJoinpoint(CglibAopProxy.java:771)
at org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:163)
at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.proceed(CglibAopProxy.java:749)
at org.springframework.transaction.interceptor.TransactionAspectSupport.invokeWithinTransaction(TransactionAspectSupport.java:367)
at org.springframework.transaction.interceptor.TransactionInterceptor.invoke(TransactionInterceptor.java:118)
at org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:186)
at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.proceed(CglibAopProxy.java:749)
at org.springframework.aop.framework.CglibAopProxy\$DynamicAdvisedInterceptor.intercept(CglibAopProxy.java:691)
at com.sjtu.se.hospital.serviceimpl.ItemServiceImpl\$\$EnhancerBySpringCGLIB\$\$741f388a.addCartItem()
at com.sjtu.se.hospital.controller.ItemController.addCartItem(ItemController.java:34)
at com.sjtu.se.hospital.E-MailTests.testCartItem(E-MailTests.java:134)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:498)
at org.junit.platform.commons.util.ReflectionUtils.invokeMethod(ReflectionUtils.java:686)
at org.junit.jupiter.engine.execution.MethodInvocation.proceed(MethodInvocation.java:60)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain\$ValidatingInvocation.proceed(InvocationInterceptorChain.java:131)
at org.junit.jupiter.engine.extension.TimeoutExtension.intercept(TimeoutExtension.java:149)
at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestableMethod(TimeoutExtension.java:140)
at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestMethod(TimeoutExtension.java:84)
at org.junit.jupiter.engine.execution.ExecutableInvoker\$ReflectiveInterceptorCall.lambda\$ofVoidMethod\$0(ExecutableInvoker.java:115)
at org.junit.jupiter.engine.execution.ExecutableInvoker.lambda\$invoke\$0(ExecutableInvoker.java:105)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain\$InterceptedInvocation.proceed(InvocationInterceptorChain.java:106)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.proceed(InvocationInterceptorChain.java:64)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain\$ChainAndInvoke.invoke(InvocationInterceptorChain.java:45)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.invoke(InvocationInterceptorChain.java:37)
at org.junit.jupiter.engine.execution.ExecutableInvoker.invoke(ExecutableInvoker.java:104)
at org.junit.jupiter.engine.execution.ExecutableInvoker.invoke(ExecutableInvoker.java:98)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.lambda\$invokeTestMethod\$6(TestMethodTestDescriptor.java:212)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.invokeTestMethod(TestMethodTestDescriptor.java:208)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:137)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:71)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:135)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)

at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)
at java.util.ArrayList.forEach(ArrayList.java:1259)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:38)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:139)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)
at java.util.ArrayList.forEach(ArrayList.java:1259)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:38)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:139)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.submit(SameThreadHierarchicalTestExecutorService.java:32)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestExecutor.execute(HierarchicalTestExecutor.java:57)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestEngine.execute(HierarchicalTestEngine.java:51)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:248)
at org.junit.platform.launcher.core.DefaultLauncher.lambda\$execute\$5(DefaultLauncher.java:211)
at org.junit.platform.launcher.core.DefaultLauncher.withInterceptedStreams(DefaultLauncher.java:226)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:199)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:132)
at com.intellij.junit5.JUnit5IdeaTestRunner.startRunnerWithArgs(JUnit5IdeaTestRunner.java:71)
at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38)
at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11)
at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35)
at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235)
at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:54)
Schedule[CartID=2, date=2024-06-20, n_morning=30, n_afternoon=35, rank_morning=30, rank_afternoon=35, content=订单]
Hibernate: select constant0_morning_max as morning_1_1, constant0_afternoon_max as afternoo2_1, constant0_punish_count as punish_c3_1, constant0_punish_duration as punish_d4_1 from constant constant0_
Hibernate: delete from schedule where date=? and Cart_id=?
Hibernate: select schedule0_date as date1_7_0, schedule0_Cart_id as Cart_i2_7_0, schedule0_content as content3_7_0, schedule0_n_afternoon as n_aftern4_7_0, schedule0_n_morning as n_mornin5_7_0, schedule0_rank_afternoon as rank_atf6_7_0, schedule0_rank_morning as rank_mor7_7_0 from schedule schedule0 where schedule0_date=? and schedule0_Cart_id=?
Hibernate: select appointment0_date as date1_0_0, appointment0_Cart_id as Cart_i2_0_0, appointment0_Item_id as Item_3_0_0, appointment0_ranking as ranking4_0_0, appointment0_dept_id as dept_id5_0_0, appointment0_description as descrip6_0_0, appointment0_time as time7_0_0 from CartItem appointment0 where appointment0_date=? and appointment0_Cart_id=? and appointment0_Item_id=? and appointment0_ranking=?
Hibernate: select user0_id as id1_8, user0_password as password2_8, user0_type as type3_8, user0_username as username4_8, user0_1_age as age1_3, user0_1_avatar as avatar2_3, user0_1_dept_id as dept_id3_3, user0_1_gender as gender4_3, user0_1_intro as intro5_3, user0_1_name as name6_3, user0_1_post as post7_3, user0_2_age as age1_6, user0_2_email as email2_6, user0_2_gender as gender3_6, user0_2_name as name4_6, user0_2_phone as phone5_6, user0_2_punish_begin as punish_b6_6, user0_2_punish_count as punish_c7_6, case when user0_1_id is not null then 1 when user0_2_id is not null then 2 when user0_id is not null then 0 end as clazz from user user0_left outer join
Cart user0_1 on user0_id=user0_1_id left outer join Item user0_2 on user0_id=user0_2_id where user0_username=? for update
Hibernate: insert into schedule (content, n_afternoon, n_morning, rank_afternoon, rank_morning, date, Cart_id) values (?, ?, ?, ?, ?, ?)
Hibernate: insert into CartItem (dept_id, description, time, date, Cart_id, Item_id, ranking) values (?, ?, ?, ?, ?, ?, ?)
Hibernate: insert into user (password, type, username) values (?, ?, ?)
Hibernate: insert into Item (age, email, gender, name, phone, punish_begin, punish_count, id) values (?, ?, ?, ?, ?, ?, ?, ?)
Hibernate: select user0_id as id1_8, user0_password as password2_8, user0_type as type3_8, user0_username as username4_8, user0_1_age as age1_3, user0_1_avatar as avatar2_3, user0_1_dept_id as dept_id3_3, user0_1_gender as gender4_3, user0_1_intro as intro5_3, user0_1_name as name6_3, user0_1_post as post7_3, user0_2_age as age1_6, user0_2_email as email2_6, user0_2_gender as gender3_6, user0_2_name as name4_6, user0_2_phone as phone5_6, user0_2_punish_begin as punish_b6_6, user0_2_punish_count as punish_c7_6, case when user0_1_id is not null then 1 when user0_2_id is not null then 2 when user0_id is not null then 0 end as clazz from user user0_left outer join
Cart user0_1 on user0_id=user0_1_id left outer join Item user0_2 on user0_id=user0_2_id where user0_username=? and user0_password=?
Hibernate: select constant0_morning_max as morning_1_1, constant0_afternoon_max as afternoo2_1, constant0_punish_count as punish_c3_1, constant0_punish_duration as punish_d4_1 from constant constant0_
2024-06-20 21:47:09.072 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property age:java.lang.Integer to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:09.073 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property email:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:09.073 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property gender:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:09.073 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property name:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:09.073 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property phone:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:09.073 WARN 39264 -- [main] net.sf.json.JSONObject : Tried to assign property punish_count:java.lang.Integer to bean of class com.sjtu.se.hospital.entity.User
java.text.ParseException: Unparseable date: "abcd"
at java.text.DateFormat.parse(DateFormat.java:366)
at com.sjtu.se.hospital.serviceimpl.ItemServiceImpl.addCartItem(ItemServiceImpl.java:60)
at com.sjtu.se.hospital.serviceimpl.ItemServiceImpl\$\$FastClassBySpringCGLIB\$\$51d03847.invoke()
at org.springframework.cglib.proxy.MethodProxy.invoke(MethodProxy.java:218)
at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.invokeJoinpoint(CglibAopProxy.java:771)
at org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:163)
at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.proceed(CglibAopProxy.java:749)
at org.springframework.transaction.interceptor.TransactionAspectSupport.invokeWithinTransaction(TransactionAspectSupport.java:367)
at org.springframework.transaction.interceptor.TransactionInterceptor.invoke(TransactionInterceptor.java:118)
at org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:186)
at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.proceed(CglibAopProxy.java:749)
at org.springframework.aop.framework.CglibAopProxy\$DynamicAdvisedInterceptor.intercept(CglibAopProxy.java:691)
at com.sjtu.se.hospital.serviceimpl.ItemServiceImpl\$\$EnhancerBySpringCGLIB\$\$741f388a.addCartItem()
at com.sjtu.se.hospital.controller.ItemController.addCartItem(ItemController.java:34)
at com.sjtu.se.hospital.E-MailTests.testCartItem(E-MailTests.java:134)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:498)
at org.junit.platform.commons.util.ReflectionUtils.invokeMethod(ReflectionUtils.java:686)
at org.junit.jupiter.engine.execution.MethodInvocation.proceed(MethodInvocation.java:60)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain\$ValidatingInvocation.proceed(InvocationInterceptorChain.java:131)
at org.junit.jupiter.engine.extension.TimeoutExtension.intercept(TimeoutExtension.java:149)
at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestableMethod(TimeoutExtension.java:140)
at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestMethod(TimeoutExtension.java:84)
at org.junit.jupiter.engine.execution.ExecutableInvoker\$ReflectiveInterceptorCall.lambda\$ofVoidMethod\$0(ExecutableInvoker.java:115)
at org.junit.jupiter.engine.execution.ExecutableInvoker.lambda\$invoke\$0(ExecutableInvoker.java:105)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain\$InterceptedInvocation.proceed(InvocationInterceptorChain.java:106)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.proceed(InvocationInterceptorChain.java:64)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain\$ChainAndInterinvoke(InvocationInterceptorChain.java:45)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.invoke(InvocationInterceptorChain.java:37)
at org.junit.jupiter.engine.execution.ExecutableInvoker.invoke(ExecutableInvoker.java:104)
at org.junit.jupiter.engine.execution.ExecutableInvoker.invoke(ExecutableInvoker.java:98)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.lambda\$invokeTestMethod\$6(TestMethodTestDescriptor.java:212)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.invokeTestMethod(TestMethodTestDescriptor.java:208)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:137)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:71)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:135)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)
at java.util.ArrayList.forEach(ArrayList.java:1259)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:38)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:139)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)
at java.util.ArrayList.forEach(ArrayList.java:1259)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:38)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:139)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)
at java.util.ArrayList.forEach(ArrayList.java:1259)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:38)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:139)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)

at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.submit(SameThreadHierarchicalTestExecutorService.java:32)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestExecutor.execute(HierarchicalTestExecutor.java:57)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestEngine.execute(HierarchicalTestEngine.java:51)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:248)
at org.junit.platform.launcher.core.DefaultLauncher.lambda\$execute\$5(DefaultLauncher.java:211)
at org.junit.platform.launcher.core.DefaultLauncher.withInterceptedStreams(DefaultLauncher.java:226)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:199)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:132)
at com.intellij.junit5.JUnit5IdeaTestRunner.startRunnerWithArgs(JUnit5IdeaTestRunner.java:71)
at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38)
at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11)
at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35)
at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235)
at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:54)
Schedule(CartID=2, date=2024-06-20, n_morning=30, n_afternoon=36, rank_morning=30, rank_afternoon=36, content=订单)
Hibernate: select constant0_morning_max as morning_1_1_, constant0_afternoon_max as afternoon2_1_, constant0_punish_count as punish_c3_1_, constant0_punish_duration as punish_d4_1_ from constant constant0_
Hibernate: delete from schedule where date=? and Cart_id=?
Hibernate: select schedule0_date as date1_7_0_, schedule0_Cart_id as Cart_id2_7_0_, schedule0_content as content3_7_0_, schedule0_n_afternoon as n_aftern4_7_0_, schedule0_n_morning as n_mornin5_7_0_, schedule0_rank_afternoon as rank_atf6_7_0_, schedule0_rank_morning as rank_mor7_7_0_ from schedule schedule0_ where schedule0_date=? and schedule0_Cart_id=?
Hibernate: select appointment0_date as date1_0_0_, appointment0_Cart_id as Cart_id2_0_0_, appointment0_Item_id as Item_3_0_0_, appointment0_ranking as ranking4_0_0_, appointment0_dept_id as dept_id5_0_0_, appointment0_description as descrip6_0_0_, appointment0_time as time7_0_0_ from CartItem appointment0_ where appointment0_date=? and appointment0_Cart_id=? and appointment0_ranking=?
Hibernate: select user0_id as id1_8_, user0_password as password2_8_, user0_type as type3_8_, user0_username as username4_8_, user0_1_age as age1_3_, user0_1_avatar as avatar2_3_, user0_1_dept_id as dept_id3_3_, user0_1_gender as gender4_3_, user0_1_intro as intro5_3_, user0_1_name as name6_3_, user0_1_post as post7_3_, user0_2_age as age1_6_, user0_2_email as email2_6_, user0_2_gender as gender3_6_, user0_2_name as name4_6_, user0_2_phone as phone5_6_, user0_2_punish_begin as punish_b6_6_, user0_2_punish_count as punish_c7_6_, case when user0_1_id is not null then 1 when user0_1_id is not null then 2 when user0_1_id is not null then 0 end as clazz_ from user user0_1_ left outer join Cart user0_1_ on user0_id=user0_1_id left outer join Item user0_2_ on user0_id=user0_2_id where user0_username=? for update
Hibernate: insert into schedule (content, n_afternoon, n_morning, rank_afternoon, rank_morning, date, Cart_id) values (?, ?, ?, ?, ?, ?)
Hibernate: insert into CartItem (dept_id, description, time, date, Cart_id, Item_id, ranking) values (?, ?, ?, ?, ?, ?)
Hibernate: insert into user (password, type, username) values (?, ?, ?)
Hibernate: insert into Item (age, email, gender, name, phone, punish_begin, punish_count, id) values (?, ?, ?, ?, ?, ?, ?, ?)
Hibernate: select user0_id as id1_8_, user0_password as password2_8_, user0_type as type3_8_, user0_username as username4_8_, user0_1_age as age1_3_, user0_1_avatar as avatar2_3_, user0_1_dept_id as dept_id3_3_, user0_1_gender as gender4_3_, user0_1_intro as intro5_3_, user0_1_name as name6_3_, user0_1_post as post7_3_, user0_2_age as age1_6_, user0_2_email as email2_6_, user0_2_gender as gender3_6_, user0_2_name as name4_6_, user0_2_phone as phone5_6_, user0_2_punish_begin as punish_b6_6_, user0_2_punish_count as punish_c7_6_, case when user0_1_id is not null then 1 when user0_2_id is not null then 2 when user0_id is not null then 0 end as clazz_ from user user0_1_ left outer join Cart user0_1_ on user0_id=user0_1_id left outer join Item user0_2_ on user0_id=user0_2_id where user0_username=? and user0_password=?
Hibernate: select constant0_morning_max as morning_1_1_, constant0_afternoon_max as afternoon2_1_, constant0_punish_count as punish_c3_1_, constant0_punish_duration as punish_d4_1_ from constant constant0_
2024-06-20 21:47:09.192 WARN 39264 --- [main] net.sf.json.JSONObject : Tried to assign property age:java.lang.Integer to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:09.192 WARN 39264 --- [main] net.sf.json.JSONObject : Tried to assign property email:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:09.192 WARN 39264 --- [main] net.sf.json.JSONObject : Tried to assign property gender:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:09.192 WARN 39264 --- [main] net.sf.json.JSONObject : Tried to assign property name:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:09.192 WARN 39264 --- [main] net.sf.json.JSONObject : Tried to assign property phone:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:09.192 WARN 39264 --- [main] net.sf.json.JSONObject : Tried to assign property punish_count:java.lang.Integer to bean of class com.sjtu.se.hospital.entity.User
java.text.ParseException: Unparseable date: "abcd"
at java.text.DateFormat.parse(DateFormat.java:366)
at com.sjtu.se.hospital.serviceimpl.ItemServiceimpl.addItem(ItemServiceimpl.java:60)
at com.sjtu.se.hospital.serviceimpl.ItemServiceimpl\$\$FastClassBySpringCGLIB\$\$51d3847.invoke()
at org.springframework.cglib.proxy.MethodProxy.invoke(MethodProxy.java:218)
at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.invokeJoinpoint(CglibAopProxy.java:771)
at org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:163)
at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.proceed(CglibAopProxy.java:749)
at org.springframework.transaction.interceptor.TransactionAspectSupport.invokeWithinTransaction(TransactionAspectSupport.java:367)
at org.springframework.transaction.interceptor.TransactionInterceptor.invoke(TransactionInterceptor.java:118)
at org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:186)
at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.proceed(CglibAopProxy.java:749)
at org.springframework.aop.framework.CglibAopProxy\$DynamicAdvisedInterceptor.intercept(CglibAopProxy.java:691)
at com.sjtu.se.hospital.serviceimpl.ItemServiceimpl\$\$EnhancerBySpringCGLIB\$\$741f388a.addItem()
at com.sjtu.se.hospital.controller.ItemController.addItem(ItemController.java:34)
at com.sjtu.se.hospital.E-MailTests.testCartItem(E-MailTests.java:134)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:498)
at org.junit.platform.commons.util.ReflectionUtils.invokeMethod(ReflectionUtils.java:686)
at org.junit.jupiter.engine.execution.MethodInvocation.proceed(MethodInvocation.java:60)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain\$ValidatingInvocation.proceed(InvocationInterceptorChain.java:131)
at org.junit.jupiter.engine.extension.TimeoutExtension.intercept(TimeoutExtension.java:149)
at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestableMethod(TimeoutExtension.java:140)
at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestMethod(TimeoutExtension.java:84)
at org.junit.jupiter.engine.execution.ExecutableInvoker\$ReflectiveInterceptorCall.lambda\$ofVoidMethod\$0(ExecutableInvoker.java:115)
at org.junit.jupiter.engine.execution.ExecutableInvoker.lambda\$invoke\$0(ExecutableInvoker.java:105)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain\$InterceptedInvocation.proceed(InvocationInterceptorChain.java:106)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.proceed(InvocationInterceptorChain.java:64)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.chainAndInvoke(InvocationInterceptorChain.java:45)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.invoke(InvocationInterceptorChain.java:37)
at org.junit.jupiter.engine.execution.ExecutableInvoker.invoke(ExecutableInvoker.java:104)
at org.junit.jupiter.engine.execution.ExecutableInvoker.invoke(ExecutableInvoker.java:98)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.lambda\$invokeTestMethod\$6(TestMethodTestDescriptor.java:212)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.invokeTestMethod(TestMethodTestDescriptor.java:208)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:137)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:71)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:135)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)
at java.util.ArrayList.forEach(ArrayList.java:1259)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:38)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:139)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)
at java.util.ArrayList.forEach(ArrayList.java:1259)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:38)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:139)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)
at java.util.ArrayList.forEach(ArrayList.java:1259)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:38)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:139)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)
at java.util.ArrayList.forEach(ArrayList.java:1259)
Schedule(CartID=2, date=2024-06-20, n_morning=30, n_afternoon=37, rank_morning=30, rank_afternoon=37, content=订单)
Hibernate: select constant0_morning_max as morning_1_1_, constant0_afternoon_max as afternoon2_1_, constant0_punish_count as punish_c3_1_, constant0_punish_duration as punish_d4_1_ from constant constant0_
Hibernate: delete from schedule where date=? and Cart_id=?

Hibernate: select schedule0_date as date1_7_0_, schedule0_Cart_id as Cart_id2_7_0_, schedule0_content as content3_7_0_, schedule0_n_afternoon as n_aftern4_7_0_, schedule0_n_morning as n_mornin5_7_0_, schedule0_rank_afternoon as rank_atf6_7_0_, schedule0_rank_morning as rank_morf7_7_0_ from schedule schedule0_ where schedule0_date=? and schedule0_Cart_id=?
Hibernate: select appointment0_date as date1_0_0_, appointment0_Cart_id as Cart_id2_0_0_, appointment0_Item_id as Item_3_0_0_, appointment0_ranking as ranking4_0_0_, appointment0_dept_id as dept_id5_0_0_, appointment0_description as descrip6_0_0_, appointment0_time as time7_0_0_ from CartItem appointment0_ where appointment0_date=? and appointment0_Cart_id=? and appointment0_Item_id=? and appointment0_ranking=?
Hibernate: select user0_id as id1_8_, user0_password as password2_8_, user0_type as type3_8_, user0_username as username4_8_, user0_1_age as age1_3_, user0_1_avatar as avatar2_3_, user0_1_dept_id as dept_id3_3_, user0_1_gender as gender4_3_, user0_1_intro as intro5_3_, user0_1_name as name6_3_, user0_1_post as post7_3_, user0_2_age as age1_6_, user0_2_email as email2_6_, user0_2_gender as gender3_6_, user0_2_name as name4_6_, user0_2_phone as phone5_6_, user0_2_punish_begin as punish_b6_6_, user0_2_punish_count as punish_c7_6_, case when user0_1_id is not null then 1 when user0_2_id is not null then 2 when user0_id is not null then 0 end as clazz_ from user user0_ left outer join Cart user0_1 on user0_id=user0_1_id left outer join Item user0_2 on user0_id=user0_2_id where user0_username=? for update
Hibernate: insert into schedule (content, n_afternoon, n_morning, rank_afternoon, rank_morning, date, Cart_id) values (?, ?, ?, ?, ?, ?)
Hibernate: insert into CartItem (dept_id, description, time, date, Cart_id, Item_id, ranking) values (?, ?, ?, ?, ?, ?)
Hibernate: insert into user (password, type, username) values (?, ?, ?)
Hibernate: insert into Item (age, email, gender, name, phone, punish_begin, punish_count, id) values (?, ?, ?, ?, ?, ?, ?)
Hibernate: select user0_id as id1_8_, user0_password as password2_8_, user0_type as type3_8_, user0_username as username4_8_, user0_1_age as age1_3_, user0_1_avatar as avatar2_3_, user0_1_dept_id as dept_id3_3_, user0_1_gender as gender4_3_, user0_1_intro as intro5_3_, user0_1_name as name6_3_, user0_1_post as post7_3_, user0_2_age as age1_6_, user0_2_email as email2_6_, user0_2_gender as gender3_6_, user0_2_name as name4_6_, user0_2_phone as phone5_6_, user0_2_punish_begin as punish_b6_6_, user0_2_punish_count as punish_c7_6_, case when user0_1_id is not null then 1 when user0_2_id is not null then 2 when user0_id is not null then 0 end as clazz_ from user user0_ left outer join Cart user0_1 on user0_id=user0_1_id left outer join Item user0_2 on user0_id=user0_2_id where user0_username=? and user0_password=?
Hibernate: select constant0_morning_max as morning_1_1_, constant0_afternoon_max as afternoo2_1_, constant0_punish_count as punish_c3_1_, constant0_punish_duration as punish_d4_1_ from constant constant0_
2024-06-20 21:47:09.312 WARN 39264 --- [main] net.sf.json.JSONObject : Tried to assign property age:java.lang.Integer to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:09.312 WARN 39264 --- [main] net.sf.json.JSONObject : Tried to assign property email:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:09.312 WARN 39264 --- [main] net.sf.json.JSONObject : Tried to assign property gender:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:09.312 WARN 39264 --- [main] net.sf.json.JSONObject : Tried to assign property name:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:09.312 WARN 39264 --- [main] net.sf.json.JSONObject : Tried to assign property phone:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:09.312 WARN 39264 --- [main] net.sf.json.JSONObject : Tried to assign property punish_count:java.lang.Integer to bean of class com.sjtu.se.hospital.entity.User
java.text.ParseException: Unparseable date: "abcd"
at java.text.DateFormat.parse(DateFormat.java:366)
at com.sjtu.se.hospital.serviceimpl.ItemServiceimpl.addCartItem(ItemServiceimpl.java:60)
at com.sjtu.se.hospital.serviceimpl.ItemServiceimpl\$\$FastClassBySpringCGLIB\$\$51d03847.invoke()
at org.springframework.cglib.proxy.MethodProxy.invoke(MethodProxy.java:218)
at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.invokeJoinpoint(CglibAopProxy.java:771)
at org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:163)
at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.proceed(CglibAopProxy.java:749)
at org.springframework.transaction.interceptor.TransactionAspectSupport.invokeWithinTransaction(TransactionAspectSupport.java:367)
at org.springframework.transaction.interceptor.TransactionInterceptor.invoke(TransactionInterceptor.java:118)
at org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:186)
at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.proceed(CglibAopProxy.java:749)
at org.springframework.aop.framework.CglibAopProxy\$DynamicAdvisedInterceptor.intercept(CglibAopProxy.java:691)
at com.sjtu.se.hospital.serviceimpl.ItemServiceimpl\$\$EnhancerBySpringCGLIB\$\$741f388a.addCartItem()
at com.sjtu.se.hospital.controller.ItemController.addCartItem(ItemController.java:34)
at com.sjtu.se.hospital.E-MailTests.testCartItem(E-MailTests.java:134)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:498)
at org.junit.platform.commons.util.ReflectionUtils.invokeMethod(ReflectionUtils.java:686)
at org.junit.jupiter.engine.execution.MethodInvocation.proceed(MethodInvocation.java:60)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain\$ValidatingInvocation.proceed(InvocationInterceptorChain.java:131)
at org.junit.jupiter.engine.extension.TimeoutExtension.intercept(TimeoutExtension.java:149)
at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestableMethod(TimeoutExtension.java:140)
at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestMethod(TimeoutExtension.java:84)
at org.junit.jupiter.engine.execution.ExecutableInvoker\$ReflectiveInterceptorCall.lambda\$ofVoidMethod\$0(ExecutableInvoker.java:115)
at org.junit.jupiter.engine.execution.ExecutableInvoker.lambda\$invoke\$0(ExecutableInvoker.java:105)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain\$InterceptedInvocation.proceed(InvocationInterceptorChain.java:106)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.proceed(InvocationInterceptorChain.java:64)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.chainAndInvoke(InvocationInterceptorChain.java:45)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.invoke(InvocationInterceptorChain.java:37)
at org.junit.jupiter.engine.execution.ExecutableInvoker.invoke(ExecutableInvoker.java:104)
at org.junit.jupiter.engine.execution.ExecutableInvoker.invoke(ExecutableInvoker.java:98)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.lambda\$invokeTestMethod\$6(TestMethodTestDescriptor.java:212)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.invokeTestMethod(TestMethodTestDescriptor.java:208)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:137)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:71)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:135)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)
at java.util.ArrayList.forEach(ArrayList.java:1259)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:38)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:139)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.submit(SameThreadHierarchicalTestExecutorService.java:32)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestExecutor.execute(HierarchicalTestExecutor.java:57)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestEngine.execute(HierarchicalTestEngine.java:51)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:248)
at org.junit.platform.launcher.core.DefaultLauncher.lambda\$execute\$5(DefaultLauncher.java:211)
at org.junit.platform.launcher.core.DefaultLauncher.withInterceptedStreams(DefaultLauncher.java:226)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:199)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:132)
at com.intellij.junit5.JUnit5IdeaTestRunner.startRunnerWithArgs(JUnit5IdeaTestRunner.java:71)
at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38)
at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11)
at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35)
at com.intellij.rt.junit.JUnit4Starter.prepareStreamsAndStart(JUnit4Starter.java:235)
at com.intellij.rt.junit.JUnit4Starter.main(JUnit4Starter.java:54)
Schedule[CartID=2, date=2024-06-20, n_morning=30, n_afternoon=38, rank_morning=30, rank_afternoon=38, content=订单单]
Hibernate: select constant0_morning_max as morning_1_1_, constant0_afternoon_max as afternoo2_1_, constant0_punish_count as punish_c3_1_, constant0_punish_duration as punish_d4_1_ from constant constant0_
Hibernate: delete from schedule where date=? and Cart_id=?
Hibernate: select schedule0_date as date1_7_0_, schedule0_Cart_id as Cart_id2_7_0_, schedule0_content as content3_7_0_, schedule0_n_afternoon as n_aftern4_7_0_, schedule0_n_morning as n_mornin5_7_0_, schedule0_rank_afternoon as rank_atf6_7_0_, schedule0_rank_morning as rank_morf7_7_0_ from schedule schedule0_ where schedule0_date=? and schedule0_Cart_id=?
Hibernate: select appointment0_date as date1_0_0_, appointment0_Cart_id as Cart_id2_0_0_, appointment0_Item_id as Item_3_0_0_, appointment0_ranking as ranking4_0_0_, appointment0_dept_id as dept_id5_0_0_, appointment0_description as descrip6_0_0_, appointment0_time as time7_0_0_ from CartItem appointment0_ where appointment0_date=? and appointment0_Cart_id=? and appointment0_Item_id=? and appointment0_ranking=?
Hibernate: select user0_id as id1_8_, user0_password as password2_8_, user0_type as type3_8_, user0_username as username4_8_, user0_1_age as age1_3_, user0_1_avatar as avatar2_3_, user0_1_dept_id as dept_id3_3_, user0_1_gender as gender4_3_, user0_1_intro as intro5_3_, user0_1_name as name6_3_, user0_1_post as post7_3_, user0_2_age as age1_6_, user0_2_email as email2_6_, user0_2_gender as gender3_6_, user0_2_name as name4_6_, user0_2_phone as phone5_6_, user0_2_punish_begin as punish_b6_6_, user0_2_punish_count as punish_c7_6_, case when user0_1_id is not null then 1 when user0_2_id is not null then 2 when user0_id is not null then 0 end as clazz_ from user user0_ left outer join Cart user0_1 on user0_id=user0_1_id left outer join Item user0_2 on user0_id=user0_2_id where user0_username=? and user0_password=?
Hibernate: insert into schedule (content, n_afternoon, n_morning, rank_afternoon, rank_morning, date, Cart_id) values (?, ?, ?, ?, ?, ?)
Hibernate: insert into CartItem (dept_id, description, time, date, Cart_id, Item_id, ranking) values (?, ?, ?, ?, ?, ?)
Hibernate: insert into user (password, type, username) values (?, ?, ?)
Hibernate: insert into Item (age, email, gender, name, phone, punish_begin, punish_count, id) values (?, ?, ?, ?, ?, ?, ?)
Hibernate: select user0_id as id1_8_, user0_password as password2_8_, user0_type as type3_8_, user0_username as username4_8_, user0_1_age as age1_3_, user0_1_avatar as avatar2_3_, user0_1_dept_id as dept_id3_3_, user0_1_gender as gender4_3_, user0_1_intro as intro5_3_, user0_1_name as name6_3_, user0_1_post as post7_3_, user0_2_age as age1_6_, user0_2_email as email2_6_, user0_2_gender as gender3_6_, user0_2_name as name4_6_, user0_2_phone as phone5_6_, user0_2_punish_begin as punish_b6_6_, user0_2_punish_count as punish_c7_6_, case when user0_1_id is not null then 1 when user0_2_id is not null then 2 when user0_id is not null then 0 end as clazz_ from user user0_ left outer join Cart user0_1 on user0_id=user0_1_id left outer join Item user0_2 on user0_id=user0_2_id where user0_username=? and user0_password=?
Hibernate: select constant0_morning_max as morning_1_1_, constant0_afternoon_max as afternoo2_1_, constant0_punish_count as punish_c3_1_, constant0_punish_duration as punish_d4_1_ from constant constant0_
2024-06-20 21:47:09.429 WARN 39264 --- [main] net.sf.json.JSONObject : Tried to assign property age:java.lang.Integer to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:09.429 WARN 39264 --- [main] net.sf.json.JSONObject : Tried to assign property email:java.lang.String to bean of class com.sjtu.se.hospital.entity.User

2024-06-20 21:47:09.429 WARN 39264 --- [main] net.sf.json.JSONObject : Tried to assign property gender.java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:09.429 WARN 39264 --- [main] net.sf.json.JSONObject : Tried to assign property name.java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:09.429 WARN 39264 --- [main] net.sf.json.JSONObject : Tried to assign property phone.java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:09.429 WARN 39264 --- [main] net.sf.json.JSONObject : Tried to assign property punish_count.java.lang.Integer to bean of class com.sjtu.se.hospital.entity.User

java.text.ParseException: Unparseable date: "abcd"
at java.text.DateFormat.parse(DateFormat.java:366)
at com.sjtu.se.hospital.serviceimpl.ItemServiceimpl.addCartItem(ItemServiceimpl.java:60)
at com.sjtu.se.hospital.serviceimpl.ItemServiceimpl\$\$FastClassBySpringCGLIB\$\$51d03847.invoke()
at org.springframework.cglib.proxy.MethodProxy.invoke(MethodProxy.java:218)
at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.invokeJoinpoint(CglibAopProxy.java:771)
at org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:163)
at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.proceed(CglibAopProxy.java:749)
at org.springframework.transaction.interceptor.TransactionAspectSupport.invokeWithinTransaction(TransactionAspectSupport.java:367)
at org.springframework.transaction.interceptor.TransactionInterceptor.invoke(TransactionInterceptor.java:118)
at org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:186)
at org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.proceed(CglibAopProxy.java:749)
at org.springframework.aop.framework.CglibAopProxy\$DynamicAdvisedInterceptor.intercept(CglibAopProxy.java:691)
at com.sjtu.se.hospital.serviceimpl.ItemServiceimpl\$\$EnhancerBySpringCGLIB\$\$741f388a.addCartItem()
at com.sjtu.se.hospital.controller.ItemController.addCartItem(ItemController.java:34)
at com.sjtu.se.hospital.E-MailTests.testCartItem(E-MailTests.java:134)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:498)
at org.junit.platform.commons.util.ReflectionUtils.invokeMethod(ReflectionUtils.java:686)
at org.junit.jupiter.engine.execution.MethodInvocation.proceed(MethodInvocation.java:60)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain\$ValidatingInvocation.proceed(InvocationInterceptorChain.java:131)
at org.junit.jupiter.engine.extension.TimeoutExtension.intercept(TimeoutExtension.java:149)
at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestableMethod(TimeoutExtension.java:140)
at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestMethod(TimeoutExtension.java:84)
at org.junit.jupiter.engine.execution.ExecutableInvoker\$ReflectiveInterceptorCall.lambda\$ofVoidMethod\$0(ExecutableInvoker.java:115)
at org.junit.jupiter.engine.execution.ExecutableInvoker.lambda\$invoke\$0(ExecutableInvoker.java:105)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain\$InterceptedInvocation.proceed(InvocationInterceptorChain.java:106)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.proceed(InvocationInterceptorChain.java:64)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.chainAndInvoke(InvocationInterceptorChain.java:45)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.invoke(InvocationInterceptorChain.java:37)
at org.junit.jupiter.engine.execution.ExecutableInvoker.invoke(ExecutableInvoker.java:104)
at org.junit.jupiter.engine.execution.ExecutableInvoker.invoke(ExecutableInvoker.java:98)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.lambda\$invokeTestMethod\$6(TestMethodTestDescriptor.java:212)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.invokeTestMethod(TestMethodTestDescriptor.java:208)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:137)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:71)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:135)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)
at java.util.ArrayList.forEach(ArrayList.java:1259)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:38)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:139)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)
at java.util.ArrayList.forEach(ArrayList.java:1259)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:38)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$5(NodeTestTask.java:139)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$7(NodeTestTask.java:125)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:135)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda\$executeRecursively\$8(NodeTestTask.java:123)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:122)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:80)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.submit(SameThreadHierarchicalTestExecutorService.java:32)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestExecutor.execute(HierarchicalTestExecutor.java:57)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestEngine.execute(HierarchicalTestEngine.java:51)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:248)
at org.junit.platform.launcher.core.DefaultLauncher.lambda\$execute\$5(DefaultLauncher.java:211)
at org.junit.platform.launcher.core.DefaultLauncher.withInterceptedStreams(DefaultLauncher.java:226)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:199)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:132)
at com.intellij.junit5.JUnit5IdeaTestRunner.startRunnerWithArgs(JUnit5IdeaTestRunner.java:71)
at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38)
at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11)
at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35)
at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235)
at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:54)

Schedule(CartID=2, date=2024-06-20, n_morning=30, n_afternoon=39, rank_morning=30, rank_afternoon=39, content=订单)

Hibernate: select constant0_morning_max as morning_1_1, constant0_afternoon_max as afternoo2_1, constant0_punish_count as punish_c3_1, constant0_punish_duration as punish_d4_1 from constant constant0_

Hibernate: delete from schedule where date=? and Cart_id=?

Hibernate: select schedule0_date as date1_7_0, schedule0_Cart_id as Cart_i2_7_0, schedule0_content as content3_7_0, schedule0_n_afternoon as n_aftern4_7_0, schedule0_n_morning as n_mornin5_7_0, schedule0_rank_afternoon as rank_atf6_7_0, schedule0_rank_morning as rank_morr7_7_0 from schedule schedule0 where schedule0_date=? and schedule0_Cart_id=?

Hibernate: select appointment0_date as date1_0_0, appointment0_Cart_id as Cart_i2_0_0, appointment0_item_id as Item_3_0_0, appointment0_ranking as ranking4_0_0, appointment0_dept_id as dept_id5_0_0, appointment0_description as descript6_0_0, appointment0_time as time7_0_0 from CartItem appointment0 where appointment0_date=? and appointment0_Cart_id=? and appointment0_item_id=? and appointment0_ranking=?

Hibernate: select user0_id as id1_8, user0_password as password2_8, user0_type as type3_8, user0_username as username4_8, user0_1_age as age1_3, user0_1_avatar as avatar2_3, user0_1_dept_id as dept_id3_3, user0_1_gender as gender4_3, user0_1_intro as intro5_3, user0_1_name as name6_3, user0_1_post as post7_3, user0_2_age as age1_6, user0_2_email as email2_6, user0_2_gender as gender3_6, user0_2_name as name4_6, user0_2_phone as phone5_6, user0_2_punish_begin as punish_b6_6, user0_2_punish_count as punish_c7_6, case when user0_1_id is not null then 1 when user0_2_id is not null then 2 when user0_id is not null then 0 end as clazz from user user0 left outer join Cart user0_1 on user0_id=user0_1_id left outer join Item user0_2 on user0_id=user0_2_id where user0_username=? and user0_password=?

Hibernate: select constant0_morning_max as morning_1_1, constant0_afternoon_max as afternoo2_1, constant0_punish_count as punish_c3_1, constant0_punish_duration as punish_d4_1 from constant constant0_

Schedule(CartID=2, date=2024-06-20, n_morning=30, n_afternoon=40, rank_morning=30, rank_afternoon=40, content=订单)

Hibernate: select constant0_morning_max as morning_1_1, constant0_afternoon_max as afternoo2_1, constant0_punish_count as punish_c3_1, constant0_punish_duration as punish_d4_1 from constant constant0_

Hibernate: select user0_id as id1_8, user0_password as password2_8, user0_type as type3_8, user0_username as username4_8, user0_1_age as age1_3, user0_1_avatar as avatar2_3, user0_1_dept_id as dept_id3_3, user0_1_gender as gender4_3, user0_1_intro as intro5_3, user0_1_name as name6_3, user0_1_post as post7_3, user0_2_age as age1_6, user0_2_email as email2_6, user0_2_gender as gender3_6, user0_2_name as name4_6, user0_2_phone as phone5_6, user0_2_punish_begin as punish_b6_6, user0_2_punish_count as punish_c7_6, case when user0_1_id is not null then 1 when user0_2_id is not null then 2 when user0_id is not null then 0 end as clazz from user user0 left outer join Cart user0_1 on user0_id=user0_1_id left outer join Item user0_2 on user0_id=user0_2_id where user0_username=? and user0_password=?

Hibernate: select constant0_morning_max as morning_1_1, constant0_afternoon_max as afternoo2_1, constant0_punish_count as punish_c3_1, constant0_punish_duration as punish_d4_1 from constant constant0_

Schedule(CartID=2, date=2024-06-20, n_morning=30, n_afternoon=40, rank_morning=30, rank_afternoon=40, content=订单)

Hibernate: select constant0_morning_max as morning_1_1, constant0_afternoon_max as afternoo2_1, constant0_punish_count as punish_c3_1, constant0_punish_duration as punish_d4_1 from constant constant0_

Hibernate: select user0_id as id1_8, user0_password as password2_8, user0_type as type3_8, user0_username as username4_8, user0_1_age as age1_3, user0_1_avatar as avatar2_3, user0_1_dept_id as dept_id3_3, user0_1_gender as gender4_3, user0_1_intro as intro5_3, user0_1_name as name6_3, user0_1_post as post7_3, user0_2_age as age1_6, user0_2_email as email2_6, user0_2_gender as gender3_6, user0_2_name as name4_6, user0_2_phone as phone5_6, user0_2_punish_begin as punish_b6_6, user0_2_punish count as punish_c7_6, case when user0_1_id is not null then 1 when user0_2_id is not null then 2 when user0_id is not null then 0 end as clazz from user user0 left outer join Cart user0_1 on user0_id=user0_1_id left outer join Item user0_2 on user0_id=user0_2_id where user0_username=? and user0_password=?

Hibernate: select constant0_morning_max as morning_1_1, constant0_afternoon_max as afternoo2_1, constant0_punish_count as punish_c3_1, constant0_punish_duration as punish_d4_1 from constant constant0_

Schedule(CartID=2, date=2024-06-20, n_morning=30, n_afternoon=40, rank_morning=30, rank_afternoon=40, content=订单)

Hibernate: select constant0_morning_max as morning_1_1, constant0_afternoon_max as afternoo2_1, constant0_punish count as punish_c3_1, constant0_punish_duration as punish_d4_1 from constant constant0_

Hibernate: select user0_id as id1_8, user0_password as password2_8, user0_type as type3_8, user0_username as username4_8, user0_1_age as age1_3, user0_1_avatar as avatar2_3, user0_1_dept_id as dept_id3_3, user0_1_gender as gender4_3, user0_1_intro as intro5_3, user0_1_name as name6_3, user0_1_post as post7_3, user0_2_age as age1_6, user0_2_email as email2_6, user0_2_gender as gender3_6, user0_2_name as name4_6, user0_2_phone as phone5_6, user0_2_punish_begin as punish_b6_6, user0_2_punish count as punish_c7_6, case when user0_1_id is not null then 1 when user0_2_id is not null then 2 when user0_id is not null then 0 end as clazz from user user0 left outer join Cart user0_1 on user0_id=user0_1_id left outer join Item user0_2 on user0_id=user0_2_id where user0_username=? and user0_password=?

Hibernate: select constant0_morning_max as morning_1_1, constant0_afternoon_max as afternoo2_1, constant0_punish count as punish_c3_1, constant0_punish_duration as punish_d4_1 from constant constant0_

Schedule(CartID=2, date=2024-06-20, n_morning=30, n_afternoon=40, rank_morning=30, rank_afternoon=40, content=订单)

Hibernate: select constant0_morning_max as morning_1_1, constant0_afternoon_max as afternoo2_1, constant0_punish count as punish_c3_1, constant0_punish_duration as punish_d4_1 from constant constant0_

Hibernate: select user0_id as id1_8, user0_password as password2_8, user0_type as type3_8, user0_username as username4_8, user0_1_age as age1_3, user0_1_avatar as avatar2_3, user0_1_dept_id as dept_id3_3, user0_1_gender as gender4_3, user0_1_intro as intro5_3, user0_1_name as name6_3, user0_1_post as post7_3, user0_2_age as age1_6, user0_2_email as email2_6, user0_2_gender as gender3_6, user0_2_name as name4_6, user0_2_phone as phone5_6, user0_2_punish_begin as punish_b6_6, user0_2_punish count as punish_c7_6, case when user0_1_id is not null then 1 when user0_2_id is not null then 2 when user0_id is not null then 0 end as clazz from user user0 left outer join Cart user0_1 on user0_id=user0_1_id left outer join Item user0_2 on user0_id=user0_2_id where user0_username=? and user0_password=?

Hibernate: select constant0_morning_max as morning_1_1, constant0_afternoon_max as afternoo2_1, constant0_punish count as punish_c3_1, constant0_punish duration as punish_d4_1 from constant constant0_

Schedule(CartID=2, date=2024-06-20, n_morning=30, n_afternoon=40, rank_morning=30, rank_afternoon=40, content=订单)

```
testAdminforHome()

2024-06-20 21:47:10:057 INFO 39264 --- [ main] o.s.t.c.transaction.TransactionContext : Began transaction (1) for test context [DefaultTestContext@7d900ecf testClass = E-MailTests, testInstance = com.sjtu.se.hospital.E-MailTests@5319efc0, testMethod = testAdminforHome@E-MailTests, testException = [null], mergedContextConfiguration = [WebMergedContextConfiguration@6f01b95f testClass = E-MailTests, locations = '{}', classes = 'class com.sjtu.se.hospital.E-Mail', contextInitializerClasses = '[]', activeProfiles = '{}', propertySourceLocations = '{}', propertySourceProperties = 'org.springframework.boot.test.context.SpringBootTestContextBootstrapper=true'], contextCustomizers = set(org.springframework.boot.test.context.filter.ExcludeFilterContextCustomizer@223191a6, org.springframework.boot.test.json.DuplicateJsonContextCustomizerFactory$DuplicateJsonObjectContextCustomizer@6069db50, org.springframework.boot.test.mock.mockito.MockitoContextCustomizer@0, org.springframework.boot.test.web.client.TestRestTemplateContextCustomizer@35d019a3, org.springframework.boot.test.autoconfigure.properties.PropertyMappingContextCustomizer@0, org.springframework.boot.test.autoconfigure.web.servlet.WebDriverContextCustomizerFactory$Customizer@4218d6a3, org.springframework.boot.test.context.SpringBootTestArgs@1, org.springframework.boot.test.context.SpringBootTestWebEnvironment@21a06946], resourceBasePath = 'src/main/webapp', contextLoader = 'org.springframework.boot.test.context.SpringBootContextLoader', parent = [null]], attributes = map(org.springframework.test.context.web.ServletTestExecutionListener.activateListener' -> true, 'org.springframework.test.context.web.ServletTestExecutionListener.populatedRequestContextHolder' -> true, 'org.springframework.test.context.web.ServletTestExecutionListener.resetRequestContextHolder' -> true)]; transaction manager

Hibernate: select news0_id as id1_4_0, news0_content as content2_4_0, news0_date as date3_4_0, news0_title as title4_4_0 from news news0
Hibernate: select notificati0_id as id1_5_0, notificati0_content as content2_5_0, notificati0_date as date3_5_0, notificati0_title as title4_5_0 from notification notificati0
Hibernate: select Cart0_id as id1_8_0, Cart0_password as password2_8_0, Cart0_1_type as type3_8_0, Cart0_1_username as username4_8_0, Cart0_age as age1_3_0, Cart0_avatar as avatar2_3_0, Cart0_dept_id as dept_id3_3_0, Cart0_gender as gender4_3_0, Cart0_intro as intro5_3_0, Cart0_name as name6_3_0, Cart0_post as post7_3_0 from Cart Cart0, inner join user Cart0_1 on Cart0_id=Cart0_1_id where Cart0_id=?
Hibernate: select Cart0_id as id1_8_0, Cart0_1_password as password2_8_0, Cart0_1_type as type3_8_0, Cart0_1_username as username4_8_0, Cart0_age as age1_3_0, Cart0_avatar as avatar2_3_0, Cart0_dept_id as dept_id3_3_0, Cart0_gender as gender4_3_0, Cart0_intro as intro5_3_0, Cart0_name as name6_3_0, Cart0_post as post7_3_0 from Cart Cart0, inner join user Cart0_1 on Cart0_id=Cart0_1_id where Cart0_dept_id=?
Hibernate: select user0_id as id1_8_0, user0_password as password2_8_0, user0_type as type3_8_0, user0_username as username4_8_0, user0_1_age as age1_3_0, user0_1_avatar as avatar2_3_0, user0_1_dept_id as dept_id3_3_0, user0_1_gender as gender4_3_0, user0_1_intro as intro5_3_0, user0_1_name as name6_3_0, user0_1_post as post7_3_0, user0_2_age as age1_6_0, user0_2_email as email2_6_0, user0_2_gender as gender3_6_0, user0_2_name as name4_6_0, user0_2_phone as phone5_6_0, user0_2_punish_begin as punish_b6_6_0, user0_2_punish_count as punish_c7_6_0 case when user0_1_id is not null then 1 when user0_2_id is not null then 2 when user0_id is not null then 0 end as clazz_0 from user user0, left outer join Cart user0_1 on user0_id=user0_1_id left outer join Item user0_2 on user0_id=user0_2_id where user0_username=? and user0_password=?
Hibernate: select news0_id as id1_4_0, news0_content as content2_4_0, news0_date as date3_4_0, news0_title as title4_4_0 from news news0 where news0_id=?
Hibernate: insert into news (content, title) values (?, ?)
Hibernate: select notificati0_id as id1_5_0, notificati0_content as content2_5_0, notificati0_date as date3_5_0, notificati0_title as title4_5_0 from notification notificati0 where notificati0_id=?
Hibernate: insert into notification (content, title) values (?, ?)

2024-06-20 21:47:10:267 INFO 39264 --- [ main] o.s.t.c.transaction.TransactionContext : Rolled back transaction for test: [DefaultTestContext@7d900ecf testClass = E-MailTests, testInstance = com.sjtu.se.hospital.E-MailTests@5319efc0, testMethod = testAdminforHome@E-MailTests, testException = [null], mergedContextConfiguration = [WebMergedContextConfiguration@6f01b95f testClass = E-MailTests, locations = '{}', classes = 'class com.sjtu.se.hospital.E-Mail', contextInitializerClasses = '[]', activeProfiles = '{}', propertySourceLocations = '{}', propertySourceProperties = 'org.springframework.boot.test.context.SpringBootTestContextBootstrapper=true'], contextCustomizers = set(org.springframework.boot.test.context.filter.ExcludeFilterContextCustomizer@223191a6, org.springframework.boot.test.json.DuplicateJsonContextCustomizerFactory$DuplicateJsonObjectContextCustomizer@6069db50, org.springframework.boot.test.mock.mockito.MockitoContextCustomizer@0, org.springframework.boot.test.web.client.TestRestTemplateContextCustomizer@35d019a3, org.springframework.boot.test.autoconfigure.properties.PropertyMappingContextCustomizer@0, org.springframework.boot.test.autoconfigure.web.servlet.WebDriverContextCustomizerFactory$Customizer@4218d6a3, org.springframework.boot.test.context.SpringBootTestArgs@1, org.springframework.boot.test.context.SpringBootTestWebEnvironment@21a06946], resourceBasePath = 'src/main/webapp', contextLoader = 'org.springframework.boot.test.context.SpringBootContextLoader', parent = [null]], attributes = map(org.springframework.test.context.web.ServletTestExecutionListener.activateListener' -> true, 'org.springframework.test.context.web.ServletTestExecutionListener.populatedRequestContextHolder' -> true, 'org.springframework.test.context.web.ServletTestExecutionListener.resetRequestContextHolder' -> true)]
```

```

        Card user0_1 on user0_id=user0_1_id left outer join Item user0_2 on user0_id=user0_2_id where user0_username=? and user0_password=?
Hibernate: select constant0_morning_max as morning_1_1, constant0_afternoon_max as afternoon0_1, constant0_punish_count as punish_c1_3, constant0_punish_duration as punish_d4_1 from constant constant0_
Hibernate: select user0_1 as id1_8, user0_password as password2_8, user0_type as type3_8, user0_username as username4_8, user0_1_age as age1_3, user0_1_avatar as avatar2_3, user0_1_dept_id as dept_id3_3, user0_1_gender as gender4_3, user0_1_intro as intro5_3, user0_1_name as name6_3, user0_1_post as post7_3, user0_2_age as age1_6, user0_2_email as email2_6, user0_2_gender as gender3_6, user0_2_name as name4_6, user0_2_phone as phone5_6, user0_2_punish_begin as punish_b6_6, user0_2_punish_count as punish_c7_6, case when user0_1_id is not null then 1 when user0_2_id is not null then 2 when user0_id is not null then 0 end as clazz_ from user user0_1 left outer join Card user0_1 on user0_id=user0_1_id left outer join Item user0_2 on user0_id=user0_2_id where user0_username=? and user0_password=?
Hibernate: select user0_1 as id1_8, user0_password as password2_8, user0_type as type3_8, user0_username as username4_8, user0_1_age as age1_3, user0_1_avatar as avatar2_3, user0_1_dept_id as dept_id3_3, user0_1_gender as gender4_3, user0_1_intro as intro5_3, user0_1_name as name6_3, user0_1_post as post7_3, user0_2_age as age1_6, user0_2_email as email2_6, user0_2_gender as gender3_6, user0_2_name as name4_6, user0_2_phone as phone5_6, user0_2_punish_begin as punish_b6_6, user0_2_punish_count as punish_c7_6, case when user0_1_id is not null then 1 when user0_2_id is not null then 2 when user0_id is not null then 0 end as clazz_ from user user0_1 left outer join Card user0_1 on user0_id=user0_1_id left outer join Item user0_2 on user0_id=user0_2_id where user0_username=? and user0_password=?
2024-06-20 21:47:10.397 INFO 39264 -- [ main ] o.s.t.c.transaction.TransactionContext : Rolled back transaction for test: [DefaultTestContext@7d90ce0c testClass = E-MailTests, testInstance = com.sjtu.se.hospital.E-MailTests@3984e2b3, testMethod = testPropertyE-MailTests, testException = [null], mergedContextConfiguration = [WebMergedContextConfiguration@6f01b95f testClass = E-MailTests, locations = '{}', classes = '[class com.sjtu.se.hospital.E-Mail]', contextInitializerClasses = '[]', activeProfiles = '{}', propertySourceLocations = '{}', propertySourceProperties = '{}', springframework:boot.test.context.SpringBootTestContext$SpringBootTestContextBootstrapper=true], contextCustomizers = set(org.springframework.boot.test.context.filter.ExcludeFilterContextCustomizer@223191a6, org.springframework.boot.test.json.DuplicateJsonObjectContextCustomizerFactory$DuplicateJsonObjectContextCustomizer@6069ed50, org.springframework.boot.test.mock.mockito.MockitoContextCustomizer@0, org.springframework.boot.test.web.client.TestRestTemplateContextCustomizer@35d019a3, org.springframework.boot.test.autoconfigure.properties.PropertyMappingContextCustomizer@0, org.springframework.boot.test.autoconfigure.web.servlet.WebDriverContextCustomizerFactory$Customizer@4218d6d3, org.springframework.boot.test.context.SpringBootTestArgs@1, org.springframework.boot.test.context.SpringBootTestWebEnvironment@21a06946], resourceBasePath = 'src/main/webapp', contextLoader = 'org.springframework.boot.test.context.SpringBootContextLoader', parent = [null]], attributes = map[org.springframework.test.context.web.ServletTestExecutionListener.activateListener = true, org.springframework.test.context.web.ServletTestExecutionListener.populatedReferencesContextHolder = true, org.springframework.test.context.web.ServletTestExecutionListener.resetRequestContextHolder = true]]

```

```

2024-06-20 21:47:10.403 INFO 39264 -- [[ main] o.s.c.transaction.TransactionContext : Began transaction (1) for test context [DefaultTestContext@7d900c6 testClass = E-MailTests, testInstance = com.sjtu.se.hospital.E-MailTests@53cbb89f, testMethod = testItem@E-MailTests, testException = [null], mergedContextConfiguration = [WebMergedContextConfiguration@6f01b95f testClass = E-MailTests, locations = '{}', classes = '{class com.sjtu.se.hospital.E-Mail}', contextInitializerClasses = '{}', activeProfiles = '{}', propertySourceLocations = '{}', propertySourceProperties = '{org.springframework.boot.test.context.SpringBootTestContextBootstrapper=true}', contextCustomizers = set{org.springframework.boot.test.context.filter.ExcludeFilterContextCustomizer@223191a6, org.springframework.boot.test.json.DuplicateJsonObjectContextCustomizerFactory$DuplicateJsonObjectContextCustomizer@6069db50, org.springframework.boot.test.context.SpringBootContextCustomizer@0, org.springframework.boot.test.web.client.TestRestTemplateContextCustomizer@35d019a3, org.springframework.boot.test.autoconfigure.properties.PropertyMappingContextCustomizer@0, org.springframework.boot.test.autoconfigure.web.servlet.WebDriverContextCustomizerFactory$Customizer@4218d6a3, org.springframework.boot.test.context.SpringBootTestArgs@1, org.springframework.boot.test.context.SpringBootTestWebEnvironment@21a06946}, resourceBasePath = 'src/main/webapp', contextLoader = 'org.springframework.boot.test.context.SpringBootContextLoader', parent = [null]], attributes = map{org.springframework.test.context.web.ServletTestExecutionListener.activateListener -> true, org.springframework.test.context.web.ServletTestExecutionListener.populatedRequestContextHolder -> true, org.springframework.test.context.web.ServletTestExecutionListener.resetRequestContextHolder -> true}]; transaction manager [org.springframework.orm.jpa.JpaTransactionManager@42af5cb]; rollback [true]

Hibernate: select user_0m_id as id1_8_, user_0_password as password2_8_, user_0_type as type3_8_, user_0_username as username4_8_, user_0_1_age as age1_3_, user_0_1_avatar as avatar2_3_, user_0_1_dept_id as dept_id3_3_, user_0_1_gender as gender4_3_, user_0_1_intro as intro5_3_, user_0_1_name as name6_3_, user_0_1_post as post7_3_, user_0_2_age as age1_6_, user_0_2_email as email2_6_, user_0_2_gender as gender3_6_, user_0_2_name as name4_6_, user_0_2_phone as phone5_6_, user_0_2_punish_begin as punish_b6_6_, user_0_2_punish_count as punish_c7_6_, case when user0_1_id is not null then 1 when user0_1_id is not null then 2 when user0_1_id is not null then 0 end as clazz_ from user user0_1 left outer join Cart user0_1 on user0_1_id=user0_1_id left outer join Item user0_2 on user0_1_id=user0_2_id where user0_1_username=? for update

Hibernate: insert into user (password, type, username) values (?, ?, ?, ?)

Hibernate: insert into Item (age, email, gender, name, phone, punish_begin, punish_count, id) values (?, ?, ?, ?, ?, ?, ?, ?)

Hibernate: select user_0m_id as id1_8_, user_0_password as password2_8_, user_0_type as type3_8_, user_0_username as username4_8_, user_0_1_age as age1_3_, user_0_1_avatar as avatar2_3_, user_0_1_dept_id as dept_id3_3_, user_0_1_gender as gender4_3_, user_0_1_intro as intro5_3_, user_0_1_name as name6_3_, user_0_1_post as post7_3_, user_0_2_age as age1_6_, user_0_2_email as email2_6_, user_0_2_gender as gender3_6_, user_0_2_name as name4_6_, user_0_2_phone as phone5_6_, user_0_2_punish_begin as punish_b6_6_, user_0_2_punish_count as punish_c7_6_, case when user0_1_id is not null then 1 when user0_1_id is not null then 2 when user0_1_id is not null then 0 end as clazz_ from user user0_1 left outer join Cart user0_1 on user0_1_id=user0_1_id left outer join Item user0_2 on user0_1_id=user0_2_id where user0_1_username=? and user0_password=?

Hibernate: select constant0_morning_max as morning_1_1_, constant0_afternoon_max as afternoon2_1_, constant0_punish_count as punish_c3_1_, constant0_punish_duration as punish_d4_1_ from constant constant0_

2024-06-20 21:47:10.446 WARN 39264 -- [[ main] net.sf.json.JSONObject : Tried to assign property age:java.lang.Integer to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:10.446 WARN 39264 -- [[ main] net.sf.json.JSONObject : Tried to assign property email:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:10.446 WARN 39264 -- [[ main] net.sf.json.JSONObject : Tried to assign property gender:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:10.446 WARN 39264 -- [[ main] net.sf.json.JSONObject : Tried to assign property name:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:10.446 WARN 39264 -- [[ main] net.sf.json.JSONObject : Tried to assign property phone:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:10.446 WARN 39264 -- [[ main] net.sf.json.JSONObject : Tried to assign property punish_count:java.lang.Integer to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:10.456 INFO 39264 -- [[ main] o.s.c.transaction.TransactionContext : Rolled back transaction for test: [DefaultTestContext@7d900c6 testClass = E-MailTests, testInstance = com.sjtu.se.hospital.E-MailTests@53cbb89f, testMethod = testItem@E-MailTests, testException = [null], mergedContextConfiguration = [WebMergedContextConfiguration@6f01b95f testClass = E-MailTests, locations = '{}', classes = '{class com.sjtu.se.hospital.E-Mail}', contextInitializerClasses = '{}', activeProfiles = '{}', propertySourceLocations = '{}', propertySourceProperties = '{org.springframework.boot.test.context.SpringBootTestContextBootstrapper=true}', contextCustomizers = set{org.springframework.boot.test.context.filter.ExcludeFilterContextCustomizer@223191a6, org.springframework.boot.test.json.DuplicateJsonObjectContextCustomizerFactory$DuplicateJsonObjectContextCustomizer@6069db50, org.springframework.boot.test.context.SpringBootContextCustomizer@0, org.springframework.boot.test.web.client.TestRestTemplateContextCustomizer@35d019a3, org.springframework.boot.test.autoconfigure.properties.PropertyMappingContextCustomizer@0, org.springframework.boot.test.autoconfigure.web.servlet.WebDriverContextCustomizerFactory$Customizer@4218d6a3, org.springframework.boot.test.context.SpringBootTestArgs@1, org.springframework.boot.test.context.SpringBootTestWebEnvironment@21a06946}, resourceBasePath = 'src/main/webapp', contextLoader = 'org.springframework.boot.test.context.SpringBootContextLoader', parent = [null]], attributes = map{org.springframework.test.context.web.ServletTestExecutionListener.activateListener -> true, org.springframework.test.context.web.ServletTestExecutionListener.populatedRequestContextHolder -> true, org.springframework.test.context.web.ServletTestExecutionListener.resetRequestContextHolder -> true}]]

```

```

2024-06-20 21:47:10.462 INFO 39264 -- [ main] o.s.t.c.transaction.TransactionContext : Begin transaction (1) for context [DefaultTestContext@7d900ce0 testClass = E-MailTests, testInstance = com.sjtu.se.hospital.E-MailTests@76cad511, testMethod = testAdminforCart@E-MailTests, testException = [null], mergedContextConfiguration = [WebMergedContextConfiguration@6f01b95f testClass = E-MailTests, locations = '{}', classes = 'class com.sjtu.se.hospital.E-Mail', contextInitializerClasses = [], activeProfiles = '{}', propertySourceLocations = '{}', propertySourceProperties = '{}', springframework.boot.test.context.SpringBootTestContextBootstrapper=true], contextCustomizers = set[org.springframework.boot.test.context.filter.ExcludeFilterContextCustomizer@223191a6, org.springframework.boot.test.json.JsonObjectContextCustomizerFactory$DuplicateJsonObjectContextCustomizer@6069db50, org.springframework.boot.test.mock.mockito.MockitoContextCustomizer@0, org.springframework.boot.test.web.client.TestRestTemplateContextCustomizer@35d019a3, org.springframework.boot.test.autoconfigure.properties.PropertyMappingContextCustomizer@0], org.springframework.boot.test.autoconfigure.web.servlet.WebDriverContextCustomizerFactory$Customizer@4218d6a3, org.springframework.boot.test.context.SpringBootTestArgs@1, org.springframework.boot.test.context.SpringBootTestWebEnvironment@21a06946], resourceBasePath = 'src/main/webapp', contextLoader = 'org.springframework.boot.test.context.SpringBootContextLoader', parent = [null]], attributes = map[org.springframework.test.context.web.ServletTestExecutionListener.activateListener -> true, 'org.springframework.test.context.web.ServletTestExecutionListener.populatedRequestContextHolder' -> true, 'org.springframework.test.context.web.ServletTestExecutionListener.resetRequestContextHolder' -> true]]; transaction manager [org.springframework.orm.jpa.JpaTransactionManager@42f43af5]; rollback [true]
Hibernate: select user0_1_id as id1_8_ , user0_1_password as password2_8_ , user0_1_type as type3_8_ , user0_1_username as username4_8_ , user0_1_age as age1_3_ , user0_1_avatar as avatar2_3_ , user0_1_dept_id as dept_id3_3_ , user0_1_gender as gender4_3_ , user0_1_intro as intro5_3_ , user0_1_name as name6_3_ , user0_1_post as post7_3_ , user0_2_age as age1_6_ , user0_2_email as email2_6_ , user0_2_gender as gender3_6_ , user0_2_name as name4_6_ , user0_2_phone as phone5_6_ , user0_2_punish_begin as punish_b6_6_ , user0_2_punish_count as punish_c7_6_ , case when user0_1_id is not null then 1 when user0_2_id is not null then 2 when user0_1_id is not null then 0 end as clazz_ from user user_0_1 left outer join Cart user0_1 on user0_1_id=user0_1_id left outer join Item user0_2 on user0_1_id=user0_2_id where user0_1_username=? and user0_1_password=?
Hibernate: select scheduled0_date as date1_7_ , scheduled0_Cart_id as Cart_id12_7_ , scheduled0_content as content3_7_ , scheduled0_n_afternoon as n_aftern4_7_ , scheduled0_n_morning as n_mornin5_7_ , scheduled0_rank_afternoon as rank_aft6_7_ , scheduled0_rank_morning as rank_mor7_7_ from schedule schedule0 where schedule0_Cart_id=?
Hibernate: select user0_1_id as id1_8_ , user0_1_password as password2_8_ , user0_1_type as type3_8_ , user0_1_username as username4_8_ , user0_1_age as age1_3_ , user0_1_avatar as avatar2_3_ , user0_1_dept_id as dept_id3_3_ , user0_1_gender as gender4_3_ , user0_1_intro as intro5_3_ , user0_1_name as name6_3_ , user0_1_post as post7_3_ , user0_2_age as age1_6_ , user0_2_email as email2_6_ , user0_2_gender as gender3_6_ , user0_2_name as name4_6_ , user0_2_phone as phone5_6_ , user0_2_punish_begin as punish_b6_6_ , user0_2_punish_count as punish_c7_6_ , case when user0_1_id is not null then 1 when user0_2_id is not null then 2 when user0_1_id is not null then 0 end as clazz_ from user user_0_1 left outer join Cart user0_1 on user0_1_id=user0_1_id left outer join Item user0_2 on user0_1_id=user0_2_id where user0_1_username=? and user0_1_password=?
Hibernate: select Order0_id as id1_2_0_ , Order0_doc_num as doc_num2_2_0_ , Order0_title as title3_2_0_ from Order Order0 where Order0_id=?
Hibernate: select Cart0_id as id1_8_0_ , Cart0_1_password as password2_8_0_ , Cart0_1_type as type3_8_0_ , Cart0_1_username as username4_8_0_ , Cart0_age as age1_3_0_ , Cart0_avatar as avatar2_3_0_ , Cart0_dept_id as dept_id3_3_0_ , Cart0_gender as gender4_3_0_ , Cart0_intro as intro5_3_0_ , Cart0_name as name6_3_0_ , Cart0_post as post7_3_0_ from Cart Cart0 inner join user Cart0_1 on Cart0_id=Cart0_1_id where Cart0_id=?
Hibernate: select Cart0_id as id1_8_0_ , Cart0_1_password as password2_8_0_ , Cart0_1_type as type3_8_0_ , Cart0_1_username as username4_8_0_ , Cart0_age as age1_3_0_ , Cart0_avatar as avatar2_3_0_ , Cart0_dept_id as dept_id3_3_0_ , Cart0_gender as gender4_3_0_ , Cart0_intro as intro5_3_0_ , Cart0_name as name6_3_0_ , Cart0_post as post7_3_0_ from Cart Cart0 inner join user Cart0_1 on Cart0_id=Cart0_1_id where Cart0_id=?
Hibernate: insert into user (password, type, username) values (?, ?, ?)
Hibernate: insert into Cart (age, avatar, dept_id, intro, name, post, id) values (?, ?, ?, ?, ?, ?, ?)
2024-06-20 21:47:10.606 INFO 39264 -- [ main] o.s.t.c.transaction.TransactionContext : Rolled back transaction for test: [DefaultTestContext@7d900ce0 testClass = E-MailTests, testInstance = com.sjtu.se.hospital.E-MailTests@76cad511, testMethod = testAdminforCart@E-MailTests, testException = [null], mergedContextConfiguration = [WebMergedContextConfiguration@6f01b95f testClass = E-MailTests, locations = '{}', classes = 'class com.sjtu.se.hospital.E-Mail', contextInitializerClasses = [], activeProfiles = '{}', propertySourceLocations = '{}', propertySourceProperties = '{}', springframework.boot.test.context.SpringBootTestContextBootstrapper=true], contextCustomizers = set[org.springframework.boot.test.context.filter.ExcludeFilterContextCustomizer@223191a6, org.springframework.boot.test.json.JsonObjectContextCustomizerFactory$DuplicateJsonObjectContextCustomizer@6069db50, org.springframework.boot.test.mock.mockito.MockitoContextCustomizer@0, org.springframework.boot.test.web.client.TestRestTemplateContextCustomizer@35d019a3, org.springframework.boot.test.autoconfigure.properties.PropertyMappingContextCustomizer@0], org.springframework.boot.test.autoconfigure.web.servlet.WebDriverContextCustomizerFactory$Customizer@4218d6a3, org.springframework.boot.test.context.SpringBootTestArgs@1, org.springframework.boot.test.context.SpringBootTestWebEnvironment@21a06946], resourceBasePath = 'src/main/webapp', contextLoader = 'org.springframework.boot.test.context.SpringBootContextLoader', parent = [null]], attributes = map[org.springframework.test.context.web.ServletTestExecutionListener.activateListener -> true, 'org.springframework.test.context.web.ServletTestExecutionListener.populatedRequestContextHolder' -> true, 'org.springframework.test.context.web.ServletTestExecutionListener.resetRequestContextHolder' -> true]]

```

```

2024-06-20 21:47:10.612 INFO 39264 --- [ main] o.s.t.c.transaction.TransactionContext : Began transaction (1) for test context [DefaultTestContext@7d900c0e testClass = E-MailTests, testInstance = com.sjtu.se.hospital.E-MailTests@2e76ade9, testMethod = testOrder@E-MailTests, testException = [null], mergedContextConfiguration = [WebMergedContextConfiguration@6f01b95f testClass = E-MailTests, locations = '{}', classes = [class com.sjtu.se.hospital.E-Mail], contextInitializerClasses = '{}', activeProfiles = '{}', propertySourceLocations = '{}', propertySourceProperties = [org.springframework.boot.test.context.SpringBootTestContextBootstrapper=true], contextCustomizers = set(org.springframework.boot.test.context.filter.ExcludeFilterContextCustomizer@223191a6, org.springframework.boot.test.json.DuplicateJsonObjectContextCustomizerFactory$DuplicateJsonObjectContextCustomizer@6069db50, org.springframework.boot.test.mock.mockito.MockitoContextCustomizer@0, org.springframework.boot.test.web.client.TestRestTemplateContextCustomizer@35d019a3, org.springframework.boot.test.autoconfigure.properties.PropertyMappingContextCustomizer@0, org.springframework.boot.test.autoconfigure.web.servlet.WebDriverContextCustomizerFactory$Customizer@4218d6a3, org.springframework.boot.test.context.SpringBootTestContextLoader, parent = [null]), attributes = map{org.springframework.test.context.web.ServletTestExecutionListener.activateListener} -> true, org.springframework.test.context.web.ServletTestExecutionListener.resetRequestContextHolder -> true]]; transaction manager [org.springframework.orm.jpa.JpaTransactionManager@42fa5cb]; rollback [true]
Hibernate: select Order0_id as id1_2, Order0_doc_num as doc_num2_2, Order0_title as title3_2 from Order Order0
Hibernate: insert into Order (doc_num, title) values (?, ?)
2024-06-20 21:47:10.642 INFO 39264 --- [ main] o.s.t.c.transaction.TransactionContext : Rolled back transaction for test: [DefaultTestContext@7d900c0e testClass = E-MailTests, testInstance = com.sjtu.se.hospital.E-MailTests@2e76ade9, testMethod = testOrder@E-MailTests, testException = [null], mergedContextConfiguration = [WebMergedContextConfiguration@6f01b95f testClass = E-MailTests, locations = '{}', classes = [class com.sjtu.se.hospital.E-Mail], contextInitializerClasses = '{}', activeProfiles = '{}', propertySourceLocations = '{}', propertySourceProperties = [org.springframework.boot.test.context.SpringBootTestContextBootstrapper=true], contextCustomizers = set(org.springframework.boot.test.context.filter.ExcludeFilterContextCustomizer@223191a6, org.springframework.boot.test.json.DuplicateJsonObjectContextCustomizerFactory$DuplicateJsonObjectContextCustomizer@6069db50, org.springframework.boot.test.mock.mockito.MockitoContextCustomizer@0, org.springframework.boot.test.web.client.TestRestTemplateContextCustomizer@35d019a3, org.springframework.boot.test.autoconfigure.properties.PropertyMappingContextCustomizer@0, org.springframework.boot.test.autoconfigure.web.servlet.WebDriverContextCustomizerFactory$Customizer@4218d6a3, org.springframework.boot.test.context.SpringBootTestContextLoader, parent = [null]), attributes = map{org.springframework.test.context.web.ServletTestExecutionListener.activateListener} -> true, org.springframework.test.context.web.ServletTestExecutionListener.resetRequestContextHolder -> true]];

```

```
2024-06-20 21:47:10.648 INFO 39264 -- [ main] o.s.c.transactionContext: Began transaction (1) for test context [DefaultTestContext@7d900cf testClass = E-MailTests, testInstance = com.sjtu.se.hospital.E-MailTests@1b4ade78, testMethod = testConstants@E-MailTests, testException = [null], mergedContextConfiguration = [WebMergedContextConfiguration@6f01b95f testClass = E-MailTests, locations = {}, classes = {class com.sjtu.se.hospital.E-Mail}, contextInitializerClasses = {}], activeProfiles = {}, propertySourceLocations = {}, propertySourceProperties = {org.springframework.boot.test.context.SpringBootTestBootstrapper=true}], contextCustomizers = set(org.springframework.boot.test.context.filter.ExcludeFilterContextCustomizer@223191a6, org.springframework.boot.test.json.DuplicateJsonObjectContextCustomizerFactory$DuplicateJsonObjectContextCustomizer@6069db50, org.springframework.boot.test.mock.mockito.ContextCustomizer@201, org.springframework.boot.test.web.client.TestRestTemplateContextCustomizer@35d019a3, org.springframework.boot.test.autoconfigure.properties.PropertyMappingContextCustomizer@201, org.springframework.boot.test.autoconfigure.web.servlet.WebDriverContextCustomizerFactory$Customizer@4218d6d3, org.springframework.boot.test.context.SpringBootTestBootstrapper@21a06946, resourceBasePath = src/main/webapp, contextLoader = org.springframework.boot.test.context.support.SpringBootContextLoader@21a06946)]
```



```
'org.springframework.boot.test.context.SpringBootTestContextLoader', parent = [null]], attributes = map['org.springframework.test.context.web.ServletTestExecutionListener.activateListener' -> true,
'org.springframework.test.context.web.ServletTestExecutionListener.populatedRequestContextHolder' -> true, 'org.springframework.test.context.web.ServletTestExecutionListener.resetRequestContextHolder' -> true]]; transaction manager
[org.springframework.orm.jpa.JpaTransactionManager@42fa5cb]; rollback [true]
Hibernate: select user0_.id as id1_8_, user0_.password as password2_8_, user0_.type as type3_8_, user0_.username as username4_8_, user0_.1_age as age1_3_, user0_.1_avatar as avatar2_3_, user0_.1_dept_id as dept_id3_3_, user0_.1_gender as gender4_3_, user0_.1_intro as intro5_3_, user0_.1_name as name6_3_, user0_.1_post as post7_3_, user0_.2_age as age1_6_, user0_.2_email as email2_6_, user0_.2_gender as gender3_6_, user0_.2_name as name4_6_, user0_.2_phone as phone5_6_, user0_.2_punish_begin as punish_b6_6_, user0_.2_punish_count as punish_c7_6_, case when user0_.1_id is not null then 1 when user0_.2_id is not null then 2 when user0_.id is not null then 0 end as clazz_ from user user0_ left outer join Cart user0_1 on user0_.id=user0_1_id left outer join Item user0_2 on user0_.id=user0_2_id where user0_.username=? and user0_.password=?
Hibernate: select constant0_morning_max as morning_1_1_0_, constant0_afternoon_max as afternoo2_1_0_, constant0_punish_count as punish_c3_1_0_, constant0_punish_duration as punish_d4_1_1_0_ from constant constant0_
Hibernate: select constant0_morning_max as morning_1_1_0_, constant0_afternoon_max as afternoo2_1_0_, constant0_punish_count as punish_c3_1_0_, constant0_punish_duration as punish_d4_1_0_ from constant constant0_ where constant0_morning_max=?
2024-06-20 21:47:10.719 INFO 39264 --- [ main] o.s.t.c.transaction.TransactionContext : Rolled back transaction for test: [DefaultTestContext@7d900ecf testClass = E-MailTests, testInstance = com.sjtu.se.hospital.E-MailTests@1b4ade78, testMethod = testConstants@E-MailTests, testException = [null], mergedContextConfiguration = [WebMergedContextConfiguration@6f01b95f testClass = E-MailTests, locations = '{}', classes = '{class com.sjtu.se.hospital.E-Mail}', contextInitializerClasses = '{}', activeProfiles = '{}', propertySourceLocations = '{}', propertySourceProperties = '{org.springframework.boot.test.context.SpringBootTestContextBootstrapper=true}', contextCustomizers = set[org.springframework.boot.test.context.filter.ExcludeFilterContextCustomizer@223191a6, org.springframework.boot.test.json.DuplicateJsonObjectContextCustomizerFactory$DuplicateJsonObjectContextCustomizer@6069db50, org.springframework.boot.test.mock.mockito.MockitoContextCustomizer@0, org.springframework.boot.test.web.client.TestRestTemplateContextCustomizer@35d019a3, org.springframework.boot.test.autoconfigure.properties.PropertyMappingContextCustomizer@0, org.springframework.boot.test.autoconfigure.web.servlet.WebDriverContextCustomizerFactory$Customizer@4218d6a3, org.springframework.boot.test.context.SpringBootTestTestArgs@1, org.springframework.boot.test.context.SpringBootTestWebEnvironment@21a06946], resourceBasePath = 'src/main/webapp', contextLoader = 'org.springframework.boot.test.context.SpringBootTestContextLoader', parent = [null]], attributes = map['org.springframework.test.context.web.ServletTestExecutionListener.activateListener' -> true, 'org.springframework.test.context.web.ServletTestExecutionListener.populatedRequestContextHolder' -> true, 'org.springframework.test.context.web.ServletTestExecutionListener.resetRequestContextHolder' -> true]]
```

testCart()

passed268 ms

```
2024-06-20 21:47:10.726 INFO 39264 --- [ main] o.s.t.c.transaction.TransactionContext : Began transaction (1) for test context [DefaultTestContext@7d900ecf testClass = E-MailTests, testInstance = com.sjtu.se.hospital.E-MailTests@3b44ed3c, testMethod = testCart@E-MailTests, testException = [null], mergedContextConfiguration = [WebMergedContextConfiguration@6f01b95f testClass = E-MailTests, locations = '{}', classes = '{class com.sjtu.se.hospital.E-Mail}', contextInitializerClasses = '{}', activeProfiles = '{}', propertySourceLocations = '{}', propertySourceProperties = '{org.springframework.boot.test.context.SpringBootTestContextBootstrapper=true}', contextCustomizers = set[org.springframework.boot.test.context.filter.ExcludeFilterContextCustomizer@223191a6, org.springframework.boot.test.json.DuplicateJsonObjectContextCustomizerFactory$DuplicateJsonObjectContextCustomizer@6069db50, org.springframework.boot.test.mock.mockito.MockitoContextCustomizer@0, org.springframework.boot.test.web.client.TestRestTemplateContextCustomizer@35d019a3, org.springframework.boot.test.autoconfigure.properties.PropertyMappingContextCustomizer@0, org.springframework.boot.test.autoconfigure.web.servlet.WebDriverContextCustomizerFactory$Customizer@4218d6a3, org.springframework.boot.test.context.SpringBootTestTestArgs@1, org.springframework.boot.test.context.SpringBootTestWebEnvironment@21a06946], resourceBasePath = 'src/main/webapp', contextLoader = 'org.springframework.boot.test.context.SpringBootTestContextLoader', parent = [null]], attributes = map['org.springframework.test.context.web.ServletTestExecutionListener.activateListener' -> true, 'org.springframework.test.context.web.ServletTestExecutionListener.populatedRequestContextHolder' -> true, 'org.springframework.test.context.web.ServletTestExecutionListener.resetRequestContextHolder' -> true]]; transaction manager
[org.springframework.orm.jpa.JpaTransactionManager@42fa5cb]; rollback [true]
Hibernate: select user0_.id as id1_8_, user0_.password as password2_8_, user0_.type as type3_8_, user0_.username as username4_8_, user0_.1_age as age1_3_, user0_.1_avatar as avatar2_3_, user0_.1_dept_id as dept_id3_3_, user0_.1_gender as gender4_3_, user0_.1_intro as intro5_3_, user0_.1_name as name6_3_, user0_.1_post as post7_3_, user0_.2_age as age1_6_, user0_.2_email as email2_6_, user0_.2_gender as gender3_6_, user0_.2_name as name4_6_, user0_.2_phone as phone5_6_, user0_.2_punish_begin as punish_b6_6_, user0_.2_punish_count as punish_c7_6_, case when user0_.1_id is not null then 1 when user0_.2_id is not null then 2 when user0_.id is not null then 0 end as clazz_ from user user0_ left outer join Cart user0_1 on user0_.id=user0_1_id left outer join Item user0_2 on user0_.id=user0_2_id where user0_.username=? for update
Hibernate: insert into user (password, type, username) values (?, ?, ?)
Hibernate: insert into Item (age, email, gender, name, phone, punish_begin, punish_count, id) values (?, ?, ?, ?, ?, ?, ?, ?)
Hibernate: select user0_.id as id1_8_, user0_.password as password2_8_, user0_.type as type3_8_, user0_.username as username4_8_, user0_.1_age as age1_3_, user0_.1_avatar as avatar2_3_, user0_.1_dept_id as dept_id3_3_, user0_.1_gender as gender4_3_, user0_.1_intro as intro5_3_, user0_.1_name as name6_3_, user0_.1_post as post7_3_, user0_.2_age as age1_6_, user0_.2_email as email2_6_, user0_.2_gender as gender3_6_, user0_.2_name as name4_6_, user0_.2_phone as phone5_6_, user0_.2_punish_begin as punish_b6_6_, user0_.2_punish_count as punish_c7_6_, case when user0_.1_id is not null then 1 when user0_.2_id is not null then 2 when user0_.id is not null then 0 end as clazz_ from user user0_ left outer join Cart user0_1 on user0_.id=user0_1_id left outer join Item user0_2 on user0_.id=user0_2_id where user0_.username=? and user0_.password=?
Hibernate: select constant0_morning_max as morning_1_1_0_, constant0_afternoon_max as afternoo2_1_0_, constant0_punish_count as punish_c3_1_0_, constant0_punish_duration as punish_d4_1_1_0_ from constant constant0_
2024-06-20 21:47:10.765 WARN 39264 --- [ main] net.sf.json.JSONObject : Tried to assign property age:java.lang.Integer to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:10.765 WARN 39264 --- [ main] net.sf.json.JSONObject : Tried to assign property email:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:10.765 WARN 39264 --- [ main] net.sf.json.JSONObject : Tried to assign property gender:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:10.765 WARN 39264 --- [ main] net.sf.json.JSONObject : Tried to assign property name:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:10.765 WARN 39264 --- [ main] net.sf.json.JSONObject : Tried to assign property phone:java.lang.String to bean of class com.sjtu.se.hospital.entity.User
2024-06-20 21:47:10.765 WARN 39264 --- [ main] net.sf.json.JSONObject : Tried to assign property punish_count:java.lang.Integer to bean of class com.sjtu.se.hospital.entity.User
Hibernate: select schedule0_date as date1_7_0_, schedule0_Cart_id as Cart_id2_7_0_, schedule0_content as content3_7_0_, schedule0_n_afternoon as n_aftern4_7_0_, schedule0_n_morning as n_mornin5_7_0_, schedule0_rank_afternoon as rank_af6_7_0_, schedule0_rank_morning as rank_mor7_7_0_ from schedule schedule0_ where schedule0_date=? and schedule0_Cart_id=? for update
schedule not exist
Hibernate: select schedule0_date as date1_7_0_, schedule0_Cart_id as Cart_id2_7_0_, schedule0_content as content3_7_0_, schedule0_n_afternoon as n_aftern4_7_0_, schedule0_n_morning as n_mornin5_7_0_, schedule0_rank_afternoon as rank_af6_7_0_, schedule0_rank_morning as rank_mor7_7_0_ from schedule schedule0_ where schedule0_date=? and schedule0_Cart_id=?
Schedule(CartId=2, date=2024-06-20, n_morning=0, n_afternoon=0, rank_morning=0, rank_afternoon=0, content=i1单)
Hibernate: select constant0_morning_max as morning_1_1_0_, constant0_afternoon_max as afternoo2_1_0_, constant0_punish_count as punish_c3_1_0_, constant0_punish_duration as punish_d4_1_1_0_ from constant constant0_
Hibernate: insert into schedule (content, n_afternoon, n_morning, rank_afternoon, rank_morning, date, Cart_id) values (?, ?, ?, ?, ?, ?, ?)
Hibernate: delete from schedule where date=? and Cart_id=?
Hibernate: select schedule0_date as date1_7_0_, schedule0_Cart_id as Cart_id2_7_0_, schedule0_content as content3_7_0_, schedule0_n_afternoon as n_aftern4_7_0_, schedule0_n_morning as n_mornin5_7_0_, schedule0_rank_afternoon as rank_af6_7_0_, schedule0_rank_morning as rank_mor7_7_0_ from schedule schedule0_ where schedule0_date=? and schedule0_Cart_id=?
Hibernate: select appointment0_date as date1_0_0_, appointment0_Cart_id as Cart_id2_0_0_, appointment0_Item_id as Item_3_0_0_, appointment0_ranking as ranking4_0_0_, appointment0_dept_id as dept_id5_0_0_, appointment0_description as descrip6_0_0_, appointment0_time as time7_0_0_ from CartItem appointment0_ where appointment0_date=? and appointment0_Cart_id=? and appointment0_Item_id=? and appointment0_ranking=?
Hibernate: select user0_.id as id1_8_, user0_.password as password2_8_, user0_.type as type3_8_, user0_.username as username4_8_, user0_.1_age as age1_3_, user0_.1_avatar as avatar2_3_, user0_.1_dept_id as dept_id3_3_, user0_.1_gender as gender4_3_, user0_.1_intro as intro5_3_, user0_.1_name as name6_3_, user0_.1_post as post7_3_, user0_.2_age as age1_6_, user0_.2_email as email2_6_, user0_.2_gender as gender3_6_, user0_.2_name as name4_6_, user0_.2_phone as phone5_6_, user0_.2_punish_begin as punish_b6_6_, user0_.2_punish_count as punish_c7_6_, case when user0_.1_id is not null then 1 when user0_.2_id is not null then 2 when user0_.id is not null then 0 end as clazz_ from user user0_ left outer join Cart user0_1 on user0_.id=user0_1_id left outer join Item user0_2 on user0_.id=user0_2_id where user0_.username=? and user0_.password=?
Hibernate: insert into schedule (content, n_afternoon, n_morning, rank_afternoon, rank_morning, date, Cart_id) values (?, ?, ?, ?, ?, ?, ?)
Hibernate: insert into CartItem (dept_id, description, time, date, Cart_id, Item_id, ranking) values (?, ?, ?, ?, ?, ?, ?)
Hibernate: select appointment0_date as date1_0_, appointment0_Cart_id as Cart_id2_0_, appointment0_Item_id as Item_3_0_, appointment0_ranking as ranking4_0_, appointment0_dept_id as dept_id5_0_, appointment0_description as descrip6_0_, appointment0_time as time7_0_ from CartItem appointment0_ where appointment0_Cart_id=?
Hibernate: select constant0_morning_max as morning_1_1_0_, constant0_afternoon_max as afternoo2_1_0_, constant0_punish_count as punish_c3_1_0_, constant0_punish_duration as punish_d4_1_1_0_ from constant constant0_
Hibernate: select constant0_morning_max as morning_1_1_0_, constant0_afternoon_max as afternoo2_1_0_, constant0_punish_count as punish_c3_1_0_, constant0_punish_duration as punish_d4_1_1_0_ from constant constant0_
Hibernate: update Item set age=?, email=?, gender=?, name=?, phone=?, punish_begin=?, punish_count=? where id=?
Hibernate: select user0_.id as id1_8_, user0_.password as password2_8_, user0_.type as type3_8_, user0_.username as username4_8_, user0_.1_age as age1_3_, user0_.1_avatar as avatar2_3_, user0_.1_dept_id as dept_id3_3_, user0_.1_gender as gender4_3_, user0_.1_intro as intro5_3_, user0_.1_name as name6_3_, user0_.1_post as post7_3_, user0_.2_age as age1_6_, user0_.2_email as email2_6_, user0_.2_gender as gender3_6_, user0_.2_name as name4_6_, user0_.2_phone as phone5_6_, user0_.2_punish_begin as punish_b6_6_, user0_.2_punish_count as punish_c7_6_, case when user0_.1_id is not null then 1 when user0_.2_id is not null then 2 when user0_.id is not null then 0 end as clazz_ from user user0_ left outer join Cart user0_1 on user0_.id=user0_1_id left outer join Item user0_2 on user0_.id=user0_2_id where user0_.username=? and user0_.password=?
Hibernate: select constant0_morning_max as morning_1_1_0_, constant0_afternoon_max as afternoo2_1_0_, constant0_punish_count as punish_c3_1_0_, constant0_punish_duration as punish_d4_1_1_0_ from constant constant0_
Hibernate: select constant0_morning_max as morning_1_1_0_, constant0_afternoon_max as afternoo2_1_0_, constant0_punish_count as punish_c3_1_0_, constant0_punish_duration as punish_d4_1_1_0_ from constant constant0_
2024-06-20 21:47:10.989 INFO 39264 --- [ main] o.s.t.c.transaction.TransactionContext : Rolled back transaction for test: [DefaultTestContext@7d900ecf testClass = E-MailTests, testInstance = com.sjtu.se.hospital.E-MailTests@3b44ed3c, testMethod = testCart@E-MailTests, testException = [null], mergedContextConfiguration = [WebMergedContextConfiguration@6f01b95f testClass = E-MailTests, locations = '{}', classes = '{class com.sjtu.se.hospital.E-Mail}', contextInitializerClasses = '{}', activeProfiles = '{}', propertySourceLocations = '{}', propertySourceProperties = '{org.springframework.boot.test.context.SpringBootTestContextBootstrapper=true}', contextCustomizers = set[org.springframework.boot.test.context.filter.ExcludeFilterContextCustomizer@223191a6, org.springframework.boot.test.json.DuplicateJsonObjectContextCustomizerFactory$DuplicateJsonObjectContextCustomizer@6069db50, org.springframework.boot.test.mock.mockito.MockitoContextCustomizer@0, org.springframework.boot.test.web.client.TestRestTemplateContextCustomizer@35d019a3, org.springframework.boot.test.autoconfigure.properties.PropertyMappingContextCustomizer@0, org.springframework.boot.test.autoconfigure.web.servlet.WebDriverContextCustomizerFactory$Customizer@4218d6a3, org.springframework.boot.test.context.SpringBootTestTestArgs@1, org.springframework.boot.test.context.SpringBootTestWebEnvironment@21a06946], resourceBasePath = 'src/main/webapp', contextLoader = 'org.springframework.boot.test.context.SpringBootTestContextLoader', parent = [null]], attributes = map['org.springframework.test.context.web.ServletTestExecutionListener.activateListener' -> true, 'org.springframework.test.context.web.ServletTestExecutionListener.populatedRequestContextHolder' -> true, 'org.springframework.test.context.web.ServletTestExecutionListener.resetRequestContextHolder' -> true]]
```