# Theoretical Computer Science

Decidability of fractal maze

Asked 10 years ago   Modified 9 years, 11 months ago   Viewed 3k times

17

A fractal maze is a maze which contains copies of itself. Eg, the following one by Mark J. P. Wolf from this article:

> Begin at the MINUS and make your way to the PLUS. When you enter a smaller copy of the maze, be sure to record the letter name of that copy, as you will have to leave this copy on the way out. You must exit out of each nested copy of the maze that you have entered into, leaving in the reverse order that you entered them in (for example: enter A, enter B, enter C, exit C, exit B, exit A). Think of it as a series of nested boxes. If there is no exit path leaving the nested copy, you have reached a dead end. Color has been added to make the pathways clearer, but it is only decorative.

If a solution exists, breadth-first-search should find a solution. However, suppose there is no solution to the maze - then our search program would run forever going deeper and deeper.

My question is: given a fractal maze, how can we determine if it has a solution or not?

Or alternatively, for a fractal maze of a given size (number of inputs/outputs per copy), is there a bound on the length of the shortest solution? (if there was such a bound, we could exaustively search only that deep)

`computability`   `fractals`

Share Cite Improve this question Follow

edited Apr 8, 2012 at 7:44

asked Apr 8, 2012 at 4:55

Nick Alger
353   2   11

After reading the FAQ I do not believe this belongs. It's probably not a reasearch-level theoretical computer science question. Sorry to post in the wrong place. Could someone recommend the proper forum to ask this question and/or move it there? – Nick Alger Apr 8, 2012 at 6:47 ✏

Mathematics, Computer Science. – Kaveh Apr 8, 2012 at 7:52

I considered posting on math.stackexchange since I participate there, but it seemed a little too algorithm-y. I didn't know that there is a computer science stack exchange. If the moderators want to move it to either of those places I wouldn't mind. – Nick Alger Apr 8, 2012 at 8:08

3   It's not obvious to me that this is off-topic here... obviously off-topic questions usually get more downvotes than upvotes – Joe Apr 9, 2012 at 6:10

7   Can't you represent any fractal maze as a pushdown automaton, where the stack corresponds to the sequence of submazes that you're in? Then the

2 Answers

Sorted by: Highest score (default) ⬍

▲

8

▼

✔

🕐

A quick informal algorithm to prove that the problem is decidable:

- suppose that there are n Input/Outputs $I_1, \ldots I_n$;

- build a graph G where each I_i, the $MINUS$ and the $PLUS$ are nodes, and replace each nested maze Mj with a K_n subgraph (complete graph); add the edges between $I_i, MINUS, PLUS, Mj_{I_k}$ according to the maze; keep "extern" $Mj_{I_i} \to Mj_{I_k}$ edges distinct from the corresponding "internal" edges $I_i \to I_k$ of Mj as a complete subgraph;

- enumerate all paths from MINUS to PLUS in G (avoiding cycles);

- if you find a path that doesn't traverse a nested copy, then it is a solution; otherwise expand each "internal" traversals of the nested mazes Mj of each path:

Suppose that a path in the first enumeration is $MINUS \to A_{I_i} \to A_{I_j} \to B_{I_k} \to B_{I_h} \to PLUS$, then the path is a valid solution iif there is a path from $I_i \to I_j$ and from $I_k \to I_h$ in the original maze (graph G).

So we must *expand* the $A_{I_i} \to A_{I_j}$ and $B_{I_k} \to B_{I_h}$ traversals enumerating all the paths from I_i to I_k and from I_k to I_h in G.

Infinite loops are detected when we are enumerating all paths from I_i to I_k in an expansion of a path that in a previous stage already contained $\ldots \to M_{I_i} \to M_{I_k} \to \ldots$ for some submaze M (there are only n^2 possible expansions).

A solution is found if we find a path expansion that contains only inputs/outputs I_i; the maze has no solution if we cannot further expand the paths without loops.

Share Cite Improve this answer Follow

edited Apr 9, 2012 at 13:04   answered Apr 9, 2012 at 12:52

Marzio De Biasi
22.2k 2   53   122

Wow! What a clever idea. I think this works but it's still a little fuzzy in my mind, so I'm going to take a bit of time to mull it over before accepting. – Nick Alger Apr 9, 2012 at 14:12 ✏

Ok yep pretty sure this algorithm is correct. Noting Peter Shor's comment above, I wonder if you could turn this around to provide a proof for the context-free language emptiness decidability problem..? For a given context free language emptiness problem, construct an equivalent fractal maze, then apply this algorithm. – Nick Alger Apr 10, 2012 at 2:52 ✏

@Nick: A fractal maze corresponds to a *reversible* pushdown automaton, where if you can make a transition from a state S to a state T, you can also make the transition from T to S. It should be straightforward to show that fractal mazes are in fact equivalent to reversible pushdown automata. There is a theorem saying that (up to polynomial factors) reversible Turing machines have the same power as regular Turing machines. I don't know if anybody has looked into reversible pushdown automata before, so I don't know whether anything is known about them. – Peter Shor Apr 10, 2012 at 14:29 ✏

1 @Peter: I found this Reversible Pushdown Automata, but the definition of "reversible" seems different. (P.S. congratulations for the simple and clean interpretation of a fractal maze as a PDA!!!) – Marzio De Biasi Apr 10, 2012 at 15:54

@Marzio: nice reference. I suppose then that to avoid confusion, the things corresponding to fractal mazes should be called *symmetric* pushdown automata, in analogy with SL (Symmetric Logspace). – Peter Shor Apr 10, 2012 at 16:50 ✏

1 The above algorithm could be extended to directed graphs (irreversibe fractal mazes), you would just have $2n^2$ possible expansions to consider ($I_k \to I_j$ and $I_j \to I_k$). – Nick Alger Apr 10, 2012 at 17:02 ✏

▲

1

▼

🕐

This is not an "answer" to my question, but rather an extended comment that people here might find interesting.

I claim that there is a natural "analysis-type" definition of a maze and a solution, and it differs from the computer-science/graph-theoretic definition we've used here. In particular, you can have a fractal maze that has a "solution" under the analysis definition, but would be declared unsolvable by Marizio De Biasi's algorithm and Peter Shor's pushdown automata technique.

Definition: A *maze* M is a compact subset of the plane $M \subset \mathbb{R}^2$ containing a start point and an endpoint $s, e \in M$, respectively. A *solution* is a continuous function $f : [0, T] \to M$ such that $f(0) = s$ and $f(T) = e$.

Now consider the the Hilbert Curve:

One could interpret this curve as a "fractal maze" with the following diagram:

Since the Hilbert Curve iterations converge uniformly, that uniform limit is a continuous path that solves the maze in the analytic sense. It's as if you were able to do the following recursively defined infinite set of moves P:

$$P = APA^{-1}BPB^{-1}CPC^{-1}DPD^{-1}$$

Now you might argue that this is not in the spirit of fractal mazes since the Hilbert curve fills the entire square and therefore you could just draw a straight line segment from the start to the finish. This objection is easily overridden though - simply use the hilbert curve diagram embedding directly, as shown here:

This too contains a sequence of uniformly convergent continuous paths going from the start to the finish, by the same argument used to show the uniform convergence of the Hilbert curve. However it is a true "fractal maze" in the sense that it does not fill the whole space.

Thus we have a fractal maze that is solvable by the analytic definition, but unsolvable by the graph theoretic definition..!?

Anyways, I'm pretty sure my logic is correct, but it seems counterintuitive so if anyone can shed some light on this I would appreciate it.

Share Cite Improve this answer Follow

A naive comment: the "submazes" of the Hilbert curve are smaller, so in the "continuous world" it works; in the "discrete world" you'll never make an "exit" move because you continue to enter the first submaze (like an endless zoom on the bottom-left of the Hilbert curve). It resembles the Zeno's paradoxes – Marzio De Biasi May 9, 2012 at 11:03 ✎

2   P.S. I think that there is no need of a fractal curve: a simple horizontal line from s to f with a single central submaze (which has a single horizontal line with a sub-submaze ecc. ecc.) leads to the same considerations. – Marzio De Biasi May 9, 2012 at 11:10 ✎

Good point. If you do that with a sub-box of width 1/2 placed on the far right, it's not just like zeno's paradox, you get exactly zenos paradox. After further consideration it looks like the continuous definition isn't well suited for fractal mazes since it makes almost every fractal maze solvable. – Nick Alger May 9, 2012 at 18:23

but it is well suited for Zen labyrinth meditation (Google around for the difference between a labyrinth and maze in a meditation context) :-) – Marzio De Biasi May 9, 2012 at 21:26 ✎