User Guide

This prototype uses a **fixed persona (Sophie)** to ensure all participants evaluate the same scenario:

- **Age:** 24
- **Gender:** Female
- **Background:** International student (Asian)
- **Occupation:** University student
- **Month 1 Mental Health Risk:** Mild
- **Key notes:** Reported low mood on several days; no functional impact reported; isolation score was low and stable

Based on this persona, you will experience **two different questioning methods:**

- **Static Rule-based** — questions follow predefined branching logic based on the user's answers (e.g., if mood score >= 2, show a follow-up question)
- **Dynamic LLM-based** — an AI model interprets the user's health profile and generates more personalised, context-aware questions

Step 1: Open the prototype link. You will see the home screen with two Monthly Check-In options (Rule-based and LLM-based). Note: Step 1 (Foundational Profile) is pre-filled with Sophie's persona. You may explore it, but it will not affect the monthly questions.



Step 2: Before starting, tap **"What's the difference?"** on the home page to understand how the two methods differ. For more detail, you can also browse **"View Rule-based vs LLM-based side-by-side"**.



Step 3: Complete the **Rule-based Monthly Check-In** first. Answer the questions based on **Sophie's** persona described above. Please answer the questions based on Sophie's persona described above, so that all participants evaluate the same scenario.

Step 4: Complete the **LLM-based Monthly Check-In** in the same way.



Step 5: Once you finish each version, you will see the results —> specifically the **Mental Health** section with detailed insights.



Step 6: Make sure you complete **both versions** before proceeding to the survey below!