

Stappenplan API Key Veranderen:

Voor het veranderen van de api-key in dropbox moet het volgende veranderd worden.

Stap 1 Inloggen in dropbox

- Klik eerst op deze link: <https://www.dropbox.com/developers/apps/info/56879fw3gl8xus7>

- Kies dan om in te loggen met google. Voor het inloggen gebruik de volgende gegevens:

Gebruikersnaam: mindeaze5@gmail.com

Wachtwoord: MindEaze5Guys!


-Vervolgens ben je ingelogd en zie je dit scherm:

The screenshot shows the Dropbox Developers console for the app '5Guys-MindEaze'. The top navigation bar includes the Dropbox logo, a user profile icon, and links for Developers, Documentation, Guides, Community & Support, and App Console. Below the navigation bar, the app name '5Guys-MindEaze' is displayed. A tabbed interface shows 'Settings', 'Permissions', 'Branding', and 'Analytics'. The 'Permissions' tab is active, displaying a 'Creating a Dropbox app' section with three steps: 1. Configure app settings, 2. Select access scopes, and 3. Add branding. Below this, there are sections for 'Status' (Development), 'Development teams' (0 / 1), and 'Development users' (1 / 500). Buttons for 'Apply for production', 'Enable additional teams', 'Unlink all teams', and 'Unlink all users' are visible.

-Als u iets naar beneden scrolt ziet u de knop staan “generate access token”. Klik er op om de token te zien:

The screenshot shows the Dropbox Developers console for the app '5Guys-MindEaze' with the 'Permissions' tab selected. The 'Permission type' is 'Scoped App'. The 'App key' is '56879fw3gl8xus7' and the 'App secret' is 'Show'. The 'OAuth 2' section is expanded, showing 'Redirect URIs' with a list containing 'projectid://oauth2redirect' and a button to 'Add' a new URI. Below this, the 'Allow public clients (Implicit Grant & PKCE)' section is expanded, showing a dropdown menu set to 'Allow'. The 'Generated access token' section is expanded, showing a 'Generate' button. At the bottom, the 'Chooser / Saver / Embedder' section is expanded, showing a text input field with 'example.com' and a button to 'Add'.

-Vervolgens ziet u de token verschijnen bij kopieer deze compleet.



Dropbox

Developers Documentation Guides Community & Support App Console

App key 56879fw3g18xus7

App secret [Show](#)

OAuth 2

Redirect URIs

projectd://oauth2redirect

[https:// \(http allowed for localhost\)](#) [Add](#)

Allow public clients (Implicit Grant & PKCE) [?](#)

Allow

Generated access token [?](#)

[1.B3jMhVtJGqfWfHum1RTEAxIUHMLXQFTtoTEOZ1Mm9i93KQ09yKloihfWf4GU_KSpjmQncos40wuXvMdisjKz29sftWUwM9YkVMDap2y3eE](#)

This access token can be used to access your account (mindeaze5@gmail.com) via the API. Don't share your access token with anyone.

Chooser / Saver / Embedder domains

[example.com](#) [Add](#)


If using the [Chooser](#), the [Saver](#), or the [Embedder](#) on a website, add the domain of that site.

Webhook URIs [?](#)

- U heeft nu de eerste stap voltooid en succes vol de api key gecopieerd.

Stap 2 De gekopieerde key plaatsen in de juiste .cs file

- open Visual studio.
- Open de project D map
- Kijk in de Solution Explorer voor de file: DropboxAPIToken.cs



```
1 using Dropbox.Api;
2 using System;
3 using System.Diagnostics;
4 using System.IO;
5 using System.Threading.Tasks;
6
7 namespace Project_D
8 {
9     3 references
10     class DropboxAPIToken
11     {
12         public static string Token = "1.B2mThBipIG-mdkLVnGEQxx3o6WmtxbHLn9WF8m6xZTUQOVSzunjOu57WAbzr2UcALE-vehrnJ-ysWx64NdYJq_VcTRG8VnC-I_dirhV31cU";
13         private readonly DropboxClient _dbx = new DropboxClient(Token);
14
15         0 references
16         public async Task DownloadFileFromDropbox(string dropboxFolder, string dropboxFileName, string localFileName)
17         {
18             try
19             {
20                 var response = await _dbx.Files.DownloadAsync(dropboxFolder + "/" + dropboxFileName);
21                 using (var fileContentStream = await response.GetContentAsStreamAsync())
22                 {
23                     var localFilePath = Path.Combine(FileSystem.AppDataDirectory, localFileName);
24                     using (var fileStream = new FileStream(localFilePath, FileMode.Create, FileAccess.Write))
25                     {
26                         await fileContentStream.CopyToAsync(fileStream);
27                     }
28                     Debug.WriteLine($"Downloaded {dropboxFolder}/{dropboxFileName} to {localFileName}");
29                 }
30             } catch (Exception ex)
31             {
32                 Debug.WriteLine($"Download failed: {ex.Message}");
33             }
34         }
35     }
36 }
```

- Op regel 12 selecteer de oude token binnen de haakjes en verwijder deze.
- Kopieer nu binnen de lege haakjes (" ") de nieuwe key die u bij stap 1 heeft gekreg.
- Save het programma door op control s te klikken.

U heeft nu succesvol de api key veranderd.