# Chemical Safety Data Sheet MSDS / SDS

# Benzyl acetate

Revision Date: 2025-06-21 Revision Number: 1

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **Product identifier**

Product name : Benzyl acetate

CBnumber : CB8345095

CAS : 140-11-4

EINECS Number : 205-399-7

Synonyms : benzyl acetate,benzyl ethanoate

#### Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.

Uses advised against : none

### **Company Identification**

Company : Chemicalbook

Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing

Telephone : 010-86108875

# SECTION 2: Hazards identification

# GHS Label elements, including precautionary statements

Symbol(GHS)



Signal word Danger

#### Precautionary statements

P501 Dispose of contents/container to.....

P405 Store locked up.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P307+P311 IF exposed: call a POISON CENTER or doctor/physician.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continuerinsing.

P304+P340 IF INHALED: Remove victim to fresh air and Keep at rest in a position comfortable for breathing.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P273 Avoid release to the environment.

P271 Use only outdoors or in a well-ventilated area.

P270 Do not eat, drink or smoke when using this product.

P264 Wash skin thouroughly after handling.

P264 Wash hands thoroughly after handling.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

#### **Hazard statements**

H412 Harmful to aquatic life with long lasting effects

H411 Toxic to aquatic life with long lasting effects

H401 Toxic to aquatic life

H373 May cause damage to organs through prolonged or repeated exposure

H372 Causes damage to organs through prolonged or repeated exposure

H370 Causes damage to organs

H336 May cause drowsiness or dizziness

H335 May cause respiratory irritation

H319 Causes serious eye irritation

H315 Causes skin irritation

H303 May be harmfulif swallowed

# SECTION 3: Composition/information on ingredients

#### **Substance**

Product name : Benzyl acetate

Synonyms : benzyl acetate, benzyl ethanoate

CAS : 140-11-4
EC number : 205-399-7
MF : C9H10O2
MW : 150.17

# SECTION 4: First aid measures

# Description of first aid measures

# General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

# In case of eye contact

Flush eyes with water as a precaution.

### If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

### Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### Indication of any immediate medical attention and special treatment needed

No data available

# **SECTION 5: Firefighting measures**

# **Extinguishing media**

#### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

#### Special hazards arising from the substance or mixture

Carbon oxides


#### Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### **Further information**

No data available

### **NFPA 704**



HEALTH 1 Exposure would cause irritation with only minor residual injury (e.g. <u>acetone</u>, sodium bromate, potassium chloride)

Must be moderately heated or exposed to relatively high ambient temperature before ignition can occur and multiple finely

2 divided suspended solids that do not require heating before ignition can occur. Flash point between 37.8 and 93.3 °C (100 and 200 °F). (e.g. diesel fuel, sulfur)

■ REACT 0 Normally stable, even under fire exposure conditions, and is not reactive with water (e.g. helium, N2)

SPEC.

HAZ.

# SECTION 6: Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation.

For personal protection see section 8.

#### **Environmental precautions**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

#### Methods and materials for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

#### Reference to other sections

For disposal see section 13.

# SECTION 7: Handling and storage

#### Precautions for safe handling

For precautions see section 2.2.

### Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Store in cool place.

# Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# SECTION 8: Exposure controls/personal protection

#### control parameter

#### Hazard composition and occupational exposure limits

Does not contain substances with occupational exposure limits.

#### **Exposure controls**

#### Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

# Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Full contact

Material: butyl-rubber

Minimum layer thickness: 0,3 mm Break through time: 480 min Material tested:Butoject? (KCL 897 / Aldrich Z677647, Size M)

Splash contact Material: Nitrile rubber

Minimum layer thickness: 0,4 mm Break through time: 57 min Material tested:Camatril? (KCL 730 / Aldrich Z677442, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

#### **Body Protection**

Impervious clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full- face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

# SECTION 9: Physical and chemical properties

### Information on basic physicochemical properties

Appearance	colourless clear, liquid
Odour	No data available
Odour Threshold	No data available
рН	No data available
Melting point/freezing point	Melting point/range: -51 °C - lit.
Initial boiling point and boiling range	206 °C - lit.
Flash point	95 °C - closed cup
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Upper/lower flammability or explosive	0.9-8.4%(V)
limits	
Vapour pressure	31 hPa at 110 °C
Vapour density	5.1
Relative density	1,054 g/cm3 at 25 °C
Water solubility	0,0001 g/l - slightly soluble
Partition coefficient: n-octanol/water	log Pow: 1,96 at 25 °C
Autoignition temperature	460 °C
Decomposition temperature	No data available
Viscosity	No data available
Explosive properties	No data available
Oxidizing properties	No data available

#### Other safety information

No data available

# SECTION 10: Stability and reactivity

# Reactivity

No data available

### **Chemical stability**

Stable under recommended storage conditions.

#### Possibility of hazardous reactions

No data available

#### Conditions to avoid

No data available

#### Incompatible materials

Strong oxidizing agents, acids, Bases, Reducing agents

### Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides Other decomposition products - No data available In the event of fire: see section 5

# **SECTION 11: Toxicological information**

# Information on toxicological effects

#### **Acute toxicity**

LD50 Oral - Rat - male and female - > 2.000 mg/kg

(OECD Test Guideline 401)

LCLo Inhalation - Rat - male and female - 4 h - > 0,766 mg/l (OECD Test Guideline 403)

LD50 Dermal - Rabbit - > 5.000 mg/kg

#### Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 4 h (Directive 67/548/EEC, Annex V, B.4.)

#### Serious eye damage/eye irritation

Eyes - Rabbit

Result: No eye irritation

(Directive 67/548/EEC, Annex V, B.5.)

# Respiratory or skin sensitisation

No data available

#### Germ cell mutagenicity

Ames test

S. typhimurium Result: negative

Rat - male Result: negative

#### Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

#### Reproductive toxicity

No data available

#### Specific target organ toxicity - single exposure

No data available

#### Specific target organ toxicity - repeated exposure

No data available

### Aspiration hazard

No data available

#### **Additional Information**

Repeated dose toxicity - Rat - male and female - Oral - 14 h - No observed adverse effect level - 500 mg/kg

RTECS: AF5075000

narcosis, Central nervous system depression, Nausea, Vomiting

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

#### **Toxicity**

LD50 orally in rats: 2490 mg/kg (Jenner)

# **SECTION 12: Ecological information**

#### **Toxicity**

#### Toxicity to fish

flow-through test LC50 - Oryzias latipes - 4 mg/l - 96 h

#### Toxicity to daphnia and other aquatic invertebrates

Immobilization EC50 - Daphnia magna (Water flea) - 17 mg/l - 48 h (OECD Test Guideline 202)

# Toxicity to algae

Growth inhibition EC50 - Desmodesmus subspicatus (green algae) - 110 mg/l - 72 h

(OECD Test Guideline 201)

# Persistence and degradability

Biodegradability aerobic - Exposure time 28 d

Result: 100 % - Readily biodegradable. (OECD Test Guideline 301B)

# Bioaccumulative potential

No data available

#### Mobility in soil

No data available

### Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### Other adverse effects

Toxic to aquatic life.

# **SECTION 13: Disposal considerations**

#### Waste treatment methods

#### **Product**

Offer surplus and non-recyclable solutions to a licensed disposal company. Waste material

must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

#### Contaminated packaging

Dispose of as unused product.

# **SECTION 14: Transport information**

#### **UN** number

ADR/RID: - IMDG: - IATA: -

# **UN proper shipping name**

ADR/RID: Not dangerous goods IMDG: Not dangerous goods IATA: Not dangerous goods

#### Transport hazard class(es)

ADR/RID: - IMDG: - IATA: -

#### **Packaging group**

ADR/RID: - IMDG: - IATA: -

# **Environmental hazards**

ADR/RID: no IMDG Marine pollutant: no IATA: no

#### Special precautions for user

No data available

# SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations on the Safety Management of Hazardous Chemicals

China Catalog of Hazardous chemicals 2015:Not Listed. website: https://www.mem.gov.cn/

#### Measures for Environmental Management of New Chemical Substances

United States Toxic Substances Control Act (TSCA) Inventory:Listed. website: https://www.epa.gov/

EC Inventory:Listed.

Philippines Inventory of Chemicals and Chemical Substances (PICCS):Listed. website: https://emb.gov.ph/

Vietnam National Chemical Inventory:Listed. website: https://chemicaldata.gov.vn/

Chinese Chemical Inventory of Existing Chemical Substances (China IECSC):Listed. website: https://www.mee.gov.cn/

Korea Existing Chemicals List (KECL):Listed. website: http://ncis.nier.go.kr

New Zealand Inventory of Chemicals (NZIoC):Listed. website: https://www.epa.govt.nz/

European Inventory of Existing Commercial Chemical Substances (EINECS):Listed. website: https://echa.europa.eu/

# SECTION 16: Other information

#### Abbreviations and acronyms

CAS: Chemical Abstracts Service

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

IMDG: International Maritime Dangerous Goods

IATA: International Air Transportation Association

TWA: Time Weighted Average

STEL: Short term exposure limit

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

EC50: Effective Concentration 50%

#### References

- [1] CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple
- [2] ChemlDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp
- [3] ECHA European Chemicals Agency, website: https://echa.europa.eu/
- [4] eChemPortal The Global Portal to Information on Chemical Substances by OECD, website:

 $http://www.echemportal.org/echemportal/index?pageID=0\&request\_locale=en$ 

- [5] ERG Emergency Response Guidebook by U.S. Department of Transportation, website: http://www.phmsa.dot.gov/hazmat/library/erg
- [6] Germany GESTIS-database on hazard substance, website: http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp
- [7] HSDB Hazardous Substances Data Bank, website: https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm
- [8] IARC International Agency for Research on Cancer, website: http://www.iarc.fr/
- [9] IPCS The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home
- [10] Sigma-Aldrich, website: https://www.sigmaaldrich.com/

#### Disclaimer:

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.