

menuraR

Data upload

High-d vis model

Model diagnostics

Info

Reset App

Full screen

Data Upload & Selection

1. Upload High-Dimensional Data

Browse... No file selected

Data status: uploaded data (2000 rows, 5 cols).

Alternatively, you can try with our example datasets:

C-shaped Clusters

PBMC

Choose your data source:

Upload my own NLDL data

Generate default tSNE and UMAP layouts

2, 3. Generate default layouts

After uploading your high-dimensional data, click the button below to generate default tSNE and UMAP layouts.

Generate Layouts

Your Loaded NLDL Layouts

tSNE perplexity = 30

UMAP n_neighbors = 15, min_dist = 0.1

4. Ready to Analyze?

Once your data is loaded (or example data selected), click 'Start Analysis'.

Start Analysis

Add more layouts

Add more layouts

Select a method for the new layout:

tSNE

Perplexity:

51850

Show Layout

tSNE Layout

Parameters: perplexity = 18

Add Layout

Reset

Click the "Add layout"

Data status will be updated

Click the "C-shaped Clusters" button

Select the "Generate default tSNE and UMAP Layouts"

Click the "Generate Layouts" button

NLDR layouts will be updated

Click the "Start Analysis" button

Data status will be updated

Click the "C-shaped Clusters" button

Select the "Generate default tSNE and UMAP Layouts"

Click the "Generate Layouts" button

NLDR layouts will be updated

Click the "Start Analysis" button

Select the "Add more layouts"

Click the "Add layout"