

Exercise 1 - Designing Health Insurance Form using GUI Components

R Abhinav
205001001
CSE-A

Aim

Generate a Health Insurance registration form to register the patient details under each group.

Patient Details - Title, Patient Name, Patient Phone Number (Mobile or Landline use Checkbox), Address, Age, DOB, Gender, Marital Status

Employer Details - Patient Employer, Employment Status (full time, parttime, unemployed, retired, student, other Checkbox)

Emergency contact Details - Name, Relationship, Address, Phone Number

Use Submit (Button) to submit the details and display the contents. Use the Reset button to clear the form. Display using Table layout.

Code

activity_main.xml

```
<?xml version="1.0" encoding="utf-8"?>
<ScrollView xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:layout_width="match_parent"
    android:layout_height="match_parent">
```

```

<LinearLayout
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    android:layout_marginLeft="16dp"
    android:layout_marginRight="16dp"
    android:layout_marginBottom="8dp"
    android:orientation="vertical"
    tools:context=".MainActivity">

    <TextView
        android:id="@+id/titleTextView"
        android:layout_width="match_parent"
        android:layout_height="128dp"
        android:gravity="center"
        android:text="Health Insurance Registration"
        android:textSize="32sp"
        android:textStyle="bold"
        android:typeface="serif" >

    <TextView
        android:id="@+id/title"
        android:layout_width="match_parent"
        android:layout_height="32dp"
        android:gravity="left"
        android:text="Patient Details"
        android:textSize="22sp"
        android:textStyle="bold"
        android:typeface="serif" >

    <TextView
        android:id="@+id/name"
        android:layout_width="match_parent"
        android:layout_height="26dp"
        android:layout_marginTop="16dp"
        android:gravity="left"
        android:text="Name"
        android:textSize="18sp"
        android:textStyle="bold"
        android:typeface="normal" >

```

```

<EditText
    android:id="@+id/editName"
    android:layout_width="match_parent"
    android:layout_height="54dp"
    android:hint="Name:"
    android:inputType="text"
    android:textColor="#0000FF"
    android:typeface="sans" >

<TextView
    android:id="@+id/number"
    android:layout_width="match_parent"
    android:layout_height="26dp"
    android:layout_marginTop="16dp"
    android:gravity="left"
    android:text="Number"
    android:textSize="18sp"
    android:textStyle="bold"
    android:typeface="normal" >

<RadioGroup
    android:id="@+id/radio_group_id"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:layout_marginTop="4dp">

    <RadioButton
        android:id="@+id/phone_radio_button_id"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:text="Phone" >

    <RadioButton
        android:id="@+id/landline_radio_button_id"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:text="Landline" >
</RadioGroup>

<EditText

```

```
    android:id="@+id/editNumber"
    android:layout_width="match_parent"
    android:layout_height="54dp"
    android:hint="Number:"
    android:inputType="phone" >
```

```
<TextView
    android:id="@+id/address"
    android:layout_width="match_parent"
    android:layout_height="26dp"
    android:layout_marginTop="16dp"
    android:gravity="left"
    android:text="Address"
    android:textSize="18sp"
    android:textStyle="bold"
    android:typeface="normal" >
```

```
<EditText
    android:id="@+id/editAddress"
    android:layout_width="match_parent"
    android:layout_height="54dp"
    android:hint="Address:"
    android:inputType="text"
    android:textColor="#0000FF"
    android:typeface="sans" >
```

```
<TextView
    android:id="@+id/age"
    android:layout_width="match_parent"
    android:layout_height="26dp"
    android:layout_marginTop="16dp"
    android:gravity="left"
    android:text="Age"
    android:textSize="18sp"
    android:textStyle="bold"
    android:typeface="normal" >
```

```
<EditText
    android:id="@+id/editAge"
    android:layout_width="match_parent"
```

```
    android:layout_height="54dp"
    android:hint="Age:"
    android:inputType="number"
    android:textColor="#0000FF"
    android:typeface="sans" >
```

```
<TextView
    android:id="@+id/dob"
    android:layout_width="match_parent"
    android:layout_height="26dp"
    android:layout_marginTop="16dp"
    android:gravity="left"
    android:text="DOB"
    android:textSize="18sp"
    android:textStyle="bold"
    android:typeface="normal" >
```

```
<DatePicker
    android:id="@+id/dobPicker"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:gravity="center" >
```

```
<TextView
    android:id="@+id/gender"
    android:layout_width="match_parent"
    android:layout_height="26dp"
    android:layout_marginTop="16dp"
    android:gravity="left"
    android:text="Gender"
    android:textSize="18sp"
    android:textStyle="bold"
    android:typeface="normal" >
```

```
<RadioGroup
    android:id="@+id/gender_group"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:layout_marginTop="4dp">
```

```
<RadioButton
```

```

        android:id="@+id/male"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:text="Male" >

<RadioButton
    android:id="@+id/female"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:text="Female" >
</RadioButton>
<TextView
    android:id="@+id/marital_status"
    android:layout_width="match_parent"
    android:layout_height="26dp"
    android:layout_marginTop="16dp"
    android:gravity="left"
    android:text="Marital Status"
    android:textSize="18sp"
    android:textStyle="bold"
    android:typeface="normal" >

<Spinner
    android:id="@+id/marital_status_spinner"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:entries="@array/marital_status_options" >

<TextView
    android:id="@+id/employer"
    android:layout_width="match_parent"
    android:layout_height="32dp"
    android:layout_marginTop="48dp"
    android:gravity="left"
    android:text="Employer Details"
    android:textSize="22sp"
    android:textStyle="bold"
    android:typeface="serif" >

<TextView
    android:id="@+id/employer_name"

```

```
    android:layout_width="match_parent"
    android:layout_height="26dp"
    android:layout_marginTop="16dp"
    android:gravity="left"
    android:text="Employer Name"
    android:textSize="18sp"
    android:textStyle="bold"
    android:typeface="normal" >
```

```
<EditText
    android:id="@+id/editEmployerName"
    android:layout_width="match_parent"
    android:layout_height="54dp"
    android:hint="Employer Name:"
    android:inputType="text"
    android:textColor="#0000FF"
    android:typeface="sans" >
```

```
<TextView
    android:id="@+id/employment_status"
    android:layout_width="match_parent"
    android:layout_height="26dp"
    android:layout_marginTop="16dp"
    android:gravity="left"
    android:text="Employment Status"
    android:textSize="18sp"
    android:textStyle="bold"
    android:typeface="normal" >
```

```
<Spinner
    android:id="@+id/employment_status_spinner"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:entries="@array/employment_status_options" >
```

```
<TextView
    android:id="@+id/emergency"
    android:layout_width="match_parent"
    android:layout_height="32dp"
    android:layout_marginTop="48dp"
```

```
    android:gravity="left"
    android:text="Emergency Details"
    android:textSize="22sp"
    android:textStyle="bold"
    android:typeface="serif" >
```

```
<TextView
    android:id="@+id/emergency_name"
    android:layout_width="match_parent"
    android:layout_height="26dp"
    android:layout_marginTop="16dp"
    android:gravity="left"
    android:text="Emergency Contact Name"
    android:textSize="18sp"
    android:textStyle="bold"
    android:typeface="normal" >
```

```
<EditText
    android:id="@+id/edit_emergency_name"
    android:layout_width="match_parent"
    android:layout_height="54dp"
    android:hint="Employer Contact Name:"
    android:inputType="text"
    android:textColor="#0000FF"
    android:typeface="sans" >
```

```
<TextView
    android:id="@+id/emergency_relationship"
    android:layout_width="match_parent"
    android:layout_height="26dp"
    android:layout_marginTop="16dp"
    android:gravity="left"
    android:text="Relationship"
    android:textSize="18sp"
    android:textStyle="bold"
    android:typeface="normal" >
```

```
<EditText
    android:id="@+id/edit_emergency_relationship"
    android:layout_width="match_parent"
    android:layout_height="54dp"
```



```
    android:hint="Relationship:"  
    android:inputType="text"  
    android:textColor="#0000FF"  
    android:typeface="sans" >
```

```
<TextView  
    android:id="@+id/emergency_address"  
    android:layout_width="match_parent"  
    android:layout_height="26dp"  
    android:layout_marginTop="16dp"  
    android:gravity="left"  
    android:text="Address"  
    android:textSize="18sp"  
    android:textStyle="bold"  
    android:typeface="normal" >
```

```
<EditText  
    android:id="@+id/edit_emergency_address"  
    android:layout_width="match_parent"  
    android:layout_height="54dp"  
    android:hint="Address:"  
    android:inputType="text"  
    android:textColor="#0000FF"  
    android:typeface="sans" >
```

```
<TextView  
    android:id="@+id/emergency_phone"  
    android:layout_width="match_parent"  
    android:layout_height="26dp"  
    android:layout_marginTop="16dp"  
    android:gravity="left"  
    android:text="Phone"  
    android:textSize="18sp"  
    android:textStyle="bold"  
    android:typeface="normal" >
```

```
<EditText  
    android:id="@+id/edit_emergency_phone"  
    android:layout_width="match_parent"  
    android:layout_height="54dp"  
    android:hint="Phone Number:"
```

```

        android:inputType="phone"
        android:textColor="#0000FF"
        android:typeface="sans" >

<Button
    android:id="@+id/submit"
    android:layout_width="match_parent"
    android:layout_height="64dp"
    android:layout_marginTop="32dp"
    android:backgroundTint="#4CAF50"
    android:gravity="center"
    android:hint="Register"
    android:onClick="openTableActivity" >

<Button

    android:id="@+id/reset"
    android:layout_width="match_parent"
    android:layout_height="64dp"
    android:layout_marginTop="16dp"
    android:backgroundTint="#F44336"
    android:gravity="center"
    android:hint="Reset"
    android:onClick="resetFormFields" >

/LinearLayout>
/ScrollView>

```

MainActivity.java

```

package com.example.a1;

import android.content.Intent;
import android.support.v7.app.AppCompatActivity;
import android.os.Bundle;
import android.view.View;
import android.widget.DatePicker;
import android.widget.EditText;
import android.widget.RadioButton;
import android.widget.Spinner;

```

```

import java.util.Calendar;

public class MainActivity extends AppCompatActivity {

    @Override
    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
        setContentView(R.layout.activity_main);
    }

    public void openTableActivity(View view) {
        Intent intent = new Intent(this, TableActivity.class);

        intent.putExtra("name", ((EditText)
findViewById(R.id.editName)).getText().toString());
        if (((RadioButton)
findViewById(R.id.phone_radio_button_id)).isChecked())
            intent.putExtra("number_type", "Phone");
        else if (((RadioButton)
findViewById(R.id.phone_radio_button_id)).isChecked())
            intent.putExtra("number_type", "Landline");
        intent.putExtra("number", ((EditText)
findViewById(R.id.editNumber)).getText().toString());
        intent.putExtra("address", ((EditText)
findViewById(R.id.editAddress)).getText().toString());
        intent.putExtra("age", ((EditText)
findViewById(R.id.editAge)).getText().toString());

        DatePicker datePicker = findViewById(R.id.dobPicker);
        int day = datePicker.getDayOfMonth();
        int month = datePicker.getMonth();
        int year = datePicker.getYear();
        Calendar calendar = Calendar.getInstance();
        calendar.set(year, month, day);
        intent.putExtra("dob", calendar.getTime().toString());

        if (((RadioButton) findViewById(R.id.male)).isChecked())
intent.putExtra("gender", "Male");
        else if (((RadioButton) findViewById(R.id.female)).isChecked())

```

```

        intent.putExtra("gender", "Female");
        intent.putExtra("marital_status", ((Spinner)
findViewById(R.id.marital_status_spinner)).getSelectedItem().toString());

        intent.putExtra("employer_name", ((EditText)
findViewById(R.id.editEmployerName)).getText().toString());
        intent.putExtra("employment_status", ((Spinner)
findViewById(R.id.employment_status_spinner)).getSelectedItem().toString());

        intent.putExtra("emergency_name", ((EditText)
findViewById(R.id.edit_emergency_name)).getText().toString());
        intent.putExtra("emergency_relationship", ((EditText)
findViewById(R.id.edit_emergency_relationship)).getText().toString());
        intent.putExtra("emergency_address", ((EditText)
findViewById(R.id.edit_emergency_address)).getText().toString());
        intent.putExtra("emergency_phone", ((EditText)
findViewById(R.id.edit_emergency_phone)).getText().toString());

        startActivity(intent);
    }
    public void resetFormFields(View view) {
        ((EditText) findViewById(R.id.editName)).setText("");
        ((RadioButton)
findViewById(R.id.phone_radio_button_id)).setChecked(false);
        ((RadioButton)
findViewById(R.id.landline_radio_button_id)).setChecked(false);
        ((EditText) findViewById(R.id.editNumber)).setText("");
        ((EditText) findViewById(R.id.editAddress)).setText("");
        ((EditText) findViewById(R.id.editAge)).setText("");
        ((DatePicker) findViewById(R.id.dobPicker)).updateDate(1970, 0, 1);
        ((RadioButton) findViewById(R.id.male)).setChecked(false);
        ((RadioButton) findViewById(R.id.female)).setChecked(false);
        ((Spinner) findViewById(R.id.marital_status_spinner)).setSelection(0);

        ((EditText) findViewById(R.id.editEmployerName)).setText("");
        ((Spinner)
findViewById(R.id.employment_status_spinner)).setSelection(0);

        ((EditText) findViewById(R.id.edit_emergency_name)).setText("");
        ((EditText)
findViewById(R.id.edit_emergency_relationship)).setText(""); ((EditText)

```

```

        findViewById(R.id.edit_emergency_address)).setText(""); ((EditText)
        findViewById(R.id.edit_emergency_phone)).setText(""); }
    }
}

```

activity_table.xml

```

<?xml version="1.0" encoding="utf-8"?>
<TableLayout xmlns:android="http://schemas.android.com/apk/res/android"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    android:stretchColumns="*">

    <TableRow>

        <TextView
            android:id="@+id/textView_title1"
            android:layout_width="100dp"
            android:layout_height="wrap_content"
            android:text="Patient details"
            android:textAlignment="center"
            android:textSize="48px"
            android:textStyle="bold" >

    /TableRow>

    <TableRow>

        <TextView
            android:id="@+id/textView_name"
            android:layout_width="100dp"
            android:layout_height="wrap_content"
            android:text="Name" >

        <TextView
            android:id="@+id/textView_name_value"
            android:layout_width="match_parent"
            android:layout_height="wrap_content" >

    /TableRow>

    <TableRow>

        <TextView

```

```

        android:id="@+id/textView_number"
        android:layout_width="100dp"
        android:layout_height="wrap_content"
        android:text="Number" >

    <TextView
        android:id="@+id/textView_number_value"
        android:layout_width="match_parent"
        android:layout_height="wrap_content" >
/TableRow>

<TableRow>

    <TextView
        android:id="@+id/textView_address"
        android:layout_width="100dp"
        android:layout_height="wrap_content"
        android:text="Address" >

    <TextView
        android:id="@+id/textView_address_value"
        android:layout_width="match_parent"
        android:layout_height="wrap_content" >
/TableRow>

<TableRow>

    <TextView
        android:id="@+id/textView_age"
        android:layout_width="100dp"
        android:layout_height="wrap_content"
        android:text="Age" >

    <TextView
        android:id="@+id/textView_age_value"
        android:layout_width="match_parent"
        android:layout_height="wrap_content" >
/TableRow>

<TableRow>

```

```

<TextView
    android:id="@+id/textView_dob"
    android:layout_width="100dp"
    android:layout_height="wrap_content"
    android:text="DOB" >

<TextView
    android:id="@+id/textView_dob_value"
    android:layout_width="match_parent"
    android:layout_height="wrap_content" >
/TableRow>

<TableRow>

<TextView
    android:id="@+id/textView_gender"
    android:layout_width="100dp"
    android:layout_height="wrap_content"
    android:text="Gender" >

<TextView
    android:id="@+id/textView_gender_value"
    android:layout_width="match_parent"
    android:layout_height="wrap_content" >
/TableRow>

<TableRow>

<TextView
    android:id="@+id/textView_marital_status"
    android:layout_width="100dp"
    android:layout_height="wrap_content"
    android:text="Marital Status" >

<TextView
    android:id="@+id/textView_marital_status_value"
    android:layout_width="match_parent"
    android:layout_height="wrap_content" >
/TableRow>

```

```
<TableRow>
```

```
    <TextView
        android:id="@+id/textView_title2"
        android:layout_width="100dp"
        android:layout_height="wrap_content"
        android:layout_marginTop="32px"
        android:text="Employer details"
        android:textAlignment="center"
        android:textSize="48px"
        android:textStyle="bold" >
```

```
/TableRow>
```

```
<TableRow>
```

```
    <TextView
        android:id="@+id/textView_employer_name"
        android:layout_width="100dp"
        android:layout_height="wrap_content"
        android:text="Employer Name" >
```

```
    <TextView
        android:id="@+id/textView_employer_name_value"
        android:layout_width="match_parent"
        android:layout_height="wrap_content" >
```

```
/TableRow>
```

```
<TableRow>
```

```
    <TextView
        android:id="@+id/textView_employment_status"
        android:layout_width="100dp"
        android:layout_height="wrap_content"
        android:text="Employment Status" >
```

```
    <TextView
        android:id="@+id/textView_employment_status_value"
        android:layout_width="match_parent"
        android:layout_height="wrap_content" >
```

```
/TableRow>
```



```
<TableRow>
```

```
    <TextView
        android:id="@+id/textView_title3"
        android:layout_width="100dp"
        android:layout_height="wrap_content"
        android:layout_marginTop="32px"
        android:text="Emergency details"
        android:textAlignment="center"
        android:textSize="48px"
        android:textStyle="bold" >
```

```
/TableRow>
```

```
<TableRow>
```

```
    <TextView
        android:id="@+id/textView_emergency_name"
        android:layout_width="100dp"
        android:layout_height="wrap_content"
        android:text="Emergency name" >
```

```
    <TextView
        android:id="@+id/textView_emergency_name_value"
        android:layout_width="match_parent"
        android:layout_height="wrap_content" >
```

```
/TableRow>
```

```
<TableRow>
```

```
    <TextView
        android:id="@+id/textView_emergency_relationship"
        android:layout_width="100dp"
        android:layout_height="wrap_content"
        android:text="Emergency relationship" >
```

```
    <TextView
        android:id="@+id/textView_emergency_relationship_value"
        android:layout_width="match_parent"
        android:layout_height="wrap_content" >
```

```
/TableRow>
```

```

<TableRow>

    <TextView
        android:id="@+id/textView_emergency_address"
        android:layout_width="100dp"
        android:layout_height="wrap_content"
        android:text="Emergency address" >

    <TextView
        android:id="@+id/textView_emergency_address_value"
        android:layout_width="match_parent"
        android:layout_height="wrap_content" >
/TableRow>

<TableRow>

    <TextView
        android:id="@+id/textView_emergency_phone"
        android:layout_width="100dp"
        android:layout_height="wrap_content"
        android:text="Emergency phone" >

    <TextView
        android:id="@+id/textView_emergency_phone_value"
        android:layout_width="match_parent"
        android:layout_height="wrap_content" >
/TableRow>

/TableRow>

```

TableActivity.java

```

package com.example.a1;

import android.content.Intent;
import android.support.v7.app.AppCompatActivity;
import android.os.Bundle;
import android.widget.TextView;

public class TableActivity extends AppCompatActivity {

```

```

@Override
protected void onCreate(Bundle savedInstanceState) {
    super.onCreate(savedInstanceState);
    setContentView(R.layout.activity_table);

    Intent intent = getIntent();
    Bundle extras = intent.getExtras();
    if (extras == null) return;

    ((TextView)
findViewById(R.id.textView_name_value)).setText(extras.getString("name"));
    ((TextView)
findViewById(R.id.textView_number_value)).setText(extras.getString("number"));
    ((TextView)
findViewById(R.id.textView_address_value)).setText(extras.getString("address")
);
    ((TextView)
findViewById(R.id.textView_age_value)).setText(extras.getString("age"));
    ((TextView)
findViewById(R.id.textView_dob_value)).setText(extras.getString("dob"));
    ((TextView)
findViewById(R.id.textView_gender_value)).setText(extras.getString("gender"));
    ((TextView)
findViewById(R.id.textView_marital_status_value)).setText(extras.getString("ma
rital_status"));
    ((TextView)
findViewById(R.id.textView_employer_name_value)).setText(extras.getString("emp
loyer_name"));
    ((TextView)
findViewById(R.id.textView_employment_status_value)).setText(extras.getString(
"employment_status"));

    ((TextView)
findViewById(R.id.textView_emergency_name_value)).setText(extras.getString("em
ergency_name"));
    ((TextView)
findViewById(R.id.textView_emergency_relationship_value)).setText(extras.getSt
ring("emergency_relationship"));
    ((TextView)
findViewById(R.id.textView_emergency_address_value)).setText(extras.getString(
"emergency_address"));

```

```
        ((TextView)
findViewById(R.id.textView_emergency_phone_value)).setText(extras.getString("e
mergency_phone"));

    }
}
```


strings.xml

```
<resources>
    <string name="app_name">A1 /string>
    <string-array name="marital_status_options">
        <item>Never Married /item>
        <item>Married /item>
        <item>Widowed /item>
        <item>Divorced /item>
        <item>Separated /item>
    /string-array>

    <string-array name="employment_status_options">
        <item>Full Time /item>
        <item>Part Time /item>
        <item>Unemployed /item>
        <item>Retired /item>
        <item>Student /item>
        <item>Other /item>
    /string-array>
    <string name="title_activity_table">All Details /string>

/resources>
```

Output



Learning outcomes

Basic GUI components and layouts that are available
Passing data between activities