Exercise 1 - Designing Health Insurance Form using GUI Components

Cyril Melvin Vincent 205001023 CSE-A

Aim

Generate a Health Insurance registration form to register the patient details under each group.

Patient Details - Title, Patient Name, Patient Phone Number (Mobile or Landline use Checkbox), Address, Age, DOB, Gender, Marital Status

Employer Details - Patient Employer, Employment Status (full time, parttime, unemployed, retired, student, other Checkbox)

Emergency contact Details - Name, Relationship, Address, Phone Number

Use Submit (Button) to submit the details and display the contents. Use Reset button to clear the form. Display using Table layout.

Code

activity_main.xml

```
<?xml version="1.0" encoding="utf-8"?>
<ScrollView xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:layout_width="match_parent"
    android:layout_height="match_parent">

    <LinearLayout
        android:layout_width="match_parent"
        android:layout_height="match_parent"
        android:layout_height="match_parent"
        android:layout_marginLeft="16dp"</pre>
```

```
android:layout_marginRight="16dp"
android:layout_marginBottom="8dp"
android:orientation="vertical"
tools:context=".MainActivity">
<TextView
    android:id="@+id/titleTextView"
    android:layout_width="match_parent"
    android:layout_height="128dp"
    android:gravity="center"
    android:text="Health Insurance Registration"
    android:textSize="32sp"
    android:textStyle="bold"
    android:typeface="serif" />
<TextView
    android:id="@+id/title"
    android:layout_width="match_parent"
    android:layout_height="32dp"
    android:gravity="left"
    android:text="Patient Details"
    android:textSize="22sp"
    android:textStyle="bold"
    android:typeface="serif" />
<TextView
   android:id="@+id/name"
    android:layout_width="match_parent"
    android:layout_height="26dp"
    android:layout_marginTop="16dp"
    android:gravity="left"
    android:text="Name"
    android:textSize="18sp"
    android:textStyle="bold"
    android:typeface="normal" />
<EditText
    android:id="@+id/editName"
    android:layout_width="match_parent"
    android:layout_height="54dp"
    android:hint="Name:"
    android:inputType="text"
```

```
android:textColor="#0000FF"
    android:typeface="sans" />
<TextView
   android:id="@+id/number"
    android:layout_width="match_parent"
    android:layout_height="26dp"
    android:layout_marginTop="16dp"
    android:gravity="left"
    android:text="Number"
    android:textSize="18sp"
    android:textStyle="bold"
    android:typeface="normal" />
<RadioGroup
    android:id="@+id/radio_group_id"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:layout_marginTop="4dp">
    <RadioButton
        android:id="@+id/phone_radio_button_id"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:text="Phone" />
    <RadioButton
        android:id="@+id/landline_radio_button_id"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:text="Landline" />
⟨RadioGroup⟩
<EditText
    android:id="@+id/editNumber"
    android:layout_width="match_parent"
    android:layout_height="54dp"
    android:hint="Number:"
    android:inputType="phone" />
<TextView
    android:id="@+id/address"
```

```
android:layout_width="match_parent"
    android:layout_height="26dp"
    android:layout_marginTop="16dp"
    android:gravity="left"
    android:text="Address"
    android:textSize="18sp"
    android:textStyle="bold"
    android:typeface="normal" />
<EditText
    android:id="@+id/editAddress"
    android:layout_width="match_parent"
    android:layout_height="54dp"
    android:hint="Address:"
    android:inputType="text"
    android:textColor="#0000FF"
    android:typeface="sans" />
<TextView
    android:id="@+id/age"
    android:layout_width="match_parent"
    android:layout_height="26dp"
    android:layout_marginTop="16dp"
    android:gravity="left"
    android:text="Age"
    android:textSize="18sp"
    android:textStyle="bold"
    android:typeface="normal" />
<EditText
    android:id="@+id/editAge"
    android:layout_width="match_parent"
    android:layout_height="54dp"
    android:hint="Age:"
    android:inputType="number"
    android:textColor="#0000FF"
    android:typeface="sans" />
<TextView
    android:id="@+id/dob"
    android:layout_width="match_parent"
    android:layout_height="26dp"
```

```
android:layout_marginTop="16dp"
    android:gravity="left"
    android:text="DOB"
    android:textSize="18sp"
    android:textStyle="bold"
    android:typeface="normal" />
<DatePicker
   android:id="@+id/dobPicker"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:gravity="center" />
<TextView
    android:id="@+id/gender"
    android:layout_width="match_parent"
    android:layout_height="26dp"
    android:layout_marginTop="16dp"
    android:gravity="left"
    android:text="Gender"
    android:textSize="18sp"
    android:textStyle="bold"
    android:typeface="normal" />
<RadioGroup
    android:id="@+id/gender_group"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:layout_marginTop="4dp">
    <RadioButton
        android:id="@+id/male"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:text="Male" />
    <RadioButton
        android:id="@+id/female"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:text="Female" />
⟨RadioGroup⟩
```

```
<TextView
    android:id="@+id/marital_status"
    android:layout_width="match_parent"
    android:layout_height="26dp"
    android:layout_marginTop="16dp"
    android:gravity="left"
    android:text="Marital Status"
    android:textSize="18sp"
    android:textStyle="bold"
    android:typeface="normal" />
<Spinner
    android:id="@+id/marital_status_spinner"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:entries="@array/marital_status_options" />
<TextView
    android:id="@+id/employer"
    android:layout_width="match_parent"
    android:layout_height="32dp"
    android:layout_marginTop="48dp"
    android:gravity="left"
    android:text="Employer Details"
    android:textSize="22sp"
    android:textStyle="bold"
    android:typeface="serif" />
<TextView
    android:id="@+id/employer_name"
    android:layout_width="match_parent"
    android:layout_height="26dp"
    android:layout_marginTop="16dp"
    android:gravity="left"
    android:text="Employer Name"
    android:textSize="18sp"
    android:textStyle="bold"
    android:typeface="normal" />
<EditText
    android:id="@+id/editEmployerName"
```

```
android:layout_width="match_parent"
    android:layout_height="54dp"
    android:hint="Employer Name:"
    android:inputType="text"
    android:textColor="#0000FF"
    android:typeface="sans" />
<TextView
    android:id="@+id/employment_status"
    android:layout_width="match_parent"
    android:layout_height="26dp"
    android:layout_marginTop="16dp"
    android:gravity="left"
    android:text="Employment Status"
    android:textSize="18sp"
    android:textStyle="bold"
    android:typeface="normal" />
<Spinner
    android:id="@+id/employment_status_spinner"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:entries="@array/employment_status_options" />
<TextView
    android:id="@+id/emergency"
    android:layout_width="match_parent"
    android:layout_height="32dp"
    android:layout_marginTop="48dp"
    android:gravity="left"
    android:text="Emergency Details"
    android:textSize="22sp"
    android:textStyle="bold"
    android:typeface="serif" />
<TextView
    android:id="@+id/emergency_name"
    android:layout_width="match_parent"
    android:layout_height="26dp"
    android:layout_marginTop="16dp"
    android:gravity="left"
    android:text="Emergency Contact Name"
```

```
android:textSize="18sp"
    android:textStyle="bold"
    android:typeface="normal" />
<EditText
    android:id="@+id/edit_emergency_name"
    android:layout_width="match_parent"
    android:layout_height="54dp"
    android:hint="Employer Contact Name:"
    android:inputType="text"
    android:textColor="#0000FF"
    android:typeface="sans" />
<TextView
    android:id="@+id/emergency_relationship"
    android:layout_width="match_parent"
    android:layout_height="26dp"
    android:layout_marginTop="16dp"
    android:gravity="left"
    android:text="Relationship"
    android:textSize="18sp"
    android:textStyle="bold"
    android:typeface="normal" />
<EditText
    android:id="@+id/edit_emergency_relationship"
    android:layout_width="match_parent"
    android:layout_height="54dp"
    android:hint="Relationship:"
    android:inputType="text"
    android:textColor="#0000FF"
    android:typeface="sans" />
<TextView
    android:id="@+id/emergency_address"
    android:layout_width="match_parent"
    android:layout_height="26dp"
    android:layout_marginTop="16dp"
    android:gravity="left"
    android:text="Address"
    android:textSize="18sp"
    android:textStyle="bold"
```

```
android:typeface="normal" />
<EditText
    android:id="@+id/edit_emergency_address"
    android:layout_width="match_parent"
    android:layout_height="54dp"
    android:hint="Address:"
    android:inputType="text"
    android:textColor="#0000FF"
    android:typeface="sans" />
<TextView
    android:id="@+id/emergency_phone"
    android:layout_width="match_parent"
    android:layout_height="26dp"
    android:layout_marginTop="16dp"
    android:gravity="left"
    android:text="Phone"
   android:textSize="18sp"
    android:textStyle="bold"
    android:typeface="normal" />
<EditText
    android:id="@+id/edit_emergency_phone"
    android:layout_width="match_parent"
    android:layout_height="54dp"
    android:hint="Phone Number:"
    android:inputType="phone"
    android:textColor="#0000FF"
    android:typeface="sans" />
<Button
    android:id="@+id/submit"
    android:layout_width="match_parent"
    android:layout_height="64dp"
    android:layout_marginTop="32dp"
    android:backgroundTint="#4CAF50"
    android:gravity="center"
    android:hint="Register"
    android:onClick="openTableActivity" />
<Button
```

```
android:id="@+id/reset"
    android:layout_width="match_parent"
    android:layout_height="64dp"
    android:layout_marginTop="16dp"
    android:backgroundTint="#F44336"
    android:gravity="center"
    android:hint="Reset"
    android:onClick="resetFormFields" />
    </LinearLayout>
</ScrollView>
```

MainActivity.java

```
package com.example.a1;
import android.content.Intent;
import android.support.v7.app.AppCompatActivity;
import android.os.Bundle;
import android.view.View;
import android.widget.DatePicker;
import android.widget.EditText;
import android.widget.RadioButton;
import android.widget.Spinner;
import java.util.Calendar;
public class MainActivity extends AppCompatActivity {
  @Override
   protected void onCreate(Bundle savedInstanceState) {
       super.onCreate(savedInstanceState);
       setContentView(R.layout.activity_main);
   public void openTableActivity(View view) {
       Intent intent = new Intent(this, TableActivity.class);
       intent.putExtra("name", ((EditText)
findViewById(R.id.editName)).getText().toString());
       if (((RadioButton)
findViewById(R.id.phone_radio_button_id)).isChecked())
```

```
intent.putExtra("number_type", "Phone");
      else if (((RadioButton)
findViewById(R.id.phone_radio_button_id)).isChecked())
           intent.putExtra("number_type", "Landline");
      intent.putExtra("number", ((EditText)
findViewById(R.id.editNumber)).getText().toString());
      intent.putExtra("address", ((EditText)
findViewById(R.id.editAddress)).getText().toString());
      intent.putExtra("age", ((EditText)
findViewById(R.id.editAge)).getText().toString());
      DatePicker datePicker = findViewById(R.id.dobPicker);
      int day = datePicker.getDayOfMonth();
      int month = datePicker.getMonth();
      int year = datePicker.getYear();
      Calendar calendar = Calendar.getInstance();
      calendar.set(year, month, day);
      intent.putExtra("dob", calendar.getTime().toString());
      if (((RadioButton) findViewById(R.id.male)).isChecked())
intent.putExtra("gender", "Male");
      else if (((RadioButton) findViewById(R.id.female)).isChecked())
           intent.putExtra("gender", "Female");
       intent.putExtra("marital_status", ((Spinner))
findViewById(R.id.marital_status_spinner)).getSelectedItem().toString());
      intent.putExtra("employer_name", ((EditText)
findViewById(R.id.editEmployerName)).getText().toString());
       intent.putExtra("employment_status", ((Spinner))
findViewById(R.id.employment_status_spinner)).getSelectedItem().toString());
       intent.putExtra("emergency_name", ((EditText))
findViewById(R.id.edit_emergency_name)).getText().toString());
       intent.putExtra("emergency_relationship", ((EditText)
findViewById(R.id.edit_emergency_relationship)).qetText().toString());
      intent.putExtra("emergency_address", ((EditText)
findViewById(R.id.edit_emergency_address)).getText().toString());
      intent.putExtra("emergency_phone", ((EditText)
findViewById(R.id.edit_emergency_phone)).getText().toString());
      startActivity(intent);
```

```
public void resetFormFields(View view) {
       ((EditText) findViewById(R.id.editName)).setText("");
       ((RadioButton)
findViewById(R.id.phone_radio_button_id)).setChecked(false);
       ((RadioButton)
findViewById(R.id.landline_radio_button_id)).setChecked(false);
       ((EditText) findViewById(R.id.editNumber)).setText("");
      ((EditText) findViewById(R.id.editAddress)).setText("");
       ((EditText) findViewById(R.id.editAge)).setText("");
      ((DatePicker) findViewById(R.id.dobPicker)).updateDate(1970, 0, 1);
       ((RadioButton) findViewById(R.id.male)).setChecked(false);
       ((RadioButton) findViewById(R.id.female)).setChecked(false);
       ((Spinner) findViewById(R.id.marital_status_spinner)).setSelection(0);
       ((EditText) findViewById(R.id.editEmployerName)).setText("");
       ((Spinner)
findViewById(R.id.employment_status_spinner)).setSelection(0);
       ((EditText) findViewById(R.id.edit_emergency_name)).setText("");
       ((EditText)
findViewById(R.id.edit_emergency_relationship)).setText("");
       ((EditText) findViewById(R.id.edit_emergency_address)).setText("");
       ((EditText) findViewById(R.id.edit_emergency_phone)).setText("");
```

activity_table.xml

```
android:textAlignment="center"
        android:textSize="48px"
        android:textStyle="bold" />
</TableRow>
<TableRow>
    <TextView
        android:id="@+id/textView_name"
        android:layout_width="100dp"
        android:layout_height="wrap_content"
        android:text="Name" />
    <TextView
        android:id="@+id/textView_name_value"
        android:layout_width="match_parent"
        android:layout_height="wrap_content" />
</TableRow>
<TableRow>
    <TextView
        android:id="@+id/textView_number"
        android:layout_width="100dp"
        android:layout_height="wrap_content"
        android:text="Number" />
    <TextView
        android:id="@+id/textView_number_value"
        android:layout_width="match_parent"
        android:layout_height="wrap_content" />
</TableRow>
<TableRow>
    <TextView
        android:id="@+id/textView_address"
        android:layout_width="100dp"
        android:layout_height="wrap_content"
        android:text="Address" />
    <TextView
```

```
android:id="@+id/textView_address_value"
        android:layout_width="match_parent"
        android:layout_height="wrap_content" />
</TableRow>
<TableRow>
    <TextView
        android:id="@+id/textView_age"
        android:layout_width="100dp"
        android:layout_height="wrap_content"
        android:text="Age" />
    <TextView
        android:id="@+id/textView_age_value"
        android:layout_width="match_parent"
        android:layout_height="wrap_content" />
</TableRow>
<TableRow>
    <TextView
        android:id="@+id/textView_dob"
        android:layout_width="100dp"
        android:layout_height="wrap_content"
        android:text="DOB" />
    <TextView
        android:id="@+id/textView_dob_value"
        android:layout_width="match_parent"
        android:layout_height="wrap_content" />
</TableRow>
<TableRow>
    <TextView
        android:id="@+id/textView_qender"
        android:layout_width="100dp"
        android:layout_height="wrap_content"
        android:text="Gender" />
    <TextView
```

```
android:id="@+id/textView_gender_value"
        android:layout_width="match_parent"
        android:layout_height="wrap_content" />
</TableRow>
<TableRow>
    <TextView
        android:id="@+id/textView_marital_status"
        android:layout_width="100dp"
        android:layout_height="wrap_content"
        android:text="Marital Status" />
    <TextView
        android:id="@+id/textView_marital_status_value"
        android:layout_width="match_parent"
        android:layout_height="wrap_content" />
</TableRow>
<TableRow>
    <TextView
        android:id="@+id/textView_title2"
        android:layout_width="100dp"
        android:layout_height="wrap_content"
        android:layout_marginTop="32px"
        android:text="Employer details"
        android:textAlignment="center"
        android:textSize="48px"
        android:textStyle="bold" />
</TableRow>
<TableRow>
    <TextView
        android:id="@+id/textView_employer_name"
        android:layout_width="100dp"
        android:layout_height="wrap_content"
        android:text="Employer Name" />
    <TextView
        android:id="@+id/textView_employer_name_value"
```

```
android:layout_width="match_parent"
        android:layout_height="wrap_content" />
/TableRow>
<TableRow>
   <TextView
        android:id="@+id/textView_employment_status"
        android:layout_width="100dp"
        android:layout_height="wrap_content"
        android:text="Employement Status" />
   <TextView
        android:id="@+id/textView_employment_status_value"
        android:layout_width="match_parent"
        android:layout_height="wrap_content" />
</TableRow>
<TableRow>
   <TextView
        android:id="@+id/textView_title3"
        android:layout_width="100dp"
        android:layout_height="wrap_content"
        android:layout_marginTop="32px"
       android:text="Emergency details"
        android:textAlignment="center"
        android:textSize="48px"
       android:textStyle="bold" />
</TableRow>
<TableRow>
   <TextView
        android:id="@+id/textView_emergency_name"
        android:layout_width="100dp"
        android:layout_height="wrap_content"
        android:text="Emergency name" />
   <TextView
        android:id="@+id/textView_emergency_name_value"
        android:layout_width="match_parent"
```

```
android:layout_height="wrap_content" />
</TableRow>
<TableRow>
   <TextView
        android:id="@+id/textView_emergency_relationship"
        android:layout_width="100dp"
        android:layout_height="wrap_content"
        android:text="Emergency relationship" />
   <TextView
        android:id="@+id/textView_emergency_relationship_value"
        android:layout_width="match_parent"
        android:layout_height="wrap_content" />
/TableRow>
<TableRow>
   <TextView
        android:id="@+id/textView_emergency_address"
        android:layout_width="100dp"
        android:layout_height="wrap_content"
        android:text="Emergency address" />
   <TextView
        android:id="@+id/textView_emergency_address_value"
        android:layout_width="match_parent"
        android:layout_height="wrap_content" />
</TableRow>
<TableRow>
   <TextView
        android:id="@+id/textView_emergency_phone"
        android:layout_width="100dp"
        android:layout_height="wrap_content"
        android:text="Emergency phone" />
   <TextView
        android:id="@+id/textView_emergency_phone_value"
        android:layout_width="match_parent"
```

TableActivity.java

```
package com.example.a1;
import android.content.Intent;
import android.support.v7.app.AppCompatActivity;
import android.os.Bundle;
import android.widget.TextView;
public class TableActivity extends AppCompatActivity {
   @Override
   protected void onCreate(Bundle savedInstanceState) {
       super.onCreate(savedInstanceState);
       setContentView(R.layout.activity_table);
      Intent intent = getIntent();
       Bundle extras = intent.getExtras();
       if (extras = null) return;
       ((TextView)
findViewById(R.id.textView_name_value)).setText(extras.getString("name"));
       ((TextView)
findViewById(R.id.textView_number_value)).setText(extras.getString("number"));
       ((TextView)
findViewById(R.id.textView_address_value)).setText(extras.getString("address")
       ((TextView)
findViewById(R.id.textView_age_value)).setText(extras.getString("age"));
       ((TextView)
findViewById(R.id.textView_dob_value)).setText(extras.getString("dob"));
       ((TextView)
findViewById(R.id.textView_gender_value)).setText(extras.getString("gender"));
       ((TextView)
findViewById(R.id.textView_marital_status_value)).setText(extras.getString("ma
rital_status"));
```

```
((TextView)
findViewById(R.id.textView_employer_name_value)).setText(extras.getString("emp
loyer_name"));
       ((TextView)
findViewById(R.id.textView_employment_status_value)).setText(extras.getString(
"employment_status"));
       ((TextView)
findViewById(R.id.textView_emergency_name_value)).setText(extras.getString("em
ergency_name"));
       ((TextView)
findViewById(R.id.textView_emergency_relationship_value)).setText(extras.getSt
ring("emergency_relationship"));
       ((TextView)
findViewById(R.id.textView_emergency_address_value)).setText(extras.getString(
"emergency_address"));
       ((TextView)
findViewById(R.id.textView_emergency_phone_value)).setText(extras.getString("e
mergency_phone"));
```

strings.xml


```
<resources>
  <string name="app_name">A1
  <string-array name="marital_status_options">
      <item>Never Married
      <item>Married</item>
      <item>Widowed</item>
      <item>Divorced</item>
      <item>Separated
  ⟨string-array>
  <string-array name="employment_status_options">
      <item>Full Time</item>
      <item>Part Time
      <item>Unemployed
      <item>Retired</item>
      <item>Student
      <item>Other</item>
```


```
</string-array>
  <string name="title_activity_table">All Details</string>
</resources>
```

Output









Learning outcomes

Basic GUI components and layouts that are available Passing data between activities