Internship Report

on

Musical World


Submitted in partial fulfillment of the requirements
For the award of the degree of

BACHELOR OF TECHNOLOGY

In

INFORMATION TECHNOLOGY

Submitted By
Abhishek
2822653
Batch (2022-2026)



Panipat Institute of Engineering & Technology,
(Affiliated to Kurukshetra University Kurukshetra, India)
Samalkha, Panipat

(Session 2025-26)

CANDIDATE'S DECLARATION

I hereby declare that the work presented in this internship report entitled **"Musical World"**, submitted in partial fulfillment of the requirement for the award of the degree of Bachelor of Technology in **Information Technology**, submitted to **Panipat Institute of Engineering & Technology, Kurukshetra University, Kurukshetra, India** is an authentic record of my own work carried out during the period from **13th July 2025** to **13th August 2025**

Date:13th August — ABHISHEK

Panipat Institute of Engineering Technology — 2822653

CERTIFICATE

Cognifyz
Where Data Meets Intelligence

Cognifyz Technologies

Internship Completion Certificate

Date - 20/09/2025

This is to certify that Abhishek, (Intern ID: CTI/A1/C188167), currently pursuing a B.tech IT from The Panipat Institute of Engineering and Technology, bearing University Roll No. 2022033201, was working as a Full Stack Development Intern with Cognifyz Technologies from 13July 2025 - 13August2025.

During this period, he has served as a Full Stack Development Intern and has displayed remarkable dedication, sincerity, and a strong desire to learn. He has exhibited exceptional coordination skills and effective communication abilities. Moreover, his attention to detail has been truly impressive.

He has consistently approached new assignments and challenges with enthusiasm, showcasing his passion for Full Stack Development. His commitment and willingness to acquire new knowledge and skills have been evident throughout his internship.

We extend our best wishes to Abhishek for a successful future, and we have no doubt that he will continue to excel in the field of Full Stack Development.

With Regards,
Cognifyz Technologies

Cognifyz Technologies Cognifyz Technologies Nagpur, India

AICTE All India Council for Technical Education

MSME MICRO, SMALL & MEDIUM ENTERPRISES

cognifyztechnologies@gmail.com www.cognifyz.com

Acknowledgement

I would like to express my special thanks to Cognifyz for guiding me throughout this project work. I should also thank PIET for giving me this golden opportunity to push me to pursue this course. I wish to thank my parents as well for their support and encouragement without which I could not have completed my course in this limited time frame. In the end I want to thank my friends who displayed appreciation for my work and motivated me to fulfill this Internship.

ABSTRACT

The Comprehensive Web Development Course is a dynamic and all-encompassing program designed to equip participants with the essential skills and knowledge required to create modern and interactive websites. This course covers a wide range of topics, from the fundamentals of web technologies to advanced development techniques, ensuring that students gain a comprehensive understanding of web development.

The project for this internship is **"Musical World"**. This project was conceptualized to address the need for a simple, user-centric online music player. This web application allows users to browse, play, and share music. It features a fully functional user side for registration, login, favouriting songs, and even uploading their own tracks. It also includes a omprehensive admin panel for managing the song library across different categories (like Hindi, Haryanvi, English) and managing user data. The project utilizes HTML, CSS, and Bootstrap for the front-end, with PHP handling server-side logic and MySQL (via PhpMyAdmin) for database management.

Foundations of Web Development: The course begins with an introduction to the core building blocks of web development, including HTML, CSS, and JavaScript. Participants will learn how to create static web pages and style them to achieve a polished look.
Front-end Development: Participants delve into front-end technologies, exploring JavaScript frameworks such as React. They will gain hands-on experience in building interactive user interfaces and integrating APIs for real-time data.

Back-end Development: The course covers server-side scripting languages like PHP, as well as databases like MySQL. Students will build dynamic web applications, implement authentication systems, and work with server-side APIs.

Project-Based Learning: Throughout the course, students will work on practical projects, applying the skills they have acquired. These projects will demonstrate their proficiency and serve as valuable additions to their portfolios.

Candidate's Declaration i

Certificate ii

Acknowledgement iii

Abstract iv

List of Figures v

List of tables v

List of Figures

Figure no.	Figure name	Page no.
6.1	Home page	39
6.2	Login page	39
6.3	Signup page	40
6.4	Haryanvi Songs page	40
6.5	Uploaded Songs page	41
6.6	Admin page	41
6.7	About section	42

List of Table

Table no.	Table name	Page no.
1	user	13
2	upload_albums	14
3	favorite_songs	15

CONTENTS

Chapter No	Description	Page No.
Chapter 1	Introduction	1-3
Chapter 2	Theory	4-9
Chapter 3	System Analysis	10-12
3.1	Identification of Need	10
3.2	Feasibility Study	10
3.3	Software Development Life Cycle (SDLC)	11
3.3	Software Requirement Specification (SRS)	11
Chapter 4	Software Design	12-14
4.1	Data Flow Diagrams (DFD)	12
4.2	Entity-Relationship (E-R) Diagram	12-13
4.3	Data Dictionary & Schema	13-14
Chapter 5	Codes of Project	15-38
5.1	Code of Index Page	15-23
5.2	Code for Validation	24-28
5.3	Code for Profile Page	29-33
5.4	Code for Admin Page	34-38
Chapter 6	Output Screens	39-42
Chapter 7	Conclusions	43
Chapter 8	References	44

CHAPTER-1

INTRODUCTION

1.1 Introduction to Web Development

Web development is the art and science of building and maintaining websites. It is the work that happens behind the scenes to make a website look great, work fast, and perform well with a seamless user experience. Web developers, or ‘devs’, do this by using a variety of coding languages.

The field is generally broken down into three main categories:

1. **Front-end Development:** The "client-side" development. It involves everything the user sees and interacts with—the layout, design, and interactivity. Technologies include HTML, CSS, JavaScript, and frameworks like Bootstrap or React.
2. **Back-end Development:** The "server-side" development. This is where the data is stored and the logic runs. It consists of the server, the application, and the database. Languages include PHP, Python, Ruby, and Java.
3. **Full-Stack Development:** Full-stack developers bridge the gap between frontend and backend development, possessing the expertise to handle the entire flow of the application.

In the digital era, web development is at the core of our online experiences. From e-commerce platforms to social networks, web developers are the architects of the modern internet.

1.2 Evolution of Music Streaming

The way we consume music has changed drastically over the last two decades. We have moved from physical storage media like Vinyl, Cassettes, and CDs to digital downloads (MP3s), and finally to cloud-based streaming.

Web-based music players have become the standard. They allow users to access vast libraries of music without the need for storage space on their devices. This project, "Musical World," is a modern iteration of this concept, utilizing web technologies to stream audio data directly to the client's browser.

1.3 Project Overview: Musical World

Musical World is a web-based audio streaming application designed to provide a seamless music listening experience. It addresses the fragmentation in the music streaming market by offering a unified platform for diverse regional genres, including Hindi, Haryanvi, English, and Kannada music.

Unlike traditional platforms that only allow consumption, Musical World adopts a community-first approach. It allows registered users to upload their own audio tracks, creating a decentralized library of music. The application includes a secure Admin Panel for moderation, content management, and user oversight.

1.4 Objectives

The primary objectives of the "Musical World" project are:

1. **To Create a Centralized Platform:** To build a single destination for music lovers to find songs from various regions and languages.
2. **To Enable User Interaction:** To allow users to create accounts, manage profiles, and curate their own "Favorite" lists.
3. **To Foster a Creator Community:** To provide functionality for users to upload and share their own music files with the community.
4. **To Ensure Security:** To implement secure login mechanisms using password hashing and prevent unauthorized access to admin features.
5. **To Develop a Responsive Interface:** To ensure the website is accessible and visually appealing across all devices, including desktops, tablets, and mobile phones.

1.5 Problem Statement

In today's digital age, music lovers often face a fragmented experience. They struggle to find a single, streamlined platform where they can not only discover music across diverse regional languages but also actively participate by uploading their own creations.

Existing platforms are often:

- **Cluttered:** Filled with ads and irrelevant content.
- **Restrictive:** Allowing only consumption, not contribution.
- **Expensive:** Requiring high subscription fees for basic features.

There is a need for a simplified, user-friendly web application that bridges this gap, offering a centralized hub for music consumption, discovery, and user contribution without the barrier of high costs or complex interfaces. "Musical World" aims to solve this problem.

CHAPTER-2

THEORY

HTML

HTML stands for Hypertext Markup Language and it is a widely used programming language used to develop web pages. HTML is a markup language that is used to create web pages. It defines how the web page looks and how to display content with the help of elements.
It forms or defines the structure of our Web Page. We must remember to save your file with html extension.

Understanding HTML: The Language of the Web HTML, first standardized in the early 1990s by Tim Berners-Lee, is the foundation upon which web pages are constructed. It's a markup language that uses a system of tags to define the structure and content of a webpage.
The Anatomy of HTML: Tags and Elements HTML documents consist of a collection of elements, each enclosed within tags. Tags are typically written within angle brackets, with an opening tag and a closing tag that wraps around the content. For example, the tag is used to define paragraphs, and it appears as This is a paragraph. .

HTML elements can be categorized into two main groups:

- **Block-Level Elements**: These elements define the structure of a webpage and create distinct sections or blocks. Examples include headings (<h1> to <h6>), paragraphs ( ), lists (<ul>, <ol>, <li>), and divisions ( ).
- **Inline Elements**: These elements are used within block-level elements to style or provide additional information about the content. Common inline elements include links (<a>), images (<img>), and emphasized text ().

HTML5: Evolution and Modernization HTML has evolved over the years. HTML5, the latest version, introduced numerous features. It brought native support for multimedia elements like <audio> and <video>, introduced the <canvas> element for interactive graphics, and enhanced the semantic structure with new elements like <article>, <section>, and <nav>.

CSS

CSS (Cascading Style Sheets) is used to style and lay out web pages — for example, to alter the font, color, size, and spacing of your content, split it into multiple columns, or add animations and other decorative features.

The Core Concepts of CSS CSS operates on a set of fundamental concepts:

1. **Selectors**: Selectors are patterns used to target specific HTML elements. They define which elements on a webpage will be styled.
2. **Properties:** Properties are the styling attributes applied to selected elements. They control aspects like color, font-size, margin, padding, and more.
3. **Values:** Values determine the specific characteristics of properties. For example, the color property can take values like "red", "#00FF00", or "rgb(255, 0, 0)".
4. **Cascade:** The "C" in CSS stands for "Cascading," which means that multiple styles can be applied to a single element. The cascade determines the priority of styles.
5. **Specificity:** Specificity is a way to resolve conflicts when multiple rules target the same element. It assigns a weight to selectors, ensuring that the most specific rule is applied.

Modern CSS in Action The power of CSS becomes evident in modern web design. It enables responsive layouts, animations, and accessibility features.

1. **Responsive Web Design**: CSS frameworks like Bootstrap and Flexbox have revolutionized how web designers create layouts that adjust seamlessly.
2. **CSS Grid**: CSS Grid is a powerful layout system that allows designers to create complex, grid-based layouts with ease.

JavaScript

JavaScript, often abbreviated as JS, is a versatile programming language that powers the dynamic interactivity of the World Wide Web.

- **Client-side**: It supplies objects to control a browser and its Document Object Model (DOM). It allows an application to place elements on an HTML form and respond to user events such as mouse clicks, form input, and page navigation. Useful libraries are AngularJS, ReactJS, VueJS and many others.

- **Server-side**: It supplies objects relevant to running JavaScript on a server. Server-side extensions allow an application to communicate with a database, provide continuity of information, or perform file manipulations on a server. The most famous framework is node.js.

JavaScript can be an:

- **Imperative language**: In this type of language, we are mostly concerned about *how* it is to be done. It simply controls the flow of computation.
- **Declarative programming**: In this type of language, we are concerned about *what* is to be done, basically here logical computation requires. The main goal is to describe the desired result.

The Role of JavaScript

1. **Enhanced User Interfaces**: JavaScript enables developers to create responsive and user-friendly web interfaces, real-time updates, animations, and interactive elements.
2. **Form Validation**: JavaScript can validate data in real-time, providing instant feedback.
3. **Asynchronous Operations**: JavaScript supports asynchronous programming, which allows web applications to fetch and display data from servers without blocking the user interface.
4. **Single-Page Applications (SPAs):** Frameworks like React, Angular, and Vue.js use JavaScript to create SPAs that load a single HTML page and dynamically update content.

Bootstrap

Bootstrap is a free and open-source tool collection for creating responsive websites and web applications. It is the most popular HTML, CSS, and JavaScript framework for developing responsive, mobile-first websites.

It solves many problems, one of which is the cross-browser compatibility issue. Nowadays, websites are perfect for all browsers (IE, Firefox, and Chrome) and for all sizes of screens (Desktop, Tablets, and Phones).

The Power of Bootstrap:

1. **Rapid Development:** Bootstrap provides a set of pre-designed HTML, CSS, and JavaScript components and templates, allowing developers to create web pages quickly.
2. **Responsive Design**: Bootstrap makes it easy to create websites that adapt seamlessly to various screen sizes. Its grid system and responsive utilities simplify the process.
3. **Cross-Browser Compatibility**: Bootstrap is designed to work consistently across different web browsers.

Key Components of Bootstrap

1. **Grid System**: Bootstrap's grid system is the foundation of its responsiveness. It allows developers to create flexible layouts.
2. **Typography**: Bootstrap provides styles for text elements.
3. **Forms**: Creating forms with Bootstrap is easy. It offers various form controls and validation styles.
4. **Navigation Components**: Bootstrap includes navigation elements like navigation bars, breadcrumbs, and pagination.

DBMS

A database management system (or DBMS) is essentially nothing more than a computerized data-keeping system. Users of the system are given facilities to perform several kinds of operations on such a system for either manipulation of the data in the database or the management of the database structure itself.

The Backbone of Web Applications A Database Management System (DBMS) is software designed to efficiently store, manage, and retrieve data. In web development, DBMS serves as the backbone for web applications.

1. **Data Storage and Retrieval**: DBMS allows web applications to store and retrieve vast amounts of data reliably.
2. **Data Integrity**: DBMS enforces data integrity constraints, preventing data corruption.
3. **Scalability:** As web applications grow, the database must scale to handle increased data volume and traffic.

4. **Complex Queries**: DBMS supports SQL (Structured Query Language), which allows developers to create sophisticated queries.
5. **Security:** DBMS offers security features like access controls, encryption, and authentication.

Types of DBMS in Web Development

1. **Relational Database Management System (RDBMS):** RDBMS, such as MySQL, PostgreSQL, and Microsoft SQL Server, organize data into tables with predefined schemas.
2. **NoSQL Databases**: NoSQL databases, including MongoDB, Cassandra, and Redis, are designed for unstructured or semi-structured data.

PHP

The term PHP is an acronym for PHP: Hypertext Preprocessor. PHP is a server-side scripting language designed specifically for web development. It is open source which means it is free to download and use. The files have the extension ".php".

PHP code is executed on the server. It can be integrated with many databases such as Oracle, Microsoft SQL Server, MySQL, PostgreSQL, Sybase, and Informix. It is powerful enough to hold a content management system like WordPress and can be used to control user access.

Websites like www.facebook.com are built on PHP. One of the main reasons behind this is that PHP can be easily embedded in HTML files and HTML codes can also be written in a PHP file. The thing that differentiates PHP from the client-side language like HTML is that PHP codes are executed on the server whereas HTML codes are directly rendered on the browser. PHP codes are first executed on the server and then the result is returned to the browser.

Why PHP Matters

1. **Server-Side Scripting:** PHP runs on the web server, generating dynamic content before it's sent to the user's browser. This allows PHP to interact with databases and handle user input.
2. **Wide Adoption**: PHP enjoys widespread adoption, with a vast community of developers

and resources.

3. **Database Integration**: PHP seamlessly integrates with popular databases like MySQL.
4. **Web Frameworks:** Several PHP web frameworks, such as Laravel and Symfony, provide structure for building web applications.
5. **Open Source**: PHP is open-source, meaning it is free to use.

React JS

React JS is an open-source, component-based front-end library responsible only for the view layer of the application. It is maintained by Facebook.

React uses a declarative paradigm that makes it easier to reason about your application. It designs simple views for each state in your application, and React will efficiently update and render just the right component when your data changes.

A React application is made of multiple components, each responsible for rendering a small, reusable piece of HTML. Components can be nested within other components to allow complex applications to be built.

The Core Concepts of React

1. **Component-Based Architecture**: At the heart of React is the idea of building user interfaces as a collection of reusable components.
2. **Virtual DOM (Document Object Model):** React employs a virtual DOM, a lightweight in-memory representation of the actual DOM. When changes occur, they are first applied to the virtual DOM, which is then compared to the real DOM. This minimizes DOM manipulations and improves performance.
3. **Unidirectional Data Flow**: React enforces a unidirectional data flow, meaning that data flows in a single direction (parent to child components).
4. **JSX (JavaScript XML):** JSX is a syntax extension for JavaScript that allows developers to write HTML-like code within their JavaScript files.

CHAPTER-3

SYSTEM ANALYSIS

3.1 Identification of Need

The identification of need is the first step in the software development life cycle. For "Musical World," the need arose from the observation that while major streaming giants exist, there is a lack of lightweight, community-driven platforms specifically focused on regional Indian music diversity combined with user uploads.

3.2 Feasibility Study

A feasibility study determines if the project is viable.

3.2.1 Technical Feasibility

The project uses widely available, open-source technologies:

- **Language:** PHP (Server-side) and HTML/JS (Client-side).
- **Database:** MySQL.
- **Server:** Apache (via XAMPP). Since these technologies are mature, well-documented, and free, the project is technically feasible.

3.2.2 Operational Feasibility

The system is designed with a user-friendly interface (UI) using Bootstrap. Users familiar with basic internet browsing can easily navigate the site, register, and play music. No special training is required for the end-user, making it operationally feasible.

3.2.3 Economic Feasibility

The development cost is minimal as it utilizes open-source software (VS Code, XAMPP). There are no licensing fees for the technology stack. The primary investment is the developer's time. Therefore, the project is economically highly feasible.

3.3 Software Development Life Cycle (SDLC)

The SDLC defines the phases of the project.

1. **Planning:** Defining the "Musical World" concept and timeline.
2. **Analysis:** Gathering requirements for the User and Admin modules.
3. **Design:** Creating the ER Diagram for the musical_world database.
4. **Implementation:** Writing the HTML, CSS, and PHP code.
5. **Testing:** Checking for bugs (e.g., Login failures, Upload errors).
6. **Deployment:** Hosting the project on the local XAMPP server.

3.4 Software Requirement Specification (SRS)

3.4.1 Functional Requirements

- **Registration/Login:** Users must be able to create accounts and log in securely.
- **Music Playback:** The system must play MP3 files directly in the browser.
- **Search/Categorization:** Songs must be organized by language (Hindi, English, etc.).
- **Uploads:** Users and Admins must be able to upload audio files and images.
- **Favorites:** Users must be able to add/remove songs from a favorites list.

3.4.2 Non-Functional Requirements

- **Performance:** The system should load pages within 2-3 seconds.
- **Security:** Passwords must be hashed; Admin pages must be restricted.
- **Reliability:** The system should handle file uploads without crashing.
- **Availability:** The service should be available 24/7.

3.4.3 Hardware & Software Requirements


- **Operating System:** Windows 10/11, Linux, or macOS.
- **Web Server:** Apache HTTP Server.
- **Database:** MySQL / MariaDB.
- **Browser:** Google Chrome, Firefox, or Edge.
- **Development Tool:** Visual Studio Code.
- **Local Environment:** XAMPP v3.3.0 or higher.

CHAPTER 4

SYSTEM DESIGN

System design transforms the requirements into a blueprint for the software.

4.1 Data Flow Diagrams (DFD)



Level 0 DFD:

- **User** sends Registration Data -> **System**
- **System** sends Music Stream -> **User**
- **Admin** sends Song Data -> **System**

Level 1 DFD:

- Breaks down the "System" into sub-processes: Authentication, Song Management, User Management, and Database Interaction.

4.2 Entity-Relationship (E-R) Diagram

The E-R diagram defines the logical structure of the database.

- **Entities:** User, Song, Category, Admin.
- **Relationships:**
    - User **Uploads** Song (1:N)
    - User **Has** Favorites (1:N)
    - Song **BelongsTo** Category (N:1)

4.3 Data Dictionary & Schema

The backend is powered by a relational database named musical_world. Below is the detailed data dictionary for the core tables.

Field Name	Data Type	Length	Constraint	Description
user_id	INT	11	PRIMARY KEY, AUTO_INCREMENT	Unique ID for the user
username	VARCHAR	255	NOT NULL	User's display name
email_address	VARCHAR	255	UNIQUE, NOT NULL	User's email address
password	VARCHAR	255	NOT NULL	Bcrypt hashed password
mobile_number	VARCHAR	15	NOT NULL	Contact number
confirm_status	INT	1	DEFAULT 0	Account activation status

Table 1: user This table stores all registered user information.

Field Name	Data Type	Length	Constraint	Description
song_id	INT	11	PRIMARY KEY, AUTO_INCREMENT	Unique Song ID
song_name	VARCHAR	255	NOT NULL	Title of the song
singer_name	VARCHAR	255	NOT NULL	Artist name
audio_file	VARCHAR	255	NOT NULL	Path to MP3 file on server

song_image	VARCHAR	255	NOT NULL	Path to cover image on server
user_id	INT	11	FOREIGN KEY	ID of the uploader

Table 2: upload_albums This table stores songs uploaded by the users.

Field Name	Data Type	Length	Constraint	Description
fav_id	INT	11	PRIMARY KEY, AUTO_INCREMENT	Unique ID
user_id	INT	11	FOREIGN KEY	Links to User table
song_id	INT	11	NOT NULL	ID of the song favorited
cat_id	INT	11	NOT NULL	Category ID (1=Kannada, 2=Hindi...)

Table 3: favorite_songs This table maps users to their favorite songs.

(Tables for hindi_albums, english_albums, kannada_albums follow the same structure as upload_albums but are managed by the Admin).

CHAPTER 5:

CODES OF PROJECT

5.1 CODE OF INDEX PAGE

```
<!DOCTYPE HTML>
<html>

<head>
	<title>Musical World</title>
	<meta name="viewport" content="width=device-width, initial-scale=1">
	<meta charset="utf-8">
	<script>
		addEventListener("load", function () {
			setTimeout(hideURLbar, 0);
		}, false);

		function hideURLbar() {
			window.scrollTo(0, 1);
		}
	</script>
	<link rel="icon" href="images/i1.png" />
	<!-- Bootstrap Core CSS -->
	<link href="css/bootstrap.css" rel='stylesheet' type='text/css' />
	<!-- Material Design Bootstrap -->
	<link
href="[https://cdnjs.cloudflare.com/ajax/libs/mdbootstrap/4.5.14/css/mdb.mi
n.css](https://cdnjs.cloudflare.com/ajax/libs/mdbootstrap/4.5.14/css/mdb.mi
n.css)" rel="stylesheet">
	<!-- Custom CSS -->
	<link href="css/style.css" rel='stylesheet' type='text/css' />
	<!-- font-awesome icons -->
	<link  rel="stylesheet"  href="[https://maxcdn.bootstrapcdn.com/font-
awesome/4.7.0/css/font-
awesome.min.css](https://maxcdn.bootstrapcdn.com/font-
awesome/4.7.0/css/font-awesome.min.css)">
	<!-- //Custom Theme files -->
	<!--webfonts-->
	<link
href="//[fonts.googleapis.com/css?family=Ubuntu:300,300i,400,400i,500,500i,
700,700i](https://fonts.googleapis.com/css?family=Ubuntu:300,300i,400,400i,
500,500i,700,700i)" rel="stylesheet">
	<!--//webfonts-->
</head>
<!--Start of Tawk.to Script-->
<script type="text/javascript">
var Tawk_API=Tawk_API||{}, Tawk_LoadStart=new Date();
(function(){
var
s1=document.createElement("script"),s0=document.getElementsByTagName("scrip
t")[0];
```

```
s1.async=true;
s1.src='[https://embed.tawk.to/5c2396fb7a79fc1bddf24b28/default](https://em
bed.tawk.to/5c2396fb7a79fc1bddf24b28/default)';
s1.charset='UTF-8';
s1.setAttribute('crossorigin','*');
s0.parentNode.insertBefore(s1,s0);
})();
</script>
<!--End of Tawk.to Script-->
<body>
      <!-- header -->
      <header>
            <div class="container">
                  <nav class="navbar navbar-expand-lg navbar-light">
                        <a class="navbar-brand" href="index.php">
                              Musical World
                        </a>

                        <button  class="navbar-toggler  ml-lg-auto  ml-sm-5"
type="button" data-toggle="collapse" data-target="#navbarSupportedContent"
                              aria-controls="navbarSupportedContent"     aria-
expanded="false" aria-label="Toggle navigation">
                              <span class="navbar-toggler-icon"></span>
                        </button>

                        <div         class="collapse         navbar-collapse"
id="navbarSupportedContent">
                              <ul class="navbar-nav text-center ml-auto">

                                    <!-- === START: NEW MUSIC DROPDOWN === -
->
                                    <div class="dropdown">
                                          <button   class="btn   btn-primary
dropdown-toggle" type="button" id="dropdownMenu1" data-toggle="dropdown"
                                      aria-haspopup="true"             aria-
expanded="false">Music</button>
                                          <div          class="dropdown-menu
dropdown-primary">
                                                <!-- These links now open the
login modal -->
                                                <a     class="dropdown-item"
href="#"      data-target="#modalLRForm"      data-toggle="modal"><b>Haryanvi
Songs</b></a>
                                                <a     class="dropdown-item"
href="#"       data-target="#modalLRForm"       data-toggle="modal"><b>Hindi
Songs</b></a>
                                                <a     class="dropdown-item"
href="#"      data-target="#modalLRForm"      data-toggle="modal"><b>English
Songs</b></a>
                                                <a     class="dropdown-item"
href="#"      data-target="#modalLRForm"      data-toggle="modal"><b>Uploaded
Songs</b></a>
                                          </div>
                                    </div>
                                    <!-- === END: NEW MUSIC DROPDOWN === -->

                                    <li class="nav-item  mr-3">
```

```
                                        <a     class="nav-link     scroll"
href="#about">about</a>
                                    </li>
                                    <li class="nav-item">
                                        <a class="nav-link scroll" href=""
data-target="#modalLRForm" data-toggle="modal">Login/Signup</a>
                                    </li>
                                    <li class="nav-item">
                                        <a     class="nav-link     scroll"
href="#contact">contact</a>
                                    </li>
                                </ul>
                            </div>
                        </nav>
                </div>
        </header>
        <!-- //header -->
        <!-- banner -->
        <div class="banner" id="home">
                <div class="container">
                        <div class="banner-text">
                                <div class="slider-info text-right">
                                        <h1  class="text-uppercase">listen  to  music
anywhere.</h1>
                                        <p      class="text-white">Are      you      a
Singer?...Upload Your Music here and get featured.</p>
                                        <a   class="btn   btn-agile     mt-4   scroll"
href="#about" role="button">read more</a>
                                </div>
                        </div>
                </div>
        </div>
        <!-- //banner -->
        <!-- about-->
        <section class="wthree-row" id="about">
                <div  class="row  justify-content-center  align-items-center  no-
gutters abbot-main">
                        <div class="col-lg-6 p-0">
                                <img src="images/about.jpg" class="img-fluid" alt=""
/>
                        </div>
                        <div class="col-lg-6 abbot-right px-md-5  py-lg-0 py-3">
                                <div class="card">
                                        <div class="card-body px-lg-5">
                                                <h3 class="stat-title card-title align-
self-center mb-sm-5 mb-3">musical world
                                                        <br> get addicted to music</h3>
                                        <span class="w3-line"></span>
                                        <p   class="card-text   align-self-center
my-4 text-white">
                                                Are you a singer?...But afraid to
sing in front of a huge crowd.Then you are in the right place.Upload your
songs to musical world and let the people listen to your songs and rate it.
                                        </p>
                                        <p   class="card-text   align-self-center
mb-5 text-white">Be the part of musical world.Upload your songs and get
featured by greate musicians.</p>
```

```
                                    <a  href="#more_info"  class="btn  btn-
agile abt_card_btn scroll">Know More</a>
                              </div>
                        </div>
                  </div>
            </div>
      </section>
      <!-- //about -->
      <!-- contact top -->
      <div class="contact-top text-center" id="more_info">
            <div class="content-contact-top">
                  <h3      class="stat-title      text-white">for      more
information</h3>
                  <h2 class="stat-title text-white">stay in touch</h2>
                  <p class="text-white w-75 mx-auto">Musical World a unique
platform for upcoming singers.
                  </p>
            </div>
      </div>
      <!-- //contact top -->
      <!-- contact -->
      <div class="w3-contact py-5" id="contact">
            <div class="container">
                  <div class="row contact-form pt-md-5">
                        <!-- contact details -->
                        <div  class="col-lg-6  contact-bottom  d-flex  flex-
column contact-right-w3ls">
                              <h5>get in touch</h5>
                              <div class="fv3-contact">
                                    <div class="row">
                                          <div class="col-2">
                                                <span     class="fas     fa-
envelope-open"></span>
                                          </div>
                                          <div class="col-10">
                                                <h6>email</h6>
                                                <p>
                                                      <a
href="mailto:example@email.com" class="text-dark">admin@musicalworld.com</a>
                                                </p>
                                          </div>
                                    </div>
                              </div>
                              <div class="fv3-contact my-4">
                                    <div class="row">
                                          <div class="col-2">
                                                <span  class="fas  fa-phone-
volume"></span>
                                          </div>
                                          <div class="col-10">
                                                <h6>phone</h6>
                                                <p>+91 7899496873</p>
                                          </div>
                                    </div>
                              </div>
                              <div class="fv3-contact">
                                    <div class="row">
```

```
                                        <div class="col-2">
                                              <span     class="fas     fa-
home"></span>
                                        </div>
                                        <div class="col-10">
                                              <h6>address</h6>
                                              <p>DSI    Labz    |    Adyar
Mangalore</p>
                                        </div>
                                  </div>
                            </div>
                      </div>
                      <div class="col-lg-6 wthree-form-left my-lg-0 mt-5">
                            <h5>send us a mail</h5>
                            <!-- contact form grid -->
                            <div class="contact-top1">
                                  <form      action="#"      method="get"
class="contact-wthree">
                                        <div class="form-group d-flex">
                                              <label>
                                                    Name
                                              </label>
                                              <input  class="form-control"
type="text" placeholder="Name" name="email" required="">
                                        </div>
                                        <div class="form-group d-flex">
                                              <label>
                                                    Email
                                              </label>
                                              <input  class="form-control"
type="email" placeholder="email" name="email" required="">
                                        </div>
                                        <div class="form-group d-flex">
                                              <label>
                                                    Phone
                                              </label>
                                              <input  class="form-control"
type="text" placeholder="phone number" name="email" required="">
                                        </div>
                                        <div class="form-group d-flex">
                                              <label>
                                                    Message
                                              </label>
                                              <textarea       class="form-
control"    rows="5"    id="contactcomment"    placeholder="Your    message"
required></textarea>
                                        </div>
                                        <div   class="d-flex      justify-
content-end">
                                              <button        type="submit"
class="btn btn-agile btn-block w-50">Submit</button>
                                        </div>
                                  </form>
                            </div>
                            <!--  //contact form grid ends here -->
                      </div>
```

```
                </div>
                <!-- //contact details container -->
            </div>
      </div>
      <!-- //contact -->
      <!-- copyright -->
      <div class="cpy-right text-center">
            <p>© 2018 Musical World. All rights reserved</p>
      </div>
      <!-- //copyright -->

      <!--Modal: Login / Register Form-->
<div class="modal fade" id="modalLRForm" tabindex="-1" role="dialog" aria-
labelledby="myModalLabel" aria-hidden="true">
      <div class="modal-dialog cascading-modal" role="document">
        <!--Content-->
        <div class="modal-content">

            <!--Modal cascading tabs-->
            <div class="modal-c-tabs">

              <!-- Nav tabs -->
              <ul class="nav nav-tabs md-tabs tabs-2 light-blue darken-3"
role="tablist">
                  <li class="nav-item">
                    <a     class="nav-link     active"     data-toggle="tab"
href="#panel7" role="tab"><i class="fa fa-user mr-1"></i>
                        Login</a>
                  </li>
                  <li class="nav-item">
                    <a  class="nav-link"  data-toggle="tab"  href="#panel8"
role="tab"><i class="fa fa-user-plus mr-1"></i>
                        Register</a>
                  </li>
              </ul>

              <!-- Tab panels -->
              <div class="tab-content">
                  <!--Panel 7-->
                  <div  class="tab-pane  fade  in  show  active"  id="panel7"
role="tabpanel">

                    <!--Body-->
                    <form action="validate.php" method="post">
                    <div class="modal-body mb-1">
                        <div class="md-form form-sm mb-5">
                          <i class="fa fa-envelope prefix"></i>
                          <input      type="email"      id="modalLRInput10"
class="form-control form-control-sm validate" name="email_address" required>
                          <label   data-error="wrong"   data-success="right"
for="modalLRInput10">Your email</label>
                        </div>

                        <div class="md-form form-sm mb-4">
                          <i class="fa fa-lock prefix"></i>
                          <input     type="password"     id="modalLRInput11"
class="form-control form-control-sm validate" name="password" required>
```

```
                        <label   data-error="wrong"   data-success="right"
for="modalLRInput11">Your password</label>
                    </div>
                    <div class="text-center mt-2">
                      <button    class="btn    btn-info"    type="submit"
name="login">Log in <i class="fa fa-sign-in ml-1"></i></button>
                    </div>
                  </div>
                </form>
                  <!--Footer-->
                  <div class="modal-footer">
                      <div class="options text-center text-md-right mt-1">
                        <p>Forgot <a class="blue-text" id="forgot" data-
target="#ForgotPasswordModal" data-toggle="modal">Password?</a></p>
                    </div>
                    <button  type="button"  class="btn  btn-outline-info
waves-effect ml-auto" data-dismiss="modal">Close</button>
                  </div>

                </div>
                <!--/.Panel 7-->

                <!--Panel 8-->
                <div class="tab-pane fade" id="panel8" role="tabpanel">

                  <!--Body-->
                  <form action="validate.php" method="post">
                   <div class="modal-body">
                      <div class="md-form form-sm mb-5">
                            <i class="fa fa-user prefix"></i>
                            <input     type="text"     id="modalLRInput11"
class="form-control form-control-sm validate" name="username" required>
                            <label data-error="wrong" data-success="right"
for="modalLRInput11">User Name</label>
                      </div>

                      <div class="md-form form-sm mb-5">
                            <i class="fa fa-mobile prefix"></i>
                            <input     type="text"     id="modalLRInput15"
class="form-control form-control-sm validate" name="mobile_number" required>
                            <label data-error="wrong" data-success="right"
for="modalLRInput15">Mobile Number</label>
                      </div>

                      <div class="md-form form-sm mb-5">
                        <i class="fa fa-envelope prefix"></i>
                        <input      type="email"      id="modalLRInput12"
class="form-control form-control-sm validate" name="email_address" required>
                        <label   data-error="wrong"   data-success="right"
for="modalLRInput12">Your email</label>
                      </div>

                      <div class="md-form form-sm mb-5">
                        <i class="fa fa-lock prefix"></i>
                        <input     type="password"     id="modalLRInput13"
class="form-control form-control-sm validate" name="password" required>
                        <label   data-error="wrong"   data-success="right"
```

```
for="modalLRInput13">Your password</label>
                        </div>

                        <div class="md-form form-sm mb-4">
                          <i class="fa fa-lock prefix"></i>
                          <input     type="password"     id="modalLRInput14"
class="form-control   form-control-sm   validate"   name="confirm_password"
required>
                          <label   data-error="wrong"   data-success="right"
for="modalLRInput14">Repeat password</label>
                        </div>

                        <div class="text-center form-sm mt-2">
                          <button    class="btn    btn-info"    type="submit"
name="register">Sign up <i class="fa fa-sign-in ml-1"></i></button>
                        </div>
                      </div>
                    </form>
                      <!--Footer-->
                      <div class="modal-footer">
                          <button  type="button"  class="btn  btn-outline-info
waves-effect ml-auto" data-dismiss="modal">Close</button>
                      </div>
                    </div>
                    <!--/.Panel 8-->
                </div>

            </div>
        </div>
        <!--/.Content-->
      </div>
  </div>
  <!--Modal: Login / Register Form-->

  <!-- Modal for Forgot Password -->
      <div   class="modal   fade"   id="ForgotPasswordModal"   tabindex="-1"
role="dialog" aria-labelledby="myModalLabel"
  aria-hidden="true">
  <div class="modal-dialog" role="document">
    <div class="modal-content">
      <div class="modal-header text-center">
        <h4   class="modal-title   w-100   font-weight-bold"><b>Forgot   Your
Password</b></h4>
        <button  type="button"  class="close"  data-dismiss="modal"  aria-
label="Close">
          <span aria-hidden="true">&times;</span>
        </button>
                    </div>
                    <form action="validate.php" method="post">
      <div class="modal-body mx-3">
        <div class="md-form mb-5">
          <i class="fa fa-envelope prefix grey-text"></i>
          <input  type="email"  id="defaultForm-email"  class="form-control
validate" required name="email_address">
          <label  data-error="wrong"  data-success="right"  for="defaultForm-
email">Your email</label>
                        </div>
```

```
                        <div  class="modal-footer  d-flex  justify-content-
center">
        <button  class="btn  btn-default"  name="forgot">Send  Password  <i
class="fa fa-sign-in"></i></button>
                  </div>
                  </form>
      </div>
            </div>
  </div>
</div>

      <!-- js-->
      <script src="js/jquery-2.2.3.min.js"></script>
      <!-- js-->
      <!-- MDB core JavaScript -->
      <script                                              type="text/javascript"
src="[https://cdnjs.cloudflare.com/ajax/libs/mdbootstrap/4.5.14/js/mdb.min.
js](https://cdnjs.cloudflare.com/ajax/libs/mdbootstrap/4.5.14/js/mdb.min.js
)"></script>
      <!-- start-smooth-scrolling -->
      <script src="js/move-top.js "></script>
      <script src="js/easing.js "></script>
      <script>
            jQuery(document).ready(function ($) {
                  $(".scroll ").click(function (event) {
                        event.preventDefault();

                        $('html,body').animate({
                              scrollTop: $(this.hash).offset().top
                        }, 1000);
                  });
                  $('#forgot').click(function(){
                        $('#modalLRForm').modal('hide');
                        $('ForgotPasswordModal').modal('show');
                  });
            });
      </script>
      <!-- //end-smooth-scrolling -->
      <!-- smooth-scrolling-of-move-up -->
      <script>
            $(document).ready(function () {
                  $().UItoTop({
                        easingType: 'easeOutQuart'
                  });
            });
      </script>
      <script src="js/SmoothScroll.min.js "></script>
      <!-- //smooth-scrolling-of-move-up -->
      <!-- Bootstrap Core JavaScript -->
      <script src="js/bootstrap.js">
      </script>
      <!-- //Bootstrap Core JavaScript -->
</body>

</html>
```

5.2 CODE FOR VALIDATION

```
<?php

      if(isset($_POST['register'])){

    if(!isset($_SESSION))
            session_start();

      include('connection.php');

    $username = mysqli_real_escape_string($conn,trim($_POST['username']));
    $mobile_number                                                    =
mysqli_real_escape_string($conn,trim($_POST['mobile_number']));
    $email_address                                                    =
mysqli_real_escape_string($conn,trim($_POST['email_address']));
    $password = mysqli_real_escape_string($conn,trim($_POST['password']));
    $confirm_password                                                 =
mysqli_real_escape_string($conn,trim($_POST['confirm_password']));

    if($password == $confirm_password){
        if(preg_match("/^[_a-z0-9-]+(\.[_a-z0-9-]+)*@[a-z0-9-]+(\.[a-z0-9-
]+)*(\.[a-z]{2,3})$/",$email_address)){
            if(preg_match("/^(\+?\d{1,4})?[-.\s]?(\()?(\d{1,3})(?(2)\))[-
.\s]?\d{1,4}[-.\s]?\d{1,9}$/", $mobile_number)){

                $sql_email   =   "SELECT   email_address   FROM   user   WHERE
email_address='$email_address'";
                $result_email = mysqli_query($conn,$sql_email);

                $sql_mobile   =   "SELECT   mobile_number   FROM   user   WHERE
mobile_number='$mobile_number'";
                $result_mobile = mysqli_query($conn,$sql_mobile);

                if(mysqli_num_rows($result_email)>0){
                    echo '<script type="text/javascript">';
                    echo          'setTimeout(function          ()          {
sweetAlert("Oops...","Email   Address   '.   $email_address.'   is   already
exists!","error");';
                    echo '}, 500);</script>';
                }
                else if(mysqli_num_rows($result_mobile)>0){
                    echo '<script type="text/javascript">';
                    echo          'setTimeout(function          ()          {
sweetAlert("Oops...","Mobile    number    '.$mobile_number.'    is    already
exists!","error");';
                    echo '}, 500);</script>';
                }else{
                        $activation_code = hash('sha256',mt_rand(0,1000));

                        // SECURE: Replaced weak md5() with strong, modern
password_hash()
                        $hash_password      =      password_hash($password,
PASSWORD_BCRYPT);

                        // CHANGED: Added `confirm_status` and set it to '1'
```

```
for auto-activation
                        $sql        =        "INSERT        INTO        user
(`username`,`password`,`mobile_number`,`email_address`,`activation_code`,
`confirm_status`)
VALUES('$username','$hash_password','$mobile_number','$email_address','$act
ivation_code', '1')";

                        $result = mysqli_query($conn,$sql);

                        if(!$result)
                            die("Error                                    while
updating!!!...").mysqli_error($conn);
                        else{
                                $_SESSION['username']=$username;
                                $_SESSION['mobile_number']=$mobile_number;

                                $_SESSION['email_address']=$email_address;

                                $_SESSION['password']=$password;

$_SESSION['activation_code']=$activation_code;

                                // This email will still be sent, but the
user is already active.
                                include('activate_email.php');
                            }
                    }
            }else{
                    //invalid mobile number error message
                    echo '<script type="text/javascript">';
                    echo          'setTimeout(function          ()          {
sweetAlert("Oops...","Mobile     number     '.     $mobile_number.'     is
invalid!","error");';
                    echo '}, 500);</script>';
                }
        }else{
                //email address invalid error messaage
                echo '<script type="text/javascript">';
                echo  'setTimeout(function  ()  {  sweetAlert("Oops...","Email
address '. $email_address.' is invalid!","error");';
                echo '}, 500);</script>';
        }
    }else{
            //password does not match error
            echo '<script type="text/javascript">';
            echo  'setTimeout(function  ()  {  sweetAlert("Oops...","The  two
passwords does not match!","error");';
            echo '}, 500);</script>';
        }
}

if(isset($_POST['login'])){

    session_start();

    include('connection.php');
```

```
    $email_address                                                          =
mysqli_real_escape_string($conn,$_POST['email_address']);
    $password = mysqli_real_escape_string($conn,$_POST['password']);

    // SECURE: Only select by email_address. We will verify the password in
PHP.
    $sql = "SELECT * FROM user WHERE email_address = '$email_address'";

    $result=mysqli_query($conn,$sql);

    if(!$result){
        echo '<script type="text/javascript">';
        echo 'setTimeout(function () { sweetAlert("Warning...","Error while
loggin in!..","warning");';
        echo '}, 500);</script>';
    }
    else
    {
        $row=mysqli_fetch_array($result);
        $count=mysqli_num_rows($result);

        // SECURE: Use password_verify() to securely check the password
against the hash
        if($row && password_verify($password, $row['password']))
        {
            // Password is correct!
            $username = $row['username'];

            if($row['confirm_status']==0)
            {
                echo '<script type="text/javascript">';
                echo          'setTimeout(function          ()          {
sweetAlert("Warning...","Please        activate        your        account
first!..","warning");';
                echo '}, 500);</script>';
            }else{
                    // Admin check
                    if($row['email_address'] == 'admin@gmail.com'){
                        $_SESSION['username']=$username;
                        $_SESSION['email_address'] = $email_address;
                        header('location:admin_page.php');
                    }else{
                        $_SESSION['username']=$username;
                        $_SESSION['email_address'] = $email_address;
                        header('location:profile.php');
                    }
                }
        }else{
                // This 'else' catches both "wrong password" and "no such
user"
                echo '<script type="text/javascript">';
                echo 'setTimeout(function () { sweetAlert("Oops...","Wrong
username or Password!...","error");';
                echo '}, 500);</script>';
            }
        }
    }
```

```
if(isset($_POST['forgot'])){

    session_start();

    include('connection.php');

    }else{
        require 'phpmailer/PHPMailerAutoload.php';

        $_SESSION['email_address'] = $email_address;

        $sql = "SELECT username FROM user WHERE email_address =
'$email_address' ";
        $result = mysqli_query($conn,$sql);
        $row = mysqli_fetch_array($result);

        $username = $row['username'];

        $_SESSION['username'] = $username;

        $mail = new PHPMailer;

        // $mail->SMTPDebug = 3;                                    // Enable
verbose debug output

        $mail->isSMTP();                                          // Set mailer
to use SMTP
        $mail->Host = 'smtp.gmail.com';  // Specify main and backup SMTP
servers
        $mail->SMTPAuth = true;                                   // Enable SMTP
authentication
        $mail->Username = 'your email address';                   // SMTP
username
        $mail->Password = 'smtp password';                        // SMTP
password
        $mail->SMTPSecure = 'tls';                                // Enable TLS
encryption, `ssl` also accepted
        $mail->Port = 587;                                        // TCP port to
connect to
        $to=$email_address;
        $mail->setFrom('your email address', 'Musical World');
        $mail->addAddress($to);     // Add a recipient

        $mail->isHTML(true);                                      // Set email
format to HTML

        $mail->Subject = 'Reset Your Account';
        $mail->Body = "
        <br><br>
        <b>Hello,".$username.",</b><br>
        You recently requested to reset your password for your Musical World
account.Click the button below to reset it. <br>
        <br><br>

        <button      type='button'      class='btn      btn-secondary'><a
href='http://localhost/musical_world/reset_password.php'>Reset
```

```
Password</a></button>

        <br><br>

        If you did not requested to reset your password please ignore this
email or reply to let us know.<br><br>
        <pre>Thanks,
        <b>Musical World</b></pre>";

        if(!$mail->send()){
            echo '<script type="text/javascript">';
            echo 'setTimeout(function () { sweetAlert("Oops...","," Error while
sending email.Please check your your internet coonection!","error");';
            echo '}, 500);</script>';
        }else{
                echo '<script type="text/javascript">';
                echo 'setTimeout(function () { sweetAlert("Success","A link
have been sent to your email aadress '.$to.' Please reset your Password by
pressing the link.","success");';
                echo '}, 500);</script>';
            }
        }
    }
?>

<!DOCTYPE html>
<html>
    <head>
        <title></title>
        <meta name="viewport" content="width=device-width, initial-scale=1">
        <link   rel="icon"   href="KEERTHANA   KUTEERA   LOGO-BLACK-01.png"
type="image/png">
        <link                                                   rel="stylesheet"
href="[https://cdn.jsdelivr.net/npm/sweetalert2@7.28.11/dist/sweetalert2.mi
n.css](https://cdn.jsdelivr.net/npm/sweetalert2@7.28.11/dist/sweetalert2.mi
n.css)">
        <link                                                   rel="stylesheet"
href="[https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/css/bootstrap.min.cs
s](https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/css/bootstrap.min.css)">
        <script
src="[https://ajax.googleapis.com/ajax/libs/jquery/3.3.1/jquery.min.js](htt
ps://ajax.googleapis.com/ajax/libs/jquery/3.3.1/jquery.min.js)"></script>
        <script
src="[https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/js/bootstrap.min.js](
https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/js/bootstrap.min.js)"></scr
ipt>
    </head>
    <body>
        <script                                             type="text/javascript"
src="[https://cdn.jsdelivr.net/npm/sweetalert2@7.28.11/dist/sweetalert2.min
.js](https://cdn.jsdelivr.net/npm/sweetalert2@7.28.11/dist/sweetalert2.min.
js)"></script>
    </body>
</html>
```

5.3 CODE FOR PROFILE PAGE

```
<?php
    session_start();
    if(!isset($_SESSION['email_address']))
            header('location:index.php');

      $email_address = $_SESSION['email_address'];
?>


<!DOCTYPE HTML>
<html>

<head>
      <title>Musical World</title> <!-- Fixed Title -->
      <meta name="viewport" content="width=device-width, initial-scale=1">
    <meta charset="utf-8">
      <link rel="icon" href="images/i1.png" />
    <!-- Bootstrap Core CSS -->
      <link href="css/bootstrap.css" rel='stylesheet' type='text/css' />
      <!-- Material Design Bootstrap -->
      <link
href="[https://cdnjs.cloudflare.com/ajax/libs/mdbootstrap/4.5.14/css/mdb.mi
n.css](https://cdnjs.cloudflare.com/ajax/libs/mdbootstrap/4.5.14/css/mdb.mi
n.css)" rel="stylesheet">
      <!-- Custom CSS -->
      <link href="css/style.css" rel='stylesheet' type='text/css' />
      <!-- font-awesome icons -->
      <link  rel="stylesheet"  href="[https://maxcdn.bootstrapcdn.com/font-
awesome/4.7.0/css/font-
awesome.min.css](https://maxcdn.bootstrapcdn.com/font-
awesome/4.7.0/css/font-awesome.min.css)">
      <!-- //Custom Theme files -->
      <!--webfonts-->
      <link
href="//[fonts.googleapis.com/css?family=Ubuntu:300,300i,400,400i,500,500i,
700,700i](https://fonts.googleapis.com/css?family=Ubuntu:300,300i,400,400i,
500,500i,700,700i)" rel="stylesheet">
      <!--//webfonts-->
</head>

<body>
      <!-- header -->
      <header>
            <div class="container">
                  <nav class="navbar navbar-expand-lg navbar-light">
                        <a class="navbar-brand" href="profile.php">
                              Musical World
                </a>
                <pre>                </pre>
                <li class="nav-item">
                              <b                  style="font-size:20px;"><p
style="color:blue;"><?php echo "WELCOME ".$_SESSION['username'];?></p></b>
                </li>
                        <button  class="navbar-toggler  ml-lg-auto  ml-sm-5"
```

```
type="button" data-toggle="collapse" data-target="#navbarSupportedContent"
                              aria-controls="navbarSupportedContent"     aria-
expanded="false" aria-label="Toggle navigation">
                                 <span class="navbar-toggler-icon"></span>
                           </button>
                           <div         class="collapse         navbar-collapse"
id="navbarSupportedContent">
                                 <ul class="navbar-nav text-center ml-auto">
                                       <div class="dropdown">
                                       <button class="btn btn-primary dropdown-
toggle" type="button" id="dropdownMenu1" data-toggle="dropdown"
      aria-haspopup="true" aria-expanded="false">Track</button>
                                                         <div    class="dropdown-menu
dropdown-primary">
                                                               <a    class="dropdown-
item" href="haryanvi_songs.php"><b>Haryanvi Songs</b></a>
                                                               <a    class="dropdown-
item" href="hindi_songs.php"><b>Hindi Songs</b></a>
                                                               <a    class="dropdown-
item" href="english_songs.php"><b>English Songs</b></a>
                                                               <a    class="dropdown-
item" href="uploaded_songs.php"><b>Uploaded Songs</b></a>
                                                         </div>
                                       </div>
                                       <li class="nav-item  mr-3">
                                             <a     class="nav-link     scroll"
href="#about">about</a>
                           </li>
                           <li class="nav-item">
                                             <a     class="nav-link     scroll"
href="#contact">contact</a>
                                       </li>
                                       <li class="nav-item">
                                             <a     class="nav-link     scroll"
href="logout.php">logout</a>
                                       </li>
                                 </ul>
                           </div>
                     </nav>
               </div>
      </header>
      <!-- //header -->
      <!-- banner -->
      <div class="banner" id="home">
            <div class="container">
                  <div class="banner-text">
                        <div class="slider-info text-right">
                              <h1   class="text-uppercase">listen   to   music
anywhere.</h1>
                              <p      class="text-white">Are      you      a
Singer?...Upload Your Music here and get featured.</p>
                              <a   class="btn   btn-agile     mt-4   scroll"
href="#about" role="button">read more</a>
                        </div>
                  </div>
            </div>
      </div>
```

```
      <!-- //banner -->
      <!-- about-->
      <section class="wthree-row" id="about">
            <div  class="row  justify-content-center  align-items-center  no-
gutters abbot-main">
                  <div class="col-lg-6 p-0">
                        <img src="images/about.jpg" class="img-fluid" alt=""
/>
                  </div>
                  <div class="col-lg-6 abbot-right px-md-5  py-lg-0 py-3">
                        <div class="card">
                              <div class="card-body px-lg-5">
                                    <h3 class="stat-title card-title align-
self-center mb-sm-5 mb-3">musical world
                                          <br> get addicted to music</h3>
                                    <span class="w3-line"></span>
                                    <p   class="card-text   align-self-center
my-4 text-white">
                                          Are you a singer?...But afraid to
sing in front of a huge crowd.Then you are in the right place.Upload your
songs to musical world and let the people listen to your songs and rate it.
                                    </p>
                                    <p   class="card-text   align-self-center
mb-5 text-white">Be the part of musical world.Upload your songs and get
featured by greate musicians.</p>
                                    <a  href="#more_info"  class="btn  btn-
agile abt_card_btn scroll">Know More</a>
                              </div>
                        </div>
                  </div>
            </div>
      </section>
      <!-- //about -->
      <!-- contact top -->
      <div class="contact-top text-center" id="more_info">
            <div class="content-contact-top">
                  <h3      class="stat-title      text-white">for      more
information</h3>
                  <h2 class="stat-title text-white">stay in touch</h2>
                  <p class="text-white w-75 mx-auto">Musical World a unique
platform for upcoming singers.
                  </p>
            </div>
      </div>
      <!-- //contact top -->
      <!-- contact -->
      <div class="w3-contact py-5" id="contact">
            <div class="container">
                  <div class="row contact-form pt-md-5">
                        <!-- contact details -->
                        <div  class="col-lg-6  contact-bottom  d-flex  flex-
column contact-right-w3ls">
                              <h5>get in touch</h5>
                              <div class="fv3-contact">
                                    <div class="row">
                                          <div class="col-2">
                                                <span     class="fas     fa-
```

```
envelope-open"></span>
                                          </div>
                                          <div class="col-10">
                                                <h6>email</h6>
                                                <p>
                                                      <a
href="mailto:example@email.com" class="text-dark">admin@musicalworld.com</a>
                                                </p>
                                          </div>
                                    </div>
                              </div>
                              <div class="fv3-contact my-4">
                                    <div class="row">
                                          <div class="col-2">
                                                <span  class="fas  fa-phone-
volume"></span>
                                          </div>
                                          <div class="col-10">
                                                <h6>phone</h6>
                                                <p>+91 7899496873</p>
                                          </div>
                                    </div>
                              </div>
                              <div class="fv3-contact">
                                    <div class="row">
                                          <div class="col-2">
                                                <span     class="fas     fa-
home"></span>
                                          </div>
                                          <div class="col-10">
                                                <h6>address</h6>
                                                <p>DSI    Labz    |    Adyar
Mangalore</p>
                                          </div>
                                    </div>
                              </div>
                        </div>
                        <div class="col-lg-6 wthree-form-left my-lg-0 mt-5">
                              <h5>send us a mail</h5>
                              <!-- contact form grid -->
                              <div class="contact-top1">
                                    <!-- Fixed: Broken contact form. Set to
POST and fields are named uniquely. -->
                                    <form       action="contact_handler.php"
method="post" class="contact-wthree">
                                          <div class="form-group d-flex">
                                                <label>
                                                      Name
                                                </label>
                                                <input  class="form-control"
type="text" placeholder="Name" name="contact_name" required="">
                                          </div>
                                          <div class="form-group d-flex">
                                                <label>
                                                      Email
                                                </label>
                                                <input  class="form-control"
```

```
type="email" placeholder="email" name="contact_email" required="">
                                                </div>
                                                <div class="form-group d-flex">
                                                      <label>
                                                            Phone
                                                      </label>
                                                      <input  class="form-control"
type="text" placeholder="phone number" name="contact_phone" required="">
                                                </div>
                                                <div class="form-group d-flex">
                                                      <label>
                                                            Message
                                                      </label>
                                                      <textarea       class="form-
control"      rows="5"      id="contactcomment"      name="contact_message"
placeholder="Your message" required></textarea>
                                                </div>
                                                <div   class="d-flex      justify-
content-end">
                                                      <button        type="submit"
class="btn btn-agile btn-block w-50">Submit</button>
                                                </div>
                                          </form>
                                    </div>
                                    <!--  //contact form grid ends here -->
                              </div>

                        </div>
                        <!-- //contact details container -->
                  </div>
            </div>
            <!-- //contact -->
            <!-- copyright -->
            <div class="cpy-right text-center">
                  <p>© 2018 Musical World. All rights reserved</p>
            </div>
          <!-- //copyright -->
          <!-- js-->
            <script src="js/jquery-2.2.3.min.js"></script>
            <!-- js-->
            <!-- MDB core JavaScript -->
            <script                                                type="text/javascript"
src="[https://cdnjs.cloudflare.com/ajax/libs/mdbootstrap/4.5.14/js/mdb.min.
js](https://cdnjs.cloudflare.com/ajax/libs/mdbootstrap/4.5.14/js/mdb.min.js
)"></script>
            <!-- start-smooth-scrolling -->
            <script src="js/move-top.js "></script>
          <script src="js/easing.js "></script>
          <script src="js/SmoothScroll.min.js "></script>
            <!-- //smooth-scrolling-of-move-up -->
            <!-- Bootstrap Core JavaScript -->
            <script src="js/bootstrap.js">
            </script>
            <!-- //Bootstrap Core JavaScript -->
</body>

</html>
```

5.4 CODE FOR ADMIN PAGE

```
<?php
    session_start();
    if(!isset($_SESSION['email_address']))
            header('location:index.php');

      include('connection.php');

      $username = $_SESSION['username'];
      $sql = "SELECT * FROM user WHERE username = '$username' ";
      $result = mysqli_query($conn,$sql);

      $row = mysqli_fetch_array($result);
      $user_id = $row['user_id'];

    // --- HELPER FUNCTION FOR SECURE UPLOADS ---
    function handleFileUpload($fileKey, $targetDir, $allowedFormats,
$prefix) {
        if (isset($_FILES[$fileKey]) && $_FILES[$fileKey]['error'] == 0) {
            $file_name = basename($_FILES[$fileKey]['name']);
            $file_tmp = $_FILES[$fileKey]['tmp_name'];
            $file_ext = strtolower(pathinfo($file_name,
PATHINFO_EXTENSION));

            $safe_filename = $prefix . uniqid('', true) . '.' . $file_ext;
            $target_path = $targetDir . $safe_filename;

            if (in_array($file_ext, $allowedFormats)) {
                if (move_uploaded_file($file_tmp, $target_path)) {
                    return $safe_filename; // Success: return the new safe
name
                }
            } else {
                // Invalid file type
                return "Error: Invalid file type.";
            }
        }
        return "Error: File upload failed."; // General error
    }
    // --- END HELPER FUNCTION ---


      if(isset($_POST['upload_kannada'])){

            $song_name =
mysqli_real_escape_string($conn,$_POST['song_name']);
        $song_format =
mysqli_real_escape_string($conn,$_POST['song_format']);
        $singer_name =
mysqli_real_escape_string($conn,$_POST['singer_name']);
        $movie_name =
mysqli_real_escape_string($conn,$_POST['movie_name']);

        // --- SECURE: Secure Upload Logic ---
        $allowed_audio = ['mp3', 'wav', 'ogg'];
```

```
        $allowed_images = ['jpg', 'jpeg', 'png', 'gif'];

        $audio_file = handleFileUpload('audio_file',
'songs/kannada_songs/', $allowed_audio, 'song_');
        $song_image = handleFileUpload('song_image',
'songs/kannada_songs/img/', $allowed_images, 'img_');

        if (substr($audio_file, 0, 5) !== 'Error:' && substr($song_image,
0, 5) !== 'Error:') {
            // Success, insert into DB
            $sql = "INSERT INTO
kannada_albums(`song_name`,`song_format`,`singer_name`,`movie_name`,`song_i
mage`,`audio_file`)
VALUES('$song_name','$song_format','$singer_name','$movie_name','$song_imag
e','$audio_file')";
            $result = mysqli_query($conn,$sql);
            if($result){
                    echo '<script type="text/javascript">';
                    echo 'setTimeout(function () { sweetAlert("Uploaded","
<b>Successfully uploaded '.$song_name.'</b>","success");';
                    echo '}, 500);</script>';
            }else{
                echo '<script type="text/javascript">';
                echo 'setTimeout(function () { sweetAlert("Oops...","Error
while saving to database.","error");';
                echo '}, 500);</script>';
            }
        } else {
            // Upload failed, show an error
            echo '<script type="text/javascript">';
            echo 'setTimeout(function () { sweetAlert("Oops...","Upload
Error: Invalid file type or failed upload.","error");';
            echo '}, 500);</script>';
        }
    }

    // (Rest of upload logic for Hindi, English, Haryanvi...)

    // --- FIXED: New, efficient delete logic ---
    if(isset($_POST['delete_kannada_song'])){
        $song_id = mysqli_real_escape_string($conn,
$_POST['delete_kannada_song']);
        $sql = "DELETE FROM kannada_albums WHERE song_id = '$song_id' ";
        if(mysqli_query($conn,$sql)){
            echo '<script type="text/javascript">';
            echo 'setTimeout(function () { sweetAlert("Deleted"," <b>Song
deleted from kannada albums</b>","success");';
            echo '}, 500);</script>';
        } else {
            echo '<script type="text/javascript">';
            echo 'setTimeout(function () { sweetAlert("Oops...","<b> Error
while deleting.</b>","error");';
            echo '}, 500);</script>';
        }
    }

    // (Rest of delete logic for other categories...)
```

```
?>

<!DOCTYPE HTML>
<html>
<head>
      <title>Musical World | Admin Page</title>
      <!-- ... (head content as in your file) ... -->
</head>
<body>
      <!-- header -->
      <header>
        <!-- ... (header content as in your file) ... -->
      </header>
      <!-- //header -->

   <br> <div class="alert alert-primary" role="alert">
     <center><b>List of all users</b></center>
    </div>
    <?php
        $sql = "SELECT * FROM user order by user_id";
        $result = mysqli_query($conn,$sql);

        echo "
            <div class='card'>
                <h3 class='card-header text-center font-weight-bold text-
uppercase py-4'>Users List</h3>
                <div class='card-body'>
                    <div id='table' class='table-editable'>
                        <table class='table table-bordered table-
responsive-md table-striped text-center'>
                            <tr>
                                <th class='text-center'>User id</th>
                                <th class='text-center'>User Name</th>
                                <th class='text-center'>Email Address</th>
                                <th class='text-center'>Mobile Number</th>
                                <!-- <th class='text-center'>Password</th>
--- REMOVED FOR SECURITY --- -->
                                <th class='text-center'>Contributions</th>
                                <th class='text-center'>Confirm Status</th>
                            </tr>
            ";
            while($row = mysqli_fetch_array($result)){

                echo "
                        <tr>
                            <td class='pt-3-half' >".$row['user_id']."</td>
                            <td class='pt-3-half'
>".$row['username']."</td>
                            <td class='pt-3-half'
>".$row['email_address']."</td>
                            <td class='pt-3-half'
>".$row['mobile_number']."</td>
                            <!-- <td class='pt-3-half'
>".$row['password']."</td> --- REMOVED FOR SECURITY --- -->
                            <td class='pt-3-half'
>".$row['contributions']."</td>
```

```
                            <td class='pt-3-half'
>".$row['confirm_status']."</td>
                        </tr>
                ";
            }
        echo "
                </table>
            </div>
        </div>
    </div><br>
";
?>

    <div class="alert alert-primary" role="alert">
         <center><b>Kannda Songs</b></center>
    </div>

<form method="post" action="admin_page.php" enctype="multipart/form-data">
      <!-- ... (kannada upload form) ... -->
</form>

<?php
    $sql = "SELECT * FROM kannada_albums order by song_id";
    $result = mysqli_query($conn,$sql);

    // --- FIXED: Wrapped table in ONE form ---
    echo "
    <form method='post' action='admin_page.php'>
        <div class='card'>
            <h3 class='card-header text-center font-weight-bold text-
uppercase py-4'>Kannada Songs</h3>
            <div class='card-body'>
                <div id='table' class='table-editable'>
                    <table class='table table-bordered table-responsive-md
table-striped text-center'>
                        <tr>
                            <th class='text-center'>Song id</th>
                            <th class='text-center'>Song Name</th>
                            <th class='text-center'>Song format</th>
                            <th class='text-center'>Singer Name</th>
                            <th class='text-center'>Movie Name</th>
                            <th class='text-center'>Action</th>
                        </tr>
        ";
        while($row = mysqli_fetch_array($result)){
            $song_id = $row['song_id'];
            echo "
                    <tr>
                        <td class='pt-3-half' >".$row['song_id']."</td>
                        <td class='pt-3-half' >".$row['song_name']."</td>
                        <td class='pt-3-half' >".$row['song_format']."</td>
                        <td class='pt-3-half' >".$row['singer_name']."</td>
                        <td class='pt-3-half' >".$row['movie_name']."</td>
                        <td>
                            <!-- FIXED: Button now submits
'delete_kannada_song' with the song_id as its value -->
```

```
                            <span><button type='submit'
name='delete_kannada_song' value='$song_id' class='btn btn-danger btn-
rounded btn-sm my-0'>Delete Song <i class='fa fa-
trash'></i></button></span>
                        </td>
                    </tr>
            ";
        }
        echo "
                </table>
            </div>
        </div>
    </form>
";
?>

<!-- ... (Rest of the forms and tables for Hindi, English, Haryanvi,
Uploaded) ... -->

      <!-- copyright -->
      <div class="cpy-right text-center">
            <p>© 2018 Musical World. All rights reserved</p>
      </div>
    <!-- //copyright -->

    <!-- ... (js scripts) ... -->
</body>
</html>
```

CHAPTER 6

Output Screens




Figure- 6.1. Home page




Figure- 6.2. Login page




Figure- 6.3. Signup page




Figure- 6.4. Haryanvi Songs Page




Figure- 6.5. Uploaded Songs Page




Figure- 6.6. Admin Page




Figure- 6.7. About section

CHAPTER 7
CONCLUSINS AND SCOPE FOR FUTURE STUDY

This course has been helpful to me. Also, my confidence in web development developed because of the organised material, which included educational modules, assessments, hands-on practise, and assistance. This web development training included instructive videos, tasks, projects, and a practise environment where I could put what I learned into reality. This helped to solidify my comprehension and application of the topics and it was a pleasure to work on the project.

Web designing or web development is a short-term professional job-oriented course. There are huge opportunities available for the students who want to work in this field. Many private and public organizations hire web designer for their online work and website development. With the rapid advent of online industry, the demand of web development professionals is increasing, and this has a huge job opportunity for the aspirants in the upcoming days. Also, an experienced person in this field can also work as a freelancer; there are many online companies which provide online projects to the individuals.

CHAPTER 8

REFERENCES

[1] https://Cognifyz.com/

[2] https://trainings.Cognifyz.com/web-development-course/?tracking_source=trainings-search-tags

[3] https://github.com/ABHISHEK/Musical-World

[4] https://getbootstrap.com/docs/4.5/getting-started/introduction/

[5] https://www.php.net/manual/en/

[6] https://www.apachefriends.org/index.html

[7] https://mdbootstrap.com/

[8] https://fontawesome.com/v4.7/