

ASSIGNMENT 10 — BOOTSTRAP

Complete Solutions — HTML + CSS

All questions use Bootstrap 5 via CDN, semantic HTML5, responsive Bootstrap grid/flex utilities, and separate CSS files. Bootstrap JavaScript is included only where required for the carousel/dismissible alert.

1. Company Landing Page

HTML File

```
<!doctype html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <title>NovaTech - Landing Page</title>
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css" rel="stylesheet">
  <link rel="stylesheet" href="q1.css">
</head>
<body>
<header>
  <!-- Bootstrap navbar -->
  <nav class="navbar navbar-expand-lg navbar-dark bg-dark">
    <div class="container">
      <a class="navbar-brand fw-bold" href="#">NovaTech</a>
      <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-target="#nav">
        <span class="navbar-toggler-icon"></span>
      </button>
      <div class="collapse navbar-collapse" id="nav">
        <ul class="navbar-nav ms-auto">
          <li class="nav-item"><a class="nav-link" href="#">Home</a></li>
          <li class="nav-item"><a class="nav-link" href="#">Features</a></li>
          <li class="nav-item"><a class="nav-link" href="#">Contact</a></li>
        </ul>
      </div>
    </div>
  </nav>
</header>

<main>
  <section class="hero py-5">
    <div class="container">
      <div class="row align-items-center min-vh-75">
        <div class="col-lg-7">
          <h1 class="display-4 fw-bold">Build Smarter. Grow Faster.</h1>
          <p class="lead">NovaTech helps modern teams create simple digital solutions that make business better.</p>
          <a href="#" class="btn btn-primary btn-lg">Get Started</a>
        </div>
        <div class="col-lg-5 text-center">
          
        </div>
      </div>
    </div>
  </section>
</main>
<footer class="bg-dark text-white text-center p-3">
  <p class="mb-0">&copy; 2026 NovaTech. All rights reserved.</p>
</footer>
</body>
</html>
```

CSS File

```
body { font-family: Arial, sans-serif; }
.hero { background: #f5f8ff; }
.min-vh-75 { min-height: 75vh; }
img { max-height: 360px; object-fit: cover; }
```

2. Personal Portfolio Basics

HTML File

```
<!doctype html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <title>Personal Portfolio</title>
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css" rel="stylesheet">
  <link rel="stylesheet" href="q2.css">
</head>
<body class="bg-light text-dark">
<header class="container text-center mt-4">
  <h1 class="fw-bold">Jayant Chauhan</h1>
  <p class="lead">Data Science & Software Engineering Student</p>
</header>

<main>
  <section class="container text-center p-5">
    
    <h2 class="fw-bold">Hello, I'm Jayant</h2>
    <p class="mb-3">I enjoy building responsive websites and learning software development.</p>
    <a href="#" class="btn btn-primary me-2">Hire Me</a>
    <a href="#" class="btn btn-outline-dark">Download CV</a>

    <div class="row justify-content-center mt-4">
      <div class="col-md-7">
        <form>
          <input class="form-control mb-3" type="text" placeholder="Your Name">
          <input class="form-control mb-3" type="email" placeholder="Your Email">
          <textarea class="form-control mb-3" rows="4" placeholder="Your Message"></textarea>
          <button class="btn btn-dark" type="submit">Send Message</button>
        </form>
      </div>
    </div>
  </section>
</main>
<footer class="text-center p-3 bg-dark text-white">
  <p class="mb-0">&copy; 2026 Jayant Chauhan</p>
</footer>
</body>
</html>
```

CSS File

```
.profile-img { width: 180px; height: 180px; object-fit: cover; }
```

3. Product Catalog

HTML File

```
<!doctype html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <title>Product Catalog</title>
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css" rel="stylesheet">
  <link rel="stylesheet" href="q3.css">
</head>
<body>
<header class="bg-dark text-white text-center p-4">
  <h1>Tech Store</h1><p class="mb-0">Quality products at great prices</p>
</header>
<main class="container py-5">
  <h2 class="text-center mb-4">Featured Products</h2>
  <div class="row g-4">
    <div class="col-12 col-sm-6 col-md-3">
      <article class="card product-card shadow-sm h-100">
        
        <div class="card-body"><h5>Wireless Headphones</h5><p class="fw-bold">$59</p><button class="btn btn-primary">Add to Cart</button></div>
      </article>
    </div>
    <div class="col-12 col-sm-6 col-md-3">
      <article class="card product-card shadow-sm h-100">
        
        <div class="card-body"><h5>Smart Watch</h5><p class="fw-bold">$89</p><button class="btn btn-primary">Add to Cart</button></div>
      </article>
    </div>
    <div class="col-12 col-sm-6 col-md-3">
      <article class="card product-card shadow-sm h-100">
        
        <div class="card-body"><h5>Laptop</h5><p class="fw-bold">$799</p><button class="btn btn-primary">Add to Cart</button></div>
      </article>
    </div>
    <div class="col-12 col-sm-6 col-md-3">
      <article class="card product-card shadow-sm h-100">
        
        <div class="card-body"><h5>Mechanical Keyboard</h5><p class="fw-bold">$75</p><button class="btn btn-primary">Add to Cart</button></div>
      </article>
    </div>
  </div>
</main>
</body>
</html>
```

CSS File

```
.product-card { transition: transform .3s, box-shadow .3s; }
.product-card:hover { transform: translateY(-6px); box-shadow: 0 1rem 2rem rgba(0,0,0,.15) !important; }
.card-img-top { height: 180px; object-fit: cover; }
```

4. Restaurant Menu Page

HTML File

```
<!doctype html>
<html lang="en">
<head>
  <meta charset="UTF-8"><meta name="viewport" content="width=device-width, initial-scale=1">
  <title>Today's Menu</title>
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css" rel="stylesheet">
  <link rel="stylesheet" href="q4.css">
</head>
<body>
<header class="text-center py-5 bg-dark text-white">
  <h1>Spice Garden</h1><p class="lead">Today's Menu</p>
</header>
<main class="container py-5">
  <section>
    <div class="table-responsive">
      <table class="table table-striped table-hover align-middle">
        <thead class="table-dark"><tr><th>Item</th><th>Category</th><th>Price</th></tr></thead>
        <tbody>
          <tr><td>Paneer Tikka</td><td>Starter</td><td>■220</td></tr>
          <tr><td>Veg Biryani</td><td>Main Course</td><td>■260</td></tr>
          <tr><td>Butter Naan</td><td>Bread</td><td>■50</td></tr>
          <tr><td>Gulab Jamun</td><td>Dessert</td><td>■90</td></tr>
        </tbody>
      </table>
    </div>
  </section>
  <section class="row mt-5 align-items-center">
    <div class="col-md-6">
      <h2>Chef's Specials</h2>
      <ul class="list-group">
        <li class="list-group-item">Creamy Malai Kofta</li>
        <li class="list-group-item">Tandoori Platter</li>
        <li class="list-group-item">Mango Shahi Tukda</li>
      </ul>
    </div>
    <figure class="col-md-6 text-center">
      
      <figcaption class="mt-2 text-muted">Freshly prepared Indian cuisine</figcaption>
    </figure>
  </section>
</main>
</body>
</html>
```

CSS File

```
body { background: #fffaf3; }
figure img { max-height: 350px; object-fit: cover; }
```

5. Custom Themed Blog Homepage

HTML File

```
<!doctype html>
<html lang="en">
<head>
  <meta charset="UTF-8"><meta name="viewport" content="width=device-width, initial-scale=1">
  <title>Bright Ideas Blog</title>
  <link href="https://fonts.googleapis.com/css2?family=Poppins:wght@400;600;700&display=swap" rel="stylesheet">
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css" rel="stylesheet">
  <link rel="stylesheet" href="q5.css">
</head>
<body>
<header class="py-4 border-bottom">
  <div class="container"><h1 class="fw-bold">Bright Ideas</h1><p class="mb-0">Technology, learning and creativity</p></div>
</header>
<main class="container py-5">
  <section class="row g-4">
    <div class="col-md-6">
      <article class="card h-100 shadow-sm">
        
        <div class="card-body"><h2 class="h4">Learning to Code</h2><p>Practical ways to build programming skills through projects and consis
        </div>
      </article>
    </div>
    <div class="col-md-6">
      <article class="card h-100 shadow-sm">
        
        <div class="card-body"><h2 class="h4">Productive Study Habits</h2><p>Simple routines that help students organize learning and stay f
        </div>
      </article>
    </div>
  </section>
</main>
<footer class="text-center py-4"><p>&copy; 2026 Bright Ideas Blog</p></footer>
</body>
</html>
```

CSS File

```
:root { --bs-primary: #6f42c1; --bs-font-sans-serif: 'Poppins', sans-serif; }
body { font-family: var(--bs-font-sans-serif); background: #faf8ff; }
.btn-primary { background: #6f42c1; border-color: #6f42c1; }
.card-img-top { height: 230px; object-fit: cover; }
```

6. Notifications Dashboard

HTML File

```
<!doctype html>
<html lang="en">
<head>
  <meta charset="UTF-8"><meta name="viewport" content="width=device-width, initial-scale=1">
  <title>Notifications Dashboard</title>
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css" rel="stylesheet">
  <link rel="stylesheet" href="q6.css">
</head>
<body>
<main class="container py-5">
  <section class="card shadow-sm">
    <div class="card-header"><h1 class="h3 mb-0">Notifications</h1></div>
    <div class="card-body">
      <div class="alert alert-success" role="alert">Your profile was updated successfully.</div>
      <div class="alert alert-info" role="alert">Tip: Complete your profile to improve visibility.</div>
      <div class="alert alert-danger" role="alert">Warning: Your password expires soon.</div>
      <div class="alert alert-warning alert-dismissible fade show" role="alert">
        You have a new security notification.
        <button type="button" class="btn-close" data-bs-dismiss="alert" aria-label="Close"></button>
      </div>
      <section class="summary bg-light border rounded p-4">
        <h2 class="h5">Summary</h2>
        <p class="mb-1">Unread notifications: <strong>4</strong></p>
        <p class="mb-0">Last updated: Today</p>
      </section>
    </div>
  </section>
</main>
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.min.js"></script>
</body>
</html>
```

CSS File

```
.summary { border-left: 5px solid #0d6efd !important; }
```

7. Task Tracker with Badges

HTML File

```
<!doctype html>
<html lang="en">
<head>
  <meta charset="UTF-8"><meta name="viewport" content="width=device-width, initial-scale=1">
  <title>Task Tracker</title>
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css" rel="stylesheet">
  <link rel="stylesheet" href="q7.css">
</head>
<body>
<main class="container py-5">
  <header class="d-flex justify-content-between align-items-center mb-4">
    <h1>Task Tracker</h1>
    <span class="badge bg-danger fs-6">Pending: 3</span>
  </header>
  <section>
    <div class="list-group shadow-sm">
      <div class="list-group-item d-flex justify-content-between align-items-center">
        <span>Complete Bootstrap assignment</span><span class="badge bg-danger">High</span>
      </div>
      <div class="list-group-item d-flex justify-content-between align-items-center">
        <span>Practice Java arrays</span><span class="badge bg-warning text-dark">Medium</span>
      </div>
      <div class="list-group-item d-flex justify-content-between align-items-center">
        <span>Read documentation</span><span class="badge bg-success">Low</span>
      </div>
    </div>
  </section>
  <button class="btn btn-success mt-4">Completed <span class="badge bg-light text-dark">5</span></button>
</main>
</body>
</html>
```

CSS File

```
body { background: #f8f9fa; }
.list-group-item { min-height: 60px; }
```

8. Pricing Plans

HTML File

```
<!doctype html>
<html lang="en">
<head>
  <meta charset="UTF-8"><meta name="viewport" content="width=device-width, initial-scale=1">
  <title>Choose Your Plan</title>
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css" rel="stylesheet">
  <link rel="stylesheet" href="q8.css">
</head>
<body>
<main class="container py-5">
  <header class="text-center mb-5">
    <h1>Choose Your Plan</h1><p class="lead">Simple pricing for growing teams</p>
  </header>
  <section class="row g-4">
    <div class="col-md-4">
      <article class="card h-100 pricing-card shadow-sm">
        <div class="card-body text-center">
          <h2>Basic</h2><p class="display-6 fw-bold">$9</p><p>/month</p>
          <ul class="list-unstyled"><li class="mb-2">5 Projects</li><li class="mb-2">1 GB Storage</li><li class="mb-2">Email Support</li></ul>
          <a class="btn btn-outline-primary" href="#">Choose Basic</a>
        </div>
      </article>
    </div>
    <div class="col-md-4">
      <article class="card h-100 pricing-card bg-primary text-white shadow-lg">
        <div class="card-body text-center">
          <h2>Pro</h2><p class="display-6 fw-bold">$19</p><p>/month</p>
          <ul class="list-unstyled"><li class="mb-2">20 Projects</li><li class="mb-2">20 GB Storage</li><li class="mb-2">Priority Support</li></ul>
          <a class="btn btn-light" href="#">Choose Pro</a>
        </div>
      </article>
    </div>
    <div class="col-md-4">
      <article class="card h-100 pricing-card shadow-sm">
        <div class="card-body text-center">
          <h2>Business</h2><p class="display-6 fw-bold">$49</p><p>/month</p>
          <ul class="list-unstyled"><li class="mb-2">Unlimited Projects</li><li class="mb-2">100 GB Storage</li><li class="mb-2">24/7 Support</li></ul>
          <a class="btn btn-outline-primary" href="#">Choose Business</a>
        </div>
      </article>
    </div>
  </section>
</main>
</body>
</html>
```

CSS File

```
.pricing-card { transition: transform .3s, box-shadow .3s; }
.pricing-card:hover { transform: translateY(-8px); box-shadow: 0 1rem 2rem rgba(0,0,0,.18) !important; }
```

9. Blog Pagination & Pager

HTML File

```
<!doctype html>
<html lang="en">
<head>
  <meta charset="UTF-8"><meta name="viewport" content="width=device-width, initial-scale=1">
  <title>Blog Pagination</title>
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css" rel="stylesheet">
  <link rel="stylesheet" href="q9.css">
</head>
<body>
<main class="container py-5">
  <header class="text-center mb-5">
    <h1>Tech Insights</h1><p class="lead">Latest stories from our blog</p>
  </header>
  <section class="row g-4 mb-5">
    <article class="col-md-6"><div class="card h-100"><div class="card-body"><h2 class="h4">The Future of Web Development</h2><p>Explore mod
  <article class="col-md-6"><div class="card h-100"><div class="card-body"><h2 class="h4">Getting Started with Bootstrap</h2><p>Learn how
</section>
<nav aria-label="Blog pages">
  <ul class="pagination justify-content-center">
    <li class="page-item disabled"><a class="page-link" href="#">Previous</a></li>
    <li class="page-item active"><a class="page-link" href="#">1</a></li>
    <li class="page-item"><a class="page-link" href="#">2</a></li>
    <li class="page-item"><a class="page-link" href="#">Next</a></li>
  </ul>
</nav>
<div class="d-flex justify-content-between mt-4">
  <a href="#" class="btn btn-outline-secondary">Older Posts</a>
  <a href="#" class="btn btn-outline-secondary">Newer Posts</a>
</div>
</main>
</body>
</html>
```

CSS File

```
body { background: #f8f9fa; }
.card { border: 0; }
```

10. Travel Agency Showcase

HTML File

```
<!doctype html>
<html lang="en">
<head>
  <meta charset="UTF-8"><meta name="viewport" content="width=device-width, initial-scale=1">
  <title>Explore India Travel</title>
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css" rel="stylesheet">
  <link rel="stylesheet" href="q10.css">
</head>
<body>
<header class="bg-dark text-white text-center py-4">
  <h1>Explore India</h1><p class="mb-0">Your journey starts here</p>
</header>

<main>
  <section class="container py-5">
    <!-- Bootstrap carousel with automatic slide intervals -->
    <div id="travelCarousel" class="carousel slide carousel-fade" data-bs-ride="carousel">
      <div class="carousel-inner rounded">
        <div class="carousel-item active" data-bs-interval="3000">
          
          <div class="carousel-caption d-block"><h2>Agra</h2><p>Discover the timeless beauty of the Taj Mahal.</p></div>
        </div>
        <div class="carousel-item" data-bs-interval="4000">
          
          <div class="carousel-caption d-block"><h2>Jaipur</h2><p>Experience royal forts, colors and culture.</p></div>
        </div>
        <div class="carousel-item" data-bs-interval="5000">
          
          <div class="carousel-caption d-block"><h2>Himalayas</h2><p>Escape to peaceful mountain landscapes.</p></div>
        </div>
      </div>
      <button class="carousel-control-prev" type="button" data-bs-target="#travelCarousel" data-bs-slide="prev">
        <span class="carousel-control-prev-icon"></span>
      </button>
      <button class="carousel-control-next" type="button" data-bs-target="#travelCarousel" data-bs-slide="next">
        <span class="carousel-control-next-icon"></span>
      </button>
    </div>

    <section class="mt-5">
      <div class="d-flex justify-content-between"><h2>Booking Progress</h2><strong>70%</strong></div>
      <div class="progress" role="progressbar" aria-label="Booking completion" aria-valuenow="70" aria-valuemin="0" aria-valuemax="100">
        <div class="progress-bar progress-bar-striped progress-bar-animated" style="width:70%">70%</div>
      </div>
    </section>
  </section>
</main>

<footer class="bg-dark text-white text-center p-4">
  <p class="mb-1">Contact: +91 98765 43210 | travel@example.com</p>
  <p class="mb-0">&copy; 2026 Explore India Travel</p>
</footer>
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.min.js"></script>
</body>
</html>
```

CSS File

```
.carousel-item img { height: 500px; object-fit: cover; }
@media (max-width: 768px) {
  .carousel-item img { height: 320px; }
}
```