

Disadvantage.

- Cost of development
- Ongoing Maintenance
- Approval required
- User buy-in required

Unit-II

Intent:

- Intent are used for communicating between the Application components and also provides connectivity between two apps.
- Intent are the objects for passing the information among Activities in an Application.

Types of Intents:

Explicit Intent:

- are used to connect the application internally.
- can navigate the app from one Activity to Another Activity.

Code:

```
Intent intent = new Intent (getApplicationContext(),  
                             SecondActivity.class);  
startActivity(intent);
```


Here Second Activity is the Java class name where the activity will be navigated.

How to create Second Activity

com. package.

↳ Right Click (click new)

↳ Activity

↳ Empty Activity.

Implicit Intent.

- is to open any webpage.
- In implicit Intents need to specify the name of the component, just specify the Action which has to be performed and further this Action is handled by component of another application.

Code.

```
Intent intentObj = new Intent(Intent.ACTION_VIEW);  
intentObj.setData(Uri.parse("https://codingpursuits.com"));  
startActivity(intentObj);
```

Create a project in Android Studio (intent)

Step 1: Let's design UI of activity_main.xml

<LinearLayout

android:orientation = "vertical"

android:gravity = "center">

<TextView

android:id = "@+id/textview"

android:text = "Click ANY BUTTON"

android:layout_width = "wrap content"

android:layout_height = "wrap content" />


```
<Button  
    android:id="@+id/explicit_intent"  
    android:text="Explicit Example" />
```

```
<Button  
    android:id="@+id/implicit_intent"  
    android:text="Implicit Example"  
    android:layout_height="match_parent"  
    android:layout_width="wrap_content" />  
</LinearLayout>
```

Step 2: Design UI of Second Activity

activity_second.xml

```
<LinearLayout
```

```
    <TextView
```

```
        android:id="@+id/text_view"  
        android:text="This is Second Activity"  
        android:layout_height="wrap_content"  
        android:layout_width="wrap_content" />
```

```
    </LinearLayout>
```

Step 3: Implement onClick event for Implicit
and Explicit Button inside MainActivity.java

MainActivity.java

```
Package com.example.android.intents;
```

```
import android.content.Intent;
```

```
public class MainActivity extends AppCompatActivity
```

```
{
```

```
    Button exp_btn, Imp_Btn;
```

```
    @Override
```



```
protected void onCreate ( . . . . . )
```

```
{    super.onCreate ();  
    setContentView ();  
    exp_btn = (Button) findViewById (R.id.explicit_intent);  
    Imp_Btn = (Button) " " " (R.id.implicit_intent);  
    // implements onClick for Explicit
```

```
expl  
exp_btn.setOnClickListener (new View.OnClickListener () {
```

```
@Override
```

```
public void onClick (View v) {
```

```
    Intent intent = new Intent (getApplicationContext(),  
                                SecondActivity.class);
```

```
    startActivity (intent);
```

```
}
```

```
});
```

```
// implements onClick for Implicit
```

```
Imp Imp_Btn.setOnClickListener ( . . . . . {
```

```
@Override
```

```
public void onClick (View v) {
```

```
    Intent intent = new Intent (Intent.ACTION_VIEW)
```

```
    intent.setData (Uri.parse ("https://codingpursuits.com"));
```

```
    startActivity (intent);
```

```
}
```

```
});
```

```
}
```

Step 4

REDMI NOTE 5 PRO
MI DUAL CAMERA

Create a new java class name SecondActivity

Second Activity


```
public class SecondActivity extends AppCompatActivity  
{  
    @Override  
    .....  
    Toast.makeText(getApplicationContext(),  
        "Second Activity", Toast.LENGTH_LONG).show();  
}
```

Step 5: Manifest file

```
<?xml version="1.0" ..... >  
<manifest ..... >  
    <application  
        android:theme="@style/AppTheme">  
        <activity android:name=".MainActivity">  
            <intent-filter>  
                <action android:name="android.intent.  
                    action.MAIN"/>  
                <category android:name="android.intent.  
                    category.LAUNCHER"/>  
            </intent-filter>  
        </activity>  
        <activity android:name=".SecondActivity">  
        </activity>  
    </application>
```



OLP



uses:

- Start the Service
- Launch an activity
- Display web page
- Display a list of contacts
- Broadcast Message
- Dial a phone call etc.

Send data from one Activity to another Activity

- putExtra() - used for sending data,
data in key-value pair,
key is variable name and value
can be Int, String, Float etc,
- getStringExtra() - for getting the data (key)

Activity-main.xml

<LinearLayout

orientation = "vertical"

gravity = "center" >


```

<EditText
    id = name
    hint = "Enter Name"
    Layout_width = "
    Layout_height = "
    inputType = "text" />

<EditText
    id = Email
    hint = "Enter Email"
    Layout_width = "
    Layout_height = "
    InputType = "textEmailAddress" />

<Button
    id = SaveBtn
    text = "Save" />

</LinearLayout>

```

In First MainActivity.java

```

public class .....
    EditText t1, t2;
    Button B1;

    @Override
    protected
        Super
        Set.....

    // actionBar title
    ActionBar actionBar = getSupportActionBar();
    actionBar.setTitle("First Activity");

    // EditText
    t1 = (EditText) findViewById(R.id.name);
    t2 = " " " " (" " . email);
    B1 = (Button) " " (R.id.SaveBtn);

    B1.setOnClickListener(new View.OnClickListener() {
        @Override
        public void onClick (View v)
        {
            String Name = t1.getText().toString();
            String Email = t2.getText().toString();

```


MainActivity Intent

```
Intent i = new Intent (MainActivity.this, SecondActivity.class);  
i.putExtra ("NAME", Name);  
i.putExtra ("EMAIL", Email);  
startActivity (i);
```

In Second.xml

<LinearLayout

<TextView

id = "result"

textSize = "30sp"

textStyle = "bold" />

Second Activity.java

@Override

protected void onCreate

{

ActionBar
("Second Activity");

Intent i = getIntent();

String name = i.getStringExtra ("NAME");

String email = i.getStringExtra ("EMAIL");

res = (TextView) find (R.id.res);

res.setText ("Name: " + name +

"\nEmail: " + email);

}

←