





KFE




- *focuses on the fusion of external knowledge with generative AI, showcasing how it retrieves and integrates information.*



Trinity Azure Account
VPC
OpenAI
Azure Enterprise LLM
Embeddings &
Completions
(Chat Queries)
r J&J
ine (EC2)
Semantic Layer
cube
Platform Data
Chat History
Source Data for RAG
Trinity GenAI API for JnJ
LlamaIndex
AutoGen
Knowledge Fusion Engine (KFE)
Val
Read
Functional Data
Transformed
Data Updates
Databases
Pull Image
AWS EKS
EC2 Nodes
docker
AWS
ALB
AWS Redshift
(Functional Data)
AWS RDS
(Postgres)
Pull Image
J&J JPH Pre-Call Planner UI
EC2 Node
docker
Chat
ices (EC2)
AWS
OpenSearch
(ElasticSearch)
Pull Image
Chat Traces
VM Images
AWS Elastic Container
Registry
AWS Machine Images
Logging
AWS CloudWatch
Code Build & Deployment
CI/CD
Checkout
Source Code
Trinity Github Workflows
Trinity Enterprise
Github
Code Scanning


Authentication
lidate Token
J&J Azure AD
J&J Veeva IDP
SSO
Internet
UI (Browser)
J&J End Users



J&J Azure Account
VPC





***KFE** - focuses on the fusion of external knowledge with genera*




ative AI, showcasing how it retrieves and integrates information.


OpenAI
Azure Enterprise LLM
Embeddings &
Completions
(Chat Queries)
GenAI API
Semantic Layer / EKS Node
cube
BE
Knowledge Fusion Engine (KFE)
AWS EKS
EKS Nodes
docker
AWS
ALB
UI
docker
EKS Node
Logging
AWS CloudWatch
Validate Token
Authentication
J&J Azure AD
J&J Veeva IDP
SSO
Internet
Chat UI
(Browser)
J&J End Users



J&J Azure Account
VPC





***KFE** - focuses on the fusion of external knowledge with genera*




ative AI, showcasing how it retrieves and integrates information.



OpenAI
Azure Enterprise LLM
Embeddings &
Completions
(Chat Queries)
Gen AI
Semantic Layer / EKS Node
docker
cube
API Layer / EKS Node
docker
Framework
python
django
text-embedding-3-small
Embeddings
Vector
Generation
UI Layer / EKS Node
docker
React
Logging
AWS CloudWatch
Validate Token
Authentication
J&J Azure AD
J&J Veeva IDP
SSO
Internet
Chat UI
(Browser / iConnect)
J&J End Users



Postgres DB
Rep Agent
Redshift DB
Agents
DB
Chat API
Chat UI
Unified P


DB
Management
API
Management
UI
latform



Postgres
DB
DB
DB



0%
-
20%
20%
-
40


Clone
Cancel
Save As
Save Segment
Save Segment & Create Target List



Rep Agent
Redshift DB
Agents
Chat API
Chat UI
Management API
Management UI
Unified Platform

	60%	-	100


Create Target List
Name
Description
Tags
Cancel
Save


HCP
SI
Sea
14 HCP
cascs
Sample
Created
Created
14 HCP
Segm
Sample
Created

TRINIT



© 2025 Trinity. All rights reserved.



Create Segment

.4 HCPs

Sample seg

reated: 9/4/2025 By: Kuncham


14 HCPs

sample seg


Created: 9/5/2025 By: Kuncham


Records per page 8 1–6 of 6


Privacy Policy About Con





tact


Authentication
RWE Azure AD
Data Layer
PostgreSQL
Data Fetch
Validate Token
SSO
Read/Write
API Function
python
django
API Call
LLM Interaction
React
Access Application UI
Retrieve Vectors/Static Files
Internet
End Users
Amazon S3


cube
Semantic
Connection
.LM Function
Frameworks
-embedding-3-small
Embeddings
Vector
Generation
LLM
Azure OpenAI
GPT-4o
Store Vectors


Trinity Environment
GitHub
UI
BE
Semantic
snyk
Jenkins
1. Encrypt the code with right configuration
2. Create an Images & Tag
3. Publish into AWS ECR
AWS ECR
1. Holds all the Images with Tags


J&J Environment
DEVELOPMENT
PRODUCTION
Jenkins
1. Run Jenkins Job to Deploy the latest Image into the respective ENV
2. Delete the K8 POD if there are changes in Secrets(Need basis)
bucket
sg will be
rough Jira ID
raised to target
from Feature
adding reviewrs
Artifactory
1. Store Images Into the Artifactory(JFrog)
2. Scans will start automatically
3. Fixing the Vulnerabilities will happen in Trinity Environment
Scan Reports
Cloud PC
1. Run Shell Script to Pull Image from Trinity ECR
2. Raise Request to Update Secrets in AWS Secrets Manager if any


Kubernetes Cluster
Frontend Service (Private)
https://repcopilot.apps.jnj.com/
Web
(Entra ID)
iConnect
(Ping ID)
1
Backend Service (Public)
https://api.repcopilot.apps.jnj.com/
2
Auth Middleware
Backend Logic
1
Semantic Service (Private)
https://semantic.repcopilot.apps.jnj.com/
2
Auth Middleware
Semantic Logic
Legends
1
- First L
2
- Secon
Responsibilities
1. Verify and
the token i
2. Identify the
Entra ID)
3. Validate th
Responsibilities
1. Azure SSC
irrespective
Debug)
2. Verify and
the token i
3. Identify the
Entra ID)
4. Validate th

evel Security

d Level Security

send unauthorized response if
s not present in the request
e token (either from Ping ID or

e token with Azure/PingFed

) authentication is in place
e of the App Mode(Prod or

send unauthorized response if
s not present in the request
e token (either from Ping ID or

e token with Azure/PingFed