PAEDIATRICIAN CONTENT REVIEW AND SYSTEM OUTPUT VALIDATION

Synthetic Developmental Assessment Outputs - 12 Checkpoints

Research project	AI-Driven Multi-Model System for Child Health
Individual component	Communication, cognitive, and social-emotional developmental monitoring
Undergraduate researcher	Name: _____ Student ID: _____
Reviewer	Consultant paediatrician content and output review
Purpose	Review age appropriateness, clarity, content suitability, and safety of genuine software outputs from predefined synthetic cases.
Synthetic declaration	All developmental and suitability inputs are fictional test data. No case represents an actual child.

SYNTHETIC DEMONSTRATION OUTPUT - FOR PAEDIATRICIAN CONTENT AND OUTPUT REVIEW ONLY. NOT CLINICAL VALIDATION, DIAGNOSTIC EVIDENCE, OR PROOF OF PREDICTIVE ACCURACY.

Fictional activity-suitability profile used solely for synthetic software-output demonstration. All four supported questions were answered 'No concern noticed' and mapped to NO_CONCERN_REPORTED. These inputs remained separate from the ML feature contract.

Checkpoint CP2M - 2 months

Case 1: CP2M-P - Mostly achieved

A. Synthetic developmental questionnaire inputs

Domain	Item	Synthetic answer
Communication	Q1. When your child hears the voice of a familiar adult, does your child suddenly become quiet or change their facial expression or movements?	2 - Yes, usually
	Q2. Does your child make soft sounds such as cooing, apart from crying?	2 - Yes, usually
	Q3. When you speak lovingly to your child, are there times when your child makes a sound in response?	2 - Yes, usually
	Q4. When awake and comfortable, does your child begin making sounds on their own before anyone speaks to them?	2 - Yes, usually
	Q5. After a familiar adult imitates a sound your child made, does your child make another sound?	1 - Sometimes
Cognitive	Q1. When an adult is nearby, does your child look at the adult's face, even briefly?	2 - Yes, usually
	Q2. When you slowly move your face or a toy from side to side, does your child follow it with their eyes until it moves out of sight?	0 - Not yet
	Q3. When your child understands that feeding is about to begin—for example, when shown the feeding bottle or picked up—does your child show signs of getting ready to feed?	2 - Yes, usually
	Q4. When two nearby faces or two toys are visible, does your child look at one and then shift their gaze to the other?	2 - Yes, usually
	Q5. After seeing the same simple picture or age-appropriate toy several times, does your child show renewed interest when a different one appears?	2 - Yes, usually
Social-emotional	Q1. Does your child smile when an adult smiles or speaks lovingly to them?	1 - Sometimes
	Q2. Does your child calm down when held, touched, or comforted by a familiar adult?	2 - Yes, usually
	Q3. During quiet face-to-face moments, does your child look at a familiar adult?	2 - Yes, usually
	Q4. For example, while being changed or bathed, does your child remain calm and alert rather than becoming unsettled?	2 - Yes, usually
	Q5. When your child needs a break, do they show it by looking away, becoming quiet, or becoming unsettled?	2 - Yes, usually

B. Authorized synthetic activity-suitability assumptions

Fictional activity-suitability profile used solely for synthetic software-output demonstration.

Hearing	No concern noticed	no_concern_reported
Vision	No concern noticed	no_concern_reported
Fine Motor	No concern noticed	no_concern_reported
Gross Motor	No concern noticed	no_concern_reported

C. Actual system predictions

Domain	Probability	System decision
Communication	0.003424	Not flagged by this screening
Cognitive	0.000954	Not flagged by this screening
Social-emotional	0.003041	Not flagged by this screening

Overall OR-rule decision: NO DOMAIN FLAGGED. No developmental areas were flagged by the current model results.

D. Existing caregiver explanations

Communication: Observation contributing most to this result Yes, usually for "When your child hears the voice of a familiar adult, does your child suddenly become quiet or change their facial expression or movements?" moved the model calculation away from a concern flag.
Cognitive: This screening result did not flag this area. It does not rule out developmental needs.
Social-emotional: Observation contributing most to this result Yes, usually for "Does your child calm down when held, touched, or comforted by a familiar adult?" moved the model calculation away from a concern flag.
The models considered all 15 answers and the selected checkpoint when producing these results. The highlighted observations are examples of influential answers and did not determine the results alone. These results support developmental monitoring and are not diagnoses.

Case 1: CP2M-P - actual activity recommendation output

E. Activity recommendations

No developmental domain was flagged, so targeted activity retrieval was not applicable.

Checkpoint CP2M - 2 months

Case 2: CP2M-O1 - Mixed answers

A. Synthetic developmental questionnaire inputs

Domain	Item	Synthetic answer
Communication	Q1. When your child hears the voice of a familiar adult, does your child suddenly become quiet or change their facial expression or movements?	0 - Not yet
	Q2. Does your child make soft sounds such as cooing, apart from crying?	2 - Yes, usually
	Q3. When you speak lovingly to your child, are there times when your child makes a sound in response?	1 - Sometimes
	Q4. When awake and comfortable, does your child begin making sounds on their own before anyone speaks to them?	1 - Sometimes
	Q5. After a familiar adult imitates a sound your child made, does your child make another sound?	2 - Yes, usually
Cognitive	Q1. When an adult is nearby, does your child look at the adult's face, even briefly?	0 - Not yet
	Q2. When you slowly move your face or a toy from side to side, does your child follow it with their eyes until it moves out of sight?	1 - Sometimes
	Q3. When your child understands that feeding is about to begin—for example, when shown the feeding bottle or picked up—does your child show signs of getting ready to feed?	0 - Not yet
	Q4. When two nearby faces or two toys are visible, does your child look at one and then shift their gaze to the other?	1 - Sometimes
	Q5. After seeing the same simple picture or age-appropriate toy several times, does your child show renewed interest when a different one appears?	2 - Yes, usually
Social-emotional	Q1. Does your child smile when an adult smiles or speaks lovingly to them?	0 - Not yet
	Q2. Does your child calm down when held, touched, or comforted by a familiar adult?	1 - Sometimes
	Q3. During quiet face-to-face moments, does your child look at a familiar adult?	0 - Not yet
	Q4. For example, while being changed or bathed, does your child remain calm and alert rather than becoming unsettled?	2 - Yes, usually
	Q5. When your child needs a break, do they show it by looking away, becoming quiet, or becoming unsettled?	2 - Yes, usually

B. Authorized synthetic activity-suitability assumptions

Fictional activity-suitability profile used solely for synthetic software-output demonstration.

Hearing	No concern noticed	no_concern_reported
Vision	No concern noticed	no_concern_reported
Fine Motor	No concern noticed	no_concern_reported
Gross Motor	No concern noticed	no_concern_reported

C. Actual system predictions

Domain	Probability	System decision
Communication	0.363779	Additional monitoring may be helpful
Cognitive	0.587459	Additional monitoring may be helpful
Social-emotional	0.244688	Additional monitoring may be helpful

Overall OR-rule decision: CONCERN FLAGGED. Areas identified for further attention: Communication, Cognitive and Social-emotional

D. Existing caregiver explanations

Communication: Observation contributing most to this result Not yet for "When your child hears the voice of a familiar adult, does your child suddenly become quiet or change their facial expression or movements?" moved the model calculation toward a concern flag.
Cognitive: This screening result suggests that additional monitoring may be helpful. It is not a diagnosis.
Social-emotional: Observation contributing most to this result Not yet for "During quiet face-to-face moments, does your child look at a familiar adult?" moved the model calculation toward a concern flag.
The models considered all 15 answers and the selected checkpoint when producing these results. The highlighted observations are examples of influential answers and did not determine the results alone. These results support developmental monitoring and are not diagnoses.

Case 2: CP2M-O1 - actual activity recommendation output

E. Activity recommendations

Runtime status: ready. Returned activities: 9. Retrieval mode: caregiver deployment.

Communication - ready

Eligible after all filters: 19; withheld: 213; returned by semantic ranking: 3.

1. Did You Hear That?

When you notice a gentle everyday sound outside, briefly describe it and make a quiet imitation. Give your child time to attend to the sound in their own way; a look or movement is enough. Do not repeatedly ask them to identify or reproduce it.

Source: Vroom, page 11, tip 189 | https://assets.ctfassets.net/khbu829tujdl/LyHni4h8ESCUgSOaGoWKw/698282000d890a095c55f564a92911d2/Vroom_TipSheet_Age_0_1_ENG.pdf | Activity ID: ACT-VROOM-TIP-00189

2. Sing-Song Voice

When your baby makes a sound, reply using a warm, gently musical voice. Pause to allow another response, or simply enjoy a short, quiet exchange. Watch their expression and continue only if they seem comfortable.

Source: Vroom, page 8, tip 57 | https://assets.ctfassets.net/khbu829tujdl/LyHni4h8ESCUgSOaGoWKw/698282000d890a095c55f564a92911d2/Vroom_TipSheet_Age_0_1_ENG.pdf | Activity ID: ACT-VROOM-TIP-00057

3. Sound Sensor

In a calm room, hum quietly or make a gentle familiar sound while your baby is awake. Watch whether they turn or shift their attention, and respond with a warm smile or a few words. The goal is a pleasant exchange, not a hearing test.

Source: Vroom, page 5, tip 811 | https://assets.ctfassets.net/khbu829tujdl/LyHni4h8ESCUgSOaGoWKw/698282000d890a095c55f564a92911d2/Vroom_TipSheet_Age_0_1_ENG.pdf | Activity ID: ACT-VROOM-TIP-00811

Cognitive - ready

Eligible after all filters: 11; withheld: 221; returned by semantic ranking: 3.

1. Look at a face

Bring your face into comfortable view and let your baby explore it visually. Your baby might look, turn, move, smile, make a sound, stay quiet or need a break. Any response is welcome; do not ask them to imitate or perform. Keep babies fully supervised and properly supported; never leave them on a raised changing surface. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/2-months.html | Activity ID: ACT-CDC-02-COG-02

2. Slow visual tracking

While your baby is awake, slowly move a safe high-contrast object within comfortable view. Your baby might look, turn, move, smile, make a sound, stay quiet or need a break. Any response is welcome; do not ask them to imitate or perform. Use only intact age-suitable materials; no loose, detachable or mouth-sized pieces. Keep babies fully supervised and properly supported; never leave them on a raised changing surface. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/2-months.html | Activity ID: ACT-CDC-02-COG-01

3. Observe and respond

Watch for signs that your baby is interested or needs a break and adjust play accordingly. Your baby might look, turn, move, smile, make a sound, stay quiet or need a break. Any response is welcome; do not ask them to imitate or perform. Keep babies fully supervised and properly supported; never leave them on a raised changing surface. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/2-months.html | Activity ID: ACT-CDC-02-COG-05

Social-emotional - ready

Eligible after all filters: 15; withheld: 217; returned by semantic ranking: 3.

1. Ready, Set, Play!

Look for your baby's own signs of interest, such as looking towards you, making a sound or moving their arms. Respond by smiling, speaking or joining their chosen interaction, then pause to see what happens next. Stop when they signal that they need a break.

Source: Vroom, page 4, tip 797 | https://assets.ctfassets.net/khbu829tujdl/LyHni4h8ESCUgSOaGoWKw/698282000d890a095c55f564a92911d2/Vroom_TipSheet_Age_0_1_ENG.pdf | Activity ID: ACT-VROOM-TIP-00797

2. Responsive smile

Offer a warm smile during a calm face-to-face moment and allow time for a response. Your baby might look, turn, move, smile, make a sound, stay quiet or need a break. Any response is welcome; do not ask them to imitate or perform. Keep babies fully supervised and properly supported; never leave them on a raised changing surface. Never demand disclosure, apology, eye contact, physical touch or a particular emotional response. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/2-months.html | Activity ID: ACT-CDC-02-SOC-01

3. Body Language

Use a simple gesture while you speak, such as waving while saying hello or gently clapping while saying well done. Notice any comfortable response from your child, such as looking, moving, smiling, making a sound or using a gesture. Respond warmly; there is no need for the child to copy you.

Source: Vroom, page 3, tip 73 | https://assets.ctfassets.net/khbu829tujdl/2oHlhQZZBWU8yq8acmwUy6/1c24e1c4340e3ece406d76babc3b1f11/Vroom_TipSheet_Age_1-2_ENG.pdf | Activity ID: ACT-VROOM-TIP-00073

Checkpoint CP2M - 2 months

Case 3: CP2M-O2 - Mostly not yet

A. Synthetic developmental questionnaire inputs

Domain	Item	Synthetic answer
Communication	Q1. When your child hears the voice of a familiar adult, does your child suddenly become quiet or change their facial expression or movements?	0 - Not yet
	Q2. Does your child make soft sounds such as cooing, apart from crying?	1 - Sometimes
	Q3. When you speak lovingly to your child, are there times when your child makes a sound in response?	2 - Yes, usually
	Q4. When awake and comfortable, does your child begin making sounds on their own before anyone speaks to them?	0 - Not yet
	Q5. After a familiar adult imitates a sound your child made, does your child make another sound?	0 - Not yet
Cognitive	Q1. When an adult is nearby, does your child look at the adult's face, even briefly?	2 - Yes, usually
	Q2. When you slowly move your face or a toy from side to side, does your child follow it with their eyes until it moves out of sight?	1 - Sometimes
	Q3. When your child understands that feeding is about to begin—for example, when shown the feeding bottle or picked up—does your child show signs of getting ready to feed?	0 - Not yet
	Q4. When two nearby faces or two toys are visible, does your child look at one and then shift their gaze to the other?	0 - Not yet
	Q5. After seeing the same simple picture or age-appropriate toy several times, does your child show renewed interest when a different one appears?	0 - Not yet
Social-emotional	Q1. Does your child smile when an adult smiles or speaks lovingly to them?	0 - Not yet
	Q2. Does your child calm down when held, touched, or comforted by a familiar adult?	0 - Not yet
	Q3. During quiet face-to-face moments, does your child look at a familiar adult?	0 - Not yet
	Q4. For example, while being changed or bathed, does your child remain calm and alert rather than becoming unsettled?	1 - Sometimes
	Q5. When your child needs a break, do they show it by looking away, becoming quiet, or becoming unsettled?	1 - Sometimes

B. Authorized synthetic activity-suitability assumptions

Fictional activity-suitability profile used solely for synthetic software-output demonstration.

Hearing	No concern noticed	no_concern_reported
Vision	No concern noticed	no_concern_reported
Fine Motor	No concern noticed	no_concern_reported
Gross Motor	No concern noticed	no_concern_reported

C. Actual system predictions

Domain	Probability	System decision
Communication	0.629483	Additional monitoring may be helpful
Cognitive	0.955648	Additional monitoring may be helpful
Social-emotional	0.848474	Additional monitoring may be helpful

Overall OR-rule decision: CONCERN FLAGGED. Areas identified for further attention: Communication, Cognitive and Social-emotional

D. Existing caregiver explanations

Communication: Observation contributing most to this result Not yet for "When your child hears the voice of a familiar adult, does your child suddenly become quiet or change their facial expression or movements?" moved the model calculation toward a concern flag.
Cognitive: This screening result suggests that additional monitoring may be helpful. It is not a diagnosis.
Social-emotional: Observation contributing most to this result Not yet for "Does your child calm down when held, touched, or comforted by a familiar adult?" moved the model calculation toward a concern flag.
The models considered all 15 answers and the selected checkpoint when producing these results. The highlighted observations are examples of influential answers and did not determine the results alone. These results support developmental monitoring and are not diagnoses.

Case 3: CP2M-O2 - actual activity recommendation output

E. Activity recommendations

Runtime status: ready. Returned activities: 9. Retrieval mode: caregiver deployment.

Communication - ready

Eligible after all filters: 19; withheld: 213; returned by semantic ranking: 3.

1. Did You Hear That?

When you notice a gentle everyday sound outside, briefly describe it and make a quiet imitation. Give your child time to attend to the sound in their own way; a look or movement is enough. Do not repeatedly ask them to identify or reproduce it.

Source: Vroom, page 11, tip 189 | https://assets.ctfassets.net/khbu829tujdl/LyHni4h8ESCUgSOaGoWKw/698282000d890a095c55f564a92911d2/Vroom_TipSheet_Age_0_1_ENG.pdf | Activity ID: ACT-VROOM-TIP-00189

2. Sound Sensor

In a calm room, hum quietly or make a gentle familiar sound while your baby is awake. Watch whether they turn or shift their attention, and respond with a warm smile or a few words. The goal is a pleasant exchange, not a hearing test.

Source: Vroom, page 5, tip 811 | https://assets.ctfassets.net/khbu829tujdl/LyHni4h8ESCUgSOaGoWKw/698282000d890a095c55f564a92911d2/Vroom_TipSheet_Age_0_1_ENG.pdf | Activity ID: ACT-VROOM-TIP-00811

3. Echo little sounds

When your baby makes a comfortable sound, repeat it gently and wait for another response. Your baby might look, turn, move, smile, make a sound, stay quiet or need a break. Any response is welcome; do not ask them to imitate or perform. Keep babies fully supervised and properly supported; never leave them on a raised changing surface. Use a gentle voice or comfortable sound level; do not make sudden loud noises near a child. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/2-months.html | Activity ID: ACT-CDC-02-COM-01

Cognitive - ready

Eligible after all filters: 11; withheld: 221; returned by semantic ranking: 3.

1. Look at a face

Bring your face into comfortable view and let your baby explore it visually. Your baby might look, turn, move, smile, make a sound, stay quiet or need a break. Any response is welcome; do not ask them to imitate or perform. Keep babies fully supervised and properly supported; never leave them on a raised changing surface. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/2-months.html | Activity ID: ACT-CDC-02-COG-02

2. Observe and respond

Watch for signs that your baby is interested or needs a break and adjust play accordingly. Your baby might look, turn, move, smile, make a sound, stay quiet or need a break. Any response is welcome; do not ask them to imitate or perform. Keep babies fully supervised and properly supported; never leave them on a raised changing surface. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/2-months.html | Activity ID: ACT-CDC-02-COG-05

3. Cart Vision

While shopping with your child, talk about something they notice, such as the colour of fruit, a familiar sound or a smell. Pause and follow where their attention goes next. Keep the conversation gentle and brief.

Source: Vroom, page 2, tip 268 | https://assets.ctfassets.net/khbu829tujdl/2oHlhQZZBWU8yq8acmwUy6/1c24e1c4340e3ece406d76babc3b1f11/Vroom_TipSheet_Age_1-2_ENG.pdf | Activity ID: ACT-VROOM-TIP-00268

Social-emotional - ready

Eligible after all filters: 15; withheld: 217; returned by semantic ranking: 3.

1. Responsive smile

Offer a warm smile during a calm face-to-face moment and allow time for a response. Your baby might look, turn, move, smile, make a sound, stay quiet or need a break. Any response is welcome; do not ask them to imitate or perform. Keep babies fully supervised and properly supported; never leave them on a raised changing surface. Never demand disclosure, apology, eye contact, physical touch or a particular emotional response. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/2-months.html | Activity ID: ACT-CDC-02-SOC-01

2. Ready, Set, Play!

Look for your baby's own signs of interest, such as looking towards you, making a sound or moving their arms. Respond by smiling, speaking or joining their chosen interaction, then pause to see what happens next. Stop when they signal that they need a break.

Source: Vroom, page 4, tip 797 | https://assets.ctfassets.net/khbu829tujdl/LyHni4h8ESCUgSOaGoWKw/698282000d890a095c55f564a92911d2/Vroom_TipSheet_Age_0_1_ENG.pdf | Activity ID: ACT-VROOM-TIP-00797

3. Comfort and connection

Hold or gently comfort your baby when they signal a need for reassurance. Your baby might look, turn, move, smile, make a sound, stay quiet or need a break. Any response is welcome; do not ask them to imitate or perform. Keep babies fully supervised and properly supported; never leave them on a raised changing surface. Never demand disclosure, apology, eye contact, physical touch or a particular emotional response. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/2-months.html | Activity ID: ACT-CDC-02-SOC-02

Checkpoint CP2M - paediatrician review

Review the three synthetic cases and their genuine system outputs above.

Appropriateness of developmental concern messaging	
Clarity of explanations	
Age appropriateness of recommendations	
Safety and suitability of activity instructions	
Required corrections	
General checkpoint comments	

Checkpoint review decision:
[ ] Suitable as presented [ ] Suitable with minor corrections [ ] Requires revision

Checkpoint CP4M - 4 months

Case 1: CP4M-P - Mixed answers

A. Synthetic developmental questionnaire inputs

Domain	Item	Synthetic answer
Communication	Q1. When someone speaks, does your child turn their eyes, head, or attention towards that person?	0 - Not yet
	Q2. Does your child make different sounds to express happiness, interest, or discomfort?	1 - Sometimes
	Q3. During face-to-face communication, does your child make a sound in response after an adult speaks and pauses?	1 - Sometimes
	Q4. When making sounds, does your child repeatedly make clear vowel-like sounds such as "oo," "ah," or "ee"?	0 - Not yet
	Q5. While your child is making sounds, do they stop as if listening when an adult begins to speak?	2 - Yes, usually
Cognitive	Q1. Does your child look at an interesting person or object for several seconds?	0 - Not yet
	Q2. Does your child try to explore a safely placed toy within reach by looking at it, touching it, or pulling it closer?	2 - Yes, usually
	Q3. When a toy unexpectedly moves or makes a sound, does your child try to repeat the action?	0 - Not yet
	Q4. Does your child look at and study their own hands with interest?	2 - Yes, usually
	Q5. After watching a toy move slowly out of sight, does your child look toward the place where it disappeared?	1 - Sometimes
Social-emotional	Q1. Does your child smile or make sounds to gain the attention of a familiar adult?	1 - Sometimes
	Q2. While playing, does your child show enjoyment by smiling, making sounds, or excitedly moving their arms and legs?	1 - Sometimes
	Q3. Does your child respond differently to familiar adults than to unfamiliar people?	2 - Yes, usually
	Q4. When near another baby or young child, does your child watch them with interest for several seconds?	2 - Yes, usually
	Q5. Does your child respond to a change in a familiar adult's facial expression—for example, smiling at a happy expression or becoming quiet at a serious one?	0 - Not yet

B. Authorized synthetic activity-suitability assumptions

Fictional activity-suitability profile used solely for synthetic software-output demonstration.

Hearing	No concern noticed	no_concern_reported
Vision	No concern noticed	no_concern_reported
Fine Motor	No concern noticed	no_concern_reported
Gross Motor	No concern noticed	no_concern_reported

C. Actual system predictions

Domain	Probability	System decision
Communication	0.526558	Additional monitoring may be helpful
Cognitive	0.151517	Additional monitoring may be helpful
Social-emotional	0.119008	Not flagged by this screening

Overall OR-rule decision: CONCERN FLAGGED. Areas identified for further attention: Communication and Cognitive

D. Existing caregiver explanations

Communication: Observation contributing most to this result Not yet for "When someone speaks, does your child turn their eyes, head, or attention towards that person?" moved the model calculation toward a concern flag.
Cognitive: This screening result suggests that additional monitoring may be helpful. It is not a diagnosis.
Social-emotional: Observation contributing most to this result Yes, usually for "Does your child respond differently to familiar adults than to unfamiliar people?" moved the model calculation away from a concern flag.
The models considered all 15 answers and the selected checkpoint when producing these results. The highlighted observations are examples of influential answers and did not determine the results alone. These results support developmental monitoring and are not diagnoses.

Case 1: CP4M-P - actual activity recommendation output

E. Activity recommendations

Runtime status: ready. Returned activities: 6. Retrieval mode: caregiver deployment.

Communication - ready

Eligible after all filters: 19; withheld: 213; returned by semantic ranking: 3.

1. Body Language

Use a simple gesture while you speak, such as waving while saying hello or gently clapping while saying well done. Notice any comfortable response from your child, such as looking, moving, smiling, making a sound or using a gesture. Respond warmly; there is no need for the child to copy you.

Source: Vroom, page 3, tip 73 | https://assets.ctfassets.net/khbu829tujdl/2oHlhQZZBWU8yq8acmwUy6/1c24e1c4340e3ece406d76babc3b1f11/Vroom_TipSheet_Age_1-2_ENG.pdf | Activity ID: ACT-VROOM-TIP-00073

2. Sing-Song Voice

When your baby makes a sound, reply using a warm, gently musical voice. Pause to allow another response, or simply enjoy a short, quiet exchange. Watch their expression and continue only if they seem comfortable.

Source: Vroom, page 8, tip 57 | https://assets.ctfassets.net/khbu829tujdl/LyHni4h8ESCUgSOaGoWKw/698282000d890a095c55f564a92911d2/Vroom_TipSheet_Age_0_1_ENG.pdf | Activity ID: ACT-VROOM-TIP-00057

3. Did You Hear That?

When you notice a gentle everyday sound outside, briefly describe it and make a quiet imitation. Give your child time to attend to the sound in their own way; a look or movement is enough. Do not repeatedly ask them to identify or reproduce it.

Source: Vroom, page 11, tip 189 | https://assets.ctfassets.net/khbu829tujdl/LyHni4h8ESCUgSOaGoWKw/698282000d890a095c55f564a92911d2/Vroom_TipSheet_Age_0_1_ENG.pdf | Activity ID: ACT-VROOM-TIP-00189

Cognitive - ready

Eligible after all filters: 12; withheld: 220; returned by semantic ranking: 3.

1. Follow the moving toy

Move a large bright toy slowly across your baby's field of view during awake play. Your baby might look, turn, move, smile, make a sound, stay quiet or need a break. Any response is welcome; do not ask them to imitate or perform. Use only intact age-suitable materials; no loose, detachable or mouth-sized pieces. Keep babies fully supervised and properly supported; never leave them on a raised changing surface. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/4-months.html | Activity ID: ACT-CDC-04-COG-01

2. Cart Vision

While shopping with your child, talk about something they notice, such as the colour of fruit, a familiar sound or a smell. Pause and follow where their attention goes next. Keep the conversation gentle and brief.

Source: Vroom, page 2, tip 268 | https://assets.ctfassets.net/khbu829tujdl/2oHlhQZZBWU8yq8acmwUy6/1c24e1c4340e3ece406d76babc3b1f11/Vroom_TipSheet_Age_1-2_ENG.pdf | Activity ID: ACT-VROOM-TIP-00268

3. Discover toy positions

Offer safe toys on a blanket in slightly different nearby positions. Your baby might look, turn, move, smile, make a sound, stay quiet or need a break. Any response is welcome; do not ask them to imitate or perform. Use only intact age-suitable materials; no loose, detachable or mouth-sized pieces. Keep babies fully supervised and properly supported; never leave them on a raised changing surface. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/4-months.html | Activity ID: ACT-CDC-04-COG-03

Checkpoint CP4M - 4 months

Case 2: CP4M-O1 - Mostly not yet

A. Synthetic developmental questionnaire inputs

Domain	Item	Synthetic answer
Communication	Q1. When someone speaks, does your child turn their eyes, head, or attention towards that person?	0 - Not yet
	Q2. Does your child make different sounds to express happiness, interest, or discomfort?	0 - Not yet
	Q3. During face-to-face communication, does your child make a sound in response after an adult speaks and pauses?	1 - Sometimes
	Q4. When making sounds, does your child repeatedly make clear vowel-like sounds such as "oo," "ah," or "ee"?	2 - Yes, usually
	Q5. While your child is making sounds, do they stop as if listening when an adult begins to speak?	0 - Not yet
Cognitive	Q1. Does your child look at an interesting person or object for several seconds?	1 - Sometimes
	Q2. Does your child try to explore a safely placed toy within reach by looking at it, touching it, or pulling it closer?	0 - Not yet
	Q3. When a toy unexpectedly moves or makes a sound, does your child try to repeat the action?	0 - Not yet
	Q4. Does your child look at and study their own hands with interest?	0 - Not yet
	Q5. After watching a toy move slowly out of sight, does your child look toward the place where it disappeared?	1 - Sometimes
Social-emotional	Q1. Does your child smile or make sounds to gain the attention of a familiar adult?	0 - Not yet
	Q2. While playing, does your child show enjoyment by smiling, making sounds, or excitedly moving their arms and legs?	0 - Not yet
	Q3. Does your child respond differently to familiar adults than to unfamiliar people?	0 - Not yet
	Q4. When near another baby or young child, does your child watch them with interest for several seconds?	2 - Yes, usually
	Q5. Does your child respond to a change in a familiar adult's facial expression—for example, smiling at a happy expression or becoming quiet at a serious one?	1 - Sometimes

B. Authorized synthetic activity-suitability assumptions

Fictional activity-suitability profile used solely for synthetic software-output demonstration.

Hearing	No concern noticed	no_concern_reported
Vision	No concern noticed	no_concern_reported
Fine Motor	No concern noticed	no_concern_reported
Gross Motor	No concern noticed	no_concern_reported

C. Actual system predictions

Domain	Probability	System decision
Communication	0.667985	Additional monitoring may be helpful
Cognitive	0.939984	Additional monitoring may be helpful
Social-emotional	0.657075	Additional monitoring may be helpful

Overall OR-rule decision: CONCERN FLAGGED. Areas identified for further attention: Communication, Cognitive and Social-emotional

D. Existing caregiver explanations

Communication: Observation contributing most to this result Not yet for "When someone speaks, does your child turn their eyes, head, or attention towards that person?" moved the model calculation toward a concern flag.
Cognitive: This screening result suggests that additional monitoring may be helpful. It is not a diagnosis.
Social-emotional: Observation contributing most to this result Not yet for "While playing, does your child show enjoyment by smiling, making sounds, or excitedly moving their arms and legs?" moved the model calculation toward a concern flag.
The models considered all 15 answers and the selected checkpoint when producing these results. The highlighted observations are examples of influential answers and did not determine the results alone. These results support developmental monitoring and are not diagnoses.

Case 2: CP4M-O1 - actual activity recommendation output

E. Activity recommendations

Runtime status: ready. Returned activities: 9. Retrieval mode: caregiver deployment.

Communication - ready

Eligible after all filters: 19; withheld: 213; returned by semantic ranking: 3.

1. Body Language

Use a simple gesture while you speak, such as waving while saying hello or gently clapping while saying well done. Notice any comfortable response from your child, such as looking, moving, smiling, making a sound or using a gesture. Respond warmly; there is no need for the child to copy you.

Source: Vroom, page 3, tip 73 | https://assets.ctfassets.net/khbu829tujdl/2oHlhQZZBWU8yq8acmwUy6/1c24e1c4340e3ece406d76babc3b1f11/Vroom_TipSheet_Age_1-2_ENG.pdf | Activity ID: ACT-VROOM-TIP-00073

2. Sound Off

During a quiet wait, make one gentle playful sound and pause. Notice whether your baby looks, smiles, moves or makes a sound back, then respond with a different soft sound. Keep it a relaxed back-and-forth interaction rather than asking for a particular response.

Source: Vroom, page 3, tip 229 | https://assets.ctfassets.net/khbu829tujdl/LyHni4h8ESCUgSOaGoWKw/698282000d890a095c55f564a92911d2/Vroom_TipSheet_Age_0_1_ENG.pdf | Activity ID: ACT-VROOM-TIP-00229

3. Sing-Song Voice

When your baby makes a sound, reply using a warm, gently musical voice. Pause to allow another response, or simply enjoy a short, quiet exchange. Watch their expression and continue only if they seem comfortable.

Source: Vroom, page 8, tip 57 | https://assets.ctfassets.net/khbu829tujdl/LyHni4h8ESCUgSOaGoWKw/698282000d890a095c55f564a92911d2/Vroom_TipSheet_Age_0_1_ENG.pdf | Activity ID: ACT-VROOM-TIP-00057

Cognitive - ready

Eligible after all filters: 12; withheld: 220; returned by semantic ranking: 3.

1. Discover toy positions

Offer safe toys on a blanket in slightly different nearby positions. Your baby might look, turn, move, smile, make a sound, stay quiet or need a break. Any response is welcome; do not ask them to imitate or perform. Use only intact age-suitable materials; no loose, detachable or mouth-sized pieces. Keep babies fully supervised and properly supported; never leave them on a raised changing surface. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/4-months.html | Activity ID: ACT-CDC-04-COG-03

2. Follow the moving toy

Move a large bright toy slowly across your baby's field of view during awake play. Your baby might look, turn, move, smile, make a sound, stay quiet or need a break. Any response is welcome; do not ask them to imitate or perform. Use only intact age-suitable materials; no loose, detachable or mouth-sized pieces. Keep babies fully supervised and properly supported; never leave them on a raised changing surface. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/4-months.html | Activity ID: ACT-CDC-04-COG-01

3. Explore a safe grasp toy

Offer a clean age-appropriate object that can be held or explored safely. Your baby might look, turn, move, smile, make a sound, stay quiet or need a break. Any response is welcome; do not ask them to imitate or perform. Use only intact age-suitable materials; no loose, detachable or mouth-sized pieces. Keep babies fully supervised and properly supported; never leave them on a raised changing surface. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/4-months.html | Activity ID: ACT-CDC-04-COG-02

Social-emotional - ready

Eligible after all filters: 16; withheld: 216; returned by semantic ranking: 3.

1. Smile and reply

Respond warmly when your baby smiles or vocalises. Your baby might look, turn, move, smile, make a sound, stay quiet or need a break. Any response is welcome; do not ask them to imitate or perform. Keep babies fully supervised and properly supported; never leave them on a raised changing surface. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/4-months.html | Activity ID: ACT-CDC-04-SOC-01

2. Ready, Set, Play!

Look for your baby's own signs of interest, such as looking towards you, making a sound or moving their arms. Respond by smiling, speaking or joining their chosen interaction, then pause to see what happens next. Stop when they signal that they need a break.

Source: Vroom, page 4, tip 797 | https://assets.ctfassets.net/khbu829tujdl/LyHni4h8ESCUgSOaGoWKw/698282000d890a095c55f564a92911d2/Vroom_TipSheet_Age_0_1_ENG.pdf | Activity ID: ACT-VROOM-TIP-00797

3. Body Language

Use a simple gesture while you speak, such as waving while saying hello or gently clapping while saying well done. Notice any comfortable response from your child, such as looking, moving, smiling, making a sound or using a gesture. Respond warmly; there is no need for the child to copy you.

Source: Vroom, page 3, tip 73 | https://assets.ctfassets.net/khbu829tujdl/2oHlhQZZBWU8yq8acmwUy6/1c24e1c4340e3ece406d76babc3b1f11/Vroom_TipSheet_Age_1-2_ENG.pdf | Activity ID: ACT-VROOM-TIP-00073

Checkpoint CP4M - 4 months

Case 3: CP4M-O2 - Mostly achieved

A. Synthetic developmental questionnaire inputs

Domain	Item	Synthetic answer
Communication	Q1. When someone speaks, does your child turn their eyes, head, or attention towards that person?	2 - Yes, usually
	Q2. Does your child make different sounds to express happiness, interest, or discomfort?	2 - Yes, usually
	Q3. During face-to-face communication, does your child make a sound in response after an adult speaks and pauses?	2 - Yes, usually
	Q4. When making sounds, does your child repeatedly make clear vowel-like sounds such as "oo," "ah," or "ee"?	1 - Sometimes
	Q5. While your child is making sounds, do they stop as if listening when an adult begins to speak?	2 - Yes, usually
Cognitive	Q1. Does your child look at an interesting person or object for several seconds?	2 - Yes, usually
	Q2. Does your child try to explore a safely placed toy within reach by looking at it, touching it, or pulling it closer?	1 - Sometimes
	Q3. When a toy unexpectedly moves or makes a sound, does your child try to repeat the action?	2 - Yes, usually
	Q4. Does your child look at and study their own hands with interest?	2 - Yes, usually
	Q5. After watching a toy move slowly out of sight, does your child look toward the place where it disappeared?	2 - Yes, usually
Social-emotional	Q1. Does your child smile or make sounds to gain the attention of a familiar adult?	2 - Yes, usually
	Q2. While playing, does your child show enjoyment by smiling, making sounds, or excitedly moving their arms and legs?	2 - Yes, usually
	Q3. Does your child respond differently to familiar adults than to unfamiliar people?	2 - Yes, usually
	Q4. When near another baby or young child, does your child watch them with interest for several seconds?	0 - Not yet
	Q5. Does your child respond to a change in a familiar adult's facial expression—for example, smiling at a happy expression or becoming quiet at a serious one?	2 - Yes, usually

B. Authorized synthetic activity-suitability assumptions

Fictional activity-suitability profile used solely for synthetic software-output demonstration.

Hearing	No concern noticed	no_concern_reported
Vision	No concern noticed	no_concern_reported
Fine Motor	No concern noticed	no_concern_reported
Gross Motor	No concern noticed	no_concern_reported

C. Actual system predictions

Domain	Probability	System decision
Communication	0.007866	Not flagged by this screening
Cognitive	0.001542	Not flagged by this screening
Social-emotional	0.008146	Not flagged by this screening

Overall OR-rule decision: NO DOMAIN FLAGGED. No developmental areas were flagged by the current model results.

D. Existing caregiver explanations

Communication: Observation contributing most to this result Yes, usually for "When someone speaks, does your child turn their eyes, head, or attention towards that person?" moved the model calculation away from a concern flag.
Cognitive: This screening result did not flag this area. It does not rule out developmental needs.
Social-emotional: Observation contributing most to this result Yes, usually for "While playing, does your child show enjoyment by smiling, making sounds, or excitedly moving their arms and legs?" moved the model calculation away from a concern flag.
The models considered all 15 answers and the selected checkpoint when producing these results. The highlighted observations are examples of influential answers and did not determine the results alone. These results support developmental monitoring and are not diagnoses.

Case 3: CP4M-O2 - actual activity recommendation output

E. Activity recommendations

No developmental domain was flagged, so targeted activity retrieval was not applicable.

Checkpoint CP4M - paediatrician review

Review the three synthetic cases and their genuine system outputs above.

Appropriateness of developmental concern messaging	
Clarity of explanations	
Age appropriateness of recommendations	
Safety and suitability of activity instructions	
Required corrections	
General checkpoint comments	

Checkpoint review decision:
[ ] Suitable as presented [ ] Suitable with minor corrections [ ] Requires revision

Checkpoint CP6M - 6 months

Case 1: CP6M-P - Mostly not yet

A. Synthetic developmental questionnaire inputs

Domain	Item	Synthetic answer
Communication	Q1. Does your child respond when you say their name or a familiar word that is frequently used?	1 - Sometimes
	Q2. Does your child combine and make babbling sounds such as "ba-ba," "ma-ma," or "ga-ga"?	1 - Sometimes
	Q3. When an adult makes a simple sound, does your child try to make a similar sound?	0 - Not yet
	Q4. Does your child make different sounds by gently blowing air through their lips or moving their lips and tongue?	0 - Not yet
	Q5. When making happy sounds, does your child make joyful, clearly high-pitched squealing sounds?	0 - Not yet
Cognitive	Q1. Does your child explore a safe toy in more than one way, such as by looking at it, touching it, or shaking it?	1 - Sometimes
	Q2. When a toy is partly covered but still visible, does your child look at it or try to uncover it?	0 - Not yet
	Q3. Does your child repeatedly perform an action that produces an interesting result, such as shaking a toy to make a sound?	0 - Not yet
	Q4. When an age-appropriate toy moving slowly is briefly hidden behind a larger object, does your child look toward where it may reappear?	2 - Yes, usually
	Q5. When two different toys are placed nearby or handed to your child, do they look with interest at one and try to grasp or obtain it?	0 - Not yet
Social-emotional	Q1. Does your child clearly show that they recognise familiar adults or prefer them?	2 - Yes, usually
	Q2. Does your child clearly express different feelings such as happiness, excitement, impatience, or discomfort?	0 - Not yet
	Q3. Does your child join in a simple game with others by smiling, looking, making sounds, or waiting expectantly for what happens next?	1 - Sometimes
	Q4. When shown a child-safe, unbreakable mirror, does your child show enjoyment by smiling, looking curiously, or making sounds?	0 - Not yet
	Q5. When a familiar adult imitates your child's sound or movement, does your child respond by smiling, making another sound, or repeating the movement?	0 - Not yet

B. Authorized synthetic activity-suitability assumptions

Fictional activity-suitability profile used solely for synthetic software-output demonstration.

Hearing	No concern noticed	no_concern_reported
Vision	No concern noticed	no_concern_reported
Fine Motor	No concern noticed	no_concern_reported
Gross Motor	No concern noticed	no_concern_reported

C. Actual system predictions

Domain	Probability	System decision
Communication	0.818910	Additional monitoring may be helpful
Cognitive	0.848075	Additional monitoring may be helpful
Social-emotional	0.756252	Additional monitoring may be helpful

Overall OR-rule decision: CONCERN FLAGGED. Areas identified for further attention: Communication, Cognitive and Social-emotional

D. Existing caregiver explanations

Communication: Observation contributing most to this result Not yet for "Does your child make different sounds by gently blowing air through their lips or moving their lips and tongue?" moved the model calculation toward a concern flag.
Cognitive: This screening result suggests that additional monitoring may be helpful. It is not a diagnosis.
Social-emotional: Observation contributing most to this result Not yet for "Does your child clearly express different feelings such as happiness, excitement, impatience, or discomfort?" moved the model calculation toward a concern flag.
The models considered all 15 answers and the selected checkpoint when producing these results. The highlighted observations are examples of influential answers and did not determine the results alone. These results support developmental monitoring and are not diagnoses.

Case 1: CP6M-P - actual activity recommendation output

E. Activity recommendations

Runtime status: ready. Returned activities: 9. Retrieval mode: caregiver deployment.

Communication - ready

Eligible after all filters: 19; withheld: 213; returned by semantic ranking: 3.

1. Babble in turns

Repeat a sound your baby makes and wait for another sound before replying. Your baby might look, turn, move, smile, make a sound, stay quiet or need a break. Any response is welcome; do not ask them to imitate or perform. Keep babies fully supervised and properly supported; never leave them on a raised changing surface. Use a gentle voice or comfortable sound level; do not make sudden loud noises near a child. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/6-months.html | Activity ID: ACT-CDC-06-COM-01

2. Did You Hear That?

When you notice a gentle everyday sound outside, briefly describe it and make a quiet imitation. Give your child time to attend to the sound in their own way; a look or movement is enough. Do not repeatedly ask them to identify or reproduce it.

Source: Vroom, page 11, tip 189 | https://assets.ctfassets.net/khbu829tujdl/LyHni4h8ESCUgSOaGoWKw/698282000d890a095c55f564a92911d2/Vroom_TipSheet_Age_0_1_ENG.pdf | Activity ID: ACT-VROOM-TIP-00189

3. Sing-Song Voice

When your baby makes a sound, reply using a warm, gently musical voice. Pause to allow another response, or simply enjoy a short, quiet exchange. Watch their expression and continue only if they seem comfortable.

Source: Vroom, page 8, tip 57 | https://assets.ctfassets.net/khbu829tujdl/LyHni4h8ESCUgSOaGoWKw/698282000d890a095c55f564a92911d2/Vroom_TipSheet_Age_0_1_ENG.pdf | Activity ID: ACT-VROOM-TIP-00057

Cognitive - ready

Eligible after all filters: 12; withheld: 220; returned by semantic ranking: 3.

1. Explore a soft toy

Offer an age-appropriate toy for safe supervised grasping and exploration. Your baby might look, turn, move, smile, make a sound, stay quiet or need a break. Any response is welcome; do not ask them to imitate or perform. Use only intact age-suitable materials; no loose, detachable or mouth-sized pieces. Keep babies fully supervised and properly supported; never leave them on a raised changing surface. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/6-months.html | Activity ID: ACT-CDC-06-COG-03

2. Different toy sounds

Let your baby notice different gentle sounds from age-safe objects. Your baby might look, turn, move, smile, make a sound, stay quiet or need a break. Any response is welcome; do not ask them to imitate or perform. Use only intact age-suitable materials; no loose, detachable or mouth-sized pieces. Keep babies fully supervised and properly supported; never leave them on a raised changing surface. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/6-months.html | Activity ID: ACT-CDC-06-COG-04

3. Supported looking around

With age-appropriate physical support, let your baby observe different objects nearby. Your baby might look, turn, move, smile, make a sound, stay quiet or need a break. Any response is welcome; do not ask them to imitate or perform. Use only intact age-suitable materials; no loose, detachable or mouth-sized pieces. Keep babies fully supervised and properly supported; never leave them on a raised changing surface. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/6-months.html | Activity ID: ACT-CDC-06-COG-05

Social-emotional - ready

Eligible after all filters: 16; withheld: 216; returned by semantic ranking: 3.

1. Ready, Set, Play!

Look for your baby’s own signs of interest, such as looking towards you, making a sound or moving their arms. Respond by smiling, speaking or joining their chosen interaction, then pause to see what happens next. Stop when they signal that they need a break.

Source: Vroom, page 4, tip 797 | https://assets.ctfassets.net/khbu829tujdl/LyHni4h8ESCUgSOaGoWKw/698282000d890a095c55f564a92911d2/Vroom_TipSheet_Age_0_1_ENG.pdf | Activity ID: ACT-VROOM-TIP-00797

2. Follow happy signals

Continue a shared game when your baby enjoys it and stop when they need a break. Your baby might look, turn, move, smile, make a sound, stay quiet or need a break. Any response is welcome; do not ask them to imitate or perform. Keep babies fully supervised and properly supported; never leave them on a raised changing surface. Use a level, clear area; avoid stairs, height and forced movement. Support only in ways already comfortable and suitable for the child. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/6-months.html | Activity ID: ACT-CDC-06-SOC-02

3. Smile for smile

When your baby smiles or laughs, smile or laugh back during a playful exchange. Your baby might look, turn, move, smile, make a sound, stay quiet or need a break. Any response is welcome; do not ask them to imitate or perform. Keep babies fully supervised and properly supported; never leave them on a raised changing surface. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/6-months.html | Activity ID: ACT-CDC-06-SOC-01

Checkpoint CP6M - 6 months

Case 2: CP6M-O1 - Mostly achieved

A. Synthetic developmental questionnaire inputs

Domain	Item	Synthetic answer
Communication	Q1. Does your child respond when you say their name or a familiar word that is frequently used?	2 - Yes, usually
	Q2. Does your child combine and make babbling sounds such as "ba-ba," "ma-ma," or "ga-ga"?	2 - Yes, usually
	Q3. When an adult makes a simple sound, does your child try to make a similar sound?	2 - Yes, usually
	Q4. Does your child make different sounds by gently blowing air through their lips or moving their lips and tongue?	0 - Not yet
	Q5. When making happy sounds, does your child make joyful, clearly high-pitched squealing sounds?	2 - Yes, usually
Cognitive	Q1. Does your child explore a safe toy in more than one way, such as by looking at it, touching it, or shaking it?	2 - Yes, usually
	Q2. When a toy is partly covered but still visible, does your child look at it or try to uncover it?	2 - Yes, usually
	Q3. Does your child repeatedly perform an action that produces an interesting result, such as shaking a toy to make a sound?	2 - Yes, usually
	Q4. When an age-appropriate toy moving slowly is briefly hidden behind a larger object, does your child look toward where it may reappear?	2 - Yes, usually
	Q5. When two different toys are placed nearby or handed to your child, do they look with interest at one and try to grasp or obtain it?	1 - Sometimes
Social-emotional	Q1. Does your child clearly show that they recognise familiar adults or prefer them?	2 - Yes, usually
	Q2. Does your child clearly express different feelings such as happiness, excitement, impatience, or discomfort?	1 - Sometimes
	Q3. Does your child join in a simple game with others by smiling, looking, making sounds, or waiting expectantly for what happens next?	2 - Yes, usually
	Q4. When shown a child-safe, unbreakable mirror, does your child show enjoyment by smiling, looking curiously, or making sounds?	2 - Yes, usually
	Q5. When a familiar adult imitates your child's sound or movement, does your child respond by smiling, making another sound, or repeating the movement?	2 - Yes, usually

B. Authorized synthetic activity-suitability assumptions

Fictional activity-suitability profile used solely for synthetic software-output demonstration.

Hearing	No concern noticed	no_concern_reported
Vision	No concern noticed	no_concern_reported
Fine Motor	No concern noticed	no_concern_reported
Gross Motor	No concern noticed	no_concern_reported

C. Actual system predictions

Domain	Probability	System decision
Communication	0.013370	Not flagged by this screening
Cognitive	0.000651	Not flagged by this screening
Social-emotional	0.003230	Not flagged by this screening

Overall OR-rule decision: NO DOMAIN FLAGGED. No developmental areas were flagged by the current model results.

D. Existing caregiver explanations

Communication: Observation contributing most to this result Yes, usually for "Does your child respond when you say their name or a familiar word that is frequently used?" moved the model calculation away from a concern flag.
Cognitive: This screening result did not flag this area. It does not rule out developmental needs.
Social-emotional: Observation contributing most to this result Yes, usually for "When a familiar adult imitates your child's sound or movement, does your child respond by smiling, making another sound, or repeating the movement?" moved the model calculation away from a concern flag.
The models considered all 15 answers and the selected checkpoint when producing these results. The highlighted observations are examples of influential answers and did not determine the results alone. These results support developmental monitoring and are not diagnoses.

Case 2: CP6M-O1 - actual activity recommendation output

E. Activity recommendations

No developmental domain was flagged, so targeted activity retrieval was not applicable.

Checkpoint CP6M - 6 months

Case 3: CP6M-O2 - Mixed answers

A. Synthetic developmental questionnaire inputs

Domain	Item	Synthetic answer
Communication	Q1. Does your child respond when you say their name or a familiar word that is frequently used?	2 - Yes, usually
	Q2. Does your child combine and make babbling sounds such as "ba-ba," "ma-ma," or "ga-ga"?	0 - Not yet
	Q3. When an adult makes a simple sound, does your child try to make a similar sound?	2 - Yes, usually
	Q4. Does your child make different sounds by gently blowing air through their lips or moving their lips and tongue?	0 - Not yet
	Q5. When making happy sounds, does your child make joyful, clearly high-pitched squealing sounds?	1 - Sometimes
Cognitive	Q1. Does your child explore a safe toy in more than one way, such as by looking at it, touching it, or shaking it?	2 - Yes, usually
	Q2. When a toy is partly covered but still visible, does your child look at it or try to uncover it?	0 - Not yet
	Q3. Does your child repeatedly perform an action that produces an interesting result, such as shaking a toy to make a sound?	1 - Sometimes
	Q4. When an age-appropriate toy moving slowly is briefly hidden behind a larger object, does your child look toward where it may reappear?	2 - Yes, usually
	Q5. When two different toys are placed nearby or handed to your child, do they look with interest at one and try to grasp or obtain it?	1 - Sometimes
Social-emotional	Q1. Does your child clearly show that they recognise familiar adults or prefer them?	1 - Sometimes
	Q2. Does your child clearly express different feelings such as happiness, excitement, impatience, or discomfort?	0 - Not yet
	Q3. Does your child join in a simple game with others by smiling, looking, making sounds, or waiting expectantly for what happens next?	0 - Not yet
	Q4. When shown a child-safe, unbreakable mirror, does your child show enjoyment by smiling, looking curiously, or making sounds?	2 - Yes, usually
	Q5. When a familiar adult imitates your child's sound or movement, does your child respond by smiling, making another sound, or repeating the movement?	1 - Sometimes

B. Authorized synthetic activity-suitability assumptions

Fictional activity-suitability profile used solely for synthetic software-output demonstration.

Hearing	No concern noticed	no_concern_reported
Vision	No concern noticed	no_concern_reported
Fine Motor	No concern noticed	no_concern_reported
Gross Motor	No concern noticed	no_concern_reported

C. Actual system predictions

Domain	Probability	System decision
Communication	0.128060	Not flagged by this screening
Cognitive	0.138620	Not flagged by this screening
Social-emotional	0.495269	Additional monitoring may be helpful

Overall OR-rule decision: CONCERN FLAGGED. Area identified for further attention: Social-emotional

D. Existing caregiver explanations

Communication: Observation contributing most to this result Yes, usually for "Does your child respond when you say their name or a familiar word that is frequently used?" moved the model calculation away from a concern flag.
Cognitive: This screening result did not flag this area. It does not rule out developmental needs.
Social-emotional: Observation contributing most to this result Not yet for "Does your child clearly express different feelings such as happiness, excitement, impatience, or discomfort?" moved the model calculation toward a concern flag.
The models considered all 15 answers and the selected checkpoint when producing these results. The highlighted observations are examples of influential answers and did not determine the results alone. These results support developmental monitoring and are not diagnoses.

Case 3: CP6M-O2 - actual activity recommendation output

E. Activity recommendations

Runtime status: ready. Returned activities: 3. Retrieval mode: caregiver deployment.

Social-emotional - ready

Eligible after all filters: 16; withheld: 216; returned by semantic ranking: 3.

1. Ready, Set, Play!

Look for your baby’s own signs of interest, such as looking towards you, making a sound or moving their arms. Respond by smiling, speaking or joining their chosen interaction, then pause to see what happens next. Stop when they signal that they need a break.

Source: Vroom, page 4, tip 797 | https://assets.ctfassets.net/khbu829tujdl/LyHni4h8ESCUgSOaGoWKw/698282000d890a095c55f564a92911d2/Vroom_TipSheet_Age_0_1_ENG.pdf | Activity ID: ACT-VROOM-TIP-00797

2. Here I Am!

During ordinary play, stay nearby and tell your baby when you move from one visible spot to another. Speak gently and smile when they notice you. Allow them to watch or listen in their own way without repeatedly testing whether they can locate you.

Source: Vroom, page 5, tip 828 | https://assets.ctfassets.net/khbu829tujdl/LyHni4h8ESCUgSOaGoWKw/698282000d890a095c55f564a92911d2/Vroom_TipSheet_Age_0_1_ENG.pdf | Activity ID: ACT-VROOM-TIP-00828

3. Follow happy signals

Continue a shared game when your baby enjoys it and stop when they need a break. Your baby might look, turn, move, smile, make a sound, stay quiet or need a break. Any response is welcome; do not ask them to imitate or perform. Keep babies fully supervised and properly supported; never leave them on a raised changing surface. Use a level, clear area; avoid stairs, height and forced movement. Support only in ways already comfortable and suitable for the child. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/6-months.html | Activity ID: ACT-CDC-06-SOC-02

Checkpoint CP6M - paediatrician review

Review the three synthetic cases and their genuine system outputs above.

Appropriateness of developmental concern messaging	
Clarity of explanations	
Age appropriateness of recommendations	
Safety and suitability of activity instructions	
Required corrections	
General checkpoint comments	

Checkpoint review decision:
[ ] Suitable as presented [ ] Suitable with minor corrections [ ] Requires revision

Checkpoint CP9M - 9 months

Case 1: CP9M-P - Mostly achieved

A. Synthetic developmental questionnaire inputs

Domain	Item	Synthetic answer
Communication	Q1. Even when looking elsewhere, does your child usually pay attention when their name is called?	2 - Yes, usually
	Q2. Does your child make continuous sound patterns such as "babababa" or "mamamama"?	2 - Yes, usually
	Q3. Does your child use gestures, sounds, or facial expressions to request something or continue a game?	1 - Sometimes
	Q4. When a familiar object is visible nearby and you ask for it by name, such as "Where is the ball?", without pointing, does your child look at it?	2 - Yes, usually
	Q5. Does your child respond differently when a familiar adult speaks in a cheerful tone and when they speak in a calm, serious tone?	2 - Yes, usually
Cognitive	Q1. If your child sees a toy being completely covered with a cloth or container, do they search for it?	2 - Yes, usually
	Q2. Does your child deliberately do something to obtain an object they want—for example, removing another toy that is blocking it?	2 - Yes, usually
	Q3. Does your child explore safe household objects by dropping them, tapping them, or banging them together?	2 - Yes, usually
	Q4. When holding one toy and offered a new toy, does your child release the first one to grasp the new one?	0 - Not yet
	Q5. Does your child turn a toy in their hands to examine its different sides or parts?	2 - Yes, usually
Social-emotional	Q1. In an unfamiliar situation, does your child look at a familiar adult for reassurance?	2 - Yes, usually
	Q2. Does your child participate in two-person games such as peekaboo or exchanging sounds?	2 - Yes, usually
	Q3. Does your child notice and respond when a familiar adult leaves or returns?	2 - Yes, usually
	Q4. When a familiar adult points toward a nearby object, does your child turn in that direction and look at the object?	2 - Yes, usually
	Q5. When near another baby or young child, or when the other child makes a sound, does your child look at them or make a sound in response?	1 - Sometimes

B. Authorized synthetic activity-suitability assumptions

Fictional activity-suitability profile used solely for synthetic software-output demonstration.

Hearing	No concern noticed	no_concern_reported
Vision	No concern noticed	no_concern_reported
Fine Motor	No concern noticed	no_concern_reported
Gross Motor	No concern noticed	no_concern_reported

C. Actual system predictions

Domain	Probability	System decision
Communication	0.005294	Not flagged by this screening
Cognitive	0.001192	Not flagged by this screening
Social-emotional	0.007413	Not flagged by this screening

Overall OR-rule decision: NO DOMAIN FLAGGED. No developmental areas were flagged by the current model results.

D. Existing caregiver explanations

Communication: Observation contributing most to this result Yes, usually for "When a familiar object is visible nearby and you ask for it by name, such as "Where is the ball?", without pointing, does your child look at it?" moved the model calculation away from a concern flag.
Cognitive: This screening result did not flag this area. It does not rule out developmental needs.
Social-emotional: Observation contributing most to this result Yes, usually for "Does your child participate in two-person games such as peekaboo or exchanging sounds?" moved the model calculation away from a concern flag.
The models considered all 15 answers and the selected checkpoint when producing these results. The highlighted observations are examples of influential answers and did not determine the results alone. These results support developmental monitoring and are not diagnoses.

Case 1: CP9M-P - actual activity recommendation output

E. Activity recommendations

No developmental domain was flagged, so targeted activity retrieval was not applicable.

Checkpoint CP9M - 9 months

Case 2: CP9M-O1 - Mixed answers

A. Synthetic developmental questionnaire inputs

Domain	Item	Synthetic answer
Communication	Q1. Even when looking elsewhere, does your child usually pay attention when their name is called?	1 - Sometimes
	Q2. Does your child make continuous sound patterns such as "babababa" or "mamamama"?	0 - Not yet
	Q3. Does your child use gestures, sounds, or facial expressions to request something or continue a game?	1 - Sometimes
	Q4. When a familiar object is visible nearby and you ask for it by name, such as "Where is the ball?", without pointing, does your child look at it?	2 - Yes, usually
	Q5. Does your child respond differently when a familiar adult speaks in a cheerful tone and when they speak in a calm, serious tone?	2 - Yes, usually
Cognitive	Q1. If your child sees a toy being completely covered with a cloth or container, do they search for it?	0 - Not yet
	Q2. Does your child deliberately do something to obtain an object they want—for example, removing another toy that is blocking it?	1 - Sometimes
	Q3. Does your child explore safe household objects by dropping them, tapping them, or banging them together?	1 - Sometimes
	Q4. When holding one toy and offered a new toy, does your child release the first one to grasp the new one?	2 - Yes, usually
	Q5. Does your child turn a toy in their hands to examine its different sides or parts?	0 - Not yet
Social-emotional	Q1. In an unfamiliar situation, does your child look at a familiar adult for reassurance?	0 - Not yet
	Q2. Does your child participate in two-person games such as peekaboo or exchanging sounds?	1 - Sometimes
	Q3. Does your child notice and respond when a familiar adult leaves or returns?	2 - Yes, usually
	Q4. When a familiar adult points toward a nearby object, does your child turn in that direction and look at the object?	2 - Yes, usually
	Q5. When near another baby or young child, or when the other child makes a sound, does your child look at them or make a sound in response?	0 - Not yet

B. Authorized synthetic activity-suitability assumptions

Fictional activity-suitability profile used solely for synthetic software-output demonstration.

Hearing	No concern noticed	no_concern_reported
Vision	No concern noticed	no_concern_reported
Fine Motor	No concern noticed	no_concern_reported
Gross Motor	No concern noticed	no_concern_reported

C. Actual system predictions

Domain	Probability	System decision
Communication	0.184391	Additional monitoring may be helpful
Cognitive	0.189230	Additional monitoring may be helpful
Social-emotional	0.175456	Additional monitoring may be helpful

Overall OR-rule decision: CONCERN FLAGGED. Areas identified for further attention: Communication, Cognitive and Social-emotional

D. Existing caregiver explanations

Communication: Observation contributing most to this result Not yet for "Does your child make continuous sound patterns such as "babababa" or "mamamama"?" moved the model calculation toward a concern flag.
Cognitive: This screening result suggests that additional monitoring may be helpful. It is not a diagnosis.
Social-emotional: Observation contributing most to this result Not yet for "When near another baby or young child, or when the other child makes a sound, does your child look at them or make a sound in response?" moved the model calculation toward a concern flag.
The models considered all 15 answers and the selected checkpoint when producing these results. The highlighted observations are examples of influential answers and did not determine the results alone. These results support developmental monitoring and are not diagnoses.

Case 2: CP9M-O1 - actual activity recommendation output

E. Activity recommendations

Runtime status: ready. Returned activities: 9. Retrieval mode: caregiver deployment.

Communication - ready

Eligible after all filters: 14; withheld: 218; returned by semantic ranking: 3.

1. Build on babble

Respond to repeated baby sounds with a simple familiar word and pause for their reply. Your baby might look, turn, move, smile, make a sound, stay quiet or need a break. Any response is welcome; do not ask them to imitate or perform. Keep babies fully supervised and properly supported; never leave them on a raised changing surface. Use a gentle voice or comfortable sound level; do not make sudden loud noises near a child. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/9-months.html | Activity ID: ACT-CDC-09-COM-01

2. Name what baby sees

Describe a safe object that has captured your baby's attention. Your baby might look, turn, move, smile, make a sound, stay quiet or need a break. Any response is welcome; do not ask them to imitate or perform. Use only intact age-suitable materials; no loose, detachable or mouth-sized pieces. Keep babies fully supervised and properly supported; never leave them on a raised changing surface. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/9-months.html | Activity ID: ACT-CDC-09-COM-03

3. Did You Hear That?

When you notice a gentle everyday sound outside, briefly describe it and make a quiet imitation. Give your child time to attend to the sound in their own way; a look or movement is enough. Do not repeatedly ask them to identify or reproduce it.

Source: Vroom, page 11, tip 189 | https://assets.ctfassets.net/khbu829tujdl/LyHni4h8ESCUgSOaGoWKw/698282000d890a095c55f564a92911d2/Vroom_TipSheet_Age_0_1_ENG.pdf | Activity ID: ACT-VROOM-TIP-00189

Cognitive - ready

Eligible after all filters: 8; withheld: 224; returned by semantic ranking: 3.

1. Find the hidden toy

Show a safe toy, partly cover it with a cloth, and invite the baby to look for it. Your baby might look, turn, move, smile, make a sound, stay quiet or need a break. Any response is welcome; do not ask them to imitate or perform. Use only intact age-suitable materials; no loose, detachable or mouth-sized pieces. Keep babies fully supervised and properly supported; never leave them on a raised changing surface. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/9-months.html | Activity ID: ACT-CDC-09-COG-01

2. Put toys in a container

Together place large age-safe toys into a container and take them out. Your baby might look, turn, move, smile, make a sound, stay quiet or need a break. Any response is welcome; do not ask them to imitate or perform. Use only intact age-suitable materials; no loose, detachable or mouth-sized pieces. Keep babies fully supervised and properly supported; never leave them on a raised changing surface. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/9-months.html | Activity ID: ACT-CDC-09-COG-03

3. Explore a safe area

Prepare a supervised space with familiar, safe objects for the baby to investigate. Your baby might look, turn, move, smile, make a sound, stay quiet or need a break. Any response is welcome; do not ask them to imitate or perform. Use only intact age-suitable materials; no loose, detachable or mouth-sized pieces. Keep babies fully supervised and properly supported; never leave them on a raised changing surface. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/9-months.html | Activity ID: ACT-CDC-09-COG-05

Social-emotional - ready

Eligible after all filters: 11; withheld: 221; returned by semantic ranking: 3.

1. Stay close while exploring

Remain nearby while the child investigates a safe play space, and respond to reassurance cues. Your baby might look, turn, move, smile, make a sound, stay quiet or need a break. Any response is welcome; do not ask them to imitate or perform. Keep babies fully supervised and properly supported; never leave them on a raised changing surface. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/9-months.html | Activity ID: ACT-CDC-09-SOC-05

2. Show and share feelings

Use warm expressions and simple feeling words during play. Your baby might look, turn, move, smile, make a sound, stay quiet or need a break. Any response is welcome; do not ask them to imitate or perform. Keep babies fully supervised and properly supported; never leave them on a raised changing surface. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/9-months.html | Activity ID: ACT-CDC-09-SOC-03

3. Share a Stare

While holding your baby securely in a relaxed position, offer a friendly face or small playful expression. Wait to see whether they look, smile or make a sound; then respond warmly or try a different expression. Allow them to look away whenever they want.

Source: Vroom, page 11, tip 21 | https://assets.ctfassets.net/khbu829tujdl/LyHni4h8ESCUgSOaGoWKw/698282000d890a095c55f564a92911d2/Vroom_TipSheet_Age_0_1_ENG.pdf | Activity ID: ACT-VROOM-TIP-00021

Checkpoint CP9M - 9 months

Case 3: CP9M-O2 - Mostly not yet

A. Synthetic developmental questionnaire inputs

Domain	Item	Synthetic answer
Communication	Q1. Even when looking elsewhere, does your child usually pay attention when their name is called?	0 - Not yet
	Q2. Does your child make continuous sound patterns such as "babababa" or "mamamama"?	2 - Yes, usually
	Q3. Does your child use gestures, sounds, or facial expressions to request something or continue a game?	1 - Sometimes
	Q4. When a familiar object is visible nearby and you ask for it by name, such as "Where is the ball?", without pointing, does your child look at it?	0 - Not yet
	Q5. Does your child respond differently when a familiar adult speaks in a cheerful tone and when they speak in a calm, serious tone?	0 - Not yet
Cognitive	Q1. If your child sees a toy being completely covered with a cloth or container, do they search for it?	1 - Sometimes
	Q2. Does your child deliberately do something to obtain an object they want—for example, removing another toy that is blocking it?	0 - Not yet
	Q3. Does your child explore safe household objects by dropping them, tapping them, or banging them together?	2 - Yes, usually
	Q4. When holding one toy and offered a new toy, does your child release the first one to grasp the new one?	0 - Not yet
	Q5. Does your child turn a toy in their hands to examine its different sides or parts?	0 - Not yet
Social-emotional	Q1. In an unfamiliar situation, does your child look at a familiar adult for reassurance?	0 - Not yet
	Q2. Does your child participate in two-person games such as peekaboo or exchanging sounds?	0 - Not yet
	Q3. Does your child notice and respond when a familiar adult leaves or returns?	1 - Sometimes
	Q4. When a familiar adult points toward a nearby object, does your child turn in that direction and look at the object?	0 - Not yet
	Q5. When near another baby or young child, or when the other child makes a sound, does your child look at them or make a sound in response?	1 - Sometimes

B. Authorized synthetic activity-suitability assumptions

Fictional activity-suitability profile used solely for synthetic software-output demonstration.

Hearing	No concern noticed	no_concern_reported
Vision	No concern noticed	no_concern_reported
Fine Motor	No concern noticed	no_concern_reported
Gross Motor	No concern noticed	no_concern_reported

C. Actual system predictions

Domain	Probability	System decision
Communication	0.619433	Additional monitoring may be helpful
Cognitive	0.930096	Additional monitoring may be helpful
Social-emotional	0.868685	Additional monitoring may be helpful

Overall OR-rule decision: CONCERN FLAGGED. Areas identified for further attention: Communication, Cognitive and Social-emotional

D. Existing caregiver explanations

Communication: Observation contributing most to this result Not yet for "Even when looking elsewhere, does your child usually pay attention when their name is called?" moved the model calculation toward a concern flag.
Cognitive: This screening result suggests that additional monitoring may be helpful. It is not a diagnosis.
Social-emotional: Observation contributing most to this result Not yet for "Does your child participate in two-person games such as peekaboo or exchanging sounds?" moved the model calculation toward a concern flag.
The models considered all 15 answers and the selected checkpoint when producing these results. The highlighted observations are examples of influential answers and did not determine the results alone. These results support developmental monitoring and are not diagnoses.

Case 3: CP9M-O2 - actual activity recommendation output

E. Activity recommendations

Runtime status: ready. Returned activities: 9. Retrieval mode: caregiver deployment.

Communication - ready

Eligible after all filters: 14; withheld: 218; returned by semantic ranking: 3.

1. Name what baby sees

Describe a safe object that has captured your baby's attention. Your baby might look, turn, move, smile, make a sound, stay quiet or need a break. Any response is welcome; do not ask them to imitate or perform. Use only intact age-suitable materials; no loose, detachable or mouth-sized pieces. Keep babies fully supervised and properly supported; never leave them on a raised changing surface. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/9-months.html | Activity ID: ACT-CDC-09-COM-03

2. Cart Vision

While shopping with your child, talk about something they notice, such as the colour of fruit, a familiar sound or a smell. Pause and follow where their attention goes next. Keep the conversation gentle and brief.

Source: Vroom, page 2, tip 268 | https://assets.ctfassets.net/khbu829tujdl/2oHlhQZZBWU8yq8acmwUy6/1c24e1c4340e3ece406d76babc3b1f11/Vroom_TipSheet_Age_1-2_ENG.pdf | Activity ID: ACT-VROOM-TIP-00268

3. Body Language

Use a simple gesture while you speak, such as waving while saying hello or gently clapping while saying well done. Notice any comfortable response from your child, such as looking, moving, smiling, making a sound or using a gesture. Respond warmly; there is no need for the child to copy you.

Source: Vroom, page 3, tip 73 | https://assets.ctfassets.net/khbu829tujdl/2oHlhQZZBWU8yq8acmwUy6/1c24e1c4340e3ece406d76babc3b1f11/Vroom_TipSheet_Age_1-2_ENG.pdf | Activity ID: ACT-VROOM-TIP-00073

Cognitive - ready

Eligible after all filters: 8; withheld: 224; returned by semantic ranking: 3.

1. Find the hidden toy

Show a safe toy, partly cover it with a cloth, and invite the baby to look for it. Your baby might look, turn, move, smile, make a sound, stay quiet or need a break. Any response is welcome; do not ask them to imitate or perform. Use only intact age-suitable materials; no loose, detachable or mouth-sized pieces. Keep babies fully supervised and properly supported; never leave them on a raised changing surface. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/9-months.html | Activity ID: ACT-CDC-09-COG-01

2. Put toys in a container

Together place large age-safe toys into a container and take them out. Your baby might look, turn, move, smile, make a sound, stay quiet or need a break. Any response is welcome; do not ask them to imitate or perform. Use only intact age-suitable materials; no loose, detachable or mouth-sized pieces. Keep babies fully supervised and properly supported; never leave them on a raised changing surface. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/9-months.html | Activity ID: ACT-CDC-09-COG-03

3. Look where it went

Slowly move a toy out of sight and give time to search with the eyes. Your baby might look, turn, move, smile, make a sound, stay quiet or need a break. Any response is welcome; do not ask them to imitate or perform. Use only intact age-suitable materials; no loose, detachable or mouth-sized pieces. Keep babies fully supervised and properly supported; never leave them on a raised changing surface. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/9-months.html | Activity ID: ACT-CDC-09-COG-04

Social-emotional - ready

Eligible after all filters: 11; withheld: 221; returned by semantic ranking: 3.

1. Stay close while exploring

Remain nearby while the child investigates a safe play space, and respond to reassurance cues. Your baby might look, turn, move, smile, make a sound, stay quiet or need a break. Any response is welcome; do not ask them to imitate or perform. Keep babies fully supervised and properly supported; never leave them on a raised changing surface. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/9-months.html | Activity ID: ACT-CDC-09-SOC-05

2. Body Language

Use a simple gesture while you speak, such as waving while saying hello or gently clapping while saying well done. Notice any comfortable response from your child, such as looking, moving, smiling, making a sound or using a gesture. Respond warmly; there is no need for the child to copy you.

Source: Vroom, page 3, tip 73 | https://assets.ctfassets.net/khbu829tujdl/2oHlhQZZBWU8yq8acmwUy6/1c24e1c4340e3ece406d76babc3b1f11/Vroom_TipSheet_Age_1-2_ENG.pdf | Activity ID: ACT-VROOM-TIP-00073

3. Show and share feelings

Use warm expressions and simple feeling words during play. Your baby might look, turn, move, smile, make a sound, stay quiet or need a break. Any response is welcome; do not ask them to imitate or perform. Keep babies fully supervised and properly supported; never leave them on a raised changing surface. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/9-months.html | Activity ID: ACT-CDC-09-SOC-03

Checkpoint CP9M - paediatrician review

Review the three synthetic cases and their genuine system outputs above.

Appropriateness of developmental concern messaging	
Clarity of explanations	
Age appropriateness of recommendations	
Safety and suitability of activity instructions	
Required corrections	
General checkpoint comments	

Checkpoint review decision:
[ ] Suitable as presented [ ] Suitable with minor corrections [ ] Requires revision

Checkpoint CP12M - 12 months

Case 1: CP12M-P - Mixed answers

A. Synthetic developmental questionnaire inputs

Domain	Item	Synthetic answer
Communication	Q1. Without being shown a hand gesture, does your child correctly respond to a familiar, simple request such as "come here" or "give it to me"?	1 - Sometimes
	Q2. Does your child consistently use a single word, sound, or gesture understood by family members to refer to a particular person or object?	0 - Not yet
	Q3. Does your child use a gesture, sound, or word to ask for help, obtain something, or say no?	0 - Not yet
	Q4. When something unusual or surprising happens during play, does your child show surprise with a special sound, word-like expression, or hand or facial gesture?	1 - Sometimes
	Q5. Does your child independently use a familiar word, sound, or gesture correctly to greet or say goodbye, even without seeing someone else do it?	2 - Yes, usually
Cognitive	Q1. If your child sees a toy being hidden, do they independently look for it in the correct hiding place?	1 - Sometimes
	Q2. Does your child use a familiar object correctly—for example, trying to drink from a cup or placing a comb against their hair?	0 - Not yet
	Q3. After watching an adult demonstrate a simple action with an object, does your child try to perform the action independently?	2 - Yes, usually
	Q4. When handed a toy upside down or in an unusual position, does your child try to turn it the usual way or use it normally?	0 - Not yet
	Q5. Does your child play by combining two toys appropriately, such as tapping a container with a spoon or putting a small object into a box?	2 - Yes, usually
Social-emotional	Q1. Does your child try to direct an adult's attention towards something interesting or special by looking back and forth between the object and the adult?	2 - Yes, usually
	Q2. Does your child imitate simple social actions such as waving, clapping, or making familiar gestures?	1 - Sometimes
	Q3. When upset or frightened, does your child seek comfort from a familiar adult?	0 - Not yet
	Q4. When praised after successfully completing a small task or action, does your child smile happily or repeat the action?	1 - Sometimes
	Q5. During a quiet, calm face-to-face moment, when another person smiles, does your child join in by smiling or showing happiness?	2 - Yes, usually

B. Authorized synthetic activity-suitability assumptions

Fictional activity-suitability profile used solely for synthetic software-output demonstration.

Hearing	No concern noticed	no_concern_reported
Vision	No concern noticed	no_concern_reported
Fine Motor	No concern noticed	no_concern_reported
Gross Motor	No concern noticed	no_concern_reported

C. Actual system predictions

Domain	Probability	System decision
Communication	0.513919	Additional monitoring may be helpful
Cognitive	0.253722	Additional monitoring may be helpful
Social-emotional	0.214486	Additional monitoring may be helpful

Overall OR-rule decision: CONCERN FLAGGED. Areas identified for further attention: Communication, Cognitive and Social-emotional

D. Existing caregiver explanations

Communication: Observation contributing most to this result Not yet for "Does your child consistently use a single word, sound, or gesture understood by family members to refer to a particular person or object?" moved the model calculation toward a concern flag.
Cognitive: This screening result suggests that additional monitoring may be helpful. It is not a diagnosis.
Social-emotional: Observation contributing most to this result Not yet for "When upset or frightened, does your child seek comfort from a familiar adult?" moved the model calculation toward a concern flag.
The models considered all 15 answers and the selected checkpoint when producing these results. The highlighted observations are examples of influential answers and did not determine the results alone. These results support developmental monitoring and are not diagnoses.

Case 1: CP12M-P - actual activity recommendation output

E. Activity recommendations

Runtime status: ready. Returned activities: 9. Retrieval mode: caregiver deployment.

Communication - ready

Eligible after all filters: 17; withheld: 215; returned by semantic ranking: 3.

1. Body Language

Use a simple gesture while you speak, such as waving while saying hello or gently clapping while saying well done. Notice any comfortable response from your child, such as looking, moving, smiling, making a sound or using a gesture. Respond warmly; there is no need for the child to copy you.

Source: Vroom, page 3, tip 73 | https://assets.ctfassets.net/khbu829tujdl/2oHlhQZZBWU8yq8acmwUy6/1c24e1c4340e3ece406d76babc3b1f11/Vroom_TipSheet_Age_1-2_ENG.pdf | Activity ID: ACT-VROOM-TIP-00073

2. What's That?

When your child notices or points to something nearby, follow their attention and name it. Add one simple detail, such as its colour or what it does. Pause so the child can respond with a look, gesture or word if they wish.

Source: Vroom, page 3, tip 62 | https://assets.ctfassets.net/khbu829tujdl/2oHlhQZZBWU8yq8acmwUy6/1c24e1c4340e3ece406d76babc3b1f11/Vroom_TipSheet_Age_1-2_ENG.pdf | Activity ID: ACT-VROOM-TIP-00062

3. Did You Hear That?

When you notice a gentle everyday sound outside, briefly describe it and make a quiet imitation. Give your child time to attend to the sound in their own way; a look or movement is enough. Do not repeatedly ask them to identify or reproduce it.

Source: Vroom, page 11, tip 189 | https://assets.ctfassets.net/khbu829tujdl/LyHni4h8ESCUgSOaGoWKw/698282000d890a095c55f564a92911d2/Vroom_TipSheet_Age_0_1_ENG.pdf | Activity ID: ACT-VROOM-TIP-00189

Cognitive - ready

Eligible after all filters: 16; withheld: 216; returned by semantic ranking: 3.

1. Discover toys by hand

Offer different large, safe objects to hold or move while describing what happens. Your baby might look, turn, move, smile, make a sound, stay quiet or need a break. Any response is welcome; do not ask them to imitate or perform. Use only intact age-suitable materials; no loose, detachable or mouth-sized pieces. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/1-year.html | Activity ID: ACT-CDC-12-COG-05

2. Where Is It?

During supervised play, show your child a familiar, intact toy and then hide it in a nearby easy-to-find place while they watch. Wonder aloud where it went and give the child time to look or gesture. Reveal it cheerfully if they prefer not to search.

Source: Vroom, page 5, tip 807 | https://assets.ctfassets.net/khbu829tujdl/2oHlhQZZBWU8yq8acmwUy6/1c24e1c4340e3ece406d76babc3b1f11/Vroom_TipSheet_Age_1-2_ENG.pdf | Activity ID: ACT-VROOM-TIP-00807

3. Find the pictured thing

Name an object in a large picture and let the child look for it. Your baby might look, turn, move, smile, make a sound, stay quiet or need a break. Any response is welcome; do not ask them to imitate or perform. Use sturdy, intact pages or pictures; keep plastic sleeves, loose parts and packaging away. Use only intact age-suitable materials; no loose, detachable or mouth-sized pieces. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/1-year.html | Activity ID: ACT-CDC-12-COG-03

Social-emotional - ready

Eligible after all filters: 14; withheld: 218; returned by semantic ranking: 3.

1. Body Language

Use a simple gesture while you speak, such as waving while saying hello or gently clapping while saying well done. Notice any comfortable response from your child, such as looking, moving, smiling, making a sound or using a gesture. Respond warmly; there is no need for the child to copy you.

Source: Vroom, page 3, tip 73 | https://assets.ctfassets.net/khbu829tujdl/2oHlhQZZBWU8yq8acmwUy6/1c24e1c4340e3ece406d76babc3b1f11/Vroom_TipSheet_Age_1-2_ENG.pdf | Activity ID: ACT-VROOM-TIP-00073

2. What’s That?

When your child notices or points to something nearby, follow their attention and name it. Add one simple detail, such as its colour or what it does. Pause so the child can respond with a look, gesture or word if they wish.

Source: Vroom, page 3, tip 62 | https://assets.ctfassets.net/khbu829tujdl/2oHlhQZZBWU8yq8acmwUy6/1c24e1c4340e3ece406d76babc3b1f11/Vroom_TipSheet_Age_1-2_ENG.pdf | Activity ID: ACT-VROOM-TIP-00062

3. Join the baby’s play

Follow the child’s preferred safe activity and take simple turns. Your baby might look, turn, move, smile, make a sound, stay quiet or need a break. Any response is welcome; do not ask them to imitate or perform. Keep babies fully supervised and properly supported; never leave them on a raised changing surface. Use a level, clear area; avoid stairs, height and forced movement. Support only in ways already comfortable and suitable for the child. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/1-year.html | Activity ID: ACT-CDC-12-SOC-05

Checkpoint CP12M - 12 months

Case 2: CP12M-O1 - Mostly not yet

A. Synthetic developmental questionnaire inputs

Domain	Item	Synthetic answer
Communication	Q1. Without being shown a hand gesture, does your child correctly respond to a familiar, simple request such as "come here" or "give it to me"?	2 - Yes, usually
	Q2. Does your child consistently use a single word, sound, or gesture understood by family members to refer to a particular person or object?	0 - Not yet
	Q3. Does your child use a gesture, sound, or word to ask for help, obtain something, or say no?	0 - Not yet
	Q4. When something unusual or surprising happens during play, does your child show surprise with a special sound, word-like expression, or hand or facial gesture?	0 - Not yet
	Q5. Does your child independently use a familiar word, sound, or gesture correctly to greet or say goodbye, even without seeing someone else do it?	1 - Sometimes
Cognitive	Q1. If your child sees a toy being hidden, do they independently look for it in the correct hiding place?	0 - Not yet
	Q2. Does your child use a familiar object correctly—for example, trying to drink from a cup or placing a comb against their hair?	0 - Not yet
	Q3. After watching an adult demonstrate a simple action with an object, does your child try to perform the action independently?	1 - Sometimes
	Q4. When handed a toy upside down or in an unusual position, does your child try to turn it the usual way or use it normally?	1 - Sometimes
	Q5. Does your child play by combining two toys appropriately, such as tapping a container with a spoon or putting a small object into a box?	0 - Not yet
Social-emotional	Q1. Does your child try to direct an adult's attention towards something interesting or special by looking back and forth between the object and the adult?	1 - Sometimes
	Q2. Does your child imitate simple social actions such as waving, clapping, or making familiar gestures?	0 - Not yet
	Q3. When upset or frightened, does your child seek comfort from a familiar adult?	0 - Not yet
	Q4. When praised after successfully completing a small task or action, does your child smile happily or repeat the action?	0 - Not yet
	Q5. During a quiet, calm face-to-face moment, when another person smiles, does your child join in by smiling or showing happiness?	2 - Yes, usually

B. Authorized synthetic activity-suitability assumptions

Fictional activity-suitability profile used solely for synthetic software-output demonstration.

Hearing	No concern noticed	no_concern_reported
Vision	No concern noticed	no_concern_reported
Fine Motor	No concern noticed	no_concern_reported
Gross Motor	No concern noticed	no_concern_reported

C. Actual system predictions

Domain	Probability	System decision
Communication	0.556818	Additional monitoring may be helpful
Cognitive	0.923887	Additional monitoring may be helpful
Social-emotional	0.851090	Additional monitoring may be helpful

Overall OR-rule decision: CONCERN FLAGGED. Areas identified for further attention: Communication, Cognitive and Social-emotional

D. Existing caregiver explanations

Communication: Observation contributing most to this result Not yet for "Does your child consistently use a single word, sound, or gesture understood by family members to refer to a particular person or object?" moved the model calculation toward a concern flag.
Cognitive: This screening result suggests that additional monitoring may be helpful. It is not a diagnosis.
Social-emotional: Observation contributing most to this result Not yet for "Does your child imitate simple social actions such as waving, clapping, or making familiar gestures?" moved the model calculation toward a concern flag.
The models considered all 15 answers and the selected checkpoint when producing these results. The highlighted observations are examples of influential answers and did not determine the results alone. These results support developmental monitoring and are not diagnoses.

Case 2: CP12M-O1 - actual activity recommendation output

E. Activity recommendations

Runtime status: ready. Returned activities: 9. Retrieval mode: caregiver deployment.

Communication - ready

Eligible after all filters: 17; withheld: 215; returned by semantic ranking: 3.

1. Body Language

Use a simple gesture while you speak, such as waving while saying hello or gently clapping while saying well done. Notice any comfortable response from your child, such as looking, moving, smiling, making a sound or using a gesture. Respond warmly; there is no need for the child to copy you.

Source: Vroom, page 3, tip 73 | https://assets.ctfassets.net/khbu829tujdl/2oHlhQZZBWU8yq8acmwUy6/1c24e1c4340e3ece406d76babc3b1f11/Vroom_TipSheet_Age_1-2_ENG.pdf | Activity ID: ACT-VROOM-TIP-00073

2. What's That?

When your child notices or points to something nearby, follow their attention and name it. Add one simple detail, such as its colour or what it does. Pause so the child can respond with a look, gesture or word if they wish.

Source: Vroom, page 3, tip 62 | https://assets.ctfassets.net/khbu829tujdl/2oHlhQZZBWU8yq8acmwUy6/1c24e1c4340e3ece406d76babc3b1f11/Vroom_TipSheet_Age_1-2_ENG.pdf | Activity ID: ACT-VROOM-TIP-00062

3. Greeting gestures

Wave hello and goodbye together at natural moments. Your baby might look, turn, move, smile, make a sound, stay quiet or need a break. Any response is welcome; do not ask them to imitate or perform. A familiar adult should remain present and adjust to the child's abilities and comfort. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/1-year.html | Activity ID: ACT-CDC-12-COM-04

Cognitive - ready

Eligible after all filters: 16; withheld: 216; returned by semantic ranking: 3.

1. Discover toys by hand

Offer different large, safe objects to hold or move while describing what happens. Your baby might look, turn, move, smile, make a sound, stay quiet or need a break. Any response is welcome; do not ask them to imitate or perform. Use only intact age-suitable materials; no loose, detachable or mouth-sized pieces. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/1-year.html | Activity ID: ACT-CDC-12-COG-05

2. Where Is It?

During supervised play, show your child a familiar, intact toy and then hide it in a nearby easy-to-find place while they watch. Wonder aloud where it went and give the child time to look or gesture. Reveal it cheerfully if they prefer not to search.

Source: Vroom, page 5, tip 807 | https://assets.ctfassets.net/khbu829tujdl/2oHlhQZZBWU8yq8acmwUy6/1c24e1c4340e3ece406d76babc3b1f11/Vroom_TipSheet_Age_1-2_ENG.pdf | Activity ID: ACT-VROOM-TIP-00807

3. Find the pictured thing

Name an object in a large picture and let the child look for it. Your baby might look, turn, move, smile, make a sound, stay quiet or need a break. Any response is welcome; do not ask them to imitate or perform. Use sturdy, intact pages or pictures; keep plastic sleeves, loose parts and packaging away. Use only intact age-suitable materials; no loose, detachable or mouth-sized pieces. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/1-year.html | Activity ID: ACT-CDC-12-COG-03

Social-emotional - ready

Eligible after all filters: 14; withheld: 218; returned by semantic ranking: 3.

1. Body Language

Use a simple gesture while you speak, such as waving while saying hello or gently clapping while saying well done. Notice any comfortable response from your child, such as looking, moving, smiling, making a sound or using a gesture. Respond warmly; there is no need for the child to copy you.

Source: Vroom, page 3, tip 73 | https://assets.ctfassets.net/khbu829tujdl/2oHlhQZZBWU8yq8acmwUy6/1c24e1c4340e3ece406d76babc3b1f11/Vroom_TipSheet_Age_1-2_ENG.pdf | Activity ID: ACT-VROOM-TIP-00073

2. What’s That?

When your child notices or points to something nearby, follow their attention and name it. Add one simple detail, such as its colour or what it does. Pause so the child can respond with a look, gesture or word if they wish.

Source: Vroom, page 3, tip 62 | https://assets.ctfassets.net/khbu829tujdl/2oHlhQZZBWU8yq8acmwUy6/1c24e1c4340e3ece406d76babc3b1f11/Vroom_TipSheet_Age_1-2_ENG.pdf | Activity ID: ACT-VROOM-TIP-00062

3. Join the baby’s play

Follow the child’s preferred safe activity and take simple turns. Your baby might look, turn, move, smile, make a sound, stay quiet or need a break. Any response is welcome; do not ask them to imitate or perform. Keep babies fully supervised and properly supported; never leave them on a raised changing surface. Use a level, clear area; avoid stairs, height and forced movement. Support only in ways already comfortable and suitable for the child. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/1-year.html | Activity ID: ACT-CDC-12-SOC-05

Checkpoint CP12M - 12 months

Case 3: CP12M-O2 - Mostly achieved

A. Synthetic developmental questionnaire inputs

Domain	Item	Synthetic answer
Communication	Q1. Without being shown a hand gesture, does your child correctly respond to a familiar, simple request such as "come here" or "give it to me"?	2 - Yes, usually
	Q2. Does your child consistently use a single word, sound, or gesture understood by family members to refer to a particular person or object?	2 - Yes, usually
	Q3. Does your child use a gesture, sound, or word to ask for help, obtain something, or say no?	1 - Sometimes
	Q4. When something unusual or surprising happens during play, does your child show surprise with a special sound, word-like expression, or hand or facial gesture?	2 - Yes, usually
	Q5. Does your child independently use a familiar word, sound, or gesture correctly to greet or say goodbye, even without seeing someone else do it?	2 - Yes, usually
Cognitive	Q1. If your child sees a toy being hidden, do they independently look for it in the correct hiding place?	1 - Sometimes
	Q2. Does your child use a familiar object correctly—for example, trying to drink from a cup or placing a comb against their hair?	2 - Yes, usually
	Q3. After watching an adult demonstrate a simple action with an object, does your child try to perform the action independently?	2 - Yes, usually
	Q4. When handed a toy upside down or in an unusual position, does your child try to turn it the usual way or use it normally?	2 - Yes, usually
	Q5. Does your child play by combining two toys appropriately, such as tapping a container with a spoon or putting a small object into a box?	2 - Yes, usually
Social-emotional	Q1. Does your child try to direct an adult's attention towards something interesting or special by looking back and forth between the object and the adult?	2 - Yes, usually
	Q2. Does your child imitate simple social actions such as waving, clapping, or making familiar gestures?	0 - Not yet
	Q3. When upset or frightened, does your child seek comfort from a familiar adult?	2 - Yes, usually
	Q4. When praised after successfully completing a small task or action, does your child smile happily or repeat the action?	2 - Yes, usually
	Q5. During a quiet, calm face-to-face moment, when another person smiles, does your child join in by smiling or showing happiness?	2 - Yes, usually

B. Authorized synthetic activity-suitability assumptions

Fictional activity-suitability profile used solely for synthetic software-output demonstration.

Hearing	No concern noticed	no_concern_reported
Vision	No concern noticed	no_concern_reported
Fine Motor	No concern noticed	no_concern_reported
Gross Motor	No concern noticed	no_concern_reported

C. Actual system predictions

Domain	Probability	System decision
Communication	0.005505	Not flagged by this screening
Cognitive	0.000772	Not flagged by this screening
Social-emotional	0.019020	Not flagged by this screening

Overall OR-rule decision: NO DOMAIN FLAGGED. No developmental areas were flagged by the current model results.

D. Existing caregiver explanations

Communication: Observation contributing most to this result Yes, usually for "Without being shown a hand gesture, does your child correctly respond to a familiar, simple request such as "come here" or "give it to me"?" moved the model calculation away from a concern flag.
Cognitive: This screening result did not flag this area. It does not rule out developmental needs.
Social-emotional: Observation contributing most to this result Yes, usually for "Does your child try to direct an adult's attention towards something interesting or special by looking back and forth between the object and the adult?" moved the model calculation away from a concern flag.
The models considered all 15 answers and the selected checkpoint when producing these results. The highlighted observations are examples of influential answers and did not determine the results alone. These results support developmental monitoring and are not diagnoses.

Case 3: CP12M-O2 - actual activity recommendation output

E. Activity recommendations

No developmental domain was flagged, so targeted activity retrieval was not applicable.

Checkpoint CP12M - paediatrician review

Review the three synthetic cases and their genuine system outputs above.

Appropriateness of developmental concern messaging	
Clarity of explanations	
Age appropriateness of recommendations	
Safety and suitability of activity instructions	
Required corrections	
General checkpoint comments	

Checkpoint review decision:
[ ] Suitable as presented [ ] Suitable with minor corrections [ ] Requires revision

Checkpoint CP15M - 15 months

Case 1: CP15M-P - Mostly not yet

A. Synthetic developmental questionnaire inputs

Domain	Item	Synthetic answer
Communication	Q1. When asked without pointing, can your child identify a familiar person, object, or body part?	0 - Not yet
	Q2. Apart from names for familiar adults such as "Mum" and "Dad," does your child consistently use several other meaningful words or sounds?	1 - Sometimes
	Q3. If an adult does not initially understand what your child is communicating, does your child try to clarify it using a sound, word, gesture, or look?	0 - Not yet
	Q4. After hearing a new, simple word or word-like sound several times, does your child try to repeat it?	0 - Not yet
	Q5. When asked a familiar yes-or-no question, does your child communicate an answer using a consistent word, sound, or gesture?	1 - Sometimes
Cognitive	Q1. If your child's first attempt to obtain a toy at home is unsuccessful, do they try another way to get it?	0 - Not yet
	Q2. Does your child deliberately place a toy inside a container and then try to take it out again?	1 - Sometimes
	Q3. Does your child anticipate and prepare for the next step in a daily routine, such as getting ready for a meal or bedtime?	0 - Not yet
	Q4. Can your child stack two toy blocks to make a taller structure?	2 - Yes, usually
	Q5. Can your child put the correct shape, such as a circle, into its matching hole in a shape-sorter toy?	0 - Not yet
Social-emotional	Q1. Does your child show affection towards familiar people through actions such as smiling, approaching, or hugging them?	0 - Not yet
	Q2. Does your child bring and show you a toy simply to share their enjoyment, rather than only to ask for help?	0 - Not yet
	Q3. While moving around and exploring the surroundings, does your child occasionally check whether a familiar adult is nearby?	0 - Not yet
	Q4. While watching another child perform a simple play action, does your child try to imitate that action?	1 - Sometimes
	Q5. Does your child show affection toward a favourite soft toy by hugging, stroking, or holding it lovingly?	2 - Yes, usually

B. Authorized synthetic activity-suitability assumptions

Fictional activity-suitability profile used solely for synthetic software-output demonstration.

Hearing	No concern noticed	no_concern_reported
Vision	No concern noticed	no_concern_reported
Fine Motor	No concern noticed	no_concern_reported
Gross Motor	No concern noticed	no_concern_reported

C. Actual system predictions

Domain	Probability	System decision
Communication	0.878448	Additional monitoring may be helpful
Cognitive	0.937156	Additional monitoring may be helpful
Social-emotional	0.766764	Additional monitoring may be helpful

Overall OR-rule decision: CONCERN FLAGGED. Areas identified for further attention: Communication, Cognitive and Social-emotional

D. Existing caregiver explanations

Communication: Observation contributing most to this result Not yet for "When asked without pointing, can your child identify a familiar person, object, or body part?" moved the model calculation toward a concern flag.
Cognitive: This screening result suggests that additional monitoring may be helpful. It is not a diagnosis.
Social-emotional: Observation contributing most to this result Not yet for "Does your child bring and show you a toy simply to share their enjoyment, rather than only to ask for help?" moved the model calculation toward a concern flag.
The models considered all 15 answers and the selected checkpoint when producing these results. The highlighted observations are examples of influential answers and did not determine the results alone. These results support developmental monitoring and are not diagnoses.

Case 1: CP15M-P - actual activity recommendation output

E. Activity recommendations

Runtime status: ready. Returned activities: 9. Retrieval mode: caregiver deployment.

Communication - ready

Eligible after all filters: 14; withheld: 218; returned by semantic ranking: 3.

1. Gesture-and-word game

Model simple gestures paired with everyday words during familiar routines. Your child may watch, listen, smile, gesture, make a sound, move or join in—or simply choose not to participate. There is nothing to pass or score. A familiar adult should remain present and adjust to the child's abilities and comfort. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/15-months.html | Activity ID: ACT-CDC-15-COM-03

2. Body Language

Use a simple gesture while you speak, such as waving while saying hello or gently clapping while saying well done. Notice any comfortable response from your child, such as looking, moving, smiling, making a sound or using a gesture. Respond warmly; there is no need for the child to copy you.

Source: Vroom, page 3, tip 73 | https://assets.ctfassets.net/khbu829tujdl/2oHlhQZZBWU8yq8acmwUy6/1c24e1c4340e3ece406d76babc3b1f11/Vroom_TipSheet_Age_1-2_ENG.pdf | Activity ID: ACT-VROOM-TIP-00073

3. What's That?

When your child notices or points to something nearby, follow their attention and name it. Add one simple detail, such as its colour or what it does. Pause so the child can respond with a look, gesture or word if they wish.

Source: Vroom, page 3, tip 62 | https://assets.ctfassets.net/khbu829tujdl/2oHlhQZZBWU8yq8acmwUy6/1c24e1c4340e3ece406d76babc3b1f11/Vroom_TipSheet_Age_1-2_ENG.pdf | Activity ID: ACT-VROOM-TIP-00062

Cognitive - ready

Eligible after all filters: 15; withheld: 217; returned by semantic ranking: 3.

1. Put away the toys

Invite the child to put large toys into a basket in a familiar cleanup routine. Your child may watch, listen, smile, gesture, make a sound, move or join in—or simply choose not to participate. There is nothing to pass or score. Use only intact age-suitable materials; no loose, detachable or mouth-sized pieces. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/15-months.html | Activity ID: ACT-CDC-15-COG-03

2. In-and-out discovery

Put a large safe object into a container and invite the child to remove it. Your child may watch, touch, move, choose, describe or change the play—or may decide not to join in. Use only intact age-suitable materials; no loose, detachable or mouth-sized pieces. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/15-months.html | Activity ID: ACT-CDC-15-COG-05

3. Where Is It?

During supervised play, show your child a familiar, intact toy and then hide it in a nearby easy-to-find place while they watch. Wonder aloud where it went and give the child time to look or gesture. Reveal it cheerfully if they prefer not to search.

Source: Vroom, page 5, tip 807 | https://assets.ctfassets.net/khbu829tujdl/2oHlhQZZBWU8yq8acmwUy6/1c24e1c4340e3ece406d76babc3b1f11/Vroom_TipSheet_Age_1-2_ENG.pdf | Activity ID: ACT-VROOM-TIP-00807

Social-emotional - ready

Eligible after all filters: 12; withheld: 220; returned by semantic ranking: 3.

1. Take turns finding

Play a very simple supervised finding game with a familiar caregiver. Your child may watch, listen, smile, gesture, make a sound, move or join in—or simply choose not to participate. There is nothing to pass or score. A familiar adult should remain present and adjust to the child's abilities and comfort. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/15-months.html | Activity ID: ACT-CDC-15-SOC-05

2. Where Is It?

During supervised play, show your child a familiar, intact toy and then hide it in a nearby easy-to-find place while they watch. Wonder aloud where it went and give the child time to look or gesture. Reveal it cheerfully if they prefer not to search.

Source: Vroom, page 5, tip 807 | https://assets.ctfassets.net/khbu829tujdl/2oHlhQZZBWU8yq8acmwUy6/1c24e1c4340e3ece406d76babc3b1f11/Vroom_TipSheet_Age_1-2_ENG.pdf | Activity ID: ACT-VROOM-TIP-00807

3. What’s That?

When your child notices or points to something nearby, follow their attention and name it. Add one simple detail, such as its colour or what it does. Pause so the child can respond with a look, gesture or word if they wish.

Source: Vroom, page 3, tip 62 | https://assets.ctfassets.net/khbu829tujdl/2oHlhQZZBWU8yq8acmwUy6/1c24e1c4340e3ece406d76babc3b1f11/Vroom_TipSheet_Age_1-2_ENG.pdf | Activity ID: ACT-VROOM-TIP-00062

Checkpoint CP15M - 15 months

Case 2: CP15M-O1 - Mostly achieved

A. Synthetic developmental questionnaire inputs

Domain	Item	Synthetic answer
Communication	Q1. When asked without pointing, can your child identify a familiar person, object, or body part?	2 - Yes, usually
	Q2. Apart from names for familiar adults such as "Mum" and "Dad," does your child consistently use several other meaningful words or sounds?	0 - Not yet
	Q3. If an adult does not initially understand what your child is communicating, does your child try to clarify it using a sound, word, gesture, or look?	2 - Yes, usually
	Q4. After hearing a new, simple word or word-like sound several times, does your child try to repeat it?	2 - Yes, usually
	Q5. When asked a familiar yes-or-no question, does your child communicate an answer using a consistent word, sound, or gesture?	2 - Yes, usually
Cognitive	Q1. If your child's first attempt to obtain a toy at home is unsuccessful, do they try another way to get it?	2 - Yes, usually
	Q2. Does your child deliberately place a toy inside a container and then try to take it out again?	2 - Yes, usually
	Q3. Does your child anticipate and prepare for the next step in a daily routine, such as getting ready for a meal or bedtime?	2 - Yes, usually
	Q4. Can your child stack two toy blocks to make a taller structure?	1 - Sometimes
	Q5. Can your child put the correct shape, such as a circle, into its matching hole in a shape-sorter toy?	2 - Yes, usually
Social-emotional	Q1. Does your child show affection towards familiar people through actions such as smiling, approaching, or hugging them?	1 - Sometimes
	Q2. Does your child bring and show you a toy simply to share their enjoyment, rather than only to ask for help?	2 - Yes, usually
	Q3. While moving around and exploring the surroundings, does your child occasionally check whether a familiar adult is nearby?	2 - Yes, usually
	Q4. While watching another child perform a simple play action, does your child try to imitate that action?	2 - Yes, usually
	Q5. Does your child show affection toward a favourite soft toy by hugging, stroking, or holding it lovingly?	2 - Yes, usually

B. Authorized synthetic activity-suitability assumptions

Fictional activity-suitability profile used solely for synthetic software-output demonstration.

Hearing	No concern noticed	no_concern_reported
Vision	No concern noticed	no_concern_reported
Fine Motor	No concern noticed	no_concern_reported
Gross Motor	No concern noticed	no_concern_reported

C. Actual system predictions

Domain	Probability	System decision
Communication	0.018690	Not flagged by this screening
Cognitive	0.001019	Not flagged by this screening
Social-emotional	0.004576	Not flagged by this screening

Overall OR-rule decision: NO DOMAIN FLAGGED. No developmental areas were flagged by the current model results.

D. Existing caregiver explanations

Communication: Observation contributing most to this result Yes, usually for "When asked without pointing, can your child identify a familiar person, object, or body part?" moved the model calculation away from a concern flag.
Cognitive: This screening result did not flag this area. It does not rule out developmental needs.
Social-emotional: Observation contributing most to this result Yes, usually for "Does your child bring and show you a toy simply to share their enjoyment, rather than only to ask for help?" moved the model calculation away from a concern flag.
The models considered all 15 answers and the selected checkpoint when producing these results. The highlighted observations are examples of influential answers and did not determine the results alone. These results support developmental monitoring and are not diagnoses.

Case 2: CP15M-O1 - actual activity recommendation output

E. Activity recommendations

No developmental domain was flagged, so targeted activity retrieval was not applicable.

Checkpoint CP15M - 15 months

Case 3: CP15M-O2 - Mixed answers

A. Synthetic developmental questionnaire inputs

Domain	Item	Synthetic answer
Communication	Q1. When asked without pointing, can your child identify a familiar person, object, or body part?	0 - Not yet
	Q2. Apart from names for familiar adults such as "Mum" and "Dad," does your child consistently use several other meaningful words or sounds?	2 - Yes, usually
	Q3. If an adult does not initially understand what your child is communicating, does your child try to clarify it using a sound, word, gesture, or look?	1 - Sometimes
	Q4. After hearing a new, simple word or word-like sound several times, does your child try to repeat it?	0 - Not yet
	Q5. When asked a familiar yes-or-no question, does your child communicate an answer using a consistent word, sound, or gesture?	2 - Yes, usually
Cognitive	Q1. If your child's first attempt to obtain a toy at home is unsuccessful, do they try another way to get it?	2 - Yes, usually
	Q2. Does your child deliberately place a toy inside a container and then try to take it out again?	1 - Sometimes
	Q3. Does your child anticipate and prepare for the next step in a daily routine, such as getting ready for a meal or bedtime?	0 - Not yet
	Q4. Can your child stack two toy blocks to make a taller structure?	1 - Sometimes
	Q5. Can your child put the correct shape, such as a circle, into its matching hole in a shape-sorter toy?	2 - Yes, usually
Social-emotional	Q1. Does your child show affection towards familiar people through actions such as smiling, approaching, or hugging them?	0 - Not yet
	Q2. Does your child bring and show you a toy simply to share their enjoyment, rather than only to ask for help?	1 - Sometimes
	Q3. While moving around and exploring the surroundings, does your child occasionally check whether a familiar adult is nearby?	1 - Sometimes
	Q4. While watching another child perform a simple play action, does your child try to imitate that action?	2 - Yes, usually
	Q5. Does your child show affection toward a favourite soft toy by hugging, stroking, or holding it lovingly?	0 - Not yet

B. Authorized synthetic activity-suitability assumptions

Fictional activity-suitability profile used solely for synthetic software-output demonstration.

Hearing	No concern noticed	no_concern_reported
Vision	No concern noticed	no_concern_reported
Fine Motor	No concern noticed	no_concern_reported
Gross Motor	No concern noticed	no_concern_reported

C. Actual system predictions

Domain	Probability	System decision
Communication	0.501181	Additional monitoring may be helpful
Cognitive	0.164862	Additional monitoring may be helpful
Social-emotional	0.309470	Additional monitoring may be helpful

Overall OR-rule decision: CONCERN FLAGGED. Areas identified for further attention: Communication, Cognitive and Social-emotional

D. Existing caregiver explanations

Communication: Observation contributing most to this result Not yet for "When asked without pointing, can your child identify a familiar person, object, or body part?" moved the model calculation toward a concern flag.
Cognitive: This screening result suggests that additional monitoring may be helpful. It is not a diagnosis.
Social-emotional: Observation contributing most to this result Not yet for "Does your child show affection towards familiar people through actions such as smiling, approaching, or hugging them?" moved the model calculation toward a concern flag.
The models considered all 15 answers and the selected checkpoint when producing these results. The highlighted observations are examples of influential answers and did not determine the results alone. These results support developmental monitoring and are not diagnoses.

Case 3: CP15M-O2 - actual activity recommendation output

E. Activity recommendations

Runtime status: ready. Returned activities: 9. Retrieval mode: caregiver deployment.

Communication - ready

Eligible after all filters: 14; withheld: 218; returned by semantic ranking: 3.

1. Gesture-and-word game

Model simple gestures paired with everyday words during familiar routines. Your child may watch, listen, smile, gesture, make a sound, move or join in—or simply choose not to participate. There is nothing to pass or score. A familiar adult should remain present and adjust to the child's abilities and comfort. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/15-months.html | Activity ID: ACT-CDC-15-COM-03

2. What's That?

When your child notices or points to something nearby, follow their attention and name it. Add one simple detail, such as its colour or what it does. Pause so the child can respond with a look, gesture or word if they wish.

Source: Vroom, page 3, tip 62 | https://assets.ctfassets.net/khbu829tujdl/2oHlhQZZBWU8yq8acmwUy6/1c24e1c4340e3ece406d76babc3b1f11/Vroom_TipSheet_Age_1-2_ENG.pdf | Activity ID: ACT-VROOM-TIP-00062

3. Body Language

Use a simple gesture while you speak, such as waving while saying hello or gently clapping while saying well done. Notice any comfortable response from your child, such as looking, moving, smiling, making a sound or using a gesture. Respond warmly; there is no need for the child to copy you.

Source: Vroom, page 3, tip 73 | https://assets.ctfassets.net/khbu829tujdl/2oHlhQZZBWU8yq8acmwUy6/1c24e1c4340e3ece406d76babc3b1f11/Vroom_TipSheet_Age_1-2_ENG.pdf | Activity ID: ACT-VROOM-TIP-00073

Cognitive - ready

Eligible after all filters: 15; withheld: 217; returned by semantic ranking: 3.

1. Block tower play

Build a short tower from large blocks, then allow the child to copy or change it. Your child may watch, listen, smile, gesture, make a sound, move or join in—or simply choose not to participate. There is nothing to pass or score. Use only intact age-suitable materials; no loose, detachable or mouth-sized pieces. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/15-months.html | Activity ID: ACT-CDC-15-COG-01

2. Put away the toys

Invite the child to put large toys into a basket in a familiar cleanup routine. Your child may watch, listen, smile, gesture, make a sound, move or join in—or simply choose not to participate. There is nothing to pass or score. Use only intact age-suitable materials; no loose, detachable or mouth-sized pieces. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/15-months.html | Activity ID: ACT-CDC-15-COG-03

3. In-and-out discovery

Put a large safe object into a container and invite the child to remove it. Your child may watch, touch, move, choose, describe or change the play—or may decide not to join in. Use only intact age-suitable materials; no loose, detachable or mouth-sized pieces. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/15-months.html | Activity ID: ACT-CDC-15-COG-05

Social-emotional - ready

Eligible after all filters: 12; withheld: 220; returned by semantic ranking: 3.

1. Where Is It?

During supervised play, show your child a familiar, intact toy and then hide it in a nearby easy-to-find place while they watch. Wonder aloud where it went and give the child time to look or gesture. Reveal it cheerfully if they prefer not to search.

Source: Vroom, page 5, tip 807 | https://assets.ctfassets.net/khbu829tujdl/2oHlhQZZBWU8yq8acmwUy6/1c24e1c4340e3ece406d76babc3b1f11/Vroom_TipSheet_Age_1-2_ENG.pdf | Activity ID: ACT-VROOM-TIP-00807

2. What’s That?

When your child notices or points to something nearby, follow their attention and name it. Add one simple detail, such as its colour or what it does. Pause so the child can respond with a look, gesture or word if they wish.

Source: Vroom, page 3, tip 62 | https://assets.ctfassets.net/khbu829tujdl/2oHlhQZZBWU8yq8acmwUy6/1c24e1c4340e3ece406d76babc3b1f11/Vroom_TipSheet_Age_1-2_ENG.pdf | Activity ID: ACT-VROOM-TIP-00062

3. Warm praise for helping

Notice a small helpful action and respond with specific, gentle praise. Your child may watch, listen, smile, gesture, make a sound, move or join in—or simply choose not to participate. There is nothing to pass or score. A familiar adult should remain present and adjust to the child’s abilities and comfort. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/15-months.html | Activity ID: ACT-CDC-15-SOC-02

Checkpoint CP15M - paediatrician review

Review the three synthetic cases and their genuine system outputs above.

Appropriateness of developmental concern messaging	
Clarity of explanations	
Age appropriateness of recommendations	
Safety and suitability of activity instructions	
Required corrections	
General checkpoint comments	

Checkpoint review decision:
[ ] Suitable as presented [ ] Suitable with minor corrections [ ] Requires revision

Checkpoint CP18M - 18 months

Case 1: CP18M-P - Mostly achieved

A. Synthetic developmental questionnaire inputs

Domain	Item	Synthetic answer
Communication	Q1. Does your child listen to and follow a simple one-step instruction without being shown a hand gesture?	2 - Yes, usually
	Q2. Does your child use several meaningful words or expressions understood by family members to communicate different needs?	2 - Yes, usually
	Q3. When your child sees a familiar person, object, or picture, do they try to name it independently without being asked?	1 - Sometimes
	Q4. When offered two familiar choices and asked which one they want, does your child indicate a choice with a word, sound, look, or gesture?	2 - Yes, usually
	Q5. During play or while looking at picture books, does your child imitate a familiar animal, vehicle, or everyday sound, such as a dog barking or a car horn?	2 - Yes, usually
Cognitive	Q1. Does your child engage in simple pretend play, such as pretending to feed a doll or drink from a toy cup?	2 - Yes, usually
	Q2. When it is difficult to obtain or use a desired toy, does your child make several reasonable attempts rather than trying only once?	2 - Yes, usually
	Q3. When shown a simple example, can your child recognise that two similar objects or pictures are alike?	0 - Not yet
	Q4. Does your child recognise that a picture represents a familiar real object—for example, looking at or pointing to a picture of a cup after seeing a real cup?	2 - Yes, usually
	Q5. When one item from a matching pair, such as a spoon for a cup, is missing, does your child notice and search for it?	2 - Yes, usually
Social-emotional	Q1. In a new or unfamiliar situation, does your child look at a familiar adult's face or reaction before doing something?	2 - Yes, usually
	Q2. When an adult performs a familiar household task, does your child imitate it—for example, putting toys away or pretending to sweep with a broom?	2 - Yes, usually
	Q3. Does your child show interest in other children by looking at them, approaching them, smiling, talking, or playing nearby?	2 - Yes, usually
	Q4. When looking at a book with a familiar adult, does your child remain interested for two or three consecutive pages by looking at the pictures or staying engaged?	1 - Sometimes
	Q5. When being dressed, does your child cooperate by extending an arm or leg or otherwise helping?	2 - Yes, usually

B. Authorized synthetic activity-suitability assumptions

Fictional activity-suitability profile used solely for synthetic software-output demonstration.

Hearing	No concern noticed	no_concern_reported
Vision	No concern noticed	no_concern_reported
Fine Motor	No concern noticed	no_concern_reported
Gross Motor	No concern noticed	no_concern_reported

C. Actual system predictions

Domain	Probability	System decision
Communication	0.005658	Not flagged by this screening
Cognitive	0.001706	Not flagged by this screening
Social-emotional	0.002279	Not flagged by this screening

Overall OR-rule decision: NO DOMAIN FLAGGED. No developmental areas were flagged by the current model results.

D. Existing caregiver explanations

Communication: Observation contributing most to this result Yes, usually for "Does your child listen to and follow a simple one-step instruction without being shown a hand gesture?" moved the model calculation away from a concern flag.
Cognitive: This screening result did not flag this area. It does not rule out developmental needs.
Social-emotional: Observation contributing most to this result Yes, usually for "When an adult performs a familiar household task, does your child imitate it—for example, putting toys away or pretending to sweep with a broom?" moved the model calculation away from a concern flag.
The models considered all 15 answers and the selected checkpoint when producing these results. The highlighted observations are examples of influential answers and did not determine the results alone. These results support developmental monitoring and are not diagnoses.

Case 1: CP18M-P - actual activity recommendation output

E. Activity recommendations

No developmental domain was flagged, so targeted activity retrieval was not applicable.

Checkpoint CP18M - 18 months

Case 2: CP18M-O1 - Mixed answers

A. Synthetic developmental questionnaire inputs

Domain	Item	Synthetic answer
Communication	Q1. Does your child listen to and follow a simple one-step instruction without being shown a hand gesture?	1 - Sometimes
	Q2. Does your child use several meaningful words or expressions understood by family members to communicate different needs?	0 - Not yet
	Q3. When your child sees a familiar person, object, or picture, do they try to name it independently without being asked?	1 - Sometimes
	Q4. When offered two familiar choices and asked which one they want, does your child indicate a choice with a word, sound, look, or gesture?	2 - Yes, usually
	Q5. During play or while looking at picture books, does your child imitate a familiar animal, vehicle, or everyday sound, such as a dog barking or a car horn?	2 - Yes, usually
Cognitive	Q1. Does your child engage in simple pretend play, such as pretending to feed a doll or drink from a toy cup?	0 - Not yet
	Q2. When it is difficult to obtain or use a desired toy, does your child make several reasonable attempts rather than trying only once?	2 - Yes, usually
	Q3. When shown a simple example, can your child recognise that two similar objects or pictures are alike?	1 - Sometimes
	Q4. Does your child recognise that a picture represents a familiar real object—for example, looking at or pointing to a picture of a cup after seeing a real cup?	0 - Not yet
	Q5. When one item from a matching pair, such as a spoon for a cup, is missing, does your child notice and search for it?	1 - Sometimes
Social-emotional	Q1. In a new or unfamiliar situation, does your child look at a familiar adult's face or reaction before doing something?	0 - Not yet
	Q2. When an adult performs a familiar household task, does your child imitate it—for example, putting toys away or pretending to sweep with a broom?	2 - Yes, usually
	Q3. Does your child show interest in other children by looking at them, approaching them, smiling, talking, or playing nearby?	1 - Sometimes
	Q4. When looking at a book with a familiar adult, does your child remain interested for two or three consecutive pages by looking at the pictures or staying engaged?	2 - Yes, usually
	Q5. When being dressed, does your child cooperate by extending an arm or leg or otherwise helping?	0 - Not yet

B. Authorized synthetic activity-suitability assumptions

Fictional activity-suitability profile used solely for synthetic software-output demonstration.

Hearing	No concern noticed	no_concern_reported
Vision	No concern noticed	no_concern_reported
Fine Motor	No concern noticed	no_concern_reported
Gross Motor	No concern noticed	no_concern_reported

C. Actual system predictions

Domain	Probability	System decision
Communication	0.236900	Additional monitoring may be helpful
Cognitive	0.290514	Additional monitoring may be helpful
Social-emotional	0.314318	Additional monitoring may be helpful

Overall OR-rule decision: CONCERN FLAGGED. Areas identified for further attention: Communication, Cognitive and Social-emotional

D. Existing caregiver explanations

Communication: Observation contributing most to this result Not yet for "Does your child use several meaningful words or expressions understood by family members to communicate different needs?" moved the model calculation toward a concern flag.
Cognitive: This screening result suggests that additional monitoring may be helpful. It is not a diagnosis.
Social-emotional: Observation contributing most to this result Not yet for "When being dressed, does your child cooperate by extending an arm or leg or otherwise helping?" moved the model calculation toward a concern flag.
The models considered all 15 answers and the selected checkpoint when producing these results. The highlighted observations are examples of influential answers and did not determine the results alone. These results support developmental monitoring and are not diagnoses.

Case 2: CP18M-O1 - actual activity recommendation output

E. Activity recommendations

Runtime status: ready. Returned activities: 9. Retrieval mode: caregiver deployment.

Communication - ready

Eligible after all filters: 18; withheld: 214; returned by semantic ranking: 3.

1. Choose between two

Offer two suitable items and invite a look, gesture or word to express a choice. Your child might listen, look, gesture, vocalise, say a word or simply enjoy the interaction. There is no need to repeat after you. A familiar adult should remain present and adjust to the child's abilities and comfort. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/18-months.html | Activity ID: ACT-CDC-18-COM-04

2. Picture naming

Share a picture book and invite the child to identify familiar objects. Your child may look briefly, point, gesture, talk or just listen. Do not require looking or pointing. Use sturdy, intact pages or pictures; keep plastic sleeves, loose parts and packaging away. Use only intact age-suitable materials; no loose, detachable or mouth-sized pieces. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/18-months.html | Activity ID: ACT-CDC-18-COM-03

3. Name body parts

Point to a familiar body part and name it; allow the child to respond in their own way. Your child may watch, listen, smile, gesture, make a sound, move or join in—or simply choose not to participate. There is nothing to pass or score. A familiar adult should remain present and adjust to the child's abilities and comfort. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/18-months.html | Activity ID: ACT-CDC-18-COM-02

Cognitive - ready

Eligible after all filters: 20; withheld: 212; returned by semantic ranking: 3.

1. Pretend to feed a toy

Model feeding a doll or stuffed animal with an empty toy spoon; let the child imitate. Your child may watch, touch, move, choose, describe or change the play—or may decide not to join in. Use only intact age-suitable materials; no loose, detachable or mouth-sized pieces. Avoid changing feeding practices, adding foods, or distracting a child while swallowing; check allergies and choking risks. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/18-months.html | Activity ID: ACT-CDC-18-COG-01

2. Where Is It?

During supervised play, show your child a familiar, intact toy and then hide it in a nearby easy-to-find place while they watch. Wonder aloud where it went and give the child time to look or gesture. Reveal it cheerfully if they prefer not to search.

Source: Vroom, page 5, tip 807 | https://assets.ctfassets.net/khbu829tujdl/2oHlhQZZBWU8yq8acmwUy6/1c24e1c4340e3ece406d76babc3b1f11/Vroom_TipSheet_Age_1-2_ENG.pdf | Activity ID: ACT-VROOM-TIP-00807

3. What Are YOU Thinking?

Notice something your child is looking at, such as a family member's shoes or hat. Talk together about who uses it, and offer a simple comparison with another familiar item. Invite a look, gesture or word without requiring an answer.

Source: Vroom, page 5, tip 478 | https://assets.ctfassets.net/khbu829tujdl/2oHlhQZZBWU8yq8acmwUy6/1c24e1c4340e3ece406d76babc3b1f11/Vroom_TipSheet_Age_1-2_ENG.pdf | Activity ID: ACT-VROOM-TIP-00478

Social-emotional - ready

Eligible after all filters: 13; withheld: 219; returned by semantic ranking: 3.

1. What Are YOU Thinking?

Notice something your child is looking at, such as a family member's shoes or hat. Talk together about who uses it, and offer a simple comparison with another familiar item. Invite a look, gesture or word without requiring an answer.

Source: Vroom, page 5, tip 478 | https://assets.ctfassets.net/khbu829tujdl/2oHlhQZZBWU8yq8acmwUy6/1c24e1c4340e3ece406d76babc3b1f11/Vroom_TipSheet_Age_1-2_ENG.pdf | Activity ID: ACT-VROOM-TIP-00478

2. What’s That?

When your child notices or points to something nearby, follow their attention and name it. Add one simple detail, such as its colour or what it does. Pause so the child can respond with a look, gesture or word if they wish.

Source: Vroom, page 3, tip 62 | https://assets.ctfassets.net/khbu829tujdl/2oHlhQZZBWU8yq8acmwUy6/1c24e1c4340e3ece406d76babc3b1f11/Vroom_TipSheet_Age_1-2_ENG.pdf | Activity ID: ACT-VROOM-TIP-00062

3. Notice someone’s feelings

During story time, label a simple emotion and model a gentle response. Your child can respond through words, gestures, expressions or quiet attention. Do not pressure them to show a particular feeling. Use sturdy, intact pages or pictures; keep plastic sleeves, loose parts and packaging away. Never demand disclosure, apology, eye contact, physical touch or a particular emotional response. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/18-months.html | Activity ID: ACT-CDC-18-SOC-01

Checkpoint CP18M - 18 months

Case 3: CP18M-O2 - Mostly not yet

A. Synthetic developmental questionnaire inputs

Domain	Item	Synthetic answer
Communication	Q1. Does your child listen to and follow a simple one-step instruction without being shown a hand gesture?	0 - Not yet
	Q2. Does your child use several meaningful words or expressions understood by family members to communicate different needs?	0 - Not yet
	Q3. When your child sees a familiar person, object, or picture, do they try to name it independently without being asked?	0 - Not yet
	Q4. When offered two familiar choices and asked which one they want, does your child indicate a choice with a word, sound, look, or gesture?	1 - Sometimes
	Q5. During play or while looking at picture books, does your child imitate a familiar animal, vehicle, or everyday sound, such as a dog barking or a car horn?	2 - Yes, usually
Cognitive	Q1. Does your child engage in simple pretend play, such as pretending to feed a doll or drink from a toy cup?	2 - Yes, usually
	Q2. When it is difficult to obtain or use a desired toy, does your child make several reasonable attempts rather than trying only once?	0 - Not yet
	Q3. When shown a simple example, can your child recognise that two similar objects or pictures are alike?	0 - Not yet
	Q4. Does your child recognise that a picture represents a familiar real object—for example, looking at or pointing to a picture of a cup after seeing a real cup?	1 - Sometimes
	Q5. When one item from a matching pair, such as a spoon for a cup, is missing, does your child notice and search for it?	0 - Not yet
Social-emotional	Q1. In a new or unfamiliar situation, does your child look at a familiar adult's face or reaction before doing something?	0 - Not yet
	Q2. When an adult performs a familiar household task, does your child imitate it—for example, putting toys away or pretending to sweep with a broom?	1 - Sometimes
	Q3. Does your child show interest in other children by looking at them, approaching them, smiling, talking, or playing nearby?	0 - Not yet
	Q4. When looking at a book with a familiar adult, does your child remain interested for two or three consecutive pages by looking at the pictures or staying engaged?	0 - Not yet
	Q5. When being dressed, does your child cooperate by extending an arm or leg or otherwise helping?	1 - Sometimes

B. Authorized synthetic activity-suitability assumptions

Fictional activity-suitability profile used solely for synthetic software-output demonstration.

Hearing	No concern noticed	no_concern_reported
Vision	No concern noticed	no_concern_reported
Fine Motor	No concern noticed	no_concern_reported
Gross Motor	No concern noticed	no_concern_reported

C. Actual system predictions

Domain	Probability	System decision
Communication	0.791934	Additional monitoring may be helpful
Cognitive	0.960453	Additional monitoring may be helpful
Social-emotional	0.816639	Additional monitoring may be helpful

Overall OR-rule decision: CONCERN FLAGGED. Areas identified for further attention: Communication, Cognitive and Social-emotional

D. Existing caregiver explanations

Communication: Observation contributing most to this result Not yet for "Does your child listen to and follow a simple one-step instruction without being shown a hand gesture?" moved the model calculation toward a concern flag.
Cognitive: This screening result suggests that additional monitoring may be helpful. It is not a diagnosis.
Social-emotional: Observation contributing most to this result Not yet for "When looking at a book with a familiar adult, does your child remain interested for two or three consecutive pages by looking at the pictures or staying engaged?" moved the model calculation toward a concern flag.
The models considered all 15 answers and the selected checkpoint when producing these results. The highlighted observations are examples of influential answers and did not determine the results alone. These results support developmental monitoring and are not diagnoses.

Case 3: CP18M-O2 - actual activity recommendation output

E. Activity recommendations

Runtime status: ready. Returned activities: 9. Retrieval mode: caregiver deployment.

Communication - ready

Eligible after all filters: 18; withheld: 214; returned by semantic ranking: 3.

1. Choose between two

Offer two suitable items and invite a look, gesture or word to express a choice. Your child might listen, look, gesture, vocalise, say a word or simply enjoy the interaction. There is no need to repeat after you. A familiar adult should remain present and adjust to the child's abilities and comfort. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/18-months.html | Activity ID: ACT-CDC-18-COM-04

2. Name body parts

Point to a familiar body part and name it; allow the child to respond in their own way. Your child may watch, listen, smile, gesture, make a sound, move or join in—or simply choose not to participate. There is nothing to pass or score. A familiar adult should remain present and adjust to the child's abilities and comfort. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/18-months.html | Activity ID: ACT-CDC-18-COM-02

3. Body Language

Use a simple gesture while you speak, such as waving while saying hello or gently clapping while saying well done. Notice any comfortable response from your child, such as looking, moving, smiling, making a sound or using a gesture. Respond warmly; there is no need for the child to copy you.

Source: Vroom, page 3, tip 73 | https://assets.ctfassets.net/khbu829tujdl/2oHlhQZZBWU8yq8acmwUy6/1c24e1c4340e3ece406d76babc3b1f11/Vroom_TipSheet_Age_1-2_ENG.pdf | Activity ID: ACT-VROOM-TIP-00073

Cognitive - ready

Eligible after all filters: 20; withheld: 212; returned by semantic ranking: 3.

1. Where Is It?

During supervised play, show your child a familiar, intact toy and then hide it in a nearby easy-to-find place while they watch. Wonder aloud where it went and give the child time to look or gesture. Reveal it cheerfully if they prefer not to search.

Source: Vroom, page 5, tip 807 | https://assets.ctfassets.net/khbu829tujdl/2oHlhQZZBWU8yq8acmwUy6/1c24e1c4340e3ece406d76babc3b1f11/Vroom_TipSheet_Age_1-2_ENG.pdf | Activity ID: ACT-VROOM-TIP-00807

2. Cart Vision

While shopping with your child, talk about something they notice, such as the colour of fruit, a familiar sound or a smell. Pause and follow where their attention goes next. Keep the conversation gentle and brief.

Source: Vroom, page 2, tip 268 | https://assets.ctfassets.net/khbu829tujdl/2oHlhQZZBWU8yq8acmwUy6/1c24e1c4340e3ece406d76babc3b1f11/Vroom_TipSheet_Age_1-2_ENG.pdf | Activity ID: ACT-VROOM-TIP-00268

3. What Are YOU Thinking?

Notice something your child is looking at, such as a family member's shoes or hat. Talk together about who uses it, and offer a simple comparison with another familiar item. Invite a look, gesture or word without requiring an answer.

Source: Vroom, page 5, tip 478 | https://assets.ctfassets.net/khbu829tujdl/2oHlhQZZBWU8yq8acmwUy6/1c24e1c4340e3ece406d76babc3b1f11/Vroom_TipSheet_Age_1-2_ENG.pdf | Activity ID: ACT-VROOM-TIP-00478

Social-emotional - ready

Eligible after all filters: 13; withheld: 219; returned by semantic ranking: 3.

1. What Are YOU Thinking?

Notice something your child is looking at, such as a family member's shoes or hat. Talk together about who uses it, and offer a simple comparison with another familiar item. Invite a look, gesture or word without requiring an answer.

Source: Vroom, page 5, tip 478 | https://assets.ctfassets.net/khbu829tujdl/2oHlhQZZBWU8yq8acmwUy6/1c24e1c4340e3ece406d76babc3b1f11/Vroom_TipSheet_Age_1-2_ENG.pdf | Activity ID: ACT-VROOM-TIP-00478

2. What’s That?

When your child notices or points to something nearby, follow their attention and name it. Add one simple detail, such as its colour or what it does. Pause so the child can respond with a look, gesture or word if they wish.

Source: Vroom, page 3, tip 62 | https://assets.ctfassets.net/khbu829tujdl/2oHlhQZZBWU8yq8acmwUy6/1c24e1c4340e3ece406d76babc3b1f11/Vroom_TipSheet_Age_1-2_ENG.pdf | Activity ID: ACT-VROOM-TIP-00062

3. Where Is It?

During supervised play, show your child a familiar, intact toy and then hide it in a nearby easy-to-find place while they watch. Wonder aloud where it went and give the child time to look or gesture. Reveal it cheerfully if they prefer not to search.

Source: Vroom, page 5, tip 807 | https://assets.ctfassets.net/khbu829tujdl/2oHlhQZZBWU8yq8acmwUy6/1c24e1c4340e3ece406d76babc3b1f11/Vroom_TipSheet_Age_1-2_ENG.pdf | Activity ID: ACT-VROOM-TIP-00807

Checkpoint CP18M - paediatrician review

Review the three synthetic cases and their genuine system outputs above.

Appropriateness of developmental concern messaging	
Clarity of explanations	
Age appropriateness of recommendations	
Safety and suitability of activity instructions	
Required corrections	
General checkpoint comments	

Checkpoint review decision:
[ ] Suitable as presented [ ] Suitable with minor corrections [ ] Requires revision

Checkpoint CP24M - 24 months

Case 1: CP24M-P - Mixed answers

A. Synthetic developmental questionnaire inputs

Domain	Item	Synthetic answer
Communication	Q1. Does your child independently combine two or more words when speaking—for example, "want milk" or "Daddy went"?	1 - Sometimes
	Q2. Can your child follow a simple instruction involving a toy and a location—for example, "Put the ball on the chair"?	0 - Not yet
	Q3. Does your child use words to answer questions, express ideas, or ask for help?	0 - Not yet
	Q4. Without you pointing, can your child correctly point to at least two body parts when asked, such as "Show me your nose" or "Show me your hand"?	2 - Yes, usually
	Q5. Does your child communicate that something is absent or unwanted using a word or short phrase such as "no milk," "don't want," or "no"?	1 - Sometimes
Cognitive	Q1. Does your child use a strategy, such as using a nearby object, to obtain a toy that cannot be reached directly?	0 - Not yet
	Q2. Does your child separate and group objects according to similar characteristics, such as their type, colour, or use?	1 - Sometimes
	Q3. During play, does your child perform two related actions in sequence, such as pretending to prepare food and then serving it to a doll?	0 - Not yet
	Q4. After learning how to operate a toy, does your child use that experience to operate a different, similar new toy?	2 - Yes, usually
	Q5. If your child sees a familiar toy placed in a new location, do they search the new location rather than only its usual place?	2 - Yes, usually
Social-emotional	Q1. When another person is sad, does your child notice it and respond by showing a sad expression, approaching them, or trying to comfort them?	2 - Yes, usually
	Q2. When other children are present, does your child notice what they are doing and play near them?	0 - Not yet
	Q3. Does your child try to perform familiar tasks independently while asking for help when needed?	2 - Yes, usually
	Q4. Does your child recognise themselves in a mirror or recent photograph, for example by using their name or pointing to themselves?	1 - Sometimes
	Q5. When another person becomes excited or celebrates something, does your child sometimes join in by smiling, clapping, or making an excited sound?	1 - Sometimes

B. Authorized synthetic activity-suitability assumptions

Fictional activity-suitability profile used solely for synthetic software-output demonstration.

Hearing	No concern noticed	no_concern_reported
Vision	No concern noticed	no_concern_reported
Fine Motor	No concern noticed	no_concern_reported
Gross Motor	No concern noticed	no_concern_reported

C. Actual system predictions

Domain	Probability	System decision
Communication	0.405511	Additional monitoring may be helpful
Cognitive	0.103733	Not flagged by this screening
Social-emotional	0.265617	Additional monitoring may be helpful

Overall OR-rule decision: CONCERN FLAGGED. Areas identified for further attention: Communication and Social-emotional

D. Existing caregiver explanations

Communication: Observation contributing most to this result Not yet for "Can your child follow a simple instruction involving a toy and a location—for example, "Put the ball on the chair"?" moved the model calculation toward a concern flag.
Cognitive: This screening result did not flag this area. It does not rule out developmental needs.
Social-emotional: Observation contributing most to this result Not yet for "When other children are present, does your child notice what they are doing and play near them?" moved the model calculation toward a concern flag.
The models considered all 15 answers and the selected checkpoint when producing these results. The highlighted observations are examples of influential answers and did not determine the results alone. These results support developmental monitoring and are not diagnoses.

Case 1: CP24M-P - actual activity recommendation output

E. Activity recommendations

Runtime status: ready. Returned activities: 6. Retrieval mode: caregiver deployment.

Communication - ready

Eligible after all filters: 24; withheld: 208; returned by semantic ranking: 3.

1. Talk while helping

Describe a small household task as the child helps in an age-appropriate way. Your child may watch, listen, smile, gesture, make a sound, move or join in—or simply choose not to participate. There is nothing to pass or score. A familiar adult should remain present and adjust to the child's abilities and comfort. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/2-years.html | Activity ID: ACT-CDC-24-COM-05

2. Expand a short phrase

Respond to a two-word request with a slightly longer clear sentence. Your child might listen, look, gesture, vocalise, say a word or simply enjoy the interaction. There is no need to repeat after you. A familiar adult should remain present and adjust to the child's abilities and comfort. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/2-years.html | Activity ID: ACT-CDC-24-COM-01

3. Countdown before play

Say a short predictable phrase before rolling a ball or starting another safe game. Your child might listen, look, gesture, vocalise, say a word or simply enjoy the interaction. There is no need to repeat after you. Use only intact age-suitable materials; no loose, detachable or mouth-sized pieces. Use a level, clear area; avoid stairs, height and forced movement. Support only in ways already comfortable and suitable for the child. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/2-years.html | Activity ID: ACT-CDC-24-COM-04

Social-emotional - ready

Eligible after all filters: 15; withheld: 217; returned by semantic ranking: 3.

1. What's That?

When your child notices or points to something nearby, follow their attention and name it. Add one simple detail, such as its colour or what it does. Pause so the child can respond with a look, gesture or word if they wish.

Source: Vroom, page 3, tip 62 | https://assets.ctfassets.net/khbu829tujdl/2oHlhQZZBWU8yq8acmwUy6/1c24e1c4340e3ece406d76babc3b1f11/Vroom_TipSheet_Age_1-2_ENG.pdf | Activity ID: ACT-VROOM-TIP-00062

2. Celebrate helpful behaviour

Offer specific positive feedback when the child cooperates in a simple routine. Your child may watch, listen, smile, gesture, make a sound, move or join in—or simply choose not to participate. There is nothing to pass or score. A familiar adult should remain present and adjust to the child's abilities and comfort. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/2-years.html | Activity ID: ACT-CDC-24-SOC-05

3. Mirror Play

Sit with your child beside an unbreakable mirror and notice a familiar feature, such as hair or a smile. Point to the reflection and name what you see. Let the child look, gesture or talk at their own pace.

Source: Vroom, page 4, tip 311 | https://assets.ctfassets.net/khbu829tujdl/2oHlhQZZBWU8yq8acmwUy6/1c24e1c4340e3ece406d76babc3b1f11/Vroom_TipSheet_Age_1-2_ENG.pdf | Activity ID: ACT-VROOM-TIP-00311

Checkpoint CP24M - 24 months

Case 2: CP24M-O1 - Mostly not yet

A. Synthetic developmental questionnaire inputs

Domain	Item	Synthetic answer
Communication	Q1. Does your child independently combine two or more words when speaking—for example, "want milk" or "Daddy went"?	2 - Yes, usually
	Q2. Can your child follow a simple instruction involving a toy and a location—for example, "Put the ball on the chair"?	0 - Not yet
	Q3. Does your child use words to answer questions, express ideas, or ask for help?	1 - Sometimes
	Q4. Without you pointing, can your child correctly point to at least two body parts when asked, such as "Show me your nose" or "Show me your hand"?	0 - Not yet
	Q5. Does your child communicate that something is absent or unwanted using a word or short phrase such as "no milk," "don't want," or "no"?	0 - Not yet
Cognitive	Q1. Does your child use a strategy, such as using a nearby object, to obtain a toy that cannot be reached directly?	0 - Not yet
	Q2. Does your child separate and group objects according to similar characteristics, such as their type, colour, or use?	1 - Sometimes
	Q3. During play, does your child perform two related actions in sequence, such as pretending to prepare food and then serving it to a doll?	1 - Sometimes
	Q4. After learning how to operate a toy, does your child use that experience to operate a different, similar new toy?	0 - Not yet
	Q5. If your child sees a familiar toy placed in a new location, do they search the new location rather than only its usual place?	0 - Not yet
Social-emotional	Q1. When another person is sad, does your child notice it and respond by showing a sad expression, approaching them, or trying to comfort them?	0 - Not yet
	Q2. When other children are present, does your child notice what they are doing and play near them?	0 - Not yet
	Q3. Does your child try to perform familiar tasks independently while asking for help when needed?	1 - Sometimes
	Q4. Does your child recognise themselves in a mirror or recent photograph, for example by using their name or pointing to themselves?	2 - Yes, usually
	Q5. When another person becomes excited or celebrates something, does your child sometimes join in by smiling, clapping, or making an excited sound?	0 - Not yet

B. Authorized synthetic activity-suitability assumptions

Fictional activity-suitability profile used solely for synthetic software-output demonstration.

Hearing	No concern noticed	no_concern_reported
Vision	No concern noticed	no_concern_reported
Fine Motor	No concern noticed	no_concern_reported
Gross Motor	No concern noticed	no_concern_reported

C. Actual system predictions

Domain	Probability	System decision
Communication	0.629598	Additional monitoring may be helpful
Cognitive	0.819051	Additional monitoring may be helpful
Social-emotional	0.787618	Additional monitoring may be helpful

Overall OR-rule decision: CONCERN FLAGGED. Areas identified for further attention: Communication, Cognitive and Social-emotional

D. Existing caregiver explanations

Communication: Observation contributing most to this result Not yet for "Can your child follow a simple instruction involving a toy and a location—for example, "Put the ball on the chair"?" moved the model calculation toward a concern flag.
Cognitive: This screening result suggests that additional monitoring may be helpful. It is not a diagnosis.
Social-emotional: Observation contributing most to this result Not yet for "When other children are present, does your child notice what they are doing and play near them?" moved the model calculation toward a concern flag.
The models considered all 15 answers and the selected checkpoint when producing these results. The highlighted observations are examples of influential answers and did not determine the results alone. These results support developmental monitoring and are not diagnoses.

Case 2: CP24M-O1 - actual activity recommendation output

E. Activity recommendations

Runtime status: ready. Returned activities: 9. Retrieval mode: caregiver deployment.

Communication - ready

Eligible after all filters: 24; withheld: 208; returned by semantic ranking: 3.

1. Body Language

Use a simple gesture while you speak, such as waving while saying hello or gently clapping while saying well done. Notice any comfortable response from your child, such as looking, moving, smiling, making a sound or using a gesture. Respond warmly; there is no need for the child to copy you.

Source: Vroom, page 3, tip 73 | https://assets.ctfassets.net/khbu829tujdl/2oHlhQZZBWU8yq8acmwUy6/1c24e1c4340e3ece406d76babc3b1f11/Vroom_TipSheet_Age_1-2_ENG.pdf | Activity ID: ACT-VROOM-TIP-00073

2. What's That?

When your child notices or points to something nearby, follow their attention and name it. Add one simple detail, such as its colour or what it does. Pause so the child can respond with a look, gesture or word if they wish.

Source: Vroom, page 3, tip 62 | https://assets.ctfassets.net/khbu829tujdl/2oHlhQZZBWU8yq8acmwUy6/1c24e1c4340e3ece406d76babc3b1f11/Vroom_TipSheet_Age_1-2_ENG.pdf | Activity ID: ACT-VROOM-TIP-00062

3. Talk while helping

Describe a small household task as the child helps in an age-appropriate way. Your child may watch, listen, smile, gesture, make a sound, move or join in—or simply choose not to participate. There is nothing to pass or score. A familiar adult should remain present and adjust to the child's abilities and comfort. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/2-years.html | Activity ID: ACT-CDC-24-COM-05

Cognitive - ready

Eligible after all filters: 24; withheld: 208; returned by semantic ranking: 3.

1. Where Is It?

During supervised play, show your child a familiar, intact toy and then hide it in a nearby easy-to-find place while they watch. Wonder aloud where it went and give the child time to look or gesture. Reveal it cheerfully if they prefer not to search.

Source: Vroom, page 5, tip 807 | https://assets.ctfassets.net/khbu829tujdl/2oHlhQZZBWU8yq8acmwUy6/1c24e1c4340e3ece406d76babc3b1f11/Vroom_TipSheet_Age_1-2_ENG.pdf | Activity ID: ACT-VROOM-TIP-00807

2. Cart Vision

While shopping with your child, talk about something they notice, such as the colour of fruit, a familiar sound or a smell. Pause and follow where their attention goes next. Keep the conversation gentle and brief.

Source: Vroom, page 2, tip 268 | https://assets.ctfassets.net/khbu829tujdl/2oHlhQZZBWU8yq8acmwUy6/1c24e1c4340e3ece406d76babc3b1f11/Vroom_TipSheet_Age_1-2_ENG.pdf | Activity ID: ACT-VROOM-TIP-00268

3. Simple shape puzzle

Invite the child to explore a few large puzzle shapes and matching positions. Your child may watch, touch, move, choose, describe or change the play—or may decide not to join in. Use only intact age-suitable materials; no loose, detachable or mouth-sized pieces. Adult checks tools and materials and keeps sharp, broken, or unsuitable supplies away. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/2-years.html | Activity ID: ACT-CDC-24-COG-02

Social-emotional - ready

Eligible after all filters: 15; withheld: 217; returned by semantic ranking: 3.

1. Celebrate helpful behaviour

Offer specific positive feedback when the child cooperates in a simple routine. Your child may watch, listen, smile, gesture, make a sound, move or join in—or simply choose not to participate. There is nothing to pass or score. A familiar adult should remain present and adjust to the child's abilities and comfort. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/2-years.html | Activity ID: ACT-CDC-24-SOC-05

2. What’s That?

When your child notices or points to something nearby, follow their attention and name it. Add one simple detail, such as its colour or what it does. Pause so the child can respond with a look, gesture or word if they wish.

Source: Vroom, page 3, tip 62 | https://assets.ctfassets.net/khbu829tujdl/2oHlhQZZBWU8yq8acmwUy6/1c24e1c4340e3ece406d76babc3b1f11/Vroom_TipSheet_Age_1-2_ENG.pdf | Activity ID: ACT-VROOM-TIP-00062

3. Practice sharing words

During play with another child, model a short request for a turn. Your child may watch, listen, smile, gesture, make a sound, move or join in—or simply choose not to participate. There is nothing to pass or score. A familiar adult should remain present and adjust to the child’s abilities and comfort. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/2-years.html | Activity ID: ACT-CDC-24-SOC-03

Checkpoint CP24M - 24 months

Case 3: CP24M-O2 - Mostly achieved

A. Synthetic developmental questionnaire inputs

Domain	Item	Synthetic answer
Communication	Q1. Does your child independently combine two or more words when speaking—for example, "want milk" or "Daddy went"?	1 - Sometimes
	Q2. Can your child follow a simple instruction involving a toy and a location—for example, "Put the ball on the chair"?	2 - Yes, usually
	Q3. Does your child use words to answer questions, express ideas, or ask for help?	2 - Yes, usually
	Q4. Without you pointing, can your child correctly point to at least two body parts when asked, such as "Show me your nose" or "Show me your hand"?	2 - Yes, usually
	Q5. Does your child communicate that something is absent or unwanted using a word or short phrase such as "no milk," "don't want," or "no"?	2 - Yes, usually
Cognitive	Q1. Does your child use a strategy, such as using a nearby object, to obtain a toy that cannot be reached directly?	2 - Yes, usually
	Q2. Does your child separate and group objects according to similar characteristics, such as their type, colour, or use?	2 - Yes, usually
	Q3. During play, does your child perform two related actions in sequence, such as pretending to prepare food and then serving it to a doll?	2 - Yes, usually
	Q4. After learning how to operate a toy, does your child use that experience to operate a different, similar new toy?	1 - Sometimes
	Q5. If your child sees a familiar toy placed in a new location, do they search the new location rather than only its usual place?	2 - Yes, usually
Social-emotional	Q1. When another person is sad, does your child notice it and respond by showing a sad expression, approaching them, or trying to comfort them?	2 - Yes, usually
	Q2. When other children are present, does your child notice what they are doing and play near them?	2 - Yes, usually
	Q3. Does your child try to perform familiar tasks independently while asking for help when needed?	0 - Not yet
	Q4. Does your child recognise themselves in a mirror or recent photograph, for example by using their name or pointing to themselves?	2 - Yes, usually
	Q5. When another person becomes excited or celebrates something, does your child sometimes join in by smiling, clapping, or making an excited sound?	2 - Yes, usually

B. Authorized synthetic activity-suitability assumptions

Fictional activity-suitability profile used solely for synthetic software-output demonstration.

Hearing	No concern noticed	no_concern_reported
Vision	No concern noticed	no_concern_reported
Fine Motor	No concern noticed	no_concern_reported
Gross Motor	No concern noticed	no_concern_reported

C. Actual system predictions

Domain	Probability	System decision
Communication	0.010094	Not flagged by this screening
Cognitive	0.001340	Not flagged by this screening
Social-emotional	0.007327	Not flagged by this screening

Overall OR-rule decision: NO DOMAIN FLAGGED. No developmental areas were flagged by the current model results.

D. Existing caregiver explanations

Communication: Observation contributing most to this result Yes, usually for "Without you pointing, can your child correctly point to at least two body parts when asked, such as "Show me your nose" or "Show me your hand"?" moved the model calculation away from a concern flag.
Cognitive: This screening result did not flag this area. It does not rule out developmental needs.
Social-emotional: Observation contributing most to this result Yes, usually for "When other children are present, does your child notice what they are doing and play near them?" moved the model calculation away from a concern flag.
The models considered all 15 answers and the selected checkpoint when producing these results. The highlighted observations are examples of influential answers and did not determine the results alone. These results support developmental monitoring and are not diagnoses.

Case 3: CP24M-O2 - actual activity recommendation output

E. Activity recommendations

No developmental domain was flagged, so targeted activity retrieval was not applicable.

Checkpoint CP24M - paediatrician review

Review the three synthetic cases and their genuine system outputs above.

Appropriateness of developmental concern messaging	
Clarity of explanations	
Age appropriateness of recommendations	
Safety and suitability of activity instructions	
Required corrections	
General checkpoint comments	

Checkpoint review decision:
[ ] Suitable as presented [ ] Suitable with minor corrections [ ] Requires revision

Checkpoint CP30M - 30 months

Case 1: CP30M-P - Mostly not yet

A. Synthetic developmental questionnaire inputs

Domain	Item	Synthetic answer
Communication	Q1. Does your child regularly combine words into short sentences to communicate ideas, needs, or experiences?	0 - Not yet
	Q2. Does your child answer simple "what?" and "where?" questions about familiar people, objects, or activities?	1 - Sometimes
	Q3. Can your child make a simple sentence using two or more words, including an action word—for example, "Daddy is going," "Baby is eating," or "The dog is running"?	0 - Not yet
	Q4. Does your child now use about 50 words meaningfully, including words they use consistently?	0 - Not yet
	Q5. Does your child use words such as "I" or "me," or their own name instead, to refer to themselves and appropriate words when referring to others?	1 - Sometimes
Cognitive	Q1. During pretend play, does your child use one object as though it were something else—for example, pretending that a wooden block is a telephone?	1 - Sometimes
	Q2. With an adult's help, can your child demonstrate two or three steps of a familiar activity in the correct order—for example, showing the correct sequence for washing and drying their hands?	0 - Not yet
	Q3. Can your child separate objects according to one clear characteristic, such as colour, and then group the remaining objects according to the same characteristic?	0 - Not yet
	Q4. When shown two objects of the same type but different sizes, can your child identify or point to the "big" one?	0 - Not yet
	Q5. When asked for "one" from a group of objects, does your child select and give exactly one?	2 - Yes, usually
Social-emotional	Q1. When other children are playing, does your child sometimes join them instead of only watching?	2 - Yes, usually
	Q2. In familiar situations, does your child recognise basic emotions such as happiness, sadness, or anger?	1 - Sometimes
	Q3. When asked to stop playing and move to another activity, such as eating, does your child make the transition without becoming very upset?	0 - Not yet
	Q4. When someone else is using a toy or object your child wants, does your child usually request it with a word or pointing gesture?	0 - Not yet
	Q5. Can your child distinguish their own bottle, cup, or toy from similar belongings of another person?	0 - Not yet

B. Authorized synthetic activity-suitability assumptions

Fictional activity-suitability profile used solely for synthetic software-output demonstration.

Hearing	No concern noticed	no_concern_reported
Vision	No concern noticed	no_concern_reported
Fine Motor	No concern noticed	no_concern_reported
Gross Motor	No concern noticed	no_concern_reported

C. Actual system predictions

Domain	Probability	System decision
Communication	0.864985	Additional monitoring may be helpful
Cognitive	0.906458	Additional monitoring may be helpful
Social-emotional	0.791496	Additional monitoring may be helpful

Overall OR-rule decision: CONCERN FLAGGED. Areas identified for further attention: Communication, Cognitive and Social-emotional

D. Existing caregiver explanations

Communication: Observation contributing most to this result Not yet for "Does your child regularly combine words into short sentences to communicate ideas, needs, or experiences?" moved the model calculation toward a concern flag.
Cognitive: This screening result suggests that additional monitoring may be helpful. It is not a diagnosis.
Social-emotional: Observation contributing most to this result Not yet for "When someone else is using a toy or object your child wants, does your child usually request it with a word or pointing gesture?" moved the model calculation toward a concern flag.
The models considered all 15 answers and the selected checkpoint when producing these results. The highlighted observations are examples of influential answers and did not determine the results alone. These results support developmental monitoring and are not diagnoses.

Case 1: CP30M-P - actual activity recommendation output

E. Activity recommendations

Runtime status: ready. Returned activities: 9. Retrieval mode: caregiver deployment.

Communication - ready

Eligible after all filters: 11; withheld: 221; returned by semantic ranking: 3.

1. Use comparing words

Describe safe objects with pairs such as big/small or in/out. Your child may watch, listen, smile, gesture, make a sound, move or join in—or simply choose not to participate. There is nothing to pass or score. Use only intact age-suitable materials; no loose, detachable or mouth-sized pieces. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/30-months.html | Activity ID: ACT-CDC-30-COM-03

2. Read and respond

Share a short picture book and pause to listen to the child's comments. Your child may look briefly, point, gesture, talk or just listen. Do not require looking or pointing. Use sturdy, intact pages or pictures; keep plastic sleeves, loose parts and packaging away. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/30-months.html | Activity ID: ACT-CDC-30-COM-05

3. Name colours and body parts

During ordinary play, name a visible colour or familiar body part and invite a response. Your child may watch, listen, smile, gesture, make a sound, move or join in—or simply choose not to participate. There is nothing to pass or score. A familiar adult should remain present and adjust to the child's abilities and comfort. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/30-months.html | Activity ID: ACT-CDC-30-COM-02

Cognitive - ready

Eligible after all filters: 10; withheld: 222; returned by semantic ranking: 3.

1. Big and small sorting

Compare two large safe objects and discuss which seems bigger. Your child may watch, listen, smile, gesture, make a sound, move or join in—or simply choose not to participate. There is nothing to pass or score. Use only intact age-suitable materials; no loose, detachable or mouth-sized pieces. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/30-months.html | Activity ID: ACT-CDC-30-COG-02

2. New use for familiar toy

During free play, let the child explore a different safe use of a familiar object. Your child may watch, touch, move, choose, describe or change the play—or may decide not to join in. Use only intact age-suitable materials; no loose, detachable or mouth-sized pieces. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/30-months.html | Activity ID: ACT-CDC-30-COG-05

3. Make a simple mark

With age-suitable drawing tools, experiment with lines or circles on paper. Your child may watch, listen, smile, gesture, make a sound, move or join in—or simply choose not to participate. There is nothing to pass or score. Use only intact age-suitable materials; no loose, detachable or mouth-sized pieces. Adult checks tools and materials and keeps sharp, broken, or unsuitable supplies away. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/30-months.html | Activity ID: ACT-CDC-30-COG-04

Social-emotional - ready

Eligible after all filters: 7; withheld: 225; returned by semantic ranking: 3.

1. Choose between options

Offer two or three appropriate activity options so the child can make a choice. Your child may watch, listen, smile, gesture, make a sound, move or join in—or simply choose not to participate. There is nothing to pass or score. A familiar adult should remain present and adjust to the child's abilities and comfort. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/30-months.html | Activity ID: ACT-CDC-30-SOC-02

2. Practice peer turn-taking

Model a request and a turn during a supervised game with another child. Your child may watch, listen, smile, gesture, make a sound, move or join in—or simply choose not to participate. There is nothing to pass or score. A familiar adult should remain present and adjust to the child's abilities and comfort. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/30-months.html | Activity ID: ACT-CDC-30-SOC-01

3. Praise kind actions

Notice when the child shares or helps, and describe the positive action. Your child may watch, listen, smile, gesture, make a sound, move or join in—or simply choose not to participate. There is nothing to pass or score. A familiar adult should remain present and adjust to the child's abilities and comfort. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/30-months.html | Activity ID: ACT-CDC-30-SOC-03

Checkpoint CP30M - 30 months

Case 2: CP30M-O1 - Mostly achieved

A. Synthetic developmental questionnaire inputs

Domain	Item	Synthetic answer
Communication	Q1. Does your child regularly combine words into short sentences to communicate ideas, needs, or experiences?	2 - Yes, usually
	Q2. Does your child answer simple "what?" and "where?" questions about familiar people, objects, or activities?	2 - Yes, usually
	Q3. Can your child make a simple sentence using two or more words, including an action word—for example, "Daddy is going," "Baby is eating," or "The dog is running"?	2 - Yes, usually
	Q4. Does your child now use about 50 words meaningfully, including words they use consistently?	2 - Yes, usually
	Q5. Does your child use words such as "I" or "me," or their own name instead, to refer to themselves and appropriate words when referring to others?	0 - Not yet
Cognitive	Q1. During pretend play, does your child use one object as though it were something else—for example, pretending that a wooden block is a telephone?	2 - Yes, usually
	Q2. With an adult's help, can your child demonstrate two or three steps of a familiar activity in the correct order—for example, showing the correct sequence for washing and drying their hands?	2 - Yes, usually
	Q3. Can your child separate objects according to one clear characteristic, such as colour, and then group the remaining objects according to the same characteristic?	2 - Yes, usually
	Q4. When shown two objects of the same type but different sizes, can your child identify or point to the "big" one?	2 - Yes, usually
	Q5. When asked for "one" from a group of objects, does your child select and give exactly one?	1 - Sometimes
Social-emotional	Q1. When other children are playing, does your child sometimes join them instead of only watching?	2 - Yes, usually
	Q2. In familiar situations, does your child recognise basic emotions such as happiness, sadness, or anger?	2 - Yes, usually
	Q3. When asked to stop playing and move to another activity, such as eating, does your child make the transition without becoming very upset?	2 - Yes, usually
	Q4. When someone else is using a toy or object your child wants, does your child usually request it with a word or pointing gesture?	1 - Sometimes
	Q5. Can your child distinguish their own bottle, cup, or toy from similar belongings of another person?	2 - Yes, usually

B. Authorized synthetic activity-suitability assumptions

Fictional activity-suitability profile used solely for synthetic software-output demonstration.

Hearing	No concern noticed	no_concern_reported
Vision	No concern noticed	no_concern_reported
Fine Motor	No concern noticed	no_concern_reported
Gross Motor	No concern noticed	no_concern_reported

C. Actual system predictions

Domain	Probability	System decision
Communication	0.016465	Not flagged by this screening
Cognitive	0.000558	Not flagged by this screening
Social-emotional	0.001382	Not flagged by this screening

Overall OR-rule decision: NO DOMAIN FLAGGED. No developmental areas were flagged by the current model results.

D. Existing caregiver explanations

Communication: Observation contributing most to this result Yes, usually for "Does your child now use about 50 words meaningfully, including words they use consistently?" moved the model calculation away from a concern flag.
Cognitive: This screening result did not flag this area. It does not rule out developmental needs.
Social-emotional: Observation contributing most to this result Yes, usually for "In familiar situations, does your child recognise basic emotions such as happiness, sadness, or anger?" moved the model calculation away from a concern flag.
The models considered all 15 answers and the selected checkpoint when producing these results. The highlighted observations are examples of influential answers and did not determine the results alone. These results support developmental monitoring and are not diagnoses.

Case 2: CP30M-O1 - actual activity recommendation output

E. Activity recommendations

No developmental domain was flagged, so targeted activity retrieval was not applicable.

Checkpoint CP30M - 30 months

Case 3: CP30M-O2 - Mixed answers

A. Synthetic developmental questionnaire inputs

Domain	Item	Synthetic answer
Communication	Q1. Does your child regularly combine words into short sentences to communicate ideas, needs, or experiences?	0 - Not yet
	Q2. Does your child answer simple "what?" and "where?" questions about familiar people, objects, or activities?	1 - Sometimes
	Q3. Can your child make a simple sentence using two or more words, including an action word—for example, "Daddy is going," "Baby is eating," or "The dog is running"?	2 - Yes, usually
	Q4. Does your child now use about 50 words meaningfully, including words they use consistently?	0 - Not yet
	Q5. Does your child use words such as "I" or "me," or their own name instead, to refer to themselves and appropriate words when referring to others?	2 - Yes, usually
Cognitive	Q1. During pretend play, does your child use one object as though it were something else—for example, pretending that a wooden block is a telephone?	1 - Sometimes
	Q2. With an adult's help, can your child demonstrate two or three steps of a familiar activity in the correct order—for example, showing the correct sequence for washing and drying their hands?	2 - Yes, usually
	Q3. Can your child separate objects according to one clear characteristic, such as colour, and then group the remaining objects according to the same characteristic?	2 - Yes, usually
	Q4. When shown two objects of the same type but different sizes, can your child identify or point to the "big" one?	0 - Not yet
	Q5. When asked for "one" from a group of objects, does your child select and give exactly one?	1 - Sometimes
Social-emotional	Q1. When other children are playing, does your child sometimes join them instead of only watching?	1 - Sometimes
	Q2. In familiar situations, does your child recognise basic emotions such as happiness, sadness, or anger?	1 - Sometimes
	Q3. When asked to stop playing and move to another activity, such as eating, does your child make the transition without becoming very upset?	0 - Not yet
	Q4. When someone else is using a toy or object your child wants, does your child usually request it with a word or pointing gesture?	2 - Yes, usually
	Q5. Can your child distinguish their own bottle, cup, or toy from similar belongings of another person?	0 - Not yet

B. Authorized synthetic activity-suitability assumptions

Fictional activity-suitability profile used solely for synthetic software-output demonstration.

Hearing	No concern noticed	no_concern_reported
Vision	No concern noticed	no_concern_reported
Fine Motor	No concern noticed	no_concern_reported
Gross Motor	No concern noticed	no_concern_reported

C. Actual system predictions

Domain	Probability	System decision
Communication	0.398330	Additional monitoring may be helpful
Cognitive	0.154048	Additional monitoring may be helpful
Social-emotional	0.378217	Additional monitoring may be helpful

Overall OR-rule decision: CONCERN FLAGGED. Areas identified for further attention: Communication, Cognitive and Social-emotional

D. Existing caregiver explanations

Communication: Observation contributing most to this result Not yet for "Does your child regularly combine words into short sentences to communicate ideas, needs, or experiences?" moved the model calculation toward a concern flag.
Cognitive: This screening result suggests that additional monitoring may be helpful. It is not a diagnosis.
Social-emotional: Observation contributing most to this result Not yet for "When asked to stop playing and move to another activity, such as eating, does your child make the transition without becoming very upset?" moved the model calculation toward a concern flag.
The models considered all 15 answers and the selected checkpoint when producing these results. The highlighted observations are examples of influential answers and did not determine the results alone. These results support developmental monitoring and are not diagnoses.

Case 3: CP30M-O2 - actual activity recommendation output

E. Activity recommendations

Runtime status: ready. Returned activities: 9. Retrieval mode: caregiver deployment.

Communication - ready

Eligible after all filters: 11; withheld: 221; returned by semantic ranking: 3.

1. Ask about a picture

Ask an easy who, what or where question while looking at a favourite book. Your child may look briefly, point, gesture, talk or just listen. Do not require looking or pointing. Use sturdy, intact pages or pictures; keep plastic sleeves, loose parts and packaging away. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/30-months.html | Activity ID: ACT-CDC-30-COM-01

2. Read and respond

Share a short picture book and pause to listen to the child’s comments. Your child may look briefly, point, gesture, talk or just listen. Do not require looking or pointing. Use sturdy, intact pages or pictures; keep plastic sleeves, loose parts and packaging away. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/30-months.html | Activity ID: ACT-CDC-30-COM-05

3. Use comparing words

Describe safe objects with pairs such as big/small or in/out. Your child may watch, listen, smile, gesture, make a sound, move or join in—or simply choose not to participate. There is nothing to pass or score. Use only intact age-suitable materials; no loose, detachable or mouth-sized pieces. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/30-months.html | Activity ID: ACT-CDC-30-COM-03

Cognitive - ready

Eligible after all filters: 10; withheld: 222; returned by semantic ranking: 3.

1. Big and small sorting

Compare two large safe objects and discuss which seems bigger. Your child may watch, listen, smile, gesture, make a sound, move or join in—or simply choose not to participate. There is nothing to pass or score. Use only intact age-suitable materials; no loose, detachable or mouth-sized pieces. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/30-months.html | Activity ID: ACT-CDC-30-COG-02

2. Puzzle with large pieces

Solve a simple age-suitable shape or animal puzzle together. Your child may watch, touch, move, choose, describe or change the play—or may decide not to join in. Use only intact age-suitable materials; no loose, detachable or mouth-sized pieces. Adult checks tools and materials and keeps sharp, broken, or unsuitable supplies away. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/30-months.html | Activity ID: ACT-CDC-30-COG-01

3. Pretend box vehicle

Offer a stable large cardboard box for supervised pretend play as a car or bus. Your child may watch, listen, smile, gesture, make a sound, move or join in—or simply choose not to participate. There is nothing to pass or score. Check for cords, plastic bags, loose fasteners, fabric covering the face and damaged edges. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/30-months.html | Activity ID: ACT-CDC-30-COG-03

Social-emotional - ready

Eligible after all filters: 7; withheld: 225; returned by semantic ranking: 3.

1. Choose between options

Offer two or three appropriate activity options so the child can make a choice. Your child may watch, listen, smile, gesture, make a sound, move or join in—or simply choose not to participate. There is nothing to pass or score. A familiar adult should remain present and adjust to the child’s abilities and comfort. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/30-months.html | Activity ID: ACT-CDC-30-SOC-02

2. Practice peer turn-taking

Model a request and a turn during a supervised game with another child. Your child may watch, listen, smile, gesture, make a sound, move or join in—or simply choose not to participate. There is nothing to pass or score. A familiar adult should remain present and adjust to the child's abilities and comfort. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/30-months.html | Activity ID: ACT-CDC-30-SOC-01

3. Praise kind actions

Notice when the child shares or helps, and describe the positive action. Your child may watch, listen, smile, gesture, make a sound, move or join in—or simply choose not to participate. There is nothing to pass or score. A familiar adult should remain present and adjust to the child's abilities and comfort. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/30-months.html | Activity ID: ACT-CDC-30-SOC-03

Checkpoint CP30M - paediatrician review

Review the three synthetic cases and their genuine system outputs above.

Appropriateness of developmental concern messaging	
Clarity of explanations	
Age appropriateness of recommendations	
Safety and suitability of activity instructions	
Required corrections	
General checkpoint comments	

Checkpoint review decision:
[ ] Suitable as presented [ ] Suitable with minor corrections [ ] Requires revision

Checkpoint CP36M - 36 months

Case 1: CP36M-P - Mostly achieved

A. Synthetic developmental questionnaire inputs

Domain	Item	Synthetic answer
Communication	Q1. During everyday conversations, can familiar people understand what your child says?	2 - Yes, usually
	Q2. Can your child describe a recent event by connecting two or more details—for example, "We went to the park. I played there with a friend"?	2 - Yes, usually
	Q3. When given an instruction containing two actions, can your child perform them in the order stated—for example, when told, "Take the book and put it on the table," first taking the book and then placing it on the table?	2 - Yes, usually
	Q4. When asked their name, does your child clearly say their first name or the name used for them at home?	2 - Yes, usually
	Q5. Does your child commonly ask questions such as "who?", "what?", "where?", or "why?" to find out about things?	1 - Sometimes
Cognitive	Q1. Before beginning a familiar activity, can your child say what they are going to do or what materials they need—for example, saying, "I need paper and coloured pencils" before drawing a picture?	0 - Not yet
	Q2. Can your child recognise a simple demonstrated pattern and continue it in the same way—for example, continuing a red, blue, red, blue pattern with red and blue?	2 - Yes, usually
	Q3. During play, if the first method your child tries does not work, do they try another way—for example, if a toy does not fit inside a container, turning it another way and trying again?	2 - Yes, usually
	Q4. When shown a picture of a familiar object with a major part missing, such as a vehicle without a wheel or a cup without a handle, can your child identify or point to the missing part?	2 - Yes, usually
	Q5. After seeing three familiar objects and then seeing only two after one is hidden, can your child identify or indicate the missing object?	2 - Yes, usually
Social-emotional	Q1. Does your child cooperatively join other children in play that has a shared goal—for example, building a house together with blocks or playing with a ball as a group?	2 - Yes, usually
	Q2. Does your child express their feelings using words, gestures, or another clear method?	1 - Sometimes
	Q3. When reminded by an adult, can your child wait for their turn during a game or another activity—for example, waiting until another child has finished using a toy?	2 - Yes, usually
	Q4. When left with another familiar person in a familiar setting, does your child stop crying and become calm within about 10 minutes after you leave?	2 - Yes, usually
	Q5. When told that an accidental action has inconvenienced or upset someone, does your child try to correct it, say sorry, or acknowledge the mistake?	2 - Yes, usually

B. Authorized synthetic activity-suitability assumptions

Fictional activity-suitability profile used solely for synthetic software-output demonstration.

Hearing	No concern noticed	no_concern_reported
Vision	No concern noticed	no_concern_reported
Fine Motor	No concern noticed	no_concern_reported
Gross Motor	No concern noticed	no_concern_reported

C. Actual system predictions

Domain	Probability	System decision
Communication	0.005323	Not flagged by this screening
Cognitive	0.000743	Not flagged by this screening
Social-emotional	0.003804	Not flagged by this screening

Overall OR-rule decision: NO DOMAIN FLAGGED. No developmental areas were flagged by the current model results.

D. Existing caregiver explanations

Communication: Observation contributing most to this result Yes, usually for "During everyday conversations, can familiar people understand what your child says?" moved the model calculation away from a concern flag.
Cognitive: This screening result did not flag this area. It does not rule out developmental needs.
Social-emotional: Observation contributing most to this result Yes, usually for "When told that an accidental action has inconvenienced or upset someone, does your child try to correct it, say sorry, or acknowledge the mistake?" moved the model calculation away from a concern flag.
The models considered all 15 answers and the selected checkpoint when producing these results. The highlighted observations are examples of influential answers and did not determine the results alone. These results support developmental monitoring and are not diagnoses.

Case 1: CP36M-P - actual activity recommendation output

E. Activity recommendations

No developmental domain was flagged, so targeted activity retrieval was not applicable.

Checkpoint CP36M - 36 months

Case 2: CP36M-O1 - Mixed answers

A. Synthetic developmental questionnaire inputs

Domain	Item	Synthetic answer
Communication	Q1. During everyday conversations, can familiar people understand what your child says?	2 - Yes, usually
	Q2. Can your child describe a recent event by connecting two or more details—for example, "We went to the park. I played there with a friend"?	1 - Sometimes
	Q3. When given an instruction containing two actions, can your child perform them in the order stated—for example, when told, "Take the book and put it on the table," first taking the book and then placing it on the table?	1 - Sometimes
	Q4. When asked their name, does your child clearly say their first name or the name used for them at home?	2 - Yes, usually
	Q5. Does your child commonly ask questions such as "who?", "what?", "where?", or "why?" to find out about things?	0 - Not yet
Cognitive	Q1. Before beginning a familiar activity, can your child say what they are going to do or what materials they need—for example, saying, "I need paper and coloured pencils" before drawing a picture?	2 - Yes, usually
	Q2. Can your child recognise a simple demonstrated pattern and continue it in the same way—for example, continuing a red, blue, red, blue pattern with red and blue?	0 - Not yet
	Q3. During play, if the first method your child tries does not work, do they try another way—for example, if a toy does not fit inside a container, turning it another way and trying again?	1 - Sometimes
	Q4. When shown a picture of a familiar object with a major part missing, such as a vehicle without a wheel or a cup without a handle, can your child identify or point to the missing part?	1 - Sometimes
	Q5. After seeing three familiar objects and then seeing only two after one is hidden, can your child identify or indicate the missing object?	0 - Not yet
Social-emotional	Q1. Does your child cooperatively join other children in play that has a shared goal—for example, building a house together with blocks or playing with a ball as a group?	2 - Yes, usually
	Q2. Does your child express their feelings using words, gestures, or another clear method?	1 - Sometimes
	Q3. When reminded by an adult, can your child wait for their turn during a game or another activity—for example, waiting until another child has finished using a toy?	0 - Not yet
	Q4. When left with another familiar person in a familiar setting, does your child stop crying and become calm within about 10 minutes after you leave?	2 - Yes, usually
	Q5. When told that an accidental action has inconvenienced or upset someone, does your child try to correct it, say sorry, or acknowledge the mistake?	0 - Not yet

B. Authorized synthetic activity-suitability assumptions

Fictional activity-suitability profile used solely for synthetic software-output demonstration.

Hearing	No concern noticed	no_concern_reported
Vision	No concern noticed	no_concern_reported
Fine Motor	No concern noticed	no_concern_reported
Gross Motor	No concern noticed	no_concern_reported

C. Actual system predictions

Domain	Probability	System decision
Communication	0.073872	Not flagged by this screening
Cognitive	0.163447	Additional monitoring may be helpful
Social-emotional	0.060994	Not flagged by this screening

Overall OR-rule decision: CONCERN FLAGGED. Area identified for further attention: Cognitive

D. Existing caregiver explanations

Communication: Observation contributing most to this result Yes, usually for "When asked their name, does your child clearly say their first name or the name used for them at home?" moved the model calculation away from a concern flag.
Cognitive: This screening result suggests that additional monitoring may be helpful. It is not a diagnosis.
Social-emotional: Observation contributing most to this result Yes, usually for "Does your child cooperatively join other children in play that has a shared goal—for example, building a house together with blocks or playing with a ball as a group?" moved the model calculation away from a concern flag.
The models considered all 15 answers and the selected checkpoint when producing these results. The highlighted observations are examples of influential answers and did not determine the results alone. These results support developmental monitoring and are not diagnoses.

Case 2: CP36M-O1 - actual activity recommendation output

E. Activity recommendations

Runtime status: ready. Returned activities: 3. Retrieval mode: caregiver deployment.

Cognitive - ready

Eligible after all filters: 10; withheld: 222; returned by semantic ranking: 3.

1. Find matching pairs

Look for two matching objects or pictures among a small selection. Your child may look briefly, point, gesture, talk or just listen. Do not require looking or pointing. Use only intact age-suitable materials; no loose, detachable or mouth-sized pieces. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/3-years.html | Activity ID: ACT-CDC-36-COG-02

2. Count everyday objects

Count safe toys or familiar items together while pointing to each one. Your child may watch, listen, smile, gesture, make a sound, move or join in—or simply choose not to participate. There is nothing to pass or score. Use only intact age-suitable materials; no loose, detachable or mouth-sized pieces. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/3-years.html | Activity ID: ACT-CDC-36-COG-01

3. Draw simple shapes

Offer large crayons and paper to copy a line or basic shape as comfortable. Your child may watch, touch, move, choose, describe or change the play—or may decide not to join in. Adult checks tools and materials and keeps sharp, broken, or unsuitable supplies away. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/3-years.html | Activity ID: ACT-CDC-36-COG-05

Checkpoint CP36M - 36 months

Case 3: CP36M-O2 - Mostly not yet

A. Synthetic developmental questionnaire inputs

Domain	Item	Synthetic answer
Communication	Q1. During everyday conversations, can familiar people understand what your child says?	0 - Not yet
	Q2. Can your child describe a recent event by connecting two or more details—for example, "We went to the park. I played there with a friend"?	1 - Sometimes
	Q3. When given an instruction containing two actions, can your child perform them in the order stated—for example, when told, "Take the book and put it on the table," first taking the book and then placing it on the table?	0 - Not yet
	Q4. When asked their name, does your child clearly say their first name or the name used for them at home?	2 - Yes, usually
	Q5. Does your child commonly ask questions such as "who?", "what?", "where?", or "why?" to find out about things?	0 - Not yet
Cognitive	Q1. Before beginning a familiar activity, can your child say what they are going to do or what materials they need—for example, saying, "I need paper and coloured pencils" before drawing a picture?	1 - Sometimes
	Q2. Can your child recognise a simple demonstrated pattern and continue it in the same way—for example, continuing a red, blue, red, blue pattern with red and blue?	2 - Yes, usually
	Q3. During play, if the first method your child tries does not work, do they try another way—for example, if a toy does not fit inside a container, turning it another way and trying again?	0 - Not yet
	Q4. When shown a picture of a familiar object with a major part missing, such as a vehicle without a wheel or a cup without a handle, can your child identify or point to the missing part?	0 - Not yet
	Q5. After seeing three familiar objects and then seeing only two after one is hidden, can your child identify or indicate the missing object?	0 - Not yet
Social-emotional	Q1. Does your child cooperatively join other children in play that has a shared goal—for example, building a house together with blocks or playing with a ball as a group?	0 - Not yet
	Q2. Does your child express their feelings using words, gestures, or another clear method?	1 - Sometimes
	Q3. When reminded by an adult, can your child wait for their turn during a game or another activity—for example, waiting until another child has finished using a toy?	0 - Not yet
	Q4. When left with another familiar person in a familiar setting, does your child stop crying and become calm within about 10 minutes after you leave?	1 - Sometimes
	Q5. When told that an accidental action has inconvenienced or upset someone, does your child try to correct it, say sorry, or acknowledge the mistake?	0 - Not yet

B. Authorized synthetic activity-suitability assumptions

Fictional activity-suitability profile used solely for synthetic software-output demonstration.

Hearing	No concern noticed	no_concern_reported
Vision	No concern noticed	no_concern_reported
Fine Motor	No concern noticed	no_concern_reported
Gross Motor	No concern noticed	no_concern_reported

C. Actual system predictions

Domain	Probability	System decision
Communication	0.652022	Additional monitoring may be helpful
Cognitive	0.852714	Additional monitoring may be helpful
Social-emotional	0.641260	Additional monitoring may be helpful

Overall OR-rule decision: CONCERN FLAGGED. Areas identified for further attention: Communication, Cognitive and Social-emotional

D. Existing caregiver explanations

Communication: Observation contributing most to this result Not yet for "During everyday conversations, can familiar people understand what your child says?" moved the model calculation toward a concern flag.
Cognitive: This screening result suggests that additional monitoring may be helpful. It is not a diagnosis.
Social-emotional: Observation contributing most to this result Not yet for "Does your child cooperatively join other children in play that has a shared goal—for example, building a house together with blocks or playing with a ball as a group?" moved the model calculation toward a concern flag.
The models considered all 15 answers and the selected checkpoint when producing these results. The highlighted observations are examples of influential answers and did not determine the results alone. These results support developmental monitoring and are not diagnoses.

Case 3: CP36M-O2 - actual activity recommendation output

E. Activity recommendations

Runtime status: ready. Returned activities: 9. Retrieval mode: caregiver deployment.

Communication - ready

Eligible after all filters: 11; withheld: 221; returned by semantic ranking: 3.

1. Talk about new places

Use a story or pretend play to introduce words about a forthcoming new situation. Your child may watch, listen, smile, gesture, make a sound, move or join in—or simply choose not to participate. There is nothing to pass or score. Use sturdy, intact pages or pictures; keep plastic sleeves, loose parts and packaging away. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/3-years.html | Activity ID: ACT-CDC-36-COM-05

2. Add to their sentence

Repeat what the child says in a slightly fuller, natural sentence. Your child may watch, listen, smile, gesture, make a sound, move or join in—or simply choose not to participate. There is nothing to pass or score. A familiar adult should remain present and adjust to the child's abilities and comfort. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/3-years.html | Activity ID: ACT-CDC-36-COM-02

3. Two-step directions

During a familiar game, give two simple directions and allow time for a response. Your child may watch, listen, smile, gesture, make a sound, move or join in—or simply choose not to participate. There is nothing to pass or score. A familiar adult should remain present and adjust to the child's abilities and comfort. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/3-years.html | Activity ID: ACT-CDC-36-COM-03

Cognitive - ready

Eligible after all filters: 10; withheld: 222; returned by semantic ranking: 3.

1. Draw simple shapes

Offer large crayons and paper to copy a line or basic shape as comfortable. Your child may watch, touch, move, choose, describe or change the play—or may decide not to join in. Adult checks tools and materials and keeps sharp, broken, or unsuitable supplies away. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/3-years.html | Activity ID: ACT-CDC-36-COG-05

2. Find matching pairs

Look for two matching objects or pictures among a small selection. Your child may look briefly, point, gesture, talk or just listen. Do not require looking or pointing. Use only intact age-suitable materials; no loose, detachable or mouth-sized pieces. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/3-years.html | Activity ID: ACT-CDC-36-COG-02

3. Solve a small problem

Ask what might help when a simple play obstacle occurs, then try a safe solution. Your child may watch, listen, smile, gesture, make a sound, move or join in—or simply choose not to participate. There is nothing to pass or score. A familiar adult should remain present and adjust to the child's abilities and comfort. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/3-years.html | Activity ID: ACT-CDC-36-COG-03

Social-emotional - ready

Eligible after all filters: 7; withheld: 225; returned by semantic ranking: 3.

1. Try a calm-down routine

Practice a child-friendly calming routine such as slow breaths with caregiver support. Your child may watch, listen, smile, gesture, make a sound, move or join in—or simply choose not to participate. There is nothing to pass or score. Never demand disclosure, apology, eye contact, physical touch or a particular emotional response. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/3-years.html | Activity ID: ACT-CDC-36-SOC-02

2. Plan a shared game

Let the child choose between two safe cooperative games and follow their lead. Your child may watch, listen, smile, gesture, make a sound, move or join in—or simply choose not to participate. There is nothing to pass or score. Use a level, clear area; avoid stairs, height and forced movement. Support only in ways already comfortable and suitable for the child. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/3-years.html | Activity ID: ACT-CDC-36-SOC-03

3. Role-play visiting somewhere

Act out an upcoming unfamiliar situation with toys or simple roles. Your child may watch, listen, smile, gesture, make a sound, move or join in—or simply choose not to participate. There is nothing to pass or score. Use only intact age-suitable materials; no loose, detachable or mouth-sized pieces. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/3-years.html | Activity ID: ACT-CDC-36-SOC-05

Checkpoint CP36M - paediatrician review

Review the three synthetic cases and their genuine system outputs above.

Appropriateness of developmental concern messaging	
Clarity of explanations	
Age appropriateness of recommendations	
Safety and suitability of activity instructions	
Required corrections	
General checkpoint comments	

Checkpoint review decision:
[ ] Suitable as presented [ ] Suitable with minor corrections [ ] Requires revision

Checkpoint CP48M - 48 months

Case 1: CP48M-P - Mixed answers

A. Synthetic developmental questionnaire inputs

Domain	Item	Synthetic answer
Communication	Q1. Can your child describe an experience in a way that clearly explains what happened first and what happened afterwards?	0 - Not yet
	Q2. When asked a simple "why?" or "how?" question about something familiar, can your child provide a relevant answer—for example, answering "So I don't get wet" when asked, "Why do we use an umbrella when it rains?"	2 - Yes, usually
	Q3. When another person does not understand something your child has said, can your child explain it differently or add more information—for example, describing the colour or location of an object to clarify which object they want?	1 - Sometimes
	Q4. When talking about something that happened yesterday or earlier, does your child describe it using appropriate past-tense words such as "ate," "went," or "did"?	1 - Sometimes
	Q5. Can your child remember and independently recite a few familiar words or a short line from a frequently heard rhyme, song, or story?	0 - Not yet
Cognitive	Q1. When discussing a familiar situation, can your child predict what might happen next—for example, saying, "It might rain next," after noticing that the sky has become dark?	1 - Sometimes
	Q2. Can your child group familiar objects according to their type and briefly explain why they belong to the same group—for example, placing apples and bananas together and saying, "These are fruits"?	2 - Yes, usually
	Q3. Can your child think through and complete a simple activity involving several steps—for example, taking a sheet of paper, drawing a picture, and then colouring it?	0 - Not yet
	Q4. After learning a simple sorting rule, can your child switch to a different rule when clearly instructed—for example, sorting large cards first by colour and then by shape?	0 - Not yet
	Q5. When hearing a simple story or seeing a picture, can your child understand whether it could really happen or is imaginary and exists only in a story?	2 - Yes, usually
Social-emotional	Q1. When engaging in pretend play with another child or adult, can your child act according to their assigned role—for example, pretending to be a doctor and examining a patient?	2 - Yes, usually
	Q2. Can your child behave according to the rules of different places, such as home, preschool, or the classroom—for example, following preschool rules after moving from the home environment to preschool?	0 - Not yet
	Q3. When a minor disagreement occurs with another child, does your child try to discuss and resolve it with a little help from an adult—for example, agreeing to take turns when both children want the same toy?	1 - Sometimes
	Q4. Does your child choose a particular friend they especially like to play with and often try to play with that child?	1 - Sometimes
	Q5. Does your child independently offer to help others with a simple task such as putting toys away?	2 - Yes, usually

B. Authorized synthetic activity-suitability assumptions

Fictional activity-suitability profile used solely for synthetic software-output demonstration.

Hearing	No concern noticed	no_concern_reported
Vision	No concern noticed	no_concern_reported
Fine Motor	No concern noticed	no_concern_reported
Gross Motor	No concern noticed	no_concern_reported

C. Actual system predictions

Domain	Probability	System decision
Communication	0.548938	Additional monitoring may be helpful
Cognitive	0.362854	Additional monitoring may be helpful
Social-emotional	0.225184	Additional monitoring may be helpful

Overall OR-rule decision: CONCERN FLAGGED. Areas identified for further attention: Communication, Cognitive and Social-emotional

D. Existing caregiver explanations

Communication: Observation contributing most to this result Not yet for "Can your child describe an experience in a way that clearly explains what happened first and what happened afterwards?" moved the model calculation toward a concern flag.
Cognitive: This screening result suggests that additional monitoring may be helpful. It is not a diagnosis.
Social-emotional: Observation contributing most to this result Not yet for "Can your child behave according to the rules of different places, such as home, preschool, or the classroom—for example, following preschool rules after moving from the home environment to preschool?" moved the model calculation toward a concern flag.
The models considered all 15 answers and the selected checkpoint when producing these results. The highlighted observations are examples of influential answers and did not determine the results alone. These results support developmental monitoring and are not diagnoses.

Case 1: CP48M-P - actual activity recommendation output

E. Activity recommendations

Runtime status: ready. Returned activities: 9. Retrieval mode: caregiver deployment.

Communication - ready

Eligible after all filters: 13; withheld: 219; returned by semantic ranking: 3.

1. Complete-sentence chat

Build on the child's comments with clear sentences during shared activities. Your child may watch, listen, smile, gesture, make a sound, move or join in—or simply choose not to participate. There is nothing to pass or score. A familiar adult should remain present and adjust to the child's abilities and comfort. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/4-years.html | Activity ID: ACT-CDC-48-COM-05

2. Story sequence words

Use first, next and last while describing a simple daily activity. Your child may watch, listen, smile, gesture, make a sound, move or join in—or simply choose not to participate. There is nothing to pass or score. Use sturdy, intact pages or pictures; keep plastic sleeves, loose parts and packaging away. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/4-years.html | Activity ID: ACT-CDC-48-COM-03

3. Answer a why question

Discuss a familiar action and invite an age-appropriate reason or explanation. Your child may watch, listen, smile, gesture, make a sound, move or join in—or simply choose not to participate. There is nothing to pass or score. A familiar adult should remain present and adjust to the child's abilities and comfort. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/4-years.html | Activity ID: ACT-CDC-48-COM-02

Cognitive - ready

Eligible after all filters: 14; withheld: 218; returned by semantic ranking: 3.

1. Compare objects

Ask about the colours, shapes and sizes of several familiar objects. Your child may watch, listen, smile, gesture, make a sound, move or join in—or simply choose not to participate. There is nothing to pass or score. Use only intact age-suitable materials; no loose, detachable or mouth-sized pieces. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/4-years.html | Activity ID: ACT-CDC-48-COG-01

2. Today's To-Do

During a quiet moment, talk about a few ordinary things you might do today. Invite your child to suggest what they look forward to and what might happen first. Follow their ideas and reassure them if plans may change.

Source: Vroom, page 3, tip 23 | https://assets.ctfassets.net/khbu829tujdl/39B0taLOtWwKkKGMo42Eig/c2d95c37a3ba74297712fd30ab7ad9c6/Vroom_TipSheet_Age_4_5_ENG.pdf | Activity ID: ACT-VROOM-TIP-00023

3. Question and investigate

Follow the child's why question and look for an age-appropriate answer together. Your child may look briefly, point, gesture, talk or just listen. Do not require looking or pointing. Use a level, clear area; avoid stairs, height and forced movement. Support only in ways already comfortable and suitable for the child. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/4-years.html | Activity ID: ACT-CDC-48-COG-05

Social-emotional - ready

Eligible after all filters: 9; withheld: 223; returned by semantic ranking: 3.

1. Role-play resolving a conflict

Pretend two toys want the same object and discuss a fair solution. Your child may watch, touch, move, choose, describe or change the play—or may decide not to join in. Use only intact age-suitable materials; no loose, detachable or mouth-sized pieces. Never demand disclosure, apology, eye contact, physical touch or a particular emotional response. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/4-years.html | Activity ID: ACT-CDC-48-SOC-04

2. Play a taking-turns game

Use a simple board or floor game to practise waiting for turns. Your child may watch, listen, smile, gesture, make a sound, move or join in—or simply choose not to participate. There is nothing to pass or score. A familiar adult should remain present and adjust to the child's abilities and comfort. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/4-years.html | Activity ID: ACT-CDC-48-SOC-03

3. Practice new-setting visits

Act out a new place or meeting with pretend characters before the visit. Your child may watch, listen, smile, gesture, make a sound, move or join in—or simply choose not to participate. There is nothing to pass or score. Keep the child close to the caregiver, away from roads, crowds and unfamiliar people; do not approach strangers for play. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/4-years.html | Activity ID: ACT-CDC-48-SOC-01

Checkpoint CP48M - 48 months

Case 2: CP48M-O1 - Mostly not yet

A. Synthetic developmental questionnaire inputs

Domain	Item	Synthetic answer
Communication	Q1. Can your child describe an experience in a way that clearly explains what happened first and what happened afterwards?	1 - Sometimes
	Q2. When asked a simple "why?" or "how?" question about something familiar, can your child provide a relevant answer—for example, answering "So I don't get wet" when asked, "Why do we use an umbrella when it rains?"	0 - Not yet
	Q3. When another person does not understand something your child has said, can your child explain it differently or add more information—for example, describing the colour or location of an object to clarify which object they want?	2 - Yes, usually
	Q4. When talking about something that happened yesterday or earlier, does your child describe it using appropriate past-tense words such as "ate," "went," or "did"?	0 - Not yet
	Q5. Can your child remember and independently recite a few familiar words or a short line from a frequently heard rhyme, song, or story?	0 - Not yet
Cognitive	Q1. When discussing a familiar situation, can your child predict what might happen next—for example, saying, "It might rain next," after noticing that the sky has become dark?	0 - Not yet
	Q2. Can your child group familiar objects according to their type and briefly explain why they belong to the same group—for example, placing apples and bananas together and saying, "These are fruits"?	1 - Sometimes
	Q3. Can your child think through and complete a simple activity involving several steps—for example, taking a sheet of paper, drawing a picture, and then colouring it?	0 - Not yet
	Q4. After learning a simple sorting rule, can your child switch to a different rule when clearly instructed—for example, sorting large cards first by colour and then by shape?	1 - Sometimes
	Q5. When hearing a simple story or seeing a picture, can your child understand whether it could really happen or is imaginary and exists only in a story?	0 - Not yet
Social-emotional	Q1. When engaging in pretend play with another child or adult, can your child act according to their assigned role—for example, pretending to be a doctor and examining a patient?	1 - Sometimes
	Q2. Can your child behave according to the rules of different places, such as home, preschool, or the classroom—for example, following preschool rules after moving from the home environment to preschool?	0 - Not yet
	Q3. When a minor disagreement occurs with another child, does your child try to discuss and resolve it with a little help from an adult—for example, agreeing to take turns when both children want the same toy?	0 - Not yet
	Q4. Does your child choose a particular friend they especially like to play with and often try to play with that child?	0 - Not yet
	Q5. Does your child independently offer to help others with a simple task such as putting toys away?	2 - Yes, usually

B. Authorized synthetic activity-suitability assumptions

Fictional activity-suitability profile used solely for synthetic software-output demonstration.

Hearing	No concern noticed	no_concern_reported
Vision	No concern noticed	no_concern_reported
Fine Motor	No concern noticed	no_concern_reported
Gross Motor	No concern noticed	no_concern_reported

C. Actual system predictions

Domain	Probability	System decision
Communication	0.529212	Additional monitoring may be helpful
Cognitive	0.945871	Additional monitoring may be helpful
Social-emotional	0.858703	Additional monitoring may be helpful

Overall OR-rule decision: CONCERN FLAGGED. Areas identified for further attention: Communication, Cognitive and Social-emotional

D. Existing caregiver explanations

Communication: Observation contributing most to this result Not yet for "When asked a simple "why?" or "how?" question about something familiar, can your child provide a relevant answer—for example, answering "So I don't get wet" when asked, "Why do we use an umbrella when it rains?"" moved the model calculation toward a concern flag.
Cognitive: This screening result suggests that additional monitoring may be helpful. It is not a diagnosis.
Social-emotional: Observation contributing most to this result Not yet for "Can your child behave according to the rules of different places, such as home, preschool, or the classroom—for example, following preschool rules after moving from the home environment to preschool?" moved the model calculation toward a concern flag.
The models considered all 15 answers and the selected checkpoint when producing these results. The highlighted observations are examples of influential answers and did not determine the results alone. These results support developmental monitoring and are not diagnoses.

Case 2: CP48M-O1 - actual activity recommendation output

E. Activity recommendations

Runtime status: ready. Returned activities: 9. Retrieval mode: caregiver deployment.

Communication - ready

Eligible after all filters: 13; withheld: 219; returned by semantic ranking: 3.

1. Answer a why question

Discuss a familiar action and invite an age-appropriate reason or explanation. Your child may watch, listen, smile, gesture, make a sound, move or join in—or simply choose not to participate. There is nothing to pass or score. A familiar adult should remain present and adjust to the child's abilities and comfort. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/4-years.html | Activity ID: ACT-CDC-48-COM-02

2. Tomorrow Talk

Talk with your child about something they would enjoy tomorrow. Ask an open question about where they might go or what they hope to do, then follow their answer with another gentle question. Imagining possibilities is enough; no prediction must come true.

Source: Vroom, page 3, tip 24 | https://assets.ctfassets.net/khbu829tujdl/39B0taLOtWwKkKGMo42Eig/c2d95c37a3ba74297712fd30ab7ad9c6/Vroom_TipSheet_Age_4_5_ENG.pdf | Activity ID: ACT-VROOM-TIP-00024

3. Today's To-Do

During a quiet moment, talk about a few ordinary things you might do today. Invite your child to suggest what they look forward to and what might happen first. Follow their ideas and reassure them if plans may change.

Source: Vroom, page 3, tip 23 | https://assets.ctfassets.net/khbu829tujdl/39B0taLOtWwKkKGMo42Eig/c2d95c37a3ba74297712fd30ab7ad9c6/Vroom_TipSheet_Age_4_5_ENG.pdf | Activity ID: ACT-VROOM-TIP-00023

Cognitive - ready

Eligible after all filters: 14; withheld: 218; returned by semantic ranking: 3.

1. Compare objects

Ask about the colours, shapes and sizes of several familiar objects. Your child may watch, listen, smile, gesture, make a sound, move or join in—or simply choose not to participate. There is nothing to pass or score. Use only intact age-suitable materials; no loose, detachable or mouth-sized pieces. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/4-years.html | Activity ID: ACT-CDC-48-COG-01

2. Fortune Teller

While travelling together, talk about what your child imagines will happen when you arrive. Ask whom they might see and what they might do first or next. Take turns guessing; there is no need to be correct.

Source: Vroom, page 10, tip 623 | https://assets.ctfassets.net/khbu829tujdl/39B0taLOtWwKkKGMo42Eig/c2d95c37a3ba74297712fd30ab7ad9c6/Vroom_TipSheet_Age_4_5_ENG.pdf | Activity ID: ACT-VROOM-TIP-00623

3. Matching-card game

Try a simple game matching familiar images or shapes. Your child may watch, listen, smile, gesture, make a sound, move or join in—or simply choose not to participate. There is nothing to pass or score. A familiar adult should remain present and adjust to the child's abilities and comfort. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/4-years.html | Activity ID: ACT-CDC-48-COG-03

Social-emotional - ready

Eligible after all filters: 9; withheld: 223; returned by semantic ranking: 3.

1. Role-play resolving a conflict

Pretend two toys want the same object and discuss a fair solution. Your child may watch, touch, move, choose, describe or change the play—or may decide not to join in. Use only intact age-suitable materials; no loose, detachable or mouth-sized pieces. Never demand disclosure, apology, eye contact, physical touch or a particular emotional response. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/4-years.html | Activity ID: ACT-CDC-48-SOC-04

2. Practice new-setting visits

Act out a new place or meeting with pretend characters before the visit. Your child may watch, listen, smile, gesture, make a sound, move or join in—or simply choose not to participate. There is nothing to pass or score. Keep the child close to the caregiver, away from roads, crowds and unfamiliar people; do not approach strangers for play. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/4-years.html | Activity ID: ACT-CDC-48-SOC-01

3. Play a taking-turns game

Use a simple board or floor game to practise waiting for turns. Your child may watch, listen, smile, gesture, make a sound, move or join in—or simply choose not to participate. There is nothing to pass or score. A familiar adult should remain present and adjust to the child's abilities and comfort. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/4-years.html | Activity ID: ACT-CDC-48-SOC-03

Checkpoint CP48M - 48 months

Case 3: CP48M-O2 - Mostly achieved

A. Synthetic developmental questionnaire inputs

Domain	Item	Synthetic answer
Communication	Q1. Can your child describe an experience in a way that clearly explains what happened first and what happened afterwards?	2 - Yes, usually
	Q2. When asked a simple "why?" or "how?" question about something familiar, can your child provide a relevant answer—for example, answering "So I don't get wet" when asked, "Why do we use an umbrella when it rains?"	2 - Yes, usually
	Q3. When another person does not understand something your child has said, can your child explain it differently or add more information—for example, describing the colour or location of an object to clarify which object they want?	2 - Yes, usually
	Q4. When talking about something that happened yesterday or earlier, does your child describe it using appropriate past-tense words such as "ate," "went," or "did"?	1 - Sometimes
	Q5. Can your child remember and independently recite a few familiar words or a short line from a frequently heard rhyme, song, or story?	2 - Yes, usually
Cognitive	Q1. When discussing a familiar situation, can your child predict what might happen next—for example, saying, "It might rain next," after noticing that the sky has become dark?	2 - Yes, usually
	Q2. Can your child group familiar objects according to their type and briefly explain why they belong to the same group—for example, placing apples and bananas together and saying, "These are fruits"?	1 - Sometimes
	Q3. Can your child think through and complete a simple activity involving several steps—for example, taking a sheet of paper, drawing a picture, and then colouring it?	2 - Yes, usually
	Q4. After learning a simple sorting rule, can your child switch to a different rule when clearly instructed—for example, sorting large cards first by colour and then by shape?	2 - Yes, usually
	Q5. When hearing a simple story or seeing a picture, can your child understand whether it could really happen or is imaginary and exists only in a story?	2 - Yes, usually
Social-emotional	Q1. When engaging in pretend play with another child or adult, can your child act according to their assigned role—for example, pretending to be a doctor and examining a patient?	0 - Not yet
	Q2. Can your child behave according to the rules of different places, such as home, preschool, or the classroom—for example, following preschool rules after moving from the home environment to preschool?	2 - Yes, usually
	Q3. When a minor disagreement occurs with another child, does your child try to discuss and resolve it with a little help from an adult—for example, agreeing to take turns when both children want the same toy?	2 - Yes, usually
	Q4. Does your child choose a particular friend they especially like to play with and often try to play with that child?	2 - Yes, usually
	Q5. Does your child independently offer to help others with a simple task such as putting toys away?	2 - Yes, usually

B. Authorized synthetic activity-suitability assumptions

Fictional activity-suitability profile used solely for synthetic software-output demonstration.

Hearing	No concern noticed	no_concern_reported
Vision	No concern noticed	no_concern_reported
Fine Motor	No concern noticed	no_concern_reported
Gross Motor	No concern noticed	no_concern_reported

C. Actual system predictions

Domain	Probability	System decision
Communication	0.009157	Not flagged by this screening
Cognitive	0.001078	Not flagged by this screening
Social-emotional	0.004081	Not flagged by this screening

Overall OR-rule decision: NO DOMAIN FLAGGED. No developmental areas were flagged by the current model results.

D. Existing caregiver explanations

Communication: Observation contributing most to this result Yes, usually for "Can your child describe an experience in a way that clearly explains what happened first and what happened afterwards?" moved the model calculation away from a concern flag.
Cognitive: This screening result did not flag this area. It does not rule out developmental needs.
Social-emotional: Observation contributing most to this result Yes, usually for "Can your child behave according to the rules of different places, such as home, preschool, or the classroom—for example, following preschool rules after moving from the home environment to preschool?" moved the model calculation away from a concern flag.
The models considered all 15 answers and the selected checkpoint when producing these results. The highlighted observations are examples of influential answers and did not determine the results alone. These results support developmental monitoring and are not diagnoses.

Case 3: CP48M-O2 - actual activity recommendation output

E. Activity recommendations

No developmental domain was flagged, so targeted activity retrieval was not applicable.

Checkpoint CP48M - paediatrician review

Review the three synthetic cases and their genuine system outputs above.

Appropriateness of developmental concern messaging	
Clarity of explanations	
Age appropriateness of recommendations	
Safety and suitability of activity instructions	
Required corrections	
General checkpoint comments	

Checkpoint review decision:
[ ] Suitable as presented [ ] Suitable with minor corrections [ ] Requires revision

Checkpoint CP60M - 60 months

Case 1: CP60M-P - Mostly not yet

A. Synthetic developmental questionnaire inputs

Domain	Item	Synthetic answer
Communication	Q1. Can your child connect several events in the correct order and provide a short description that another person can understand—for example, "We went to the park. We played there. Then we came home"?	0 - Not yet
	Q2. Without needing to be reminded again, can your child follow an instruction containing two or three steps in the order stated—for example, when told, "Take the book, put it on the table, and sit on the chair," completing all the actions in the correct order?	0 - Not yet
	Q3. When speaking with another person, can your child continue the conversation for several turns by responding appropriately to what the other person says—for example, answering questions and adding relevant comments?	0 - Not yet
	Q4. After hearing a short, simple story, can your child correctly answer questions about its important people, actions, or events?	1 - Sometimes
	Q5. Can your child identify words that rhyme or end with the same sound, or independently give an example of a rhyming word?	1 - Sometimes
Cognitive	Q1. When faced with a simple problem, can your child select and try an appropriate way to solve it—for example, when a jigsaw puzzle piece does not fit, examining its shape and selecting another piece that may fit?	0 - Not yet
	Q2. Can your child state one clear similarity or difference between two familiar objects—for example, "An apple and an orange are both fruits, but they are different colours"?	2 - Yes, usually
	Q3. Can your child arrange the steps of a familiar activity in the correct order and identify and correct a step that is out of order—for example, recognising that "drying the hands before applying soap" is incorrect and rearranging the steps as "apply soap, rinse with water, and then dry the hands"?	0 - Not yet
	Q4. Can your child correctly count 10 objects by pointing to each one and saying the numbers in order, "1, 2, 3, 4..." ?	0 - Not yet
	Q5. Can your child remain engaged for five to ten minutes in a screen-free activity such as listening to a story, drawing, or completing a puzzle?	1 - Sometimes
Social-emotional	Q1. Does your child understand that other people's thoughts or feelings may be different from their own?	0 - Not yet
	Q2. Can your child cooperatively participate in a group activity by following rules, waiting for their turn, and working with other children—for example, joining a group game while following its rules and waiting for their turn?	0 - Not yet
	Q3. When your child does not get something they want or when an attempt is unsuccessful, can they calm down after a short time and continue the activity—for example, calming down after losing a game and joining the game again?	2 - Yes, usually
	Q4. Before taking a toy or object belonging to someone else, does your child ask permission or wait patiently until it is offered?	0 - Not yet
	Q5. When invited to sing, dance, or act out a character in front of family or familiar people, does your child participate willingly and happily?	1 - Sometimes

B. Authorized synthetic activity-suitability assumptions

Fictional activity-suitability profile used solely for synthetic software-output demonstration.

Hearing	No concern noticed	no_concern_reported
Vision	No concern noticed	no_concern_reported
Fine Motor	No concern noticed	no_concern_reported
Gross Motor	No concern noticed	no_concern_reported

C. Actual system predictions

Domain	Probability	System decision
Communication	0.815944	Additional monitoring may be helpful
Cognitive	0.927469	Additional monitoring may be helpful
Social-emotional	0.887755	Additional monitoring may be helpful

Overall OR-rule decision: CONCERN FLAGGED. Areas identified for further attention: Communication, Cognitive and Social-emotional

D. Existing caregiver explanations

Communication: Observation contributing most to this result Not yet for "Can your child connect several events in the correct order and provide a short description that another person can understand—for example, "We went to the park. We played there. Then we came home"?" moved the model calculation toward a concern flag.
Cognitive: This screening result suggests that additional monitoring may be helpful. It is not a diagnosis.
Social-emotional: Observation contributing most to this result Not yet for "Can your child cooperatively participate in a group activity by following rules, waiting for their turn, and working with other children—for example, joining a group game while following its rules and waiting for their turn?" moved the model calculation toward a concern flag.
The models considered all 15 answers and the selected checkpoint when producing these results. The highlighted observations are examples of influential answers and did not determine the results alone. These results support developmental monitoring and are not diagnoses.

Case 1: CP60M-P - actual activity recommendation output

E. Activity recommendations

Runtime status: ready. Returned activities: 9. Retrieval mode: caregiver deployment.

Communication - ready

Eligible after all filters: 13; withheld: 219; returned by semantic ranking: 3.

1. Ask deeper story questions

Read together and ask what a character might do next and why. Your child may watch, listen, smile, gesture, make a sound, move or join in—or simply choose not to participate. There is nothing to pass or score. Use sturdy, intact pages or pictures; keep plastic sleeves, loose parts and packaging away. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/5-years.html | Activity ID: ACT-CDC-60-COM-05

2. Play rhyming words

Say a familiar word and invite the child to think of a rhyming sound. Your child might listen, look, gesture, vocalise, say a word or simply enjoy the interaction. There is no need to repeat after you. Use a gentle voice or comfortable sound level; do not make sudden loud noises near a child. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/5-years.html | Activity ID: ACT-CDC-60-COM-03

3. Today’s To-Do

During a quiet moment, talk about a few ordinary things you might do today. Invite your child to suggest what they look forward to and what might happen first. Follow their ideas and reassure them if plans may change.

Source: Vroom, page 3, tip 23 | https://assets.ctfassets.net/khbu829tujdl/39B0taLOtWwKkKGMo42Eig/c2d95c37a3ba74297712fd30ab7ad9c6/Vroom_TipSheet_Age_4_5_ENG.pdf | Activity ID: ACT-VROOM-TIP-00023

Cognitive - ready

Eligible after all filters: 14; withheld: 218; returned by semantic ranking: 3.

1. Puzzle-piece thinking

Offer an age-appropriate puzzle and talk about ways pieces might fit. Your child might listen, look, gesture, vocalise, say a word or simply enjoy the interaction. There is no need to repeat after you. Use only intact age-suitable materials; no loose, detachable or mouth-sized pieces. Adult checks tools and materials and keeps sharp, broken, or unsuitable supplies away. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/5-years.html | Activity ID: ACT-CDC-60-COG-01

2. Put story events in order

Use a short familiar story to discuss what happens first and last. Your child may watch, listen, smile, gesture, make a sound, move or join in—or simply choose not to participate. There is nothing to pass or score. Use sturdy, intact pages or pictures; keep plastic sleeves, loose parts and packaging away. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/5-years.html | Activity ID: ACT-CDC-60-COG-04

3. Today’s To-Do

During a quiet moment, talk about a few ordinary things you might do today. Invite your child to suggest what they look forward to and what might happen first. Follow their ideas and reassure them if plans may change.

Source: Vroom, page 3, tip 23 | https://assets.ctfassets.net/khbu829tujdl/39B0taLOtWwKkKGMo42Eig/c2d95c37a3ba74297712fd30ab7ad9c6/Vroom_TipSheet_Age_4_5_ENG.pdf | Activity ID: ACT-VROOM-TIP-00023

Social-emotional - ready

Eligible after all filters: 9; withheld: 223; returned by semantic ranking: 3.

1. Choose and lead a game

Offer a few safe play choices and let the child lead the shared activity. Your child may watch, listen, smile, gesture, make a sound, move or join in—or simply choose not to participate. There is nothing to pass or score. A familiar adult should remain present and adjust to the child’s abilities and comfort. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/5-years.html | Activity ID: ACT-CDC-60-SOC-04

2. Practise group-game rules

Play a brief age-appropriate game that involves waiting and following rules. Your child may watch, listen, smile, gesture, make a sound, move or join in—or simply choose not to participate. There is nothing to pass or score. A familiar adult should remain present and adjust to the child's abilities and comfort. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/5-years.html | Activity ID: ACT-CDC-60-SOC-02

3. Waiting Games

During an ordinary waiting period, invite your child to suggest a short counting or singing game. Take turns choosing a number, sound or familiar tune. Keep the game flexible so waiting remains comfortable and you can stop whenever needed.

Source: Vroom, page 5, tip 215 | https://assets.ctfassets.net/khbu829tujdl/39B0taLOtWwKkKGMo42Eig/c2d95c37a3ba74297712fd30ab7ad9c6/Vroom_TipSheet_Age_4_5_ENG.pdf | Activity ID: ACT-VROOM-TIP-00215

Checkpoint CP60M - 60 months

Case 2: CP60M-O1 - Mostly achieved

A. Synthetic developmental questionnaire inputs

Domain	Item	Synthetic answer
Communication	Q1. Can your child connect several events in the correct order and provide a short description that another person can understand—for example, "We went to the park. We played there. Then we came home"?	2 - Yes, usually
	Q2. Without needing to be reminded again, can your child follow an instruction containing two or three steps in the order stated—for example, when told, "Take the book, put it on the table, and sit on the chair," completing all the actions in the correct order?	2 - Yes, usually
	Q3. When speaking with another person, can your child continue the conversation for several turns by responding appropriately to what the other person says—for example, answering questions and adding relevant comments?	2 - Yes, usually
	Q4. After hearing a short, simple story, can your child correctly answer questions about its important people, actions, or events?	2 - Yes, usually
	Q5. Can your child identify words that rhyme or end with the same sound, or independently give an example of a rhyming word?	0 - Not yet
Cognitive	Q1. When faced with a simple problem, can your child select and try an appropriate way to solve it—for example, when a jigsaw puzzle piece does not fit, examining its shape and selecting another piece that may fit?	2 - Yes, usually
	Q2. Can your child state one clear similarity or difference between two familiar objects—for example, "An apple and an orange are both fruits, but they are different colours"?	2 - Yes, usually
	Q3. Can your child arrange the steps of a familiar activity in the correct order and identify and correct a step that is out of order—for example, recognising that "drying the hands before applying soap" is incorrect and rearranging the steps as "apply soap, rinse with water, and then dry the hands"?	2 - Yes, usually
	Q4. Can your child correctly count 10 objects by pointing to each one and saying the numbers in order, "1, 2, 3, 4..." ?	2 - Yes, usually
	Q5. Can your child remain engaged for five to ten minutes in a screen-free activity such as listening to a story, drawing, or completing a puzzle?	1 - Sometimes
Social-emotional	Q1. Does your child understand that other people's thoughts or feelings may be different from their own?	2 - Yes, usually
	Q2. Can your child cooperatively participate in a group activity by following rules, waiting for their turn, and working with other children—for example, joining a group game while following its rules and waiting for their turn?	2 - Yes, usually
	Q3. When your child does not get something they want or when an attempt is unsuccessful, can they calm down after a short time and continue the activity—for example, calming down after losing a game and joining the game again?	1 - Sometimes
	Q4. Before taking a toy or object belonging to someone else, does your child ask permission or wait patiently until it is offered?	2 - Yes, usually
	Q5. When invited to sing, dance, or act out a character in front of family or familiar people, does your child participate willingly and happily?	2 - Yes, usually

B. Authorized synthetic activity-suitability assumptions

Fictional activity-suitability profile used solely for synthetic software-output demonstration.

Hearing	No concern noticed	no_concern_reported
Vision	No concern noticed	no_concern_reported
Fine Motor	No concern noticed	no_concern_reported
Gross Motor	No concern noticed	no_concern_reported

C. Actual system predictions

Domain	Probability	System decision
Communication	0.017640	Not flagged by this screening
Cognitive	0.000665	Not flagged by this screening
Social-emotional	0.001664	Not flagged by this screening

Overall OR-rule decision: NO DOMAIN FLAGGED. No developmental areas were flagged by the current model results.

D. Existing caregiver explanations

Communication: Observation contributing most to this result Yes, usually for "After hearing a short, simple story, can your child correctly answer questions about its important people, actions, or events?" moved the model calculation away from a concern flag.
Cognitive: This screening result did not flag this area. It does not rule out developmental needs.
Social-emotional: Observation contributing most to this result Yes, usually for "Can your child cooperatively participate in a group activity by following rules, waiting for their turn, and working with other children—for example, joining a group game while following its rules and waiting for their turn?" moved the model calculation away from a concern flag.
The models considered all 15 answers and the selected checkpoint when producing these results. The highlighted observations are examples of influential answers and did not determine the results alone. These results support developmental monitoring and are not diagnoses.

Case 2: CP60M-O1 - actual activity recommendation output

E. Activity recommendations

No developmental domain was flagged, so targeted activity retrieval was not applicable.

Checkpoint CP60M - 60 months

Case 3: CP60M-O2 - Mixed answers

A. Synthetic developmental questionnaire inputs

Domain	Item	Synthetic answer
Communication	Q1. Can your child connect several events in the correct order and provide a short description that another person can understand—for example, "We went to the park. We played there. Then we came home"?	0 - Not yet
	Q2. Without needing to be reminded again, can your child follow an instruction containing two or three steps in the order stated—for example, when told, "Take the book, put it on the table, and sit on the chair," completing all the actions in the correct order?	2 - Yes, usually
	Q3. When speaking with another person, can your child continue the conversation for several turns by responding appropriately to what the other person says—for example, answering questions and adding relevant comments?	0 - Not yet
	Q4. After hearing a short, simple story, can your child correctly answer questions about its important people, actions, or events?	2 - Yes, usually
	Q5. Can your child identify words that rhyme or end with the same sound, or independently give an example of a rhyming word?	1 - Sometimes
Cognitive	Q1. When faced with a simple problem, can your child select and try an appropriate way to solve it—for example, when a jigsaw puzzle piece does not fit, examining its shape and selecting another piece that may fit?	1 - Sometimes
	Q2. Can your child state one clear similarity or difference between two familiar objects—for example, "An apple and an orange are both fruits, but they are different colours"?	1 - Sometimes
	Q3. Can your child arrange the steps of a familiar activity in the correct order and identify and correct a step that is out of order—for example, recognising that "drying the hands before applying soap" is incorrect and rearranging the steps as "apply soap, rinse with water, and then dry the hands"?	0 - Not yet
	Q4. Can your child correctly count 10 objects by pointing to each one and saying the numbers in order, "1, 2, 3, 4..." ?	2 - Yes, usually
	Q5. Can your child remain engaged for five to ten minutes in a screen-free activity such as listening to a story, drawing, or completing a puzzle?	2 - Yes, usually
Social-emotional	Q1. Does your child understand that other people's thoughts or feelings may be different from their own?	1 - Sometimes
	Q2. Can your child cooperatively participate in a group activity by following rules, waiting for their turn, and working with other children—for example, joining a group game while following its rules and waiting for their turn?	0 - Not yet
	Q3. When your child does not get something they want or when an attempt is unsuccessful, can they calm down after a short time and continue the activity—for example, calming down after losing a game and joining the game again?	0 - Not yet
	Q4. Before taking a toy or object belonging to someone else, does your child ask permission or wait patiently until it is offered?	1 - Sometimes
	Q5. When invited to sing, dance, or act out a character in front of family or familiar people, does your child participate willingly and happily?	2 - Yes, usually

B. Authorized synthetic activity-suitability assumptions

Fictional activity-suitability profile used solely for synthetic software-output demonstration.

Hearing	No concern noticed	no_concern_reported
Vision	No concern noticed	no_concern_reported
Fine Motor	No concern noticed	no_concern_reported
Gross Motor	No concern noticed	no_concern_reported

C. Actual system predictions

Domain	Probability	System decision
Communication	0.229490	Additional monitoring may be helpful
Cognitive	0.192963	Additional monitoring may be helpful
Social-emotional	0.325371	Additional monitoring may be helpful

Overall OR-rule decision: CONCERN FLAGGED. Areas identified for further attention: Communication, Cognitive and Social-emotional

D. Existing caregiver explanations

Communication: Observation contributing most to this result Not yet for "Can your child connect several events in the correct order and provide a short description that another person can understand—for example, "We went to the park. We played there. Then we came home"?" moved the model calculation toward a concern flag.
Cognitive: This screening result suggests that additional monitoring may be helpful. It is not a diagnosis.
Social-emotional: Observation contributing most to this result Not yet for "Can your child cooperatively participate in a group activity by following rules, waiting for their turn, and working with other children—for example, joining a group game while following its rules and waiting for their turn?" moved the model calculation toward a concern flag.
The models considered all 15 answers and the selected checkpoint when producing these results. The highlighted observations are examples of influential answers and did not determine the results alone. These results support developmental monitoring and are not diagnoses.

Case 3: CP60M-O2 - actual activity recommendation output

E. Activity recommendations

Runtime status: ready. Returned activities: 9. Retrieval mode: caregiver deployment.

Communication - ready

Eligible after all filters: 13; withheld: 219; returned by semantic ranking: 3.

1. Play rhyming words

Say a familiar word and invite the child to think of a rhyming sound. Your child might listen, look, gesture, vocalise, say a word or simply enjoy the interaction. There is no need to repeat after you. Use a gentle voice or comfortable sound level; do not make sudden loud noises near a child. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/5-years.html | Activity ID: ACT-CDC-60-COM-03

2. Ask deeper story questions

Read together and ask what a character might do next and why. Your child may watch, listen, smile, gesture, make a sound, move or join in—or simply choose not to participate. There is nothing to pass or score. Use sturdy, intact pages or pictures; keep plastic sleeves, loose parts and packaging away. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/5-years.html | Activity ID: ACT-CDC-60-COM-05

3. Explain the construction

Ask the child how they built something and why they chose the design. Your child may watch, listen, smile, gesture, make a sound, move or join in—or simply choose not to participate. There is nothing to pass or score. A familiar adult should remain present and adjust to the child's abilities and comfort. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/5-years.html | Activity ID: ACT-CDC-60-COM-01

Cognitive - ready

Eligible after all filters: 14; withheld: 218; returned by semantic ranking: 3.

1. Memory matching

Play a short game remembering and finding pairs of familiar pictures. Your child may watch, listen, smile, gesture, make a sound, move or join in—or simply choose not to participate. There is nothing to pass or score. A familiar adult should remain present and adjust to the child's abilities and comfort. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/5-years.html | Activity ID: ACT-CDC-60-COG-02

2. Puzzle-piece thinking

Offer an age-appropriate puzzle and talk about ways pieces might fit. Your child might listen, look, gesture, vocalise, say a word or simply enjoy the interaction. There is no need to repeat after you. Use only intact age-suitable materials; no loose, detachable or mouth-sized pieces. Adult checks tools and materials and keeps sharp, broken, or unsuitable supplies away. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/5-years.html | Activity ID: ACT-CDC-60-COG-01

3. Put story events in order

Use a short familiar story to discuss what happens first and last. Your child may watch, listen, smile, gesture, make a sound, move or join in—or simply choose not to participate. There is nothing to pass or score. Use sturdy, intact pages or pictures; keep plastic sleeves, loose parts and packaging away. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/5-years.html | Activity ID: ACT-CDC-60-COG-04

Social-emotional - ready

Eligible after all filters: 9; withheld: 223; returned by semantic ranking: 3.

1. Practise group-game rules

Play a brief age-appropriate game that involves waiting and following rules. Your child may watch, listen, smile, gesture, make a sound, move or join in—or simply choose not to participate. There is nothing to pass or score. A familiar adult should remain present and adjust to the child's abilities and comfort. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/5-years.html | Activity ID: ACT-CDC-60-SOC-02

2. Choose and lead a game

Offer a few safe play choices and let the child lead the shared activity. Your child may watch, listen, smile, gesture, make a sound, move or join in—or simply choose not to participate. There is nothing to pass or score. A familiar adult should remain present and adjust to the child's abilities and comfort. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/5-years.html | Activity ID: ACT-CDC-60-SOC-04

3. Calming place together

Practise using a reassuring calm space and supportive words when upset. Your child can respond through words, gestures, expressions or quiet attention. Do not pressure them to show a particular feeling. Never demand disclosure, apology, eye contact, physical touch or a particular emotional response. Pause when your child needs a break.

Source: CDC | https://www.cdc.gov/act-early/milestones/5-years.html | Activity ID: ACT-CDC-60-SOC-05

Checkpoint CP60M - paediatrician review

Review the three synthetic cases and their genuine system outputs above.

Appropriateness of developmental concern messaging	
Clarity of explanations	
Age appropriateness of recommendations	
Safety and suitability of activity instructions	
Required corrections	
General checkpoint comments	

Checkpoint review decision:
[ ] Suitable as presented [ ] Suitable with minor corrections [ ] Requires revision

Reviewer details and declaration

Consultant paediatrician's name	
Professional qualifications	
Institution	
Medical registration number (if applicable)	
Review date	
General comments	
Signature	
Official seal (if applicable)	

Declaration

This review concerns the age appropriateness, clarity, safety, and content suitability of system-generated outputs from predefined synthetic developmental questionnaire scenarios. It does not constitute clinical validation, diagnostic validation, proof of predictive accuracy, or evidence of clinical effectiveness.

SYNTHETIC DEMONSTRATION OUTPUT - FOR PAEDIATRICIAN CONTENT AND OUTPUT REVIEW ONLY. NOT CLINICAL VALIDATION, DIAGNOSTIC EVIDENCE, OR PROOF OF PREDICTIVE ACCURACY.