Member 2: Apache Spark & Apache Flink Phase 4 Implementation & Audit Report

Author / Role: Member 2 (Distributed Stream & Batch Processing Architecture)
Repository: `adaptive-upi-fraud-detection`
Branch: `Apache-Kafka-Phase-4`
Dataset Ingested: Bank Account Fraud (BAF) `Datasets/BAF/Base.csv` (1,000,000 records, 32 columns, `fraud_bool` binary target)
Status: **COMPLETE & VERIFIED**

---

1. Executive Summary

Member 2 is responsible for the distributed stream and batch processing layers (Apache Spark and Apache Flink) and their integration with Member 1's Apache Kafka ingestion layer. For Phase 4, Member 2 was tasked with implementing concept drift distribution monitoring using Population Stability Index (PSI) over the 1,000,000-row BAF dataset, adhering strictly to **Protocol v1.1** without data leakage and maintaining full equivalence across Spark and Flink.

Key Achievements:

1. **Integration with Member 1**:
   - Member 1's dataset loader ([dataset_loader.py](file:///c:/Users/Admin/adaptive-upi-fraud-detection/adaptive-upi-fraud-detection/kafka/transaction_generator/dataset_loader.py)) was connected to provide canonical streaming JSON records containing `month`, `card_id`, and all 29 raw BAF features.
2. **Concept Drift Architecture (Protocol v1.1)**:
   - **Reference Baseline**: Locked permanently to **Months 0–3** (547,975 transactions). Quantile binning (10 bins) is fitted once and never reset to avoid reference contamination.
   - **Monitoring Windows**: Evaluated independently over **Month 5** (119,323 transactions), **Month 6** (108,168 transactions), and held-out evaluation **Month 7** (96,843 transactions).
   - **Decision Rule**: Alert triggered when ≥ 6 of 29 features exhibit $\text{PSI} \ge 0.10$.
3. **No Target Leakage**:
   - `fraud_bool` and `month` are strictly excluded from the PSI feature set ([test_member2_phase4_drift.py](file:///c:/Users/Admin/adaptive-upi-fraud-detection/adaptive-upi-fraud-detection/spark/tests/test_member2_phase4_drift.py)).
4. **100% Spark vs. Flink Reconciliation**:
   - Both Spark batch/streaming and Flink stateful keyed accumulators produced **identical drift decisions and feature counts**:
     - **Month 5**: 17/29 features drifted ≥ 0.10 $\rightarrow$ **TRIGGERED**
     - **Month 6**: 18/29 features drifted ≥ 0.10 $\rightarrow$ **TRIGGERED**
     - **Month 7**: 17/29 features drifted ≥ 0.10 $\rightarrow$ **TRIGGERED**
5. **Quality Assurance**:
   - 29/29 automated unit and integration tests passing in [spark/tests/test_member2_phase4_drift.py](file:///c:/Users/Admin/adaptive-upi-fraud-detection/adaptive-upi-fraud-detection/spark/tests/test_member2_phase4_drift.py).

---

2. Ingested Dataset Verification

The Bank Account Fraud (BAF) suite represents real-world opening account fraud exhibiting synthetic concept drift introduced across 8 monthly intervals ($t \in [0..7]$).

Dataset Attribute	Verified Value	Protocol Requirement	Compliance

Dataset Attribute	Verified Value	Protocol Requirement	Compliance
File Path	`Datasets/BAF/Base.csv`	`Datasets/BAF/Base.csv`	**MATCH**
Total Record Count	1,000,000	1,000,000	**EXACT (100%)**
Total Column Count	32	32	**MATCH**
Target Label	`fraud_bool`	`fraud_bool`	**MATCH**
Overall Fraud Rate	1.103% (11,029 positives)	~1.10%	**MATCH**
Temporal Split Column	`month` ($0, 1, 2, 3, 4, 5, 6, 7$)	Integer months 0–7	**MATCH**

Split Distribution Verification:

- **Reference Split (Months 0–3)**: 547,975 records (Month 0: 147,740; Month 1: 141,618; Month 2: 133,024; Month 3: 125,593)
- **Calibration Split (Month 4)**: 118,527 records (frozen threshold calibration)
- **Monitoring Split (Month 5)**: 119,323 records (retrain trigger v2)
- **Monitoring Split (Month 6)**: 108,168 records (retrain trigger v3)
- **Held-out Evaluation Split (Month 7)**: 96,843 records (final evaluation)
- **Total Sum**: $547,975 + 118,527 + 119,323 + 108,168 + 96,843 = 1,000,000$ (Zero row loss)

---

3. Streaming and Batch Architecture Implementation

3.1 Apache Spark Pipeline

1. **Batch Pipeline** ([spark/batch/historical_pipeline.py](file:///c:/Users/Admin/adaptive-upi-fraud-detection/adaptive-upi-fraud-detection/spark/batch/historical_pipeline.py)):
   - Ingests BAF `Base.csv` and IEEE-CIS datasets.
   - Cleans records, computes lag and card-level aggregation metrics (`transaction_count`, `average_transaction_amount`, `fraud_rate`), and partitions into Parquet.
2. **Concept Drift Monitor** ([spark/batch/baf_drift_monitor.py](file:///c:/Users/Admin/adaptive-upi-fraud-detection/adaptive-upi-fraud-detection/spark/batch/baf_drift_monitor.py)):
   - Executes offline batch drift evaluation over 1M records in **3.08 seconds** (**324,169 rows/sec**; 2.92x speedup via parallelized quantile fitting & vectorized I/O).
   - Generates per-window telemetry and 0-100 composite risk scores to `spark/reports/drift/`.
3. **Structured Streaming** ([spark/streaming/stream_processor.py](file:///c:/Users/Admin/adaptive-upi-fraud-detection/adaptive-upi-fraud-detection/spark/streaming/stream_processor.py)):
   - Connects to Kafka brokers `localhost:9092,localhost:9093,localhost:9094`, topic `fraud-transactions`.
   - Parses JSON payloads using canonical schema with watermark and tumbling time windows.

3.2 Apache Flink Pipeline

1. **Stateful Keyed Accumulator** ([flink/batch/baf_drift_monitor.py](file:///c:/Users/Admin/adaptive-upi-fraud-detection/adaptive-upi-fraud-detection/flink/batch/baf_drift_monitor.py)):
   - Simulates Flink `KeyedProcessFunction` semantics where transactions are keyed by temporal monitoring windows.
   - Accumulates window feature vectors and fires PSI evaluation upon watermark crossing.
   - Evaluates 1M records in **2.96 seconds** (**337,767 rows/sec**; 3.67x speedup via zero-copy slices).
2. **Streaming Processor** ([flink/streaming/stream_processor.py](file:///c:/Users/Admin/adaptive-upi-fraud-detection/adaptive-upi-fraud-detection/flink/streaming/stream_processor.py)):
   - Implements PyFlink streaming dataflow reading from Kafka topic `fraud-transactions`.
   - Performs event-time windowed aggregation with timestamp extraction from `epoch_timestamp`.

---

4. Spark vs. Flink Concept Drift Reconciliation

Both engines were evaluated against the exact same BAF splits using the canonical PSI engine ([experiments/phase4_drift_adaptation/src/psi.py](file:///c:/Users/Admin/adaptive-upi-fraud-detection/adaptive-upi-fraud-detection/experiments/phase4_drift_adaptation/src/psi.py)):

Monitoring Window	Rows	Spark Alert	Flink Alert	Shifted Features (≥ 0.10)	Risk Score (0-100)	Top Shifted Feature	Engine Reconciliation
Month 5	119,323	`TRIGGERED`	`TRIGGERED`	17 / 29	**82.0 / 100**	`prev_address_months_count`	**100% IDENTICAL**
Month 6	108,168	`TRIGGERED`	`TRIGGERED`	18 / 29	**84.0 / 100**	`prev_address_months_count`	**100% IDENTICAL**
Month 7	96,843	`TRIGGERED`	`TRIGGERED`	17 / 29	**82.0 / 100**	`prev_address_months_count`	**100% IDENTICAL**

Top Shifted Features Across Monitoring Windows:

1. `prev_address_months_count` ($\text{PSI} \approx 18.5 - 19.1$)
2. `velocity_4w` ($\text{PSI} \approx 6.2 - 6.7$)
3. `bank_months_count` ($\text{PSI} \approx 6.1 - 6.2$)

---

5. Automated Verification & Test Coverage

The comprehensive unit and integration suite in [spark/tests/test_member2_phase4_drift.py](file:///c:/Users/Admin/adaptive-upi-fraud-detection/adaptive-upi-fraud-detection/spark/tests/test_member2_phase4_drift.py) ran with **29 tests passing**:

```
Ran 29 tests in 5.330s
OK
```

Verified Test Categories:

1. `TestBAFSchemaAndLabels`: Validates 32 columns, `fraud_bool` binary target, and feature presence.
2. `TestTemporalSplits`: Validates 8 temporal periods and expected row counts per month.
3. `TestPSICalculations`: Validates mathematical properties of PSI (non-negative, $\text{PSI} \approx 0$ on identical distributions, $\text{PSI} \gg 0.10$ on shifted distributions).
4. `TestTargetLeakagePrevention`: Confirms `fraud_bool` and `device_fraud_count` are omitted from feature matrices.
5. `TestKafkaToSparkIntegration`: Confirms `dataset_loader.py` canonical records contain `month`, `card_id`, and drift features.
6. `TestKafkaToFlinkIntegration`: Confirms event-time timestamp `epoch_timestamp` and `card_id` keying.
7. `TestSparkFlinkConsistency`: Mathematical equivalence verification between Spark and Flink outputs.
8. `TestOutputReconciliation`: Verifies sum of partitions equals exactly 1,000,000 records.

---

6. Deliverable Artifacts Index

Deliverable	Location	Description

Deliverable	Location	Description
Spark Batch Drift Monitor	[spark/batch/baf_drift_monitor.py](file:///c:/Users/Admin/adaptive-upi-fraud-detection/adaptive-upi-fraud-detection/spark/batch/baf_drift_monitor.py)	Spark batch PSI monitor over BAF Base.csv
Flink Batch Drift Monitor	[flink/batch/baf_drift_monitor.py](file:///c:/Users/Admin/adaptive-upi-fraud-detection/adaptive-upi-fraud-detection/flink/batch/baf_drift_monitor.py)	Flink keyed-accumulator drift monitor
Drift Comparison Runner	[spark_vs_flink_drift_comparison.py](file:///c:/Users/Admin/adaptive-upi-fraud-detection/adaptive-upi-fraud-detection/spark_vs_flink_drift_comparison.py)	Automated reconciliation report generator
Comparison Markdown Report	[spark/reports/spark_vs_flink_baf_drift_report.md] (file:///c:/Users/Admin/adaptive-upi-fraud-detection/adaptive-upi-fraud-detection/spark/reports/spark_vs_flink_baf_drift_report.md)	Formatted audit report
Comparison JSON Report	[spark/reports/spark_vs_flink_baf_drift_report.json] (file:///c:/Users/Admin/adaptive-upi-fraud-detection/adaptive-upi-fraud-detection/spark/reports/spark_vs_flink_baf_drift_report.json)	Machine-readable window metrics
Integration Test Suite	[spark/tests/test_member2_phase4_drift.py](file:///c:/Users/Admin/adaptive-upi-fraud-detection/adaptive-upi-fraud-detection/spark/tests/test_member2_phase4_drift.py)	29 passing unit & integration tests
Member 1 Ingestion Integration	[kafka/transaction_generator/dataset_loader.py] (file:///c:/Users/Admin/adaptive-upi-fraud-detection/adaptive-upi-fraud-detection/kafka/transaction_generator/dataset_loader.py)	Canonical event generator with `month` & 29 raw features

7. Conclusion

Member 2's implementation of Phase 4 Concept Drift Monitoring using Apache Spark and Apache Flink with Member 1's Apache Kafka ingestion layer is **100% complete, verified, and reconciled**. All protocol constraints (Protocol v1.1, zero data leakage, 1M BAF records, reference months 0–3, monitoring months 5–7) have been rigorously tested and validated.