Status	Finished
Started	Friday, 16 October 2026, 12:32 PM
Completed	Friday, 16 October 2026, 12:42 PM
Duration	9 mins 25 secs
Grade	**15.00** out of 15.00 (**100**%)

Question **1**

Correct

Mark 1.00 out of 1.00

Default EOL character of text file in python is ,

a. \n ✓

b. space

c. ,

d. \t

The correct answer is:
\n

Question **2**

Correct

Mark 1.00 out of 1.00

What does the seek() method do in file handling?

a. Writes data to the file

b. Moves the file cursor to the specified position ✓

c. Reads the file line by line

d. Deletes the file

The correct answer is: Moves the file cursor to the specified position

Question **3**

Correct

Mark 1.00 out of 1.00

Which of the following is data file?

a. Binary file
b. none of the given choices
c. Text file
d. Both text and binary file ✓

The correct answer is: Both text and binary file

Question **4**

Correct

Mark 1.00 out of 1.00

To open a file c:\scores.txt for appending data, we use _____

a. outfile = open("c:\\scores.txt", "a") ✓
b. outfile = open(file = "c:\\scores.txt", "w")
c. outfile = open(file = "c:\scores.txt", "w")
d. outfile = open("c:\\scores.txt", "rw")

The correct answer is:
outfile = open("c:\\scores.txt", "a")

Question **5**

Correct

Mark 1.00 out of 1.00

Which method can be used to read all lines of a file into a list?

a. readlines() ✓
b. read()
c. readlist()
d. readline()

The correct answer is: readlines()

Question **6**

Correct

Mark 1.00 out of 1.00

To open a file a.txt for reading, we use _____

a. infile = open(file = “a.txt”, “r”)

b. infile = open(“a.txt”, “r”) ✓

c. infile = open(file = “a.txt”, “r”)

d. infile = open(file, “a.txt”, “r”)

The correct answer is:
infile = open(“a.txt”, “r”)

Question **7**

Correct

Mark 1.00 out of 1.00

What will be the output of the following code if the file "example.txt" contains "Python Programming"?

```
f = open("example.txt", "r")
print(f.read(6))
f.close()
```

a. An error is raised

b. Program

c. Python Programming

d. Python ✓

The correct answer is: Python

Question **8**

Correct

Mark 1.00 out of 1.00

Which function is used to open a file in Python?

a. open_file()
b. open() ✓
c. file()
d. openfile()

The correct answer is: open()

Question **9**

Correct

Mark 1.00 out of 1.00

What does the following code do?

fo = open("foo.txt", "w")

a. Opens a file in binary mode
b. Creates a new file for writing ✓
c. Appends to an existing file
d. Opens an existing file in read mode

The correct answer is: Creates a new file for writing

Question **10**

Correct

Mark 1.00 out of 1.00

Which method is used to read a specific number of characters from a file?

a. readlines()
b. readline()
c. read(size) ✓
d. readchar()

The correct answer is: read(size)

Question **11**

Correct

Mark 1.00 out of 1.00

Which of the following methods is used to read a single line from a file?

a. readline(size)
b. readline() ✓
c. read()
d. readlines()

The correct answer is: readline()

Question **12**

Correct

Mark 1.00 out of 1.00

Which of the following modes opens a file for writing in binary format?

a. w
b. r+
c. wb ✓
d. rb

The correct answer is: wb

Question **13**

Correct

Mark 1.00 out of 1.00

What happens if you try to open a file in write mode ('w') and the file already exists?

a. It does nothing
b. It appends data to the file
c. It clears the old data and starts fresh ✓
d. It raises an error

The correct answer is: It clears the old data and starts fresh

Question **14**

Correct

Mark 1.00 out of 1.00

What does the mode attribute of a file object indicate?

a. The size of the file
b. The access mode in which the file was opened ✓
c. The name of the file
d. The current position of the file cursor

The correct answer is: The access mode in which the file was opened

Question **15**

Correct

Mark 1.00 out of 1.00

Which method is used to get the current file position?

a. position()
b. tell() ✓
c. locate()
d. current()

The correct answer is: tell()