Rajalakshmi Engineering College

Name: jayasri B

Email: 241801101@rajalakshmi.edu.in

Roll no: 241801101 Phone: 9345834044

Branch: REC

Department: I AI & DS FB

Batch: 2028

Degree: B.E - AI & DS



NeoColab_REC_CS23231_DATA STRUCTURES

REC_DS using C_Week 7_COD_Question 3

Attempt : 1 Total Mark : 10 Marks Obtained : 10

Section 1: Coding

1. Problem Statement

In a messaging application, users maintain a contact list with names and corresponding phone numbers. Develop a program to manage this contact list using a dictionary implemented with hashing.

The program allows users to add contacts, delete contacts, and check if a specific contact exists. Additionally, it provides an option to print the contact list in the order of insertion.

Input Format

The first line consists of an integer n, representing the number of contact pairs to be inserted.

Each of the next n lines consists of two strings separated by a space: the name of the contact (key) and the corresponding phone number (value).

The last line contains a string k, representing the contact to be checked or removed.

Output Format

If the given contact exists in the dictionary:

- 1. The first line prints "The given key is removed!" after removing it.
- 2. The next n 1 lines print the updated contact list in the format: "Key: X; Value: Y" where X represents the contact's name and Y represents the phone number.

If the given contact does not exist in the dictionary:

- 1. The first line prints "The given key is not found!".
- 2. The next n lines print the original contact list in the format: "Key: X; Value: Y" where X represents the contact's name and Y represents the phone number.

Refer to the sample outputs for the formatting specifications.

Sample Test Case

Input: 3 Alice 1234567890 Bob 9876543210 Charlie 4567890123 Bob

Output: The given key is removed! Key: Alice; Value: 1234567890 Key: Charlie; Value: 4567890123

Answer

You are using Python
def manage_contacts(n, contacts, key):
 contact_dict = {} # Using a dictionary to store contacts;

Insert contacts into dictionary (maintaining order) for name, number in contacts:

```
24,180,101
                                                    241801101
      contact_dict[name] = number
if key in contact_dict:
        print("The given key is removed!")
        del contact_dict[key] # Remove the contact
      else:
        print("The given key is not found!")
      # Print the contact list in order of insertion
      for name, number in contact_dict.items():
        print(f"Key: {name}; Value: {number}")
                                                                              24,180,101
                                                    241801101
    # Read input values
    n = int(input().strip())
contacts = [input().split() for _ in range(n)]
    key = input().strip()
    # Process the contact list
    manage_contacts(n, contacts, key)
```

Status: Correct Marks: 10/10

241801101

241801101

24,801,01

241801101

24,180,101

24,180,101

241801701

241801101