

```
In [2]: import numpy as np
import pandas as pd
import matplotlib.pyplot as plt
from sklearn.preprocessing import StandardScaler
from sklearn.decomposition import PCA
from sklearn.cluster import KMeans, DBSCAN, AgglomerativeClustering
from sklearn.metrics import silhouette_score
from sklearn.metrics import silhouette_score, davies_bouldin_score, calinski_harabasz
from scipy.cluster.hierarchy import linkage, dendrogram
```

```
In [3]: x=pd.read_csv("C:/Users/DHARSHINI/Downloads/sem5/ml_lab/Assignment_8/Datasets/UCI H
y=pd.read_csv("C:/Users/DHARSHINI/Downloads/sem5/ml_lab/Assignment_8/Datasets/UCI H
```

```
In [4]: print(x.head())
print(y.head())
```

	0	1	2	3	4	5	6	\
0	0.288585	-0.020294	-0.132905	-0.995279	-0.983111	-0.913526	-0.995112	
1	0.278419	-0.016411	-0.123520	-0.998245	-0.975300	-0.960322	-0.998807	
2	0.279653	-0.019467	-0.113462	-0.995380	-0.967187	-0.978944	-0.996520	
3	0.279174	-0.026201	-0.123283	-0.996091	-0.983403	-0.990675	-0.997099	
4	0.276629	-0.016570	-0.115362	-0.998139	-0.980817	-0.990482	-0.998321	

	7	8	9	...	551	552	553	554	\
0	-0.983185	-0.923527	-0.934724	...	-0.074323	-0.298676	-0.710304	-0.112754	
1	-0.974914	-0.957686	-0.943068	...	0.158075	-0.595051	-0.861499	0.053477	
2	-0.963668	-0.977469	-0.938692	...	0.414503	-0.390748	-0.760104	-0.118559	
3	-0.982750	-0.989302	-0.938692	...	0.404573	-0.117290	-0.482845	-0.036788	
4	-0.979672	-0.990441	-0.942469	...	0.087753	-0.351471	-0.699205	0.123320	

	555	556	557	558	559	560
0	0.030400	-0.464761	-0.018446	-0.841247	0.179941	-0.058627
1	-0.007435	-0.732626	0.703511	-0.844788	0.180289	-0.054317
2	0.177899	0.100699	0.808529	-0.848933	0.180637	-0.049118
3	-0.012892	0.640011	-0.485366	-0.848649	0.181935	-0.047663
4	0.122542	0.693578	-0.615971	-0.847865	0.185151	-0.043892

[5 rows x 561 columns]

```
0
0 5
1 5
2 5
3 5
4 5
```

```
In [5]: print(x.shape)
print(y.shape)

print("Missing Values in X :", x.isnull().sum().sum())
print("Missing Values in Y :", y.isnull().sum().sum())
```

```
(7352, 561)
(7352, 1)
Missing Values in X : 0
Missing Values in Y : 0
```

```
In [6]: print(y[0].unique())
```

```
[5 4 6 1 3 2]
```

```
In [7]: scaler=StandardScaler()

x_scaled=scaler.fit_transform(x)

print(x_scaled.shape)
```

```
(7352, 561)
```

```
In [8]: pca=PCA(n_components=2)

x_pca=pca.fit_transform(x_scaled)

print(x_pca.shape)
```

```
(7352, 2)
```

```
In [13]: kmeans=KMeans(n_clusters=6,random_state=42)

kmeans_labels=kmeans.fit_predict(x_scaled)

print(np.unique(kmeans_labels))

kmeans_sil = silhouette_score(
    x_scaled,
    kmeans_labels
)

kmeans_db = davies_bouldin_score(
    x_scaled,
    kmeans_labels
)

kmeans_ch = calinski_harabasz_score(
    x_scaled,
    kmeans_labels
)

kmeans_ari = adjusted_rand_score(
    y.values.ravel(),
    kmeans_labels
)

kmeans_nmi = normalized_mutual_info_score(
    y.values.ravel(),
    kmeans_labels
)


print("Silhouette :", kmeans_sil)
```

```
print("Davies-Bouldin :", kmeans_db)
print("Calinski-Harabasz :", kmeans_ch)
print("ARI :", kmeans_ari)
print("NMI :", kmeans_nmi)
```

```
[0 1 2 3 4 5]
Silhouette : 0.1086410631864108
Davies-Bouldin : 2.3579675526882222
Calinski-Harabasz : 1862.506263577485
ARI : 0.41971368603551157
NMI : 0.5589238295237167
```

```
In [10]: plt.figure(figsize=(5,5))

plt.scatter(x_pca[:,0],x_pca[:,1],c=kmeans_labels,cmap='viridis',s=5)
plt.title("K Means clustering ")
plt.xlabel("PCA 1")
plt.ylabel("PCA_2")
plt.show()
```



```
In [14]: wcss=[]

silhou_score=[]

for k in range(2,9,1):
    kmeans=KMeans(n_clusters=k,random_state=42)

    kmeans.fit(x_scaled)
```

```
wcss.append(kmeans.inertia_)

labels = kmeans.fit_predict(x_scaled)

score = silhouette_score(x_scaled, labels)

silhoue_score.append(score)

print(wcss)
print(silhoue_score)
```

```
[2336223.7949465243, 2081849.6271975674, 1976475.199951482, 1875068.026844911, 18187
90.0682136677, 1776518.7291605163, 1748685.3431013913]
[0.39650058094388707, 0.3274077920801447, 0.1613320617042328, 0.13064369861760422,
0.1086410631864108, 0.11142407811150756, 0.08959204796105176]
```


```
In [15]: result_table = pd.DataFrame({
    "K": range(2,9),
    "WCSS": wcss,
    "Silhouette Score": silhoue_score
})

print(result_table)
```

	K	WCSS	Silhouette Score
0	2	2.336224e+06	0.396501
1	3	2.081850e+06	0.327408
2	4	1.976475e+06	0.161332
3	5	1.875068e+06	0.130644
4	6	1.818790e+06	0.108641
5	7	1.776519e+06	0.111424
6	8	1.748685e+06	0.089592


```
In [18]: plt.figure(figsize=(5,5))

plt.plot(range(2,9,1),wcss,marker='o')
plt.title('Elbow Method')
plt.xlabel('Number of K')
plt.ylabel('Wscs')
plt.show()
```



```
In [19]: plt.figure(figsize=(5,5))

plt.plot(range(2,9),silhou_score,marker='o')
plt.title('Silhouette Score')
plt.xlabel('Number of K')
plt.ylabel('Silhouette Score')
plt.show()
```



```
In [20]: dbscan = DBSCAN(eps=1.5,min_samples=10)

db_labels=dbscan.fit_predict(x_pca)

sb_cluster_list=set(db_labels)

print(sb_cluster_list)
```

```
{0, 1, 2, 3, -1}
```

```
In [21]: noise=0

for ele in sb_cluster_list:
    if (ele==-1):
        noise=noise+1

print(noise)
```


```
1
```

```
In [22]: plt.figure(figsize=(6,6))

plt.scatter(x_pca[:,0],x_pca[:,1],c=db_labels,cmap='rainbow',s=5)

plt.title("DBSCAN Clustering")
plt.xlabel("PCA 1")
plt.ylabel("PCA 2")
```

```
plt.show()
```



```
In [23]: if len(set(db_labels)) > 1:

    print("Silhouette Score:",
          silhouette_score(x_pca, db_labels))

    print("Davies-Bouldin Index:",
          davies_bouldin_score(x_pca, db_labels))

    print("Calinski-Harabasz Index:",
          calinski_harabasz_score(x_pca, db_labels))

    print("ARI:",
          adjusted_rand_score(
              y.values.ravel(),
              db_labels
          ))

    print("NMI:",
          normalized_mutual_info_score(
              y.values.ravel(),
```

```
        db_labels  
    ))
```

Silhouette Score: 0.490960875197007
Davies-Bouldin Index: 1.377583115821548
Calinski-Harabasz Index: 6437.629875579848
ARI: 0.3266064560591039
NMI: 0.5230949748586399

In []:


```
In [24]: hac = AgglomerativeClustering(n_clusters=6,linkage='ward')
```

```
hac_labels = hac.fit_predict(x_scaled)
```

```
print(set(hac_labels))
```

{0, 1, 2, 3, 4, 5}

```
In [25]: plt.figure(figsize=(6,6))  
plt.scatter(x_pca[:,0],x_pca[:,1],c=hac_labels,cmap='plasma',s=5)  
plt.title("Hierarchical Agglomerative Clustering")  
plt.xlabel("PCA 1")  
plt.ylabel("PCA 2")  
  
plt.show()
```



```
In [26]: sample = x_scaled[:300]


Z = linkage(sample,method='ward')

plt.figure(figsize=(12,5))

dendrogram(Z)

plt.title("Hierarchical Clustering Dendrogram")
plt.xlabel("Samples")
plt.ylabel("Distance")

plt.show()
```



```
In [27]: hac_sil = silhouette_score(
    x_scaled,
    hac_labels
)

hac_db = davies_bouldin_score(
    x_scaled,
    hac_labels
)

hac_ch = calinski_harabasz_score(
    x_scaled,
    hac_labels
)

hac_ari = adjusted_rand_score(
    y.values.ravel(),
    hac_labels
)

hac_nmi = normalized_mutual_info_score(
    y.values.ravel(),
    hac_labels
)

print("Silhouette:", hac_sil)
print("Davies-Bouldin:", hac_db)
print("Calinski-Harabasz:", hac_ch)
print("ARI:", hac_ari)
print("NMI:", hac_nmi)
```

Silhouette: 0.08339649239977742

Davies-Bouldin: 2.7857334406214562

Calinski-Harabasz: 1730.8358392108255

ARI: 0.2793864491481101

NMI: 0.4544001173140205


```
In [28]: comparison = pd.DataFrame({
    "Algorithm":[
        "KMeans",
        "DBSCAN",
        "Hierarchical"
    ],
    "Silhouette":[
        kmeans_sil,
        silhouette_score(x_pca, db_labels),
        hac_sil
    ],
    "Davies_Bouldin":[
        kmeans_db,
        davies_bouldin_score(x_pca, db_labels),
        hac_db
    ],
    "Calinski_Harabasz":[
        kmeans_ch,
        calinski_harabasz_score(x_pca, db_labels),
        hac_ch
    ],
    "ARI":[
        kmeans_ari,
        adjusted_rand_score(
            y.values.ravel(),
            db_labels
        ),
        hac_ari
    ],
    "NMI":[
        kmeans_nmi,
        normalized_mutual_info_score(
            y.values.ravel(),
            db_labels
        ),
        hac_nmi
    ]
})

print(comparison)
```

	Algorithm	Silhouette	Davies_Bouldin	Calinski_Harabasz	ARI \
0	KMeans	0.108641	2.357968	1862.506264	0.419714
1	DBSCAN	0.490961	1.377583	6437.629876	0.326606
2	Hierarchical	0.083396	2.785733	1730.835839	0.279386
	NMI				
0	0.558924				
1	0.523095				
2	0.454400				

```
In [29]: comparison.set_index(
    "Algorithm"
)[["Silhouette", "ARI", "NMI"]].plot(
    kind="bar",
    figsize=(8,5)
)

plt.title("Algorithm Comparison")
plt.ylabel("Score")
plt.xticks(rotation=0)
plt.show()
```



In []:

In []: