

# IMPORT NECESSARY LIBRARIES

```
import numpy as np
import pandas as pd
import matplotlib.pyplot as plt
import seaborn as sns
import missingno as msno
import warnings
warnings.filterwarnings('ignore')
```

# IMPORT MODULES

```
from sklearn.model_selection import train_test_split
from sklearn.preprocessing import StandardScaler
from sklearn.linear_model import LogisticRegression
from sklearn.ensemble import RandomForestClassifier
from sklearn.metrics import
accuracy_score, classification_report, confusion_matrix, r2_score
from sklearn.tree import DecisionTreeClassifier
from sklearn.neighbors import KNeighborsClassifier
```

# LOAD THE DATASET

```
data=pd.read_csv(r"C:\Users\Admin\Downloads\processed_cleveland.csv")
data.head()
```

	age	sex	cp	trestbps	chol	fbs	restecg	thalach	exang	oldpeak
0	63	1	1	145	233	1	2	150	0	2.3
1	67	1	4	160	286	0	2	108	1	1.5
2	67	1	4	120	229	0	2	129	1	2.6
3	37	1	3	130	250	0	0	187	0	3.5
4	41	0	2	130	204	0	2	172	0	1.4

	ca	thal	num
0	0	6	0
1	3	3	2
2	2	7	1

```
3  0    3    0
4  0    3    0
```

```
data.shape
```

```
(303, 14)
```

```
data.duplicated().sum()
```

```
0
```

```
data.isnull().sum()
```

```
age          0
sex          0
cp           0
trestbps     0
chol         0
fbs          0
restecg      0
thalach      0
exang        0
oldpeak      0
slope        0
ca           0
thal         0
num          0
dtype: int64
```

```
data.info()
```

```
<class 'pandas.core.frame.DataFrame'>
```

```
RangeIndex: 303 entries, 0 to 302
```

```
Data columns (total 14 columns):
```

#	Column	Non-Null Count	Dtype
0	age	303 non-null	int64
1	sex	303 non-null	int64
2	cp	303 non-null	int64
3	trestbps	303 non-null	int64
4	chol	303 non-null	int64
5	fbs	303 non-null	int64
6	restecg	303 non-null	int64
7	thalach	303 non-null	int64
8	exang	303 non-null	int64
9	oldpeak	303 non-null	float64
10	slope	303 non-null	int64
11	ca	303 non-null	object
12	thal	303 non-null	object
13	num	303 non-null	int64

```
dtypes: float64(1), int64(11), object(2)
```

```
memory usage: 33.3+ KB
```

```
data['ca']=pd.to_numeric(data['ca'],errors='coerce')
```

```
data['thal']=pd.to_numeric(data['thal'],errors='coerce')
```

```
data.info()
```

```
<class 'pandas.core.frame.DataFrame'>
```

```
RangeIndex: 303 entries, 0 to 302
```

```
Data columns (total 14 columns):
```

#	Column	Non-Null Count	Dtype
0	age	303 non-null	int64
1	sex	303 non-null	int64
2	cp	303 non-null	int64
3	trestbps	303 non-null	int64
4	chol	303 non-null	int64
5	fbs	303 non-null	int64
6	restecg	303 non-null	int64
7	thalach	303 non-null	int64
8	exang	303 non-null	int64
9	oldpeak	303 non-null	float64
10	slope	303 non-null	int64
11	ca	299 non-null	float64
12	thal	301 non-null	float64
13	num	303 non-null	int64

```
dtypes: float64(3), int64(11)
```

```
memory usage: 33.3 KB
```

```
data.describe()
```


	age	sex	cp	trestbps	chol
fbs \					
count	303.000000	303.000000	303.000000	303.000000	303.000000
mean	54.438944	0.679868	3.158416	131.689769	246.693069
std	9.038662	0.467299	0.960126	17.599748	51.776918
min	29.000000	0.000000	1.000000	94.000000	126.000000
25%	48.000000	0.000000	3.000000	120.000000	211.000000
50%	56.000000	1.000000	3.000000	130.000000	241.000000
75%	61.000000	1.000000	4.000000	140.000000	275.000000
max	77.000000	1.000000	4.000000	200.000000	564.000000

	restecg	thalach	exang	oldpeak	slope
ca \					
count	303.000000	303.000000	303.000000	303.000000	303.000000
mean	0.990099	149.607261	0.326733	1.039604	1.600660
std	0.994971	22.875003	0.469794	1.161075	0.616226
min	0.000000	71.000000	0.000000	0.000000	1.000000
25%	0.000000	133.500000	0.000000	0.000000	1.000000
50%	1.000000	153.000000	0.000000	0.800000	2.000000
75%	2.000000	166.000000	1.000000	1.600000	2.000000
max	2.000000	202.000000	1.000000	6.200000	3.000000


	thal	num
count	301.000000	303.000000
mean	4.734219	0.937294
std	1.939706	1.228536
min	3.000000	0.000000
25%	3.000000	0.000000
50%	3.000000	0.000000
75%	7.000000	2.000000
max	7.000000	4.000000

## VISUALIZING THE DATA

```
data.hist(figsize=(12,12))
plt.show()
```




```
sns.heatmap(data.isnull(),yticklabels=False,cbar=False,cmap='viridis')  
plt.show()
```




```
msno.bar(data)
```

```
<AxesSubplot:>
```



```
msno.matrix(data)
plt.show()
```



```
data.corr()
```

	age	sex	cp	trestbps	chol	fbs
age	1.000000	-0.097542	0.104139	0.284946	0.208950	0.118530
sex	-0.097542	1.000000	0.010084	-0.064456	-0.199915	0.047862
cp	0.104139	0.010084	1.000000	-0.036077	0.072319	-0.039975
trestbps	0.284946	-0.064456	-0.036077	1.000000	0.130120	0.175340
chol	0.208950	-0.199915	0.072319	0.130120	1.000000	0.009841
fbs	0.118530	0.047862	-0.039975	0.175340	0.009841	1.000000
restecg	0.148868	0.021647	0.067505	0.146560	0.171043	0.069564
thalach	-0.393806	-0.048663	-0.334422	-0.045351	-0.003432	-0.007854
exang	0.091661	0.146201	0.384060	0.064762	0.061310	0.025665
oldpeak	0.203805	0.102173	0.202277	0.189171	0.046564	0.005747
slope	0.161770	0.037533	0.152050	0.117382	-0.004062	0.059894
ca	0.362605	0.093185	0.233214	0.098773	0.119000	0.145478
thal	0.127389	0.380936	0.265246	0.133554	0.014214	0.071358






```
age      0.208950
sex      -0.199915
cp        0.072319
trestbps 0.130120
chol      1.000000
fbs       0.009841
restecg   0.171043
thalach   -0.003432
exang     0.061310
oldpeak   0.046564
slope     -0.004062
ca        0.119000
thal      0.014214
num       0.070909
Name: chol, dtype: float64
```

```
data.corr()['slope']
```


```
age      0.161770
sex      0.037533
cp        0.152050
trestbps 0.117382
chol      -0.004062
fbs       0.059894
restecg   0.133946
thalach   -0.385601
exang     0.257748
oldpeak   0.577537
slope     1.000000
ca        0.110119
thal      0.287232
num       0.377957
Name: slope, dtype: float64
```

```
data.corr()['slope'].plot(kind='bar')
```

```
<AxesSubplot:>
```



```
plt.figure(figsize=(20,15))  
corr = data.corr()  
sns.heatmap(data.corr(), cmap="viridis", annot=True)  
plt.show()
```



```
sns.heatmap(data.corr() > 0.9, annot=True, cbar=False, cmap="YlGnBu")
plt.show()
```


age	1	0	0	0	0	0	0	0	0	0	0	0	0	0
sex	0	1	0	0	0	0	0	0	0	0	0	0	0	0
cp	0	0	1	0	0	0	0	0	0	0	0	0	0	0
trestbps	0	0	0	1	0	0	0	0	0	0	0	0	0	0
chol	0	0	0	0	1	0	0	0	0	0	0	0	0	0
fbs	0	0	0	0	0	1	0	0	0	0	0	0	0	0
restecg	0	0	0	0	0	0	1	0	0	0	0	0	0	0
thalach	0	0	0	0	0	0	0	1	0	0	0	0	0	0
exang	0	0	0	0	0	0	0	0	1	0	0	0	0	0
oldpeak	0	0	0	0	0	0	0	0	0	1	0	0	0	0
slope	0	0	0	0	0	0	0	0	0	0	1	0	0	0
ca	0	0	0	0	0	0	0	0	0	0	0	1	0	0
thal	0	0	0	0	0	0	0	0	0	0	0	0	1	0
num	0	0	0	0	0	0	0	0	0	0	0	0	0	1
	age	sex	cp	trestbps	chol	fbs	restecg	thalach	exang	oldpeak	slope	ca	thal	num

```
plt.figure(figsize=(20,10))
corr = data.corr()
mask=np.triu(np.ones_like(corr,dtype=bool))


sns.heatmap(data=corr, mask=mask,
cmap="YlGnBu",annot=True,linewidth=2)
plt.show()
```




```
unique=data.nunique().to_frame()
unique.columns=['Count']
unique.index.names=['ColName']
unique=unique.reset_index()
sns.set(style='whitegrid',color_codes=True)
sns.barplot(x='ColName', y = 'Count', data = unique)
plt.xticks(rotation=90)
plt.show()
```



```
plt.figure(figsize=(5,5))
sns.scatterplot(x=data['age'],y=data['num'])
plt.show()
```




```
sns.distplot(data['chol'])  
<AxesSubplot:xlabel='chol', ylabel='Density'>
```




```
features = ['age', 'chol', 'restecg', 'slope', 'oldpeak']  
plt.subplots(figsize=(5,5))  
  
for i, col in enumerate(features):  
    plt.subplot(3,2,i+1)  
    sns.distplot(data[col])  
plt.show()
```







```
sns.violinplot(x='age', y='num', data=data)
<AxesSubplot:xlabel='age', ylabel='num'>
```



```
sns.lmplot(x='age',y='chol',data=data)
<seaborn.axisgrid.FacetGrid at 0x17845117a00>
```



```
sns.barplot(x='age',y='num',data=data)  
<AxesSubplot:xlabel='age', ylabel='num'>
```



```
data.value_counts()
```

age	sex	cp	trestbps	chol	fbs	restecg	thalach	exang	oldpeak	
slope	ca	thal	num							
29	1	2	130	204	0	2	202	0	0.0	1
0.0	3.0	0	1							
59	1	4	164	176	1	2	90	0	1.0	2
2.0	6.0	3	1							
			138	271	0	2	182	0	0.0	1
0.0	3.0	0	1							
			135	234	0	0	161	0	0.5	2
0.0	7.0	0	1							
			110	239	0	2	142	1	1.2	2
1.0	7.0	2	1							
...										
51	1	3	110	175	0	0	123	0	0.6	1
0.0	3.0	0	1							
			100	222	0	0	143	1	1.2	2
0.0	3.0	0	1							
			94	227	0	0	154	1	0.0	1
1.0	7.0	0	1							
		1	125	213	0	2	125	1	1.4	1
1.0	3.0	0	1							

```
77    1    4   125    304    0    2    162    1    0.0    1
3.0  3.0    4    1
Length: 297, dtype: int64
```

```
data['chol'].value_counts()
```

```
204    6
197    6
234    6
269    5
212    5
..
340    1
160    1
394    1
184    1
131    1
Name: chol, Length: 152, dtype: int64
```

```
data['trestbps'].value_counts()
```


```
120    37
130    36
140    32
110    19
150    17
138    12
128    12
160    11
125    11
112     9
132     8
118     7
124     6
108     6
135     6
152     5
134     5
145     5
100     4
170     4
122     4
126     3
136     3
115     3
180     3
142     3
105     3
102     2
146     2
```

144	2
148	2
178	2
94	2
165	1
123	1
114	1
154	1
156	1
106	1
155	1
172	1
200	1
101	1
129	1
192	1
158	1
104	1
174	1
117	1
164	1

Name: trestbps, dtype: int64

```
data['trestbps'].value_counts().plot(kind='bar')
```


<AxesSubplot:>



```
features = ['age', 'chol', 'trestbps', 'oldpeak', 'thalach', 'slope']


plt.subplots(figsize=(7,7))

for i, col in enumerate(features):
    plt.subplot(2,3,i+1)
    sns.boxplot(data[col])
plt.show()
```



```
graph=sns.PairGrid(data)
graph=graph.map_upper(sns.scatterplot)
graph=graph.map_lower(sns.kdeplot)
graph=graph.map_diag(sns.kdeplot, lw=2)
plt.show()
```





[illegible]

```

40,226,166,315,204,218,223,180,207,228,311,149,204,227,278,220,232,197
,335,253,205,192,203,318,225,220,221,240,212,342,169,187,197,157,176,2
41,264,193,131,236,175],"z":
[0,2,1,0,0,0,3,0,2,1,0,0,2,0,0,0,1,0,0,0,0,0,1,3,4,0,0,0,0,3,0,2,1,0,0
,0,3,1,3,0,4,0,0,0,1,4,0,4,0,0,0,0,2,0,1,1,1,1,0,0,2,0,1,0,2,2,1,0,2,1
,0,3,1,1,1,0,1,0,0,3,0,0,0,3,0,0,0,0,0,0,0,3,0,0,0,1,2,3,0,0,0,0,0,0,3
,0,2,1,2,3,1,1,0,2,2,0,0,0,3,2,3,4,0,3,1,0,3,3,0,0,0,0,0,0,0,0,4,3,1,0
,0,1,0,1,0,1,4,0,0,0,0,0,0,4,3,1,1,1,2,0,0,4,0,0,0,0,0,0,1,0,3,0,1,0,4
,1,0,1,0,0,3,2,0,0,1,0,0,2,1,2,0,3,1,2,0,3,0,0,0,1,0,0,0,0,0,3,3,3,0,1
,0,4,0,3,1,0,0,0,0,0,0,0,0,3,1,0,0,0,3,2,0,2,1,0,0,3,2,1,0,0,0,0,0,2,0
,2,2,1,3,0,0,1,0,0,0,0,0,0,0,1,0,3,0,0,4,2,2,2,1,0,1,0,2,0,1,0,0,0,1,0
,2,0,3,0,2,4,2,0,0,0,1,0,2,2,1,0,3,1,1,2,3,1,0]],"layout":
{"coloraxis":{"colorbar":{"title":{"text":"fbs"}},"colorscale":
[[0,"#0d0887"],[0.1111111111111111,"#46039f"],
[0.2222222222222222,"#7201a8"],[0.3333333333333333,"#9c179e"],
[0.4444444444444444,"#bd3786"],[0.5555555555555556,"#d8576b"],
[0.6666666666666666,"#ed7953"],[0.7777777777777778,"#fb9f3a"],
[0.8888888888888888,"#fdca26"],[1,"#f0f921"]]},"legend":
{"itemsizing":"constant","tracegroupgap":0},"margin":{"t":60},"scene":
{"domain":{"x":[0,1],"y":[0,1]},"xaxis":{"title":
{"text":"age"}}, "yaxis":{"title":{"text":"chol"}}, "zaxis":{"title":
{"text":"num"}}},"template":{"data":{"bar":[{"error_x":
{"color":"#2a3f5f"},"error_y":{"color":"#2a3f5f"},"marker":{"line":
{"color":"#E5ECF6"},"width":0.5},"pattern":
{"fillmode":"overlay","size":10,"solidity":0.2}}, "type":"bar"}],"barpo
lar":[{"marker":{"line":{"color":"#E5ECF6"},"width":0.5},"pattern":
{"fillmode":"overlay","size":10,"solidity":0.2}}, "type":"barpolar"}],"
carpet":[{"aaxis":
{"endlinecolor":"#2a3f5f","gridcolor":"white","linecolor":"white","min
orgridcolor":"white","startlinecolor":"#2a3f5f"},"baxis":
{"endlinecolor":"#2a3f5f","gridcolor":"white","linecolor":"white","min
orgridcolor":"white","startlinecolor":"#2a3f5f"},"type":"carpet"}],"ch
oropleth":[{"colorbar":
{"outlinewidth":0,"ticks":""},"type":"choropleth"}],"contour":
[{"colorbar":{"outlinewidth":0,"ticks":""},"colorscale":
[[0,"#0d0887"],[0.1111111111111111,"#46039f"],
[0.2222222222222222,"#7201a8"],[0.3333333333333333,"#9c179e"],
[0.4444444444444444,"#bd3786"],[0.5555555555555556,"#d8576b"],
[0.6666666666666666,"#ed7953"],[0.7777777777777778,"#fb9f3a"],
[0.8888888888888888,"#fdca26"],
[1,"#f0f921"]],"type":"contour"}],"contourcarpet":[{"colorbar":
{"outlinewidth":0,"ticks":""},"type":"contourcarpet"}],"heatmap":
[{"colorbar":{"outlinewidth":0,"ticks":""},"colorscale":
[[0,"#0d0887"],[0.1111111111111111,"#46039f"],
[0.2222222222222222,"#7201a8"],[0.3333333333333333,"#9c179e"],
[0.4444444444444444,"#bd3786"],[0.5555555555555556,"#d8576b"],
[0.6666666666666666,"#ed7953"],[0.7777777777777778,"#fb9f3a"],
[0.8888888888888888,"#fdca26"],
[1,"#f0f921"]],"type":"heatmap"}],"heatmapgl":[{"colorbar":

```

```

{"linewidth":0,"ticks":"","colorscale":[[0,"#0d0887"],
[0.1111111111111111,"#46039f"],[0.2222222222222222,"#7201a8"],
[0.3333333333333333,"#9c179e"],[0.4444444444444444,"#bd3786"],
[0.5555555555555556,"#d8576b"],[0.6666666666666666,"#ed7953"],
[0.7777777777777778,"#fb9f3a"],[0.8888888888888888,"#fdca26"],
[1,"#f0f921"]],"type":"heatmapgl"},"histogram":[{"marker":{"pattern":
{"fillmode":"overlay","size":10,"solidity":0.2},"type":"histogram"}],
"histogram2d":[{"colorbar":{"linewidth":0,"ticks":"","colorscale":
[[0,"#0d0887"],[0.1111111111111111,"#46039f"],
[0.2222222222222222,"#7201a8"],[0.3333333333333333,"#9c179e"],
[0.4444444444444444,"#bd3786"],[0.5555555555555556,"#d8576b"],
[0.6666666666666666,"#ed7953"],[0.7777777777777778,"#fb9f3a"],
[0.8888888888888888,"#fdca26"],
[1,"#f0f921"]],"type":"histogram2d"}],"histogram2dcontour":
[{"colorbar":{"linewidth":0,"ticks":"","colorscale":
[[0,"#0d0887"],[0.1111111111111111,"#46039f"],
[0.2222222222222222,"#7201a8"],[0.3333333333333333,"#9c179e"],
[0.4444444444444444,"#bd3786"],[0.5555555555555556,"#d8576b"],
[0.6666666666666666,"#ed7953"],[0.7777777777777778,"#fb9f3a"],
[0.8888888888888888,"#fdca26"],
[1,"#f0f921"]],"type":"histogram2dcontour"}],"mesh3d":[{"colorbar":
{"linewidth":0,"ticks":"","type":"mesh3d"}],"parcoords":[{"line":
{"colorbar":{"linewidth":0,"ticks":"","type":"parcoords"}],"pie":
[{"automargin":true,"type":"pie"}],"scatter":[{"fillpattern":
{"fillmode":"overlay","size":10,"solidity":0.2},"type":"scatter"}],"scatter3d":[{"line":{"colorbar":{"linewidth":0,"ticks":"","type":"scatter3d"}],"scattercarpet":
[{"marker":{"colorbar":
{"linewidth":0,"ticks":"","type":"scattercarpet"}],"scattergeo":
[{"marker":{"colorbar":
{"linewidth":0,"ticks":"","type":"scattergeo"}],"scattergl":
[{"marker":{"colorbar":
{"linewidth":0,"ticks":"","type":"scattergl"}],"scattermapbox":
[{"marker":{"colorbar":
{"linewidth":0,"ticks":"","type":"scattermapbox"}],"scatterpolar":
[{"marker":{"colorbar":
{"linewidth":0,"ticks":"","type":"scatterpolar"}],"scatterpolargl":
[{"marker":{"colorbar":
{"linewidth":0,"ticks":"","type":"scatterpolargl"}],"scatterternary":
[{"marker":{"colorbar":
{"linewidth":0,"ticks":"","type":"scatterternary"}],"surface":
[{"colorbar":{"linewidth":0,"ticks":"","colorscale":
[[0,"#0d0887"],[0.1111111111111111,"#46039f"],
[0.2222222222222222,"#7201a8"],[0.3333333333333333,"#9c179e"],
[0.4444444444444444,"#bd3786"],[0.5555555555555556,"#d8576b"],
[0.6666666666666666,"#ed7953"],[0.7777777777777778,"#fb9f3a"],
[0.8888888888888888,"#fdca26"],
[1,"#f0f921"]],"type":"surface"}],"table":[{"cells":{"fill":

```




```

{"color": "#EBF0F8"}, {"line": {"color": "white"}}, {"header": {"fill":
{"color": "#C8D4E3"}, {"line":
{"color": "white"}}, {"type": "table"}]}, {"layout": {"annotationdefaults":
{"arrowcolor": "#2a3f5f", "arrowhead": 0, "arrowwidth": 1}, {"autotypenumbers
": "strict", "coloraxis": {"colorbar":
{"linewidth": 0, "ticks": ""}}, {"colorscale": {"diverging":
[[0, "#8e0152"], [0.1, "#c51b7d"], [0.2, "#de77ae"], [0.3, "#f1b6da"],
[0.4, "#fde0ef"], [0.5, "#f7f7f7"], [0.6, "#e6f5d0"], [0.7, "#b8e186"],
[0.8, "#7fb341"], [0.9, "#4d9221"], [1, "#276419"]], "sequential":
[[0, "#0d0887"], [0.1111111111111111, "#46039f"],
[0.2222222222222222, "#7201a8"], [0.3333333333333333, "#9c179e"],
[0.4444444444444444, "#bd3786"], [0.5555555555555556, "#d8576b"],
[0.6666666666666666, "#ed7953"], [0.7777777777777778, "#fb9f3a"],
[0.8888888888888888, "#fdca26"], [1, "#f0921"]], "sequentialminus":
[[0, "#0d0887"], [0.1111111111111111, "#46039f"],
[0.2222222222222222, "#7201a8"], [0.3333333333333333, "#9c179e"],
[0.4444444444444444, "#bd3786"], [0.5555555555555556, "#d8576b"],
[0.6666666666666666, "#ed7953"], [0.7777777777777778, "#fb9f3a"],
[0.8888888888888888, "#fdca26"], [1, "#f0921"]]}], "colorway":
["#636efa", "#EF553B", "#00cc96", "#ab63fa", "#FFA15A", "#19d3f3", "#FF6692",
"#B6E880", "#FF97FF", "#FECB52"]}, {"font": {"color": "#2a3f5f"}, {"geo":
{"bgcolor": "white", "lakecolor": "white", "landcolor": "#E5ECF6", "showlake
s": true, "showland": true, "subunitcolor": "white"}, {"hoverlabel":
{"align": "left"}, {"hovermode": "closest"}, {"mapbox":
{"style": "light"}, {"paper_bgcolor": "white", "plot_bgcolor": "#E5ECF6", "po
lar": {"angularaxis":
{"gridcolor": "white", "linecolor": "white", "ticks": ""}, {"bgcolor": "#E5ECF
6", "radialaxis":
{"gridcolor": "white", "linecolor": "white", "ticks": ""}}, {"scene":
{"xaxis":
{"backgroundcolor": "#E5ECF6", "gridcolor": "white", "gridwidth": 2, "lineco
lor": "white", "showbackground": true, "ticks": "", "zerolinecolor": "white"},
{"yaxis":
{"backgroundcolor": "#E5ECF6", "gridcolor": "white", "gridwidth": 2, "lineco
lor": "white", "showbackground": true, "ticks": "", "zerolinecolor": "white"},
{"zaxis":
{"backgroundcolor": "#E5ECF6", "gridcolor": "white", "gridwidth": 2, "lineco
lor": "white", "showbackground": true, "ticks": "", "zerolinecolor": "white"}
}, {"shapedefaults": {"line": {"color": "#2a3f5f"}}, {"ternary": {"aaxis":
{"gridcolor": "white", "linecolor": "white", "ticks": ""}, {"baxis":
{"gridcolor": "white", "linecolor": "white", "ticks": ""}, {"bgcolor": "#E5ECF
6", "caxis":
{"gridcolor": "white", "linecolor": "white", "ticks": ""}}, {"title":
{"x": 5.0e-2}, {"xaxis":
{"automargin": true, "gridcolor": "white", "linecolor": "white", "ticks": "",
"title":
{"standoff": 15}, {"zerolinecolor": "white", "zerolinewidth": 2}, {"yaxis":
{"automargin": true, "gridcolor": "white", "linecolor": "white", "ticks": "",
"title": {"standoff": 15}, {"zerolinecolor": "white", "zerolinewidth": 2}}}}}]

```

```
sns.set_style('whitegrid')
sns.countplot(x='num', data=data, palette='cividis')

<AxesSubplot:xlabel='num', ylabel='count'>
```

[illegible]

```

58,60,50,58,66,43,40,69,60,64,59,44,42,43,57,55,61,65,40,71,59,61,58,5
1,50,65,53,41,65,44,44,60,54,50,41,54,51,51,46,58,54,54,60,60,54,59,46
,65,67,62,65,44,65,60,51,48,58,45,53,39,68,52,44,47,53,53,51,66,62,62,
44,63,52,59,60,52,48,45,34,57,71,49,54,59,57,61,39,61,56,52,43,62,41,5
8,35,63,65,48,63,51,55,65,45,56,54,44,62,54,51,29,51,43,55,70,62,35,51
,59,59,52,64,58,47,57,41,45,60,52,42,67,55,64,70,51,58,60,68,46,77,54,
58,48,57,52,54,35,45,70,53,59,62,64,57,52,56,43,53,48,56,42,59,60,63,4
2,66,54,69,50,51,43,62,68,67,69,45,50,59,50,64,57,64,43,45,58,50,55,62
,37,38,41,66,52,56,46,46,64,59,41,54,39,53,63,34,47,67,54,66,52,55,49,
74,54,54,56,46,49,42,41,41,49,61,60,67,58,47,52,62,57,58,64,51,43,42,6
7,76,70,57,44,58,60,44,61,42,52,59,40,42,61,66,46,71,59,64,66,39,57,58
,57,47,55,35,61,58,58,58,56,56,67,55,44,63,63,41,59,57,45,68,57,57,38]
}], "layout": {"legend": {"tracegroupgap": 0}, "template": {"data": {"bar":
[{"error_x": {"color": "#2a3f5f"}, "error_y":
{"color": "#2a3f5f"}, "marker": {"line":
{"color": "#E5ECF6", "width": 0.5}, "pattern":
{"fillmode": "overlay", "size": 10, "solidity": 0.2}}, "type": "bar"}], "barpo
lar": [{"marker": {"line": {"color": "#E5ECF6", "width": 0.5}, "pattern":
{"fillmode": "overlay", "size": 10, "solidity": 0.2}}, "type": "barpolar"}], "
carpet": [{"aaxis":
{"endlinecolor": "#2a3f5f", "gridcolor": "white", "linecolor": "white", "min
orgridcolor": "white", "startlinecolor": "#2a3f5f"}, "baxis":
{"endlinecolor": "#2a3f5f", "gridcolor": "white", "linecolor": "white", "min
orgridcolor": "white", "startlinecolor": "#2a3f5f"}, "type": "carpet"}], "ch
oropleth": [{"colorbar":
{"outlinewidth": 0, "ticks": ""}, "type": "choropleth"}], "contour":
[{"colorbar": {"outlinewidth": 0, "ticks": ""}, "colorscale":
[[0, "#0d0887"], [0.1111111111111111, "#46039f"],
[0.2222222222222222, "#7201a8"], [0.3333333333333333, "#9c179e"],
[0.4444444444444444, "#bd3786"], [0.5555555555555556, "#d8576b"],
[0.6666666666666666, "#ed7953"], [0.7777777777777778, "#fb9f3a"],
[0.8888888888888888, "#fdca26"],
[1, "#f0f921"]], "type": "contour"}], "contourcarpet": [{"colorbar":
{"outlinewidth": 0, "ticks": ""}, "type": "contourcarpet"}], "heatmap":
[{"colorbar": {"outlinewidth": 0, "ticks": ""}, "colorscale":
[[0, "#0d0887"], [0.1111111111111111, "#46039f"],
[0.2222222222222222, "#7201a8"], [0.3333333333333333, "#9c179e"],
[0.4444444444444444, "#bd3786"], [0.5555555555555556, "#d8576b"],
[0.6666666666666666, "#ed7953"], [0.7777777777777778, "#fb9f3a"],
[0.8888888888888888, "#fdca26"],
[1, "#f0f921"]], "type": "heatmap"}], "heatmapgl": [{"colorbar":
{"outlinewidth": 0, "ticks": ""}, "colorscale": [[0, "#0d0887"],
[0.1111111111111111, "#46039f"], [0.2222222222222222, "#7201a8"],
[0.3333333333333333, "#9c179e"], [0.4444444444444444, "#bd3786"],
[0.5555555555555556, "#d8576b"], [0.6666666666666666, "#ed7953"],
[0.7777777777777778, "#fb9f3a"], [0.8888888888888888, "#fdca26"],
[1, "#f0f921"]], "type": "heatmapgl"}], "histogram": [{"marker": {"pattern":
{"fillmode": "overlay", "size": 10, "solidity": 0.2}}, "type": "histogram"}],
"histogram2d": [{"colorbar": {"outlinewidth": 0, "ticks": ""}, "colorscale":

```

```

[[0,"#0d0887"],[0.1111111111111111,"#46039f"],
[0.2222222222222222,"#7201a8"],[0.3333333333333333,"#9c179e"],
[0.4444444444444444,"#bd3786"],[0.5555555555555556,"#d8576b"],
[0.6666666666666666,"#ed7953"],[0.7777777777777778,"#fb9f3a"],
[0.8888888888888888,"#fdca26"],
[1,"#f0f921"]], "type": "histogram2d"}], "histogram2dcontour":
[{"colorbar": {"linewidth": 0, "ticks": ""}, "colorscale":
[[0,"#0d0887"],[0.1111111111111111,"#46039f"],
[0.2222222222222222,"#7201a8"],[0.3333333333333333,"#9c179e"],
[0.4444444444444444,"#bd3786"],[0.5555555555555556,"#d8576b"],
[0.6666666666666666,"#ed7953"],[0.7777777777777778,"#fb9f3a"],
[0.8888888888888888,"#fdca26"],
[1,"#f0f921"]], "type": "histogram2dcontour"}], "mesh3d": [{"colorbar":
{"linewidth": 0, "ticks": ""}, "type": "mesh3d"}], "parcoords": [{"line":
{"colorbar": {"linewidth": 0, "ticks": ""}, "type": "parcoords"}], "pie":
[{"automargin": true, "type": "pie"}], "scatter": [{"fillpattern":
{"fillmode": "overlay", "size": 10, "solidity": 0.2}, "type": "scatter"}], "scatter3d": [{"line": {"colorbar": {"linewidth": 0, "ticks": ""}, "marker":
{"colorbar":
{"linewidth": 0, "ticks": ""}, "type": "scatter3d"}], "scattercarpet":
[{"marker": {"colorbar":
{"linewidth": 0, "ticks": ""}, "type": "scattercarpet"}], "scattergeo":
[{"marker": {"colorbar":
{"linewidth": 0, "ticks": ""}, "type": "scattergeo"}], "scattergl":
[{"marker": {"colorbar":
{"linewidth": 0, "ticks": ""}, "type": "scattergl"}], "scattermapbox":
[{"marker": {"colorbar":
{"linewidth": 0, "ticks": ""}, "type": "scattermapbox"}], "scatterpolar":
[{"marker": {"colorbar":
{"linewidth": 0, "ticks": ""}, "type": "scatterpolar"}], "scatterpolargl":
[{"marker": {"colorbar":
{"linewidth": 0, "ticks": ""}, "type": "scatterpolargl"}], "scatterternary":
[{"marker": {"colorbar":
{"linewidth": 0, "ticks": ""}, "type": "scatterternary"}], "surface":
[{"colorbar": {"linewidth": 0, "ticks": ""}, "colorscale":
[[0,"#0d0887"],[0.1111111111111111,"#46039f"],
[0.2222222222222222,"#7201a8"],[0.3333333333333333,"#9c179e"],
[0.4444444444444444,"#bd3786"],[0.5555555555555556,"#d8576b"],
[0.6666666666666666,"#ed7953"],[0.7777777777777778,"#fb9f3a"],
[0.8888888888888888,"#fdca26"],
[1,"#f0f921"]], "type": "surface"}], "table": [{"cells": {"fill":
{"color": "#EBF0F8"}, "line": {"color": "white"}}, "header": {"fill":
{"color": "#C8D4E3"}, "line":
{"color": "white"}}, "type": "table"}], "layout": {"annotationdefaults":
{"arrowcolor": "#2a3f5f", "arrowhead": 0, "arrowwidth": 1}, "autotypenumbers": "strict", "coloraxis": {"colorbar":
{"linewidth": 0, "ticks": ""}, "colorscale": {"diverging":
[[0,"#8e0152"],[0.1,"#c51b7d"],[0.2,"#de77ae"],[0.3,"#f1b6da"],
[0.4,"#fde0ef"],[0.5,"#f7f7f7"],[0.6,"#e6f5d0"],[0.7,"#b8e186"],

```



```
[0.8,"#7fbc41"],[0.9,"#4d9221"],[1,"#276419"]], "sequential":
[[0,"#0d0887"],[0.1111111111111111,"#46039f"],
[0.2222222222222222,"#7201a8"],[0.3333333333333333,"#9c179e"],
[0.4444444444444444,"#bd3786"],[0.5555555555555556,"#d8576b"],
[0.6666666666666666,"#ed7953"],[0.7777777777777778,"#fb9f3a"],
[0.8888888888888888,"#fdca26"],[1,"#f0f921"]], "sequentialminus":
[[0,"#0d0887"],[0.1111111111111111,"#46039f"],
[0.2222222222222222,"#7201a8"],[0.3333333333333333,"#9c179e"],
[0.4444444444444444,"#bd3786"],[0.5555555555555556,"#d8576b"],
[0.6666666666666666,"#ed7953"],[0.7777777777777778,"#fb9f3a"],
[0.8888888888888888,"#fdca26"],[1,"#f0f921"]]], "colorway":
["#636efa", "#EF553B", "#00cc96", "#ab63fa", "#FFA15A", "#19d3f3", "#FF6692",
"#B6E880", "#FF97FF", "#FECB52"], "font": {"color": "#2a3f5f"}, "geo":
{"bgcolor": "white", "lakecolor": "white", "landcolor": "#E5ECF6", "showlake
s": true, "showland": true, "subunitcolor": "white"}, "hoverlabel":
{"align": "left"}, "hovermode": "closest", "mapbox":
{"style": "light"}, "paper_bgcolor": "white", "plot_bgcolor": "#E5ECF6", "po
lar": {"angularaxis":
{"gridcolor": "white", "linecolor": "white", "ticks": ""}, "bgcolor": "#E5ECF
6", "radialaxis":
{"gridcolor": "white", "linecolor": "white", "ticks": ""}}, "scene":
{"xaxis":
{"backgroundcolor": "#E5ECF6", "gridcolor": "white", "gridwidth": 2, "lineco
lor": "white", "showbackground": true, "ticks": "", "zerolinecolor": "white"},
"yaxis":
{"backgroundcolor": "#E5ECF6", "gridcolor": "white", "gridwidth": 2, "lineco
lor": "white", "showbackground": true, "ticks": "", "zerolinecolor": "white"},
"zaxis":
{"backgroundcolor": "#E5ECF6", "gridcolor": "white", "gridwidth": 2, "lineco
lor": "white", "showbackground": true, "ticks": "", "zerolinecolor": "white"}
}, "shapedefaults": {"line": {"color": "#2a3f5f"}}, "ternary": {"aaxis":
{"gridcolor": "white", "linecolor": "white", "ticks": ""}, "baxis":
{"gridcolor": "white", "linecolor": "white", "ticks": ""}, "bgcolor": "#E5ECF
6", "caxis":
{"gridcolor": "white", "linecolor": "white", "ticks": ""}}, "title":
{"x": 5.0e-2}, "xaxis":
{"automargin": true, "gridcolor": "white", "linecolor": "white", "ticks": "",
"title":
{"standoff": 15}, "zerolinecolor": "white", "zerolinewidth": 2}, "yaxis":
{"automargin": true, "gridcolor": "white", "linecolor": "white", "ticks": "",
"title":
{"standoff": 15}, "zerolinecolor": "white", "zerolinewidth": 2}}}, "title":
{"text": "target"}}
```

```
data.nunique().sort_values()
```


ColName	
sex	2
fbs	2
exang	2

```

restecg      3
slope        3
thal         3
cp           4
ca           4
num          5
oldpeak      40
age          41
trestbps     50
thalach      91
chol        152
dtype: int64

plt.figure(figsize=(20,10))
data.boxplot(grid=False)
plt.show()

```



```

a=sns.FacetGrid(data,row='age',col='num')
a.map(sns.histplot,'chol')
plt.show()

```



```
data.replace('?', ' ', inplace=True)
data
```

ColName	age	sex	cp	trestbps	chol	fbs	restecg	thalach	exang
oldpeak \									
0	63	1	1	145	233	1	2	150	0
2.3									
1	67	1	4	160	286	0	2	108	1
1.5									
2	67	1	4	120	229	0	2	129	1
2.6									
3	37	1	3	130	250	0	0	187	0
3.5									
4	41	0	2	130	204	0	2	172	0
1.4									
..	...	...	..	...	...	...	...	...	...
...									
298	45	1	1	110	264	0	0	132	0
1.2									
299	68	1	4	144	193	1	0	141	0
3.4									
300	57	1	4	130	131	0	0	115	1
1.2									
301	57	0	2	130	236	0	2	174	0
0.0									
302	38	1	3	138	175	0	0	173	0
0.0									

ColName	slope	ca	thal	num
0	3	0.0	6.0	0
1	2	3.0	3.0	2
2	2	2.0	7.0	1
3	3	0.0	3.0	0
4	1	0.0	3.0	0
..	...	...	...	...
298	2	0.0	7.0	1
299	2	2.0	7.0	2
300	2	1.0	7.0	3
301	2	1.0	3.0	1
302	1	NaN	3.0	0

[303 rows x 14 columns]

```
data['ca'].replace('', np.nan, inplace=True)
data['thal'].replace('', np.nan, inplace=True)
data.dropna(subset=['ca'], inplace=True)
data.dropna(subset=['thal'], inplace=True)
```

# TRAINING AND TESTING DATA

```
cat_val=[]
count_val=[]

for col in data.columns:
    if data[col].nunique()<=10:
        cat_val.append(col)
    else:
        count_val.append(col)

cat_val
['sex', 'cp', 'fbs', 'restecg', 'exang', 'slope', 'ca', 'thal', 'num']

count_val
['age', 'trestbps', 'chol', 'thalach', 'oldpeak']

data=pd.get_dummies(data,columns=['cp','fbs','restecg','exang','slope',
'ca','thal'])
data.head()
```

	age	sex	trestbps	chol	thalach	oldpeak	num	cp_1	cp_2
0	63	1	145	233	150	2.3	0	1	0
1	67	1	160	286	108	1.5	2	0	0
2	67	1	120	229	129	2.6	1	0	0
3	37	1	130	250	187	3.5	0	0	0
4	41	0	130	204	172	1.4	0	0	1

	slope_1	slope_2	slope_3	ca_0.0	ca_1.0	ca_2.0	ca_3.0	thal_3.0
0	0	0	1	1	0	0	0	0
1	0	1	0	0	0	0	1	1
2	0	1	0	0	0	1	0	0
3	0	0	1	1	0	0	0	1
4	1	0	0	1	0	0	0	1

	thal_6.0	thal_7.0
0	1	0

1	0	0
2	0	1
3	0	0
4	0	0

[5 rows x 28 columns]

```
x=data.drop(['num'],axis=1)
y=data['num']
```

```
x_train,x_test,y_train,y_test=train_test_split(x,y,test_size=0.2,random_state=1)
```

```
ss=StandardScaler()
x_train=ss.fit_transform(x_train)
x_test=ss.transform(x_test)
```

## Random Forest

```
clfr=RandomForestClassifier(n_estimators=10,criterion='entropy',random_state=0)
```

```
clfr.fit(x_train,y_train)
```

```
RandomForestClassifier(criterion='entropy', n_estimators=10, random_state=0)
```

```
clfr1=RandomForestClassifier(n_estimators=10,criterion='gini',random_state=0)
```

```
clfr1.fit(x_train,y_train)
```

```
RandomForestClassifier(n_estimators=10, random_state=0)
```

```
ypre1=clfr.predict(x_test)# entropy ypre calculation
```

```
ypre2=clfr1.predict(x_test)# gini ypre calculation
```

```
print('entropy Accuracy Score:')
accuracy_score(y_test,ypre1)*100
```

```
entropy Accuracy Score:
```

```
55.000000000000001
```

```
print('gini Accuracy Score:')
accuracy_score(y_test,ypre2)*100
```

```
gini Accuracy Score:
```

53.333333333333336

```
print('entropy - confusion matrix\n-----\n')
print(confusion_matrix(y_test,ypre1))
print('gini - confusion matrix\n-----\n')
print(confusion_matrix(y_test,ypre2))
```

entropy - confusion matrix  
-----

```
[[27  3  0  0  0]
 [ 3  5  1  1  0]
 [ 5  3  0  3  0]
 [ 2  3  1  1  1]
 [ 0  0  0  1  0]]
```

gini - confusion matrix  
-----

```
[[26  3  0  1  0]
 [ 5  3  1  0  1]
 [ 6  2  0  3  0]
 [ 2  1  1  3  1]
 [ 1  0  0  0  0]]
```

```
print('entropy result\n-----')
print(classification_report(y_test,ypre1))
print('gini index result\n-----')
print(classification_report(y_test,ypre2))
```

entropy result  
-----

	precision	recall	f1-score	support
0	0.73	0.90	0.81	30
1	0.36	0.50	0.42	10
2	0.00	0.00	0.00	11
3	0.17	0.12	0.14	8
4	0.00	0.00	0.00	1
accuracy			0.55	60
macro avg	0.25	0.30	0.27	60
weighted avg	0.45	0.55	0.49	60

gini index result  
-----

	precision	recall	f1-score	support
0	0.65	0.87	0.74	30
1	0.33	0.30	0.32	10
2	0.00	0.00	0.00	11
3	0.43	0.38	0.40	8

	4	0.00	0.00	0.00	1
accuracy				0.53	60
macro avg	0.28	0.31	0.29		60
weighted avg	0.44	0.53	0.48		60

## Decision Tree

```
dtree = DecisionTreeClassifier(max_depth=6, random_state=1)
dtree.fit(x_train,y_train)
DecisionTreeClassifier(max_depth=6, random_state=1)
y_pre3=dtree.predict(x_test)
from sklearn.metrics import
classification_report,confusion_matrix,accuracy_score,mean_squared_err
or
print(classification_report(y_test,y_pre3))
```

	precision	recall	f1-score	support
0	0.76	0.83	0.79	30
1	0.18	0.20	0.19	10
2	0.33	0.27	0.30	11
3	0.00	0.00	0.00	8
4	0.00	0.00	0.00	1
accuracy			0.50	60
macro avg	0.25	0.26	0.26	60
weighted avg	0.47	0.50	0.48	60

```
print(confusion_matrix(y_test,y_pre3))
print("Training Score: ",dtree.score(x_train,y_train)*100)
```

```
[[25  3  0  2  0]
 [ 3  2  3  1  1]
 [ 4  3  3  1  0]
 [ 1  2  3  0  2]
 [ 0  1  0  0  0]]
```

Training Score: 82.70042194092827

```
print(accuracy_score(y_test,y_pre3)*100)
```

50.0

```
data = pd.DataFrame({'Actual': y_test, 'Predicted': y_pre3})
data.head()
```



	Actual	Predicted
139	0	0
236	2	1
51	0	1
295	0	0
245	2	0

## Logistic Regression

```
reg = LogisticRegression()
reg.fit(x_train,y_train)

LogisticRegression()

y_pre4=reg.predict(x_test)
y_pre4

array([0, 3, 0, 0, 1, 1, 0, 4, 0, 2, 3, 2, 0, 1, 1, 1, 3, 0, 0, 0, 1,
0,
      0, 0, 0, 0, 0, 3, 1, 0, 0, 1, 0, 4, 2, 0, 0, 0, 0, 4, 0, 0, 0,
1,
      0, 0, 0, 1, 3, 4, 0, 1, 3, 1, 4, 3, 4, 4, 0, 1], dtype=int64)

print(classification_report(y_test,y_pre4))
print(confusion_matrix(y_test,y_pre4))
print("Training Score: ",reg.score(x_train,y_train)*100)
```

	precision	recall	f1-score	support
0	0.80	0.80	0.80	30
1	0.23	0.30	0.26	10
2	0.00	0.00	0.00	11
3	0.14	0.12	0.13	8
4	0.00	0.00	0.00	1

accuracy			0.47	60
macro avg	0.23	0.25	0.24	60
weighted avg	0.46	0.47	0.46	60

```
[[24  3  0  1  2]
 [ 4  3  0  1  2]
 [ 2  4  0  4  1]
 [ 0  3  2  1  2]
 [ 0  0  1  0  0]]
Training Score: 73.83966244725738

data = pd.DataFrame({'Actual': y_test, 'Predicted': y_pre4})
data.head()
```

	Actual	Predicted
139	0	0
236	2	3
51	0	0
295	0	0
245	2	1

```
print(accuracy_score(y_test,y_pre4)*100)
```

```
46.666666666666664
```

```
from sklearn.model_selection import GridSearchCV
param = {
    'penalty':['l1','l2'],
    'C':[0.001, 0.01, 0.1, 1, 10, 20,100, 1000]
}
lr= LogisticRegression(penalty='l1')
cv=GridSearchCV(reg,param,cv=5,n_jobs=-1)
cv.fit(x_train,y_train)
cv.predict(x_test)
```

```
array([0, 3, 0, 0, 0, 1, 0, 4, 0, 2, 3, 2, 0, 1, 1, 0, 3, 0, 0, 0, 1,
0,
      0, 0, 0, 0, 0, 3, 1, 0, 0, 0, 0, 4, 2, 0, 0, 0, 0, 4, 0, 0, 0,
1,
      0, 0, 0, 1, 0, 4, 0, 1, 3, 1, 4, 3, 4, 4, 0, 1], dtype=int64)
```

```
print("Best CV score", cv.best_score_*100)
```

```
Best CV score 59.9290780141844
```

## KNN

```
knn=KNeighborsClassifier(n_neighbors=7)
```

```
knn.fit(x_train,y_train)
```

```
KNeighborsClassifier(n_neighbors=7)
```

```
y_pre5=knn.predict(x_test)
```

```
data = pd.DataFrame({'Actual': y_test, 'Predicted': y_pre5})
data.head()
```

	Actual	Predicted
139	0	0
236	2	2
51	0	0

295	0	0
245	2	0

```
from sklearn.metrics import
classification_report, confusion_matrix, accuracy_score, mean_squared_err
or, r2_score
print(classification_report(y_test, y_pre5))
```

	precision	recall	f1-score	support
0	0.64	0.93	0.76	30
1	0.25	0.20	0.22	10
2	0.25	0.09	0.13	11
3	0.00	0.00	0.00	8
4	0.00	0.00	0.00	1
accuracy			0.52	60
macro avg	0.23	0.24	0.22	60
weighted avg	0.41	0.52	0.44	60

```
print(confusion_matrix(y_test, y_pre5))
```

```
[[28  2  0  0  0]
 [ 6  2  0  1  1]
 [ 6  3  1  1  0]
 [ 3  1  3  0  1]
 [ 1  0  0  0  0]]
```

```
print("Training Score: ", knn.score(x_train, y_train)*100)
print(knn.score(x_test, y_test))
```

```
Training Score:  66.66666666666666
0.5166666666666667
```

```
accuracy_score(y_test, y_pre5)
0.5166666666666667
```

```
t=1-accuracy_score(y_test, y_pre5)
t
```

```
0.4833333333333333
```

```
error_rate = []
```

```
for i in range(1,21):
```


```
    knn = KNeighborsClassifier(n_neighbors=i)
    knn.fit(x_train, y_train)
    pred_i = knn.predict(x_test)
```

```

t=1-accuracy_score(y_test,pred_i)
error_rate.append(t)

plt.figure(figsize=(10,6))
plt.plot(range(1,21),error_rate,color='blue', linestyle='dashed',
marker='o',markerfacecolor='red', markersize=10)
plt.title('Error Rate vs. K Value')
plt.xlabel('K')
plt.ylabel('Error Rate')
Text(0, 0.5, 'Error Rate')

```



```

data=pd.DataFrame({'Models':
['Rf(Entropy)', 'Rf(Gini)', 'DT', 'Logreg', 'Knn'],
'Accuracy':
[accuracy_score(y_test,ypre1)*100,accuracy_score(y_test,ypre2)*100,
accuracy_score(y_test,y_pre3)*100,accuracy_score(y_test,y_pre4)*100,
accuracy_score(y_test,y_pre5)*100]})
data

```

	Models	Accuracy
0	Rf(Entropy)	55.000000
1	Rf(Gini)	53.333333
2	DT	50.000000

```
3      Logreg  46.666667
4      Knn    51.666667
```

```
sns.barplot(data['Models'],data['Accuracy'])
plt.xticks(rotation=90)
plt.show()
```

