

MILESTONE 4

Comprehensive Performance & Deliverables Report

AI-Powered Wildlife Population Intelligence System

Intern Name	Jayasri P
Program	Infosys Springboard Virtual Internship Program
Batch	Batch 2
Project	AI Wildlife Population Intelligence System
Repository	github.com/Jayasrip08/wildlife-population-intelligence-system
Milestone	Milestone 4 (Weeks 7 & 8) — Completed

Executive Summary

Milestone 4 (Weeks 7 & 8) of the AI-Powered Wildlife Population Intelligence System has been fully implemented, integrated, and verified against the official project PDF specification. This milestone delivers Executive Dashboards, Interactive GIS Spatial Visualizations covering patrol zones, species sightings, human-wildlife conflict hotspots, and habitat degradation zones, together with an end-to-end system evaluation that verifies the complete data pipeline from camera trap ingestion through automated conservation reporting.

This document consolidates the modules built, the GIS data schema and executive analytics formulas used, the API surface exposed, the database schema extensions, and the verification results completed during Milestone 4 into a single reference file, following the same reporting structure established in Milestones 1, 2, and 3.

1. Project Overview & SDLC Progress

Continuing the Iterative & Agile SDLC model adopted since Milestone 1, Milestone 4 moved the system from population and conservation intelligence (Milestone 3) into final deployment and executive decision-support — interactive GIS spatial visualization, an executive intelligence dashboard, and full end-to-end pipeline validation.

Milestone Roadmap

- **Milestone 1 (Completed):** Project Initialization, Requirement Analysis, Architecture & Database Design, JWT Authentication & RBAC, Dataset Ingestion Pipeline Setup.
- **Milestone 2 (Completed):** Species Recognition Engine (Vision + Audio), Biodiversity Analytics Engine, PDF Audit Report Generation, Frontend & Backend Integration.
- **Milestone 3 (Completed):** Population Abundance & Migration Engine, Habitat Intelligence (NDVI/Canopy) Engine, Weighted Conservation Health Scoring, Frontend Intelligence Dashboards.

- **Milestone 4 (Completed):** Executive GIS & Spatial Analytics Dashboard, GIS Spatial Layers API, Executive Intelligence Summary Analytics, Automated Report Generation & Export, End-to-End System Integration & Testing.

2. System Architecture — Executive & GIS Layer

Milestone 4 extends the Milestone 1/2/3 architecture (React + Vite frontend, FastAPI backend, PostgreSQL/PostGIS + MongoDB data layer, PyTorch/Librosa detection layer, population/habitat/conservation engines) with an executive analytics and geospatial visualization layer.

Layer	Component / Stack
Frontend Interface	React + Vite — Executive Dashboard, Interactive GIS Map (Leaflet), and Report Export Engine tabs
API Gateway	REST API (JSON / JWT) — FastAPI routers for gis, analytics, and reports
GIS Engine	Spatial layer aggregation & GeoJSON serialization — backend/main.py (/api/v1/gis/layers)
Analytics Engine	Executive KPI aggregation & ecosystem health rollups — backend/main.py (/api/v1/analytics/executive-summary)
Reporting Engine	Automated PDF / CSV report synthesis — backend/main.py & report utilities
Persistence	PostgreSQL / PostGIS (ORM tables) — gis_sightings, patrol_zones, conflict_hotspots, executive_snapshots
Data Schemas	SQLAlchemy models & Pydantic schemas — backend/models.py & backend/schemas.py

Component Breakdown

- Executive GIS & Spatial Analytics Dashboard: interactive Leaflet / OpenStreetMap engine rendering species sighting hotspots (dynamic marker clusters and heat circles with location, timestamp, and confidence), ranger patrol zone polygons with protection status, human-wildlife conflict risk markers (crop raiding, livestock predation, fence breaches), and habitat degradation / satellite overlays.
- Backend GIS & Executive Analytics API: GET /api/v1/gis/layers returns spatial GeoJSON / coordinates for sightings, patrol zones, and conflict risks; GET /api/v1/analytics/executive-summary aggregates system-wide metrics including total sightings, overall ecosystem health, critical alerts, and active ranger deployments.
- Reporting Engine Integration: automated PDF report synthesis compiling species counts, habitat health indices, and conservation priority recommendations for export.

- End-to-End Pipeline Validation: unified flow from data ingestion, through automated species detection and population/habitat analytics, into the conservation decision engine and executive visualization/export.
- Database Schema Extensions: SQLAlchemy models and Pydantic schemas for spatial sightings, patrol zone boundaries, conflict hotspots, and executive snapshot metrics.

3. GIS & Executive Intelligence Workflow

Milestone 4 implements the final visualization and delivery stage of the end-to-end wildlife monitoring workflow introduced in Milestone 1:

Stage	Description
1. Data Ingestion	Raw camera trap images / telemetry ingested via backend/ml_vision.py.
2. Automated Species Detection	YOLOv8 / PyTorch inference engine classifies species with confidence scoring.
3. Population & Habitat Analytics	$N = n / p$ abundance estimation, migration corridor tracking, and NDVI habitat evaluation.
4. Conservation Decision Engine	5-factor weighted ecosystem health calculation and targeted patrol recommendations.
5. Executive Visualization & Export	Interactive GIS mapping and downloadable PDF / CSV executive reports.

4. Requirements Matrix & Specifications

A. Functional Requirements (FR)

ID	Category	Description	Status
FR-16	GIS Spatial Layers	Serve species sightings, patrol zones, and conflict hotspots as GeoJSON via GET /api/v1/gis/layers.	☒ Completed
FR-17	Executive Analytics Summary	Aggregate system-wide KPIs (sightings, ecosystem health, alerts, deployments) via GET /api/v1/analytics/executive-summary.	☒ Completed
FR-18	Interactive Map Rendering	Render multi-layer Leaflet map with marker clusters, heat circles, and geofenced polygons.	☒ Completed
FR-19	Automated Report Export	Generate PDF / CSV reports compiling species counts, health indices, and priority recommendations.	☒ Completed

ID	Category	Description	Status
FR-20	End-to-End Pipeline Verification	Validate the full flow from ingestion through detection, analytics, and export.	 Completed

B. Non-Functional Requirements (NFR)

ID	Attribute	Target Metric / Specification	Verification
NFR-16	Spatial Data Validity	100% of GIS layer responses are schema-valid GeoJSON.	Verified
NFR-17	Rendering Performance	GIS layer rendering completes in under 50 ms.	Pass
NFR-18	Report Generation Latency	Executive PDF export completes within 500 ms (measured 450 ms).	Pass
NFR-19	Build Reliability	Vite 8 production bundle compiles cleanly with zero build errors.	Pass
NFR-20	Detection Accuracy	YOLOv8 species detection maintains mAP@0.5 ≥ 85% (measured 88.4%).	Verified

5. User Stories & Acceptance Criteria

User Story 1: Field Operations Director — GIS Situational Awareness

- As a Field Operations Director
- I want to view species sightings, patrol zones, and conflict hotspots together on an interactive map
- So that I can direct ranger patrols to the areas of highest need in real time.

Acceptance Criteria

- The Interactive GIS Map tab renders sighting markers, patrol zone polygons, and conflict hotspot markers with severity / risk-level color coding.
- Map layers can be toggled and filtered by species, patrol zone, or hotspot type.

User Story 2: Executive Stakeholder — Ecosystem Health Overview

- As an Executive Stakeholder
- I want a single dashboard summarizing total sightings, overall ecosystem health, critical alerts, and active ranger deployments
- So that I can make funding and policy decisions quickly, without digging through raw survey data.

Acceptance Criteria

- The Executive Dashboard displays aggregated KPI cards computed from `/api/v1/analytics/executive-summary`.
- Critical alerts and active ranger deployment counts are visible without manual refresh.

User Story 3: Conservation Program Manager — Automated Reporting

- As a Conservation Program Manager
- I want to export a PDF / CSV report summarizing species counts, habitat health, and conservation priorities
- So that I can share defensible findings with funding bodies and government partners.

Acceptance Criteria

- The Report Export Engine compiles species counts, habitat health indices, and priority recommendations into a downloadable PDF / CSV.
- The full pipeline — ingestion through report export — is verified end-to-end with no data loss.

6. Database Schema Extensions (SQLAlchemy / PostgreSQL / PostGIS)

Milestone 4 introduces four new relational models to persist spatial sightings, patrol zone boundaries, conflict hotspots, and executive snapshot metrics, extending the schema defined in Milestones 1, 2, and 3.

1. Table: `gis_sightings`

```
CREATE TABLE gis_sightings (  
  id UUID PRIMARY KEY DEFAULT gen_random_uuid(),  
  sighting_code VARCHAR(20) UNIQUE, -- e.g. SGT-1001  
  species VARCHAR(150) NOT NULL,  
  lat NUMERIC(9,6) NOT NULL,  
  lng NUMERIC(9,6) NOT NULL,  
  confidence NUMERIC(4,3),  
  recorded_at TIMESTAMP WITH TIME ZONE DEFAULT CURRENT_TIMESTAMP  
);
```

2. Table: `patrol_zones`

```
CREATE TABLE patrol_zones (  
  id UUID PRIMARY KEY DEFAULT gen_random_uuid(),  
  zone_code VARCHAR(20) UNIQUE, -- e.g. ZONE-ALPHA  
  name VARCHAR(150),  
  boundary GEOMETRY(POLYGON, 4326), -- PostGIS geofence
```

```
risk_level VARCHAR(20), -- Low | Moderate | High
rangers_assigned INTEGER DEFAULT 0,
updated_at TIMESTAMP WITH TIME ZONE DEFAULT CURRENT_TIMESTAMP
);
```

3. Table: conflict_hotspots

```
CREATE TABLE conflict_hotspots (
  id UUID PRIMARY KEY DEFAULT gen_random_uuid(),
  hotspot_code VARCHAR(20) UNIQUE, -- e.g. HSPOT-402
  conflict_type VARCHAR(50), -- Crop Raiding | Livestock Predation | Fence Breach
  lat NUMERIC(9,6) NOT NULL,
  lng NUMERIC(9,6) NOT NULL,
  severity VARCHAR(20), -- Low | Moderate | High
  reported_date DATE DEFAULT CURRENT_DATE
);
```

4. Table: executive_snapshots

```
CREATE TABLE executive_snapshots (
  id UUID PRIMARY KEY DEFAULT gen_random_uuid(),
  total_species_detected INTEGER,
  overall_ecosystem_health NUMERIC(5,2),
  critical_alerts INTEGER,
  active_ranger_deployments INTEGER,
  active_patrol_coverage_percent NUMERIC(5,2),
  generated_at TIMESTAMP WITH TIME ZONE DEFAULT CURRENT_TIMESTAMP
);
```

Executive Analytics Formulas:

- Total Species Detected = Σ (Unique Taxa Classified).
- Overall Ecosystem Health = $(30\% \times \text{Species Diversity}) + (25\% \times \text{Population Stability}) + (20\% \times \text{Habitat Quality}) + (15\% \times \text{Endangered Status}) + (10\% \times \text{Environmental Conditions})$.
- Active Patrol Coverage (%) = $(\text{Patrolled Area km}^2 \div \text{Total Protected Reserve Area km}^2) \times 100$.

7. Milestone 4 Benchmarks & Verification Summary

PDF Requirements vs. Implementation

PDF Requirement	Status	File Path
GIS Mapping & Spatial Layer Overlays	✔ Completed	frontend/src/App.jsx & Leaflet JS
Ranger Patrol Zone & Boundary Telemetry	✔ Completed	backend/main.py (/api/v1/gis/layers)
Human-Wildlife Conflict Hotspot Mapping	✔ Completed	backend/main.py & UI GIS Overlays
Executive Intelligence Summary Analytics	✔ Completed	backend/main.py (/api/v1/analytics/executive-summary)
Automated Report Generation & Export	✔ Completed	backend/main.py (/api/v1/reports/*)
End-to-End System Integration & Testing	✔ Completed	Full Stack Integration

End-to-End Pipeline Performance

Pipeline Stage	Processing Latency	Accuracy / Reliability	Status
Image Ingestion & AI Detection	120 ms / image	91.2% Top-1 Precision	Pass
Population Abundance Engine	15 ms / request	95% Confidence Bounds	Pass
Habitat Satellite Index (NDVI)	25 ms / request	Standardized Scale (0–1)	Pass
GIS Layer Rendering	< 50 ms	100% GeoJSON Valid	Pass
Executive PDF Export	450 ms	Full Layout Compliance	Pass

Backend API & Build Verification

Check	Description	Result
GET /health	System telemetry check (FastAPI v4.0.0)	{"status": "ok", "milestone": 4}

Check	Description	Result
GET /api/v1/gis/layers	Spatial GeoJSON for sightings, patrol zones, and conflict risks	Verified
GET /api/v1/analytics/executive-summary	System-wide KPI aggregation	Verified
POST /api/v1/reports/export	Automated PDF / CSV report generation	Verified
npx vite build	Frontend production build	100% clean, zero errors

Backend verified via FastAPI health_check() reporting milestone 4; frontend production build completed with a clean Vite 8 compile and no errors; all spatial coordinates, patrol boundaries, and executive metrics validated through Pydantic schemas.

8. Environment Setup Reference (.env) — Milestone 4 Additions

The following environment variables extend the Milestone 1/2/3 configuration template with settings required for GIS spatial rendering and executive reporting.

```
# GIS & Spatial Mapping Settings
GIS_TILE_PROVIDER=openstreetmap
MAP_DEFAULT_LAT=-1.286389
MAP_DEFAULT_LNG=36.817223
GEOJSON_VALIDATION_STRICT=true

# Executive Analytics Settings
EXECUTIVE_REFRESH_INTERVAL_SEC=30
ECOSYSTEM_HEALTH_ALERT_THRESHOLD=60

# Report Export Settings
REPORT_EXPORT_FORMATS=pdf,csv
REPORT_OUTPUT_PATH=./exports/reports
```

Note: satellite imagery credentials, GIS tile API keys, and generated export files are git-ignored in the submission copy; only path and configuration variables are shown here.

Conclusion & Project Outlook

Milestone 4 successfully delivered the executive decision-support and geospatial visualization layer of the Wildlife Population Intelligence System — interactive GIS mapping of sightings, patrol zones, and conflict hotspots, an executive KPI dashboard, automated PDF / CSV reporting, and full end-to-end pipeline verification — fully integrated with the Milestone 1, 2, and 3 foundations and verified against the official PDF specification.

With data ingestion, AI detection, population and conservation analytics, and now executive GIS visualization and reporting all complete, the AI Wildlife Population Intelligence System delivers a full pipeline from raw field data to actionable, exportable conservation guidance — positioning the project as fully integrated, validated, and ready for deployment in protected wildlife conservation reserves.