CALCULUS BC
SECTION II PART A
TIME – 30 MINUTES

Directions:

Section II, Part A has 2 free-response questions and lasts 30 minutes.

A graphing calculator is required for the questions on this part of the exam. You may use a handheld graphing calculator or the calculator available in this application. **Make sure your calculator is in radian mode.**

You may use the available paper for scratch work, but you must write your answers in the free-response booklet. In the free-response booklet, write your solution to each part of each question in the space provided for that part. For questions that have sub-parts, be sure to label those clearly in your solution. Use a pencil or a pen with black or dark blue ink.

You are permitted to use your calculator to solve an equation, find the derivative of a function at a point, or calculate the value of a definite integral. However, you must clearly indicate the setup of your question, namely the equation, function, or integral you are using. If you use other built-in features or programs, you must show the mathematical steps necessary to produce your results.

Show all of your work, even though a question may not explicitly remind you to do so. Clearly label any functions, graphs, tables, or other objects that you use. Justifications require that you give mathematical reasons and that you verify the needed conditions under which relevant theorems, properties, definitions, or tests are applied. Your work will be scored on the correctness and completeness of your methods as well as your answers. Answers without supporting work will usually not receive credit.

Your work must be expressed in standard mathematical notation rather than calculator syntax. For example, $\int_1^5 x^2 dx$ may not be written as $\text{fnInt}(X^2, X, 1, 5)$.

Unless otherwise specified, answers (numeric or algebraic) need not be simplified. If you use decimal approximations in calculations, your work will be scored on accuracy. Unless otherwise specified, your final answers should be accurate to three places after the decimal point.

Unless otherwise specified, the domain of a function f is assumed to be the set of all real numbers x for which $f(x)$ is a real number.

You can go back and forth between questions in this part until time expires. The clock will turn red when 5 minutes remain—**the proctor will not give you any time updates or warnings.**

Note: This exam was originally administered digitally. It is presented here in a format optimized for teacher and student use in the classroom.

© 2025 College Board.
Visit College Board on the web: **collegeboard.org**

1. An invasive species of plant appears in a fruit grove at time $t = 0$ and begins to spread. The function C defined by $C(t) = 7.6\arctan(0.2t)$ models the number of acres in the fruit grove affected by the species t weeks after the species appears. It can be shown that $C'(t) = \dfrac{38}{25 + t^2}$.

(Note: Your calculator should be in radian mode.)

A. Find the average number of acres affected by the invasive species from time $t = 0$ to time $t = 4$ weeks. Show the setup for your calculations.

B. Find the time t when the instantaneous rate of change of C equals the average rate of change of C over the time interval $0 \le t \le 4$. Show the setup for your calculations.

C. Assume that the invasive species continues to spread according to the given model for all times $t > 0$. Write a limit expression that describes the end behavior of the rate of change in the number of acres affected by the species. Evaluate this limit expression.

D. At time $t = 4$ weeks after the invasive species appears in the fruit grove, measures are taken to counter the spread of the species. The function A, defined by $A(t) = C(t) - \int_4^t 0.1 \cdot \ln(x)\,dx$, models the number of acres affected by the species over the time interval $4 \le t \le 36$. At what time t, for $4 \le t \le 36$, does A attain its maximum value? Justify your answer.

© 2025 College Board.
Visit College Board on the web: **collegeboard.org**