CALCULUS BC
SECTION II PART B
TIME – 1 HOUR

Directions:

Section II, Part B has 4 free-response questions and lasts 1 hour.

A calculator is not allowed for this part of the exam.

You may use the available paper for scratch work, but you must write your answers in the free-response booklet. In the free-response booklet, write your solution to each part of each question in the space provided for that part. For questions that have sub-parts, be sure to label those clearly in your solution. Use a pencil or a pen with black or dark blue ink.

Show all of your work, even though a question may not explicitly remind you to do so. Clearly label any functions, graphs, tables, or other objects that you use. Justifications require that you give mathematical reasons and that you verify the needed conditions under which relevant theorems, properties, definitions, or tests are applied. Your work will be scored on the correctness and completeness of your methods as well as your answers. Answers without supporting work will usually not receive credit.

Your work must be expressed in standard mathematical notation rather than calculator syntax. For example, $\int_1^5 x^2 dx$ may not be written as $\text{fnInt}(\text{X}^2, \text{X}, 1, 5)$.

Unless otherwise specified, answers (numeric or algebraic) need not be simplified. If you use decimal approximations in calculations, your work will be scored on accuracy. Unless otherwise specified, your final answers should be accurate to three places after the decimal point.

Unless otherwise specified, the domain of a function f is assumed to be the set of all real numbers x for which $f(x)$ is a real number.

You can go back and forth between questions in this part until time expires. The clock will turn red when 5 minutes remain—**the proctor will not give you any time updates or warnings.**

© 2025 College Board.
Visit College Board on the web: **collegeboard.org**

6. The Taylor series for a function f about $x = 4$ is given by

$$\sum_{n=1}^{\infty} \frac{(x-4)^{n+1}}{(n+1)3^n} = \frac{(x-4)^2}{2\cdot 3} + \frac{(x-4)^3}{3\cdot 3^2} + \frac{(x-4)^4}{4\cdot 3^3} + \cdots + \frac{(x-4)^{n+1}}{(n+1)3^n} + \cdots$$

and converges to $f(x)$ on its interval of convergence.

A. Using the ratio test, find the interval of convergence of the Taylor series for f about $x = 4$. Justify your answer.

B. Find the first three nonzero terms and the general term of the Taylor series for f', the derivative of f, about $x = 4$.

C. The Taylor series for f' described in part B is a geometric series. For all x in the interval of convergence of the Taylor series for f', show that $f'(x) = \frac{x-4}{7-x}$.

D. It is known that the radius of convergence of the Taylor series for f about $x = 4$ is the same as the radius of convergence of the Taylor series for f' about $x = 4$. Does the Taylor series for f' described in part B converge to $f'(x) = \frac{x-4}{7-x}$ at $x = 8$? Give a reason for your answer.

STOP

END OF EXAM

© 2025 College Board.
Visit College Board on the web: **collegeboard.org**