# Sporty Shoes (Project Source Code)

# **Version History:**

Author	Nikhil Jain	
Purpose	Source Code of the application	
Date 11 <sup>th</sup> November 2021		
Version	1.0	

# Table of Contents

•	Project Link	3
•	Folder Structure	4
Secu	urityConfiguration.java	5
1.	AdminRegistrationController.java	7
2.	CartController.java	8
3.	HomeController.java	9
4.	ProductController.java	10
5.	PurchaseController.java	11
6	RegistrationController java	12



Repository Name	Sporty Shoes
GitHub Link	https://github.com/Niks4u2/SportyShoes
Deployed On	http://sportyshoesapplication-env.eba-pk5qivsc.ap-south- 1.elasticbeanstalk.com/

#### Folder Structure

- sporty-shoes [boot]
  - √ 

    // src/main/java
    - - > D SportyShoesApplication.java
    - # com.nikhil.sportyshoes.config
      - > Decurity Configuration.java
    - > # com.nikhil.sportyshoes.controller
    - > # com.nikhil.sportyshoes.model
    - # com.nikhil.sportyshoes.repository
      - > ProductRepository.java
      - > I Purchase Repository.java
      - > If UserRepository.java
    - # com.nikhil.sportyshoes.service
  - > # src/main/resources
  - > # src/test/java
    - # target/generated-sources/annotations
  - > March JRE System Library [JavaSE-1.8]
  - Maven Dependencies
    - # target/generated-test-sources/test-annotations
  - > 🕭 src
  - > b target
    - HELP.md
    - mvnw
    - mvnw.cmd
    - pom.xml

#### Source Code

# Configuration

# SecurityConfiguration.java

```
package com.nikhil.sportyshoes.config;
import org.springframework.beans.factory.annotation.Autowired;
import org.springframework.context.annotation.Bean;
import org.springframework.context.annotation.Configuration;
import
org.springframework.security.authentication.dao.DaoAuthenticationProvider;
import
org.springframework.security.config.annotation.authentication.builders.Authentic
ationManagerBuilder;
import org.springframework.security.config.annotation.web.builders.HttpSecurity;
import
org.springframework.security.config.annotation.web.configuration.EnableWebSecuri
ty;
import
org.springframework.security.config.annotation.web.configuration.WebSecurityConf
igurerAdapter;
import org.springframework.security.core.userdetails.UserDetailsService;
import org.springframework.security.crypto.password.NoOpPasswordEncoder;
import org.springframework.security.crypto.password.PasswordEncoder;
import org.springframework.security.web.util.matcher.AntPathRequestMatcher;
@SuppressWarnings("deprecation")
@Configuration
@EnableWebSecurity
public class SecurityConfiguration extends WebSecurityConfigurerAdapter {
      @Autowired
      UserDetailsService userDetailsService;
      public PasswordEncoder passwordEncoder() {
          return NoOpPasswordEncoder.getInstance();
      @Bean
      public DaoAuthenticationProvider authenticationProvider()
             DaoAuthenticationProvider auth = new DaoAuthenticationProvider();
             auth.setUserDetailsService(userDetailsService);
             auth.setPasswordEncoder(passwordEncoder());
             return auth;
      }
      // authentication
      @Override
      protected void configure(AuthenticationManagerBuilder auth) throws
Exception {
```

```
auth.authenticationProvider(authenticationProvider());
      }
       // authorization
      @Override
       protected void configure(HttpSecurity http) throws Exception {
             http.authorizeRequests()
                     .antMatchers("/admindashboard**").hasAuthority("ADMIN")
                     .antMatchers("/product**",
"/registeredusers**").hasAuthority("ADMIN")
                     .antMatchers("/checkout").hasAnyAuthority("ADMIN","USER")
.antMatchers("/").permitAll()
                     .and()
                     .formLogin()
                     .loginPage("/login")
                     .permitAll()
                     .and()
                     .logout()
                     .invalidateHttpSession(true)
                     .clearAuthentication(true)
                     .logoutRequestMatcher(new AntPathRequestMatcher("/logout"))
                     .logoutSuccessUrl("/login?logout")
                     .permitAll();
             http.cors().and().csrf().disable();
      }
}
```

#### Controllers

# 1. AdminRegistrationController.java

```
package com.nikhil.sportyshoes.controller;
import org.springframework.beans.factory.annotation.Autowired;
import org.springframework.stereotype.Controller;
import org.springframework.ui.Model;
import org.springframework.web.bind.annotation.GetMapping;
import org.springframework.web.bind.annotation.ModelAttribute;
import org.springframework.web.bind.annotation.PostMapping;
import org.springframework.web.bind.annotation.RequestMapping;
import com.nikhil.sportyshoes.model.User;
import com.nikhil.sportyshoes.service.UserService;
@Controller
@RequestMapping("/adminregistration")
public class AdminRegistrationController {
      @Autowired
      private UserService service;
      @GetMapping
      public String adminRegistrationPage(Model model)
             model.addAttribute("admin", new User());
             return "adminregistration";
      @PostMapping
      public String registerAdminAccount(@ModelAttribute("admin") User user)
             user.setRoles("ADMIN");
             service.registerUser(user);
             return "redirect:/adminregistration?success";
      }
}
```

## 2. CartController.java

```
package com.nikhil.sportyshoes.controller;
import org.springframework.beans.factory.annotation.Autowired;
import org.springframework.stereotype.Controller;
import org.springframework.ui.Model;
import org.springframework.web.bind.annotation.GetMapping;
import org.springframework.web.bind.annotation.PathVariable;
import org.springframework.web.bind.annotation.RequestMapping;
import com.nikhil.sportyshoes.model.Cart;
import com.nikhil.sportyshoes.model.Product;
import com.nikhil.sportyshoes.service.ProductService;
@Controller
@RequestMapping("/cart")
public class CartController {
      @Autowired
      private ProductService service;
      @GetMapping
      public String getCartPage(Model model)
             model.addAttribute("cartCount", Cart.cart.size());
             model.addAttribute("total",
Cart.cart.stream().mapToDouble(Product::getPrice).sum());
             model.addAttribute("cart", Cart.cart);
             return "cart";
      }
      @GetMapping("/{prodId}")
      public String addToCart(@PathVariable Long prodId, Model model)
             Cart.cart.add(service.getProductById(prodId));
             model.addAttribute("cart", Cart.cart);
             model.addAttribute("total",
Cart.cart.stream().mapToDouble(Product::getPrice).sum());
             model.addAttribute("cartCount", Cart.cart.size());
             return "redirect:/cart";
      }
      @GetMapping("/delete/{index}")
      public String removeFromCart(@PathVariable int index, Model model)
      {
             Cart.cart.remove(index);
             model.addAttribute("cart", Cart.cart);
             return "redirect:/cart";
      }
}
```

# 3. HomeController.java

```
package com.nikhil.sportyshoes.controller;
import java.util.List;
import org.springframework.beans.factory.annotation.Autowired;
import org.springframework.stereotype.Controller;
import org.springframework.ui.Model;
import org.springframework.web.bind.annotation.GetMapping;
import com.nikhil.sportyshoes.model.Cart;
import com.nikhil.sportyshoes.model.Product;
import com.nikhil.sportyshoes.service.ProductService;
@Controller
public class HomeController {
      @Autowired
      private ProductService service;
      @GetMapping("/")
      public String home(Model model)
             model.addAttribute("cartCount", Cart.cart.size());
             List<Product> productlist = service.getAllProducts();
             model.addAttribute("prodlist", productlist);
             return "index";
      @GetMapping("/login")
      public String loginPage()
             return "login";
      @GetMapping("/admindashboard")
      public String admin(Model model)
             List<Product> productlist = service.getAllProducts();
             model.addAttribute("prods", productlist);
             return "admindashboard";
      }
}
```

## 4. ProductController.java

```
package com.nikhil.sportyshoes.controller;
import org.springframework.beans.factory.annotation.Autowired;
import org.springframework.stereotype.Controller;
import org.springframework.ui.Model;
import org.springframework.web.bind.annotation.GetMapping;
import org.springframework.web.bind.annotation.ModelAttribute;
import org.springframework.web.bind.annotation.PathVariable;
import org.springframework.web.bind.annotation.PostMapping;
import org.springframework.web.bind.annotation.RequestMapping;
import com.nikhil.sportyshoes.model.Product;
import com.nikhil.sportyshoes.service.ProductService;
@Controller
@RequestMapping("/product")
public class ProductController
{
      @Autowired
      private ProductService service;
      @GetMapping
      public String addProductPage(Model model)
             model.addAttribute("product", new Product());
             return "addproduct";
      @PostMapping
      public String addProduct(@ModelAttribute("product") Product product)
             service.addProduct(product);
             return "redirect:/product?success";
      }
      @GetMapping("/{prodId}")
      public String editProductById(@PathVariable Long prodId, Model model)
             Product product = service.getProductById(prodId);
             model.addAttribute("prod", product);
             return "editproduct";
      }
      @GetMapping("/delete/{prodId}")
      public String deleteProduct(@PathVariable("prodId") Long prodId, Model
model) {
             service.deleteProductById(prodId);
             return "redirect:/admindashboard?success";
      }
}
```

## 5. PurchaseController.java

```
package com.nikhil.sportyshoes.controller;
import java.text.SimpleDateFormat;
import java.util.Date;
import java.util.List;
import java.util.stream.Collectors;
import org.springframework.beans.factory.annotation.Autowired;
import org.springframework.stereotype.Controller;
import org.springframework.ui.Model;
import org.springframework.web.bind.annotation.GetMapping;
import com.nikhil.sportyshoes.model.Cart;
import com.nikhil.sportyshoes.model.Product;
import com.nikhil.sportyshoes.model.Purchase;
import com.nikhil.sportyshoes.service.MyUserDetailsService;
import com.nikhil.sportyshoes.service.PurchaseService;
@Controller
public class PurchaseController {
      @Autowired
      private MyUserDetailsService detailsService;
      @Autowired
      private PurchaseService service;
      @GetMapping("/checkout")
      public String checkout(Model model)
             String productName =
Cart.cart.stream().map(Product::getProductName)
.collect(Collectors.joining(", "));;
             String purchaseDate = new SimpleDateFormat("dd-MM-
yyyy").format(new Date());
             double totalCost =
Cart.cart.stream().mapToDouble(Product::getPrice).sum();
             String user = detailsService.getLoggedInUsername();
             Purchase purchase = new Purchase(productName, purchaseDate,
totalCost , user);
             service.addPurchaseDetails(purchase);
             model.addAttribute("cart", Cart.cart);
             model.addAttribute("total",
Cart.cart.stream().mapToDouble(Product::getPrice).sum());
             return "checkout";
      @GetMapping("/purchasereport")
      public String getPurchaseReport(Model model)
             List<Purchase> purchases = service.getAllPurchaseReport();
             model.addAttribute("purchases", purchases);
             return "purchasereport";
      }
}
```

# 6. RegistrationController.java

```
package com.nikhil.sportyshoes.controller;
import java.util.List;
import org.springframework.beans.factory.annotation.Autowired;
import org.springframework.stereotype.Controller;
import org.springframework.ui.Model;
import org.springframework.web.bind.annotation.GetMapping;
import org.springframework.web.bind.annotation.ModelAttribute;
import org.springframework.web.bind.annotation.PostMapping;
import com.nikhil.sportyshoes.model.User;
import com.nikhil.sportyshoes.service.UserService;
@Controller
public class RegistrationController {
      @Autowired
      private UserService service;
      @GetMapping("/registration")
      public String userRegistrationPage(Model model)
             model.addAttribute("user", new User());
             return "registration";
      @PostMapping("/registration")
      public String registerUserAccount(@ModelAttribute("user") User user)
      {
             user.setRoles("USER");
             service.registerUser(user);
             return "redirect:/registration?success";
      }
      @GetMapping("/registeredusers")
      public String getRegisteredUsers(Model model)
             List<User> users = service.getAllRegisteredUser();
             model.addAttribute("users", users);
             return "registeredusers";
      }
}
```