

Unit4_3_practical


Create an application to display all records from an Employee table with proper formatting. (Use Repeater Control).

Take repeater control and form control


Then attach datasource to both controls

Copy itemtemplate from form control then paste it inside repeater control

Then delete form control



Create database employee



```
<%@ Page Language="C#" AutoEventWireup="true" CodeFile="Default.aspx.cs"
Inherits="_Default" %>

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">

<html xmlns="http://www.w3.org/1999/xhtml" >
<head runat="server">
    <title>Untitled Page</title>
    <style type="text/css">
        .b1
        {
            border-type:solid;

        }
    </style>
</head>
<body>
    <form id="form1" runat="server">
        <div>
            <asp:Repeater ID="Repeater1" runat="server"
DataSourceID="SqlDataSource1">
                <ItemTemplate>
                    <table style="border-style:solid;border-color:Blue;" border="1"
>
                        <tr>
                            <td>
                                Employee ID:
                            </td>
                        <td>
```

```

        <asp:Label ID="Emp_idLabel" runat="server" Text='<%#
Bind("Emp_id") %>'></asp:Label><br />
        </td>
    </tr>

    <tr>
    <td>Employee name:
    </td>
    <td>
        <asp:Label ID="Emp_nameLabel" runat="server" Text='<%#
Bind("Emp_name") %>'></asp:Label><br />
    </td>
    </tr>

    <tr>
    <td>
        Employee Birthdate:
    </td>
    <td>
        <asp:Label ID="Emp_dobLabel" runat="server" Text='<%#
Bind("Emp_dob") %>'></asp:Label><br />
    </td>
    </tr>

    <tr>
    <td>
        Employee Address
    </td>
    <td>
        <asp:Label ID="Emp_addLabel" runat="server" Text='<%#
Bind("Emp_add") %>'></asp:Label><br />
    </td></tr>

    <tr>
    <td>
        Employee Designation
    </td>
    <td>
        <asp:Label ID="Emp_desLabel" runat="server" Text='<%#
Bind("Emp_des") %>'></asp:Label><br />
    </td>
    </tr>

    <tr>
    <td>
        Employee Salary
    </td>
    <td>
        <asp:Label ID="Emp_salLabel" runat="server" Text='<%#
Bind("Emp_sal") %>'></asp:Label><br />
    </td></tr>

</table>

```

```
        </ItemTemplate>
    </asp:Repeater>
    <asp:SqlDataSource ID="SqlDataSource1" runat="server"
ConnectionString="<%"$ ConnectionStrings:ConnectionString %">"
        SelectCommand="SELECT * FROM
[Employee_info]"></asp:SqlDataSource>
        &nbsp;<br />
        <br />
    </div>
</form>
</body>
</html>
```