

# American BioCarbon® Absorbent Pellets

## Technical Specification Sheet

### 5X Absorbent Pellets

#### 100% PLANT BASED AND BIODEGRADABLE

American BioCarbon's renewable absorbent pellets absorb up to **5x their own weight in water**, double the capacity of wood-based pellets and roughly five times that of clay. Manufactured from single-source recycled sugarcane bagasse, they ship and store stable, then disintegrate on contact to expose the full internal pore structure.

### Core Specifications

| Property            | Value                       |
|---------------------|-----------------------------|
| Absorption capacity | Up to 5:1                   |
| Bulk density        | 30-40 lb/ft <sup>3</sup>    |
| Moisture content    | 5-10%                       |
| Pellet diameter     | 6-8 mm                      |
| Pellet length       | 10-25 mm                    |
| Dust content        | <10%                        |
| Biodegradability    | 100%                        |
| Materials           | 100% sugarcane bagasse      |
| Chemical additives  | None (native lignin binder) |

### Plant-Based Advantage

Made from single-source recycled sugarcane bagasse. The cane stalk carries a native vascular structure with open parenchyma cells. Natural lignin binds the pellet during pressing, with no synthetic adhesives in the product or the finished waste.

## Flexible Use Applications

- Oil and gas waste solidification
- Environmental remediation
- Animal bedding
- Chemical and hydrocarbon spill response
- Landfill leachate management
- Dredged-sediment dewatering
- Slurry-wall and trench-spoil management

## Powerful Sustainability

- Produced from 100% repurposed single-source organic plant material
- Diverts methane emissions from ag-waste byproduct of sugar cane (bagasse) for beneficial use
- Manufactured using renewable biomass energy
- 100% chemical-free and biodegradable
- No persistent polymers in landfill leachate
- Supports recycled-content credits and low-embodied-carbon specifications

## How It Compares

| Property                  | ABC Bagasse  | Wood Pellet   | Premium Clay  |
|---------------------------|--------------|---------------|---------------|
| Absorption ratio          | Up to 5:1    | 2.0-2.5:1     | ~1:1          |
| Moisture content          | 5-10%        | 8-12%         | 1-5%          |
| Dust content              | <10%         | 10-20%        | High          |
| Biodegradable             | Yes          | Yes           | No            |
| Indicative bulk price     | \$230-250/MT | \$250-400/ton | \$400-700/ton |
| Cost per gallon absorbed* | \$0.18       | \$0.33-0.50   | \$1.30-2.50   |

\*Water basis, at indicative bulk pricing.

## Freight Mathematics

One 44,000-lb truckload of ABC bagasse absorbs roughly 26,400 gallons of water-based liquid. The same truckload of wood pellet covers 13,200 gallons; of clay, 5,275 gallons.

**One truck of bagasse = 2 trucks of wood pellet = 5 trucks of clay**

## Honeycomb Microstructure Holds More

Peer-reviewed studies of bagasse-derived sorbents describe a honeycomb-like internal structure with cavities and channels at the micro and macro scale (Castro et al., 2017). Native wood porosity is dominated by sub-2-nanometer pathways and slow capillary uptake (Plötze et al., 2020). Bagasse moves liquid faster, holds more of it, and breaks down on schedule.

## Bulk Quantities

- Bulk shipped via truckload
- 1-ton super sacks
- 40-lb retail bags (palletized)

## Contact & Ordering

### Mack Howard

+1 561-249-8079

[mack.howard@americanbiocarbon.com](mailto:mack.howard@americanbiocarbon.com)

### Victor Jehle

561-593-4168 ext 126

[victor.jehle@cs-ops.com](mailto:victor.jehle@cs-ops.com)

### American BioCarbon, LLC

32525 Highway 1 South, White Castle, LA 70788

[americanbiocarbon.com](http://americanbiocarbon.com)

*Specification current as of July 2026. For latest updates, contact sales.*