JCESITE

AI-ASSISTED SITE PLANNING

CIVIL SITE PLANNING DRAWINGS (AI GENERATED DRAFT)

LOT 2 DP227508 SITE WORKS

LOT 2 DP227508, GUNNEDAH

PREPARED FOR: DATA NOT AVAILABLE

STATUS	**PRELIMINARY: NOT FOR CONSTRUCTION**

SITE PLAN



NTS

DCDB BEYOND THE LOTS SHOWN IS NOT AVAILABLE (OFFLINE FIXTURE HOLDS ONLY THE ADJOINING LOTS, NO LIVE CADASTRE WINDOW QUERY), SO THE CADASTRE DOES NOT REACH THE VIEWPORT EDGES. NOT CHECKED, NOT CLEAR

DRAWING REGISTER

DRAWING No.	DRAWING TITLE	REV
JCS-XXX-CIV-000	COVER SHEET AND DRAWING REGISTER	A
JCS-XXX-CIV-001	GENERAL NOTES	A
JCS-XXX-CIV-100	EXISTING SITE PLAN	A
JCS-XXX-CIV-101	PROPOSED SITE PLAN	A
JCS-XXX-CIV-200	EARTHWORKS	A
JCS-XXX-CIV-300	STORMWATER	A
JCS-XXX-CIV-310	WATER AND SEWER	A
JCS-XXX-CIV-400	DRIVEWAY PLAN	A
JCS-XXX-CIV-410	DRIVEWAY LONG SECTION	A
JCS-XXX-CIV-420	DRIVEWAY LAYOVER DETAILS	A
JCS-XXX-CIV-500	EROSION AND SEDIMENT CONTROL	A
JCS-XXX-CIV-600	TYPICAL DETAILS	A

DATA SOURCES AND STATUS

CADASTRE	STATE CADASTRE (DCDB). BOUNDARIES, LOT NUMBERS AND PLAN NUMBERS ARE NOT A SURVEY.
LEVELS	5 m DEM, INDICATIVE ONLY. DETAIL SURVEY AT THE DETAILED DESIGN STAGE.
AERIAL	AERIAL IMAGERY: IMAGERY: NSW SPATIAL SERVICES © DEPARTMENT OF CUSTOMER SERVICE 2020 (INCLUDES THIRD-PARTY IMAGERY: AAM, JACOBS GROUP AUSIMAGE, LANDSAT), 2011-10-18; VERIFY TERMS BEFORE COMMERCIAL USE
SERVICES	NONE SUPPLIED: LOCATE BY DIAL BEFORE YOU DIG AND POTHOLING.
ASSUMED ITEMS	KERB, ROAD EXTENT AND LAYOVER VALUES ARE ASSUMED OR PLACEHOLDERS WHERE MARKED.
CODES	DRAWING NUMBER JCS-{JOB}-CIV-{NNN}. LAYERS JCS-{DISCIPLINE}-{ELEMENT}-{TYPE}, THE SAME IN THE DXF.
BUILDING	NOT PART OF THIS SET: NO BUILDING FOOTPRINT, SETBACK OR FLOOR LEVEL IS DRAWN.

DATUM AND ACCURACY NOTES

AI GENERATED DRAFT. NOT CHECKED OR CERTIFIED. MUST BE CHECKED AND VERIFIED BY A QUALIFIED PERSON BEFORE ANY USE.

HORIZONTAL: GDA2020 MGA ZONE 56 (EPSG:7856) VERTICAL: AHD; DEM-DERIVED, INDICATIVE ONLY UNITS: METRES. NOT A SURVEY.

SHEET NOTES

1. PRELIMINARY ISSUE: NOT FOR CONSTRUCTION

JCESITE
AI-ASSISTED SITE PLANNING

AI CHECK

TICK WHEN CHECKED

CHECKED BY (NAME)

DATE

PROJECT
LOT 2 DP227508 SITE WORKS
LOT 2 DP227508, GUNNEDAH
GUNNEDAH R2

CLIENT

DRAWING TITLE
COVER SHEET AND DRAWING REGISTER

REVISIONS

REV	DATE	DESCRIPTION	DRN	CHK	APP
A	15.10.26	PRELIMINARY ISSUE	JCS		

DRAWING NUMBER
JCS-XXX-CIV-000

REV
A

STATUS
PRELIMINARY: NOT FOR CONSTRUCTION
AI GENERATED DRAFT. NOT CHECKED OR CERTIFIED. MUST BE CHECKED AND VERIFIED BY A QUALIFIED PERSON BEFORE ANY USE.

DATE
15.10.26

DRAWN
JCESITE

CHECKED

APPROVED

SCALE
NTS

SHEET
1 OF 12

SIZE
A1

GENERAL NOTES FOR GUNNEDAH SHIRE COUNCIL

THIS PLAN SET IS AN INDICATIVE AI-GENERATED DRAFT. IT HAS NOT BEEN CHECKED BY A QUALIFIED PERSON AND MUST BE CHECKED, VERIFIED AND CERTIFIED BY A QUALIFIED PERSON BEFORE ANY USE. IT IS NOT FOR CONSTRUCTION.

GENERAL

1. THESE DRAWINGS ARE NOT A DEVELOPMENT APPLICATION, CONSTRUCTION CERTIFICATE OR BUILDING APPROVAL.
2. THE BUILDING DESIGN IS NOT PART OF THIS PLAN SET: NO BUILDING FOOTPRINT OR FLOOR LEVEL IS DRAWN.
3. ITEMS LABELLED ASSUMED OR PLATFORM DEFAULT ARE NOT SURVEYED OR CONFIRMED. ITEMS LABELLED PLACEHOLDER OR TBC ARE DRAFTING CONVENTIONS, NOT DESIGN VALUES. DATA NOT AVAILABLE MEANS NOT CHECKED, NOT CLEAR.
4. DIMENSIONS IN METRES. LEVELS IN METRES AHD.
5. HORIZONTAL DATUM GDA2020 / MGA (EPSG:7856). VERTICAL DATUM AHD FROM THE NSW 5 M DEM WHERE LEVELS ARE SHOWN: INDICATIVE, VERTICAL ACCURACY NOT STATED BY THE SERVICE.

SURVEY AND EXISTING SERVICES

6. CADASTRAL BOUNDARIES AND ADJOINING LOTS ARE FROM THE STATE CADASTRE AND ARE NOT A SURVEY. ENGAGE A REGISTERED SURVEYOR.
7. DETAIL SURVEY IS UNDERTAKEN AT THE DETAILED DESIGN STAGE. CONTOURS, LEVELS AND THE KERB LINE ARE INDICATIVE UNTIL THEN.
8. NO EXISTING SERVICE LOCATIONS WERE SUPPLIED. LOCATE ALL SERVICES (DIAL BEFORE YOU DIG) AND POTHOLE BEFORE EXCAVATION. DEPTHS ARE NEVER INFERRED.
9. MINIMUM COVER TO WATER SERVICES UNDER CARRIAGEWAYS IS 0.5 M [GUNNEDAH SHIRE COUNCIL ENGINEERING DESIGN MINIMUM STANDARDS (VERSION 1, APRIL 2025), 4.7.7.4, P.119]
10. MINIMUM COVER TO WATER SERVICES IN THE FOOTWAY IS 0.3 M [GUNNEDAH SHIRE COUNCIL ENGINEERING DESIGN MINIMUM STANDARDS (VERSION 1, APRIL 2025), 4.7.7.4, P.119]
11. A SEWER JUNCTION OF 150 MM DIAMETER IS PROVIDED WITHIN EACH LOT [GUNNEDAH SHIRE COUNCIL ENGINEERING DESIGN MINIMUM STANDARDS (VERSION 1, APRIL 2025), 5.5.10, P.130]
12. SEWER HOUSE CONNECTIONS ARE LAID WITH AT LEAST 0.3 M OF COVER [GUNNEDAH SHIRE COUNCIL ENGINEERING DESIGN MINIMUM STANDARDS (VERSION 1, APRIL 2025), 5.5.10, P.130]
13. SEWER HOUSE CONNECTIONS ARE LAID AT A MINIMUM GRADE OF 1 IN 60 [GUNNEDAH SHIRE COUNCIL ENGINEERING DESIGN MINIMUM STANDARDS (VERSION 1, APRIL 2025), 5.5.10, P.130]
14. BUILDING NEAR A COUNCIL SEWER MAIN IS SUBJECT TO THE COUNCIL BUILDING OVER SEWER POLICY (POLICY DOCUMENT NOT OBTAINED) [GUNNEDAH SHIRE COUNCIL DEVELOPMENT CONTROL PLAN 2025 (DCP 2025), P.26]
15. A SERVICING STRATEGY IS REQUIRED WITH THE DEVELOPMENT APPLICATION [GUNNEDAH SHIRE COUNCIL DEVELOPMENT CONTROL PLAN 2025 (DCP 2025), P.26]
16. COUNCIL REQUIREMENT: SEWER MAIN AND CONNECTION POINT AVAILABILITY UNRESOLVED, CONFIRM WITH GUNNEDAH SHIRE COUNCIL
17. COUNCIL REQUIREMENT: WATER MAIN AND CONNECTION POINT AVAILABILITY UNRESOLVED, CONFIRM WITH GUNNEDAH SHIRE COUNCIL

EARTHWORKS AND EROSION AND SEDIMENT CONTROL

18. DRIVEWAY CUT AND FILL IS INDICATIVE (5 M DEM AGAINST THE PLATFORM DRIVEWAY PROFILE). BUILDING PAD EARTHWORKS ARE NOT PART OF THIS PLAN SET.
19. BATTER SLOPES SHOWN ON THE TYPICAL SECTIONS ARE LABELLED 1:N TBC UNLESS A COUNCIL VALUE IS CITED BELOW. GEOTECHNICAL ADVICE IS REQUIRED.
20. A DETAILED GEOTECHNICAL INVESTIGATION IS REQUIRED FOR DEVELOPMENT ON SLOPES GREATER THAN 15% [GUNNEDAH SHIRE COUNCIL DEVELOPMENT CONTROL PLAN 2025 (DCP 2025), P.21]
21. TOPSOIL IS USUALLY STRIPPED TO A DEPTH OF 100 TO 150 MM [BLUE BOOK VOL.1, VOLUME 1 (THE BLUE BOOK), 4TH EDITION (4TH EDITION, MARCH 2004), 4.3.2(F), P.70]
22. TOPSOIL STOCKPILES ARE NO GREATER THAN 2 M DEEP [BLUE BOOK VOL.1, VOLUME 1 (THE BLUE BOOK), 4TH EDITION (4TH EDITION, MARCH 2004), 4.3.2(G), P.70]
23. STOCKPILES ARE TO BE NO MORE THAN 2 M HIGH WHERE POSSIBLE [ESC GUIDELINES FOR BUILDING SITES (OCTOBER 2024), 4.4, P.23]
24. SEDIMENT FENCE STAR PICKETS ARE USUALLY 2.5 M APART [ESC GUIDELINES FOR BUILDING SITES (OCTOBER 2024), 4.5, P.25]
25. THE SEDIMENT FENCE TRENCH IS 150 MM DEEP ON THE UPSLOPE SIDE [ESC GUIDELINES FOR BUILDING SITES (OCTOBER 2024), 4.5, P.25]
26. STABILISED SITE ACCESS IS AT LEAST 15 M LONG [BLUE BOOK VOL.1, VOLUME 1 (THE BLUE BOOK), 4TH EDITION (4TH EDITION, MARCH 2004), 6.3.9(A), P.163]
27. STABILISED SITE ACCESS IS AT LEAST 3 M WIDE [BLUE BOOK VOL.1, VOLUME 1 (THE BLUE BOOK), 4TH EDITION (4TH EDITION, MARCH 2004), 6.3.9(A), P.163]
28. THE ESCP IS TO BE PREPARED BY A SUITABLY QUALIFIED PERSON [ESC GUIDELINES FOR BUILDING SITES (OCTOBER 2024), 3.2, P.15]
29. ESC MEASURES ARE TO BE INSPECTED AT LEAST WEEKLY, AND IMMEDIATELY BEFORE SITE CLOSURE AND FOLLOWING RAINFALL EVENTS THAT CAUSE RUNOFF [BLUE BOOK VOL.1, VOLUME 1 (THE BLUE BOOK), 4TH EDITION (4TH EDITION, MARCH 2004), 8.1(N), P.192]
30. SERVICE TRENCHES ARE TO BE OPEN FOR LESS THAN 3 DAYS [ESC GUIDELINES FOR BUILDING SITES (OCTOBER 2024), 4.9, P.31]
31. COUNCIL REQUIREMENT: CUT AND FILL BATTER SLOPES (MAXIMUM) UNRESOLVED, CONFIRM WITH GUNNEDAH SHIRE COUNCIL
32. COUNCIL REQUIREMENT: EARTHWORKS LIMITS (CUT AND FILL DEPTH) UNRESOLVED, CONFIRM WITH GUNNEDAH SHIRE COUNCIL

DRIVEWAY AND CROSSOVER

33. THE COUNCIL STANDARD DRAWING GOVERNS THE VEHICLE CROSSING (NOT SELECTED). LAYOVER DIMENSIONS ARE PLACEHOLDERS WHERE MARKED.
34. THE KERB LINE IS ASSUMED. BOUNDARY TO KERB DISTANCE IS A PLATFORM DEFAULT UNLESS USER SUPPLIED. B85 CHECKS ARE SCREENING ONLY.
35. THE SWEPT PATH IS SHOWN ONLY WHERE THE PLATFORM PATH IS ONE CLEAN PATH INSIDE THE LOT, VERGE AND ROAD, OTHERWISE IT IS TO BE CONFIRMED AT DETAILED DESIGN.
36. ACCESS FROM THE PUBLIC ROAD TO THE PROPERTY BOUNDARY IS TO COMPLY WITH COUNCIL STANDARD ACCESS DRAWINGS + AS2890 SERIES [GUNNEDAH SHIRE COUNCIL DEVELOPMENT CONTROL PLAN 2025 (DCP 2025), P.39]
37. DRIVEWAY ACCESS WIDTH (EXCLUDING LAYBACK SPLAYS) IS AT LEAST 3 M [GUNNEDAH SHIRE COUNCIL ENGINEERING DESIGN MINIMUM STANDARDS (VERSION 1, APRIL 2025), 2.8.7, P.44]
38. DRIVEWAY ACCESS WIDTH (EXCLUDING LAYBACK SPLAYS) IS NO MORE THAN 4.5 M [GUNNEDAH SHIRE COUNCIL ENGINEERING DESIGN MINIMUM STANDARDS (VERSION 1, APRIL 2025), 2.8.7, P.44]
39. MINIMUM DISTANCE FROM A CROSSING TO A CORNER ALLOTMENT BOUNDARY IS 6 M [GUNNEDAH SHIRE COUNCIL ENGINEERING DESIGN MINIMUM STANDARDS (VERSION 1, APRIL 2025), 2.8.7, P.44]
40. MINIMUM KERB SEPARATION BETWEEN CROSSINGS IS 2 M [GUNNEDAH SHIRE COUNCIL ENGINEERING DESIGN MINIMUM STANDARDS (VERSION 1, APRIL 2025), 2.8.7, P.44]
41. MINIMUM DISTANCE BETWEEN A CROSSING AND THE COMMON PROPERTY BOUNDARY IS 0.5 M [GUNNEDAH SHIRE COUNCIL ENGINEERING DESIGN MINIMUM STANDARDS (VERSION 1, APRIL 2025), 2.8.7, P.44]
42. NO MORE THAN 2 CROSSINGS ARE PERMITTED PER STREET FRONTAGE [GUNNEDAH SHIRE COUNCIL ENGINEERING DESIGN MINIMUM STANDARDS (VERSION 1, APRIL 2025), 2.8.7, P.44]
43. INTERNAL VEHICLE ACCESS AND MANOEUVRING AREAS ARE CONSTRUCTED OF CONCRETE, BITUMEN, INTERLOCKING PAVERS OR ASPHALT [GUNNEDAH SHIRE COUNCIL DEVELOPMENT CONTROL PLAN 2025 (DCP 2025), P.39]
44. COUNCIL REQUIREMENT: DRIVEWAY MAXIMUM GRADE UNRESOLVED, CONFIRM WITH GUNNEDAH SHIRE COUNCIL
45. COUNCIL REQUIREMENT: VEHICLE CROSSING STANDARD DRAWING NUMBER UNRESOLVED, CONFIRM WITH GUNNEDAH SHIRE COUNCIL
46. COUNCIL REQUIREMENT: DRIVEWAY PAVEMENT LAYERS AND THICKNESS UNRESOLVED, CONFIRM WITH GUNNEDAH SHIRE COUNCIL
47. COUNCIL REQUIREMENT: KERB AND GUTTER PROFILE UNRESOLVED, CONFIRM WITH GUNNEDAH SHIRE COUNCIL

STORMWATER AND FLOOD

48. STORMWATER SHOWN IS LIMITED TO WHAT THE DATA SUPPORT. SIZES AND LEVELS TO BE DESIGNED BY A HYDRAULIC DESIGNER.
49. LOT FALLS AWAY FROM THE STREET (INDICATIVE, 5 M DEM). LEGAL POINT OF DISCHARGE UNRESOLVED; AN INTER-ALLOTMENT DRAINAGE EASEMENT OR OTHER SOLUTION MAY BE REQUIRED. CONFIRM WITH GUNNEDAH SHIRE COUNCIL.
50. STORMWATER SYSTEMS ARE TO BE DESIGNED AND CONSTRUCTED IN ACCORDANCE WITH GUNNEDAH SHIRE COUNCIL ENGINEERING DESIGN MINIMUM STANDARDS [GUNNEDAH SHIRE COUNCIL DEVELOPMENT CONTROL PLAN 2025 (DCP 2025), P.43]
51. THE COUNCIL FLOOD PLANNING LEVEL IS THE 1% AEP FLOOD PLUS 0.5 M FREEBOARD [GUNNEDAH SHIRE COUNCIL DEVELOPMENT CONTROL PLAN 2025 (DCP 2025), P.22]
52. COUNCIL REQUIREMENT: LEGAL POINT OF STORMWATER DISCHARGE UNRESOLVED, CONFIRM WITH GUNNEDAH SHIRE COUNCIL
53. COUNCIL REQUIREMENT: FLOOD PLANNING LEVEL (METRES AHD) UNRESOLVED, CONFIRM WITH GUNNEDAH SHIRE COUNCIL

BUILDING SETBACKS (REFERENCE ONLY, BUILDING NOT SHOWN)

54. BUILDING FRONT SETBACK: 6.5 M OR THE AVERAGE OF THE ADJOINING DWELLINGS, WHICHEVER IS LESS [GUNNEDAH SHIRE COUNCIL DEVELOPMENT CONTROL PLAN 2025, C.1.1 SETBACKS, TABLE 2, BUILDING SETBACKS, P.37]
55. BUILDING SIDE SETBACK: 0.9 M OR COMPLIANCE WITH THE BCA (LESS THAN 900 MM CONSIDERED WHERE BCA FIRE RATING SATISFIED) [GUNNEDAH SHIRE COUNCIL DEVELOPMENT CONTROL PLAN 2025, C.1.1 SETBACKS, TABLE 2, BUILDING SETBACKS, P.37]
56. BUILDING REAR SETBACK: 0.9 M OR COMPLIANCE WITH THE BCA [GUNNEDAH SHIRE COUNCIL DEVELOPMENT CONTROL PLAN 2025, C.1.1 SETBACKS, TABLE 2, BUILDING SETBACKS, P.37]
57. BUILDING SECONDARY FRONTAGE SETBACK: 3 M [GUNNEDAH SHIRE COUNCIL DEVELOPMENT CONTROL PLAN 2025, C.1.1 SETBACKS, TABLE 2, BUILDING SETBACKS, P.37]

STANDARDS AND APPROVALS

58. ALL WORK TO COMPLY WITH THE REQUIREMENTS OF GUNNEDAH SHIRE COUNCIL AND THE CURRENT AUSTRALIAN STANDARDS. THE COUNCIL REQUIREMENTS ABOVE ARE SUMMARIES, CHECK THE SOURCE DOCUMENT.

STANDARDS AND DOCUMENTS CITED

59. ESC GUIDELINES FOR BUILDING SITES (OCTOBER 2024)
60. BLUE BOOK VOL.1, VOLUME 1 (THE BLUE BOOK), 4TH EDITION (4TH EDITION, MARCH 2004)
61. GUNNEDAH SHIRE COUNCIL ENGINEERING DESIGN MINIMUM STANDARDS (VERSION 1, APRIL 2025)
62. GUNNEDAH SHIRE COUNCIL DEVELOPMENT CONTROL PLAN 2025 (DCP 2025)

DATA AND ASSUMPTIONS REGISTER (BY SHEET)

63. DCDB BEYOND THE LOTS SHOWN IS NOT AVAILABLE OR NOT CHECKED (SEE THE NOTE UNDER THE TITLE OF EACH PLAN SHEET), SO THE CADASTRE MAY NOT REACH THE VIEWPORT EDGES. NOT CHECKED, NOT CLEAR
64. C100: EXISTING SERVICES: NONE SUPPLIED; LOCATION TO BE CONFIRMED FROM COUNCIL RECORDS AND DBYD
65. C100: EXISTING BUILDINGS, TREES, FENCES AND EASEMENTS: NOT IN THE SUPPLIED DATA (CONFIRM BY TITLE SEARCH AND S88B INSTRUMENT)
66. C100, C101, C200: ROAD PAVEMENT EXTENT NOT SHOWN: NO SURVEY OR ROAD RESERVE DATA
67. C200: BUILDING PAD CUT, FILL, BATTERS AND VOLUMES: DEPEND ON THE BUILDING DESIGN (NOT PART OF THIS SET)
68. C300: ROOF CATCHMENT, DOWNPIPES, PITS AND DISCHARGE ROUTE: DEPEND ON THE BUILDING DESIGN (NOT PART OF THIS SET)
69. C300: EXISTING COUNCIL STORMWATER ASSETS: NONE SUPPLIED; CONFIRM FROM COUNCIL RECORDS AND DBYD
70. C310: PROPOSED WATER SERVICE AND SEWER HOUSE CONNECTION: DEPEND ON THE BUILDING DESIGN (NOT PART OF THIS SET)
71. C310: EXISTING WATER MAIN, SEWER MAIN AND JUNCTION: NONE SUPPLIED; EXISTING SERVICE LOCATION TO BE CONFIRMED FROM COUNCIL RECORDS / DBYD

LEGEND

- PROPERTY BOUNDARY (STATE CADASTRE, NOT A SURVEY)
- ADJOINING LOT AND ROAD RESERVE BOUNDARY (DCDB)
- KERB AND GUTTER LINES (ASSUMED, NOT SURVEYED)
- ROAD PAVEMENT (ASSUMED EXTENT)
- PROPOSED CROSSOVER AND LAYOVER (CONCRETE STIPPLE)
- PROPOSED DRIVEWAY (SURFACE TO BE CONFIRMED)
- EXISTING MATERIAL / EXISTING GROUND: HATCH "/"
- PROPOSED WORKS / FILL BODY: HATCH "\"
- CUT (RED HATCH)
- FILL (GREEN HATCH)
- EXISTING CONTOUR (5 m DEM, INDICATIVE)
- FADED AERIAL IMAGE (UNDERLAY ONLY, NOT A SURVEY)
- EROSION AND SEDIMENT CONTROL ELEMENT (INDICATIVE)
- DATA NOT AVAILABLE: NOT DRAWN, NOT CHECKED, NOT CLEAR

GENERAL NOTES

NOT TO SCALE (NTS)

DATUM AND ACCURACY NOTES

AI GENERATED DRAFT. NOT CHECKED OR CERTIFIED. MUST BE CHECKED AND VERIFIED BY A QUALIFIED PERSON BEFORE ANY USE.

HORIZONTAL: GDA2020 MGA ZONE 56 (EPSG:7856) VERTICAL: AHD; DEM-DERIVED, INDICATIVE ONLY UNITS: METRES. NOT A SURVEY.

SHEET NOTES

1. GENERAL NOTES AND REGISTER OF MISSING DATA FOR THIS PLAN SET

JCESITE

AI-ASSISTED SITE PLANNING

AI CHECK

TICK WHEN CHECKED

CHECKED BY (NAME)

DATE

PROJECT

LOT 2 DP227508 SITE WORKS

LOT 2 DP227508, GUNNEDAH

GUNNEDAH R2

CLIENT

DRAWING TITLE

GENERAL NOTES

REVISIONS

REV	DATE	DESCRIPTION	DRN	CHK	APP
A	15.10.26	PRELIMINARY ISSUE	JCS		

DRAWING NUMBER

JCS-XXX-CIV-001

REV **A**

STATUS **PRELIMINARY: NOT FOR CONSTRUCTION**

AI GENERATED DRAFT. NOT CHECKED OR CERTIFIED. MUST BE CHECKED AND VERIFIED BY A QUALIFIED PERSON BEFORE ANY USE.

DATE	DRAWN	CHECKED	APPROVED
15.10.26	JCESITE		

SCALE	SHEET	SIZE
NTS	2 OF 12	A1

DATA NOT AVAILABLE

NOT DRAWN, NO DATA SUPPLIED:
(1) EXISTING SERVICES: NONE SUPPLIED; LOCATION TO BE CONFIRMED FROM COUNCIL RECORDS AND DBYD. (2) EXISTING BUILDINGS, TREES, FENCES AND EASEMENTS: NOT IN THE SUPPLIED DATA (CONFIRM BY TITLE SEARCH AND S88B INSTRUMENT). (3) ROAD PAVEMENT EXTENT NOT SHOWN: NO SURVEY OR ROAD RESERVE DATA.



EXISTING SITE PLAN

1:100 @ A1 1:200 @ A3

VIEW ROTATED 52 DEG CLOCKWISE TO SQUARE THE LOT FRONTAGE TO THE SHEET SO THE SUBJECT FITS AT 1:100. NORTH POINT SHOWN
DCDB BEYOND THE LOTS SHOWN IS NOT AVAILABLE (OFFLINE FIXTURE HOLDS ONLY THE ADJOINING LOTS, NO LIVE CADASTRE WINDOW QUERY), SO THE CADASTRE DOES NOT REACH THE VIEWPORT EDGES. NOT CHECKED, NOT CLEAR

DATUM AND ACCURACY NOTES

AI GENERATED DRAFT. NOT CHECKED OR CERTIFIED. MUST BE CHECKED AND VERIFIED BY A QUALIFIED PERSON BEFORE ANY USE.

HORIZONTAL: GDA2020 MGA ZONE 56 (EPSG:7856) VERTICAL: AHD; DEM-DERIVED, INDICATIVE ONLY UNITS: METRES. NOT A SURVEY.
SHEET NOTES
1. EXISTING CONTOURS: INDICATIVE, DERIVED FROM 5 M DEM

JCESITE

AI-ASSISTED SITE PLANNING

AI CHECK

TICK WHEN CHECKED

CHECKED BY (NAME) DATE

PROJECT

LOT 2 DP227508 SITE WORKS

LOT 2 DP227508, GUNNEDAH
GUNNEDAH R2

CLIENT

DRAWING TITLE

EXISTING SITE PLAN

REVISIONS

REV	DATE	DESCRIPTION	DRN	CHK	APP
A	15.10.26	PRELIMINARY ISSUE	JCS		

DRAWING NUMBER

JCS-XXX-CIV-100

REV **A**

STATUS
PRELIMINARY: NOT FOR CONSTRUCTION

AI GENERATED DRAFT. NOT CHECKED OR CERTIFIED. MUST BE CHECKED AND VERIFIED BY A QUALIFIED PERSON BEFORE ANY USE.

DATE	DRAWN	CHECKED	APPROVED
15.10.26	JCESITE		

SCALE	SHEET	SIZE
1:100 @ A1	3 OF 12	A1

DATA NOT AVAILABLE
NOT DRAWN, NO DATA SUPPLIED:
(1) ROAD PAVEMENT EXTENT NOT SHOWN: NO SURVEY OR ROAD RESERVE DATA.

N
NORTH POINT

SETBACK DIMENSIONS: PLACEHOLDER (BUILDING DESIGN NOT SUPPLIED)

LOT 1
DP227508

LOT 3
DP227508

LOT 2
DP227508

LOT 5
DP548460

PROPOSED DRIVEWAY
MATERIAL TO BE CONFIRMED
WIDTH 3.0m (PLATFORM DEFAULT)

ASSUMED KERB LINE
BOUNDARY TO KERB 4.0m (PLATFORM DEFAULT, NOT SURVEYED)

LAYOVER DIMENSIONS (SEE C420)
FULL SCHEDULE, SOURCES AND TYPICAL SECTIONS ON C420

PROPOSED CROSSOVER
WIDTH 3.0m (PLATFORM DEFAULT)
COUNCIL STANDARD DRAWING GOVERNS (NOT SELECTED)

4.0m
4.0m
3.0m

218°20'14"
47.17m

128°17'50"
20.23m

307°53'41"
20.24m

38°20'25"
47.31m

AREA 956 m2 (CALCULATED FROM CADASTRE)

LITTLE BLOOMFIELD STREET

PROPOSED SITE PLAN

1:100 @ A1 1:200 @ A3

0 1.25 2.5 3.75 5 m
SCALE 1:100 @ A1

VIEW ROTATED 52 DEG CLOCKWISE TO SQUARE THE LOT FRONTAGE TO THE SHEET SO THE SUBJECT FITS AT 1:100. NORTH POINT SHOWN
DCDB BEYOND THE LOTS SHOWN IS NOT AVAILABLE (OFFLINE FIXTURE HOLDS ONLY THE ADJOINING LOTS, NO LIVE CADASTRE WINDOW QUERY), SO THE CADASTRE DOES NOT REACH THE VIEWPORT EDGES. NOT CHECKED, NOT CLEAR

DATUM AND ACCURACY NOTES
AI GENERATED DRAFT. NOT CHECKED OR CERTIFIED. MUST BE CHECKED AND VERIFIED BY A QUALIFIED PERSON BEFORE ANY USE.

HORIZONTAL: GDA2020 MGA ZONE 56 (EPSG:7856) VERTICAL: AHD; DEM-DERIVED, INDICATIVE ONLY UNITS: METRES. NOT A SURVEY.
SHEET NOTES
1. ASSUMED KERB LINE
2. BOUNDARY TO KERB 4.0M (PLATFORM DEFAULT, NOT SURVEYED)
3. COUNCIL STANDARD DRAWING GOVERNS (NOT SELECTED)
4. SETBACK DIMENSIONS: PLACEHOLDER (BUILDING DESIGN NOT SUPPLIED).

JCESITE
AI-ASSISTED SITE PLANNING

AI CHECK
TICK WHEN CHECKED
CHECKED BY (NAME)
DATE

PROJECT
LOT 2 DP227508 SITE WORKS
LOT 2 DP227508, GUNNEDAH
GUNNEDAH R2

CLIENT

DRAWING TITLE
PROPOSED SITE PLAN

REVISIONS

REV	DATE	DESCRIPTION	DRN	CHK	APP
A	15.10.26	PRELIMINARY ISSUE	JCS		

DRAWING NUMBER
JCS-XXX-CIV-101

REV
A

STATUS
PRELIMINARY: NOT FOR CONSTRUCTION
AI GENERATED DRAFT. NOT CHECKED OR CERTIFIED. MUST BE CHECKED AND VERIFIED BY A QUALIFIED PERSON BEFORE ANY USE.

DATE	DRAWN	CHECKED	APPROVED
15.10.26	JCESITE		

SCALE	SHEET	SIZE
1:100 @ A1	4 OF 12	A1


DATA NOT AVAILABLE

NOT DRAWN, NO DATA SUPPLIED:
(1) BUILDING PAD CUT, FILL, BATTERS AND VOLUMES: DEPEND ON THE BUILDING DESIGN (THE BUILDING IS NOT PART OF THIS PLAN SET AND NO BUILDING FOOTPRINT OR LEVEL IS DRAWN).

TYPICAL DRIVEWAY CUT AND FILL SECTION A-A

AT CHAINAGE 7.2 M (SECTION LINE A-A ON THE PLAN, LOOKING TO THE KERB). HORIZONTAL 1:50, VERTICAL 1:10 (VERT EXAG 5). INDICATIVE, DEM DERIVED.

BATTER SLOPES ARE DRAWN FOR GRAPHIC PURPOSES: 1:N TBC (COUNCIL STANDARD DRAWING GOVERNS, NOT SELECTED)



EARTHWORKS

1:100 @ A1 1:200 @ A3

VIEW ROTATED 52 DEG CLOCKWISE TO SQUARE THE LOT FRONTAGE TO THE SHEET SO THE SUBJECT FITS AT 1:100. NORTH POINT SHOWN
DCDB BEYOND THE LOTS SHOWN IS NOT AVAILABLE (OFFLINE FIXTURE HOLDS ONLY THE ADJOINING LOTS, NO LIVE CADASTRE WINDOW QUERY), SO THE CADASTRE DOES NOT REACH THE VIEWPORT EDGES. NOT CHECKED, NOT CLEAR

DATUM AND ACCURACY NOTES

AI GENERATED DRAFT. NOT CHECKED OR CERTIFIED. MUST BE CHECKED AND VERIFIED BY A QUALIFIED PERSON BEFORE ANY USE.

HORIZONTAL: GDA2020 MGA ZONE 56 (EPSG:7856) VERTICAL: AHD; DEM-DERIVED, INDICATIVE ONLY UNITS: METRES. NOT A SURVEY.
SHEET NOTES.
1. EXISTING CONTOURS: INDICATIVE, DERIVED FROM 5 M DEM.
2. DRIVEWAY CUT AND FILL: EXISTING 5 M DEM AGAINST THE PLATFORM DRIVEWAY PROFILE (LEVEL AT THE DRIVEWAY END IS A PLATFORM DEFAULT). INDICATIVE.

JCESITE
AI-ASSISTED SITE PLANNING

AI CHECK
TICK WHEN CHECKED
CHECKED BY (NAME)
DATE

PROJECT
LOT 2 DP227508 SITE WORKS
LOT 2 DP227508, GUNNEDAH
GUNNEDAH R2

CLIENT

DRAWING TITLE
EARTHWORKS

REVISIONS

REV	DATE	DESCRIPTION	DRN	CHK	APP
A	15.10.26	PRELIMINARY ISSUE	JCS		

DRAWING NUMBER
JCS-XXX-CIV-200

REV
A

STATUS
PRELIMINARY: NOT FOR CONSTRUCTION
AI GENERATED DRAFT. NOT CHECKED OR CERTIFIED. MUST BE CHECKED AND VERIFIED BY A QUALIFIED PERSON BEFORE ANY USE.

DATE	DRAWN	CHECKED	APPROVED
15.10.26	JCESITE		

SCALE	SHEET	SIZE
1:100 @ A1	5 OF 12	A1

DATA NOT AVAILABLE

NOT DRAWN, NO DATA SUPPLIED:
(1) ROOF CATCHMENT, DOWNPIPES, PITS AND DISCHARGE ROUTE: DEPEND ON THE BUILDING DESIGN (THE BUILDING IS NOT PART OF THIS PLAN SET AND NO BUILDING FOOTPRINT OR LEVEL IS DRAWN). (2) EXISTING COUNCIL STORMWATER ASSETS: NONE SUPPLIED; CONFIRM FROM COUNCIL RECORDS AND DBYD.

DRAINAGE DISCHARGE (INDICATIVE)

LOT FALLS AWAY FROM THE STREET (INDICATIVE, 5 m DEM). LEGAL POINT OF DISCHARGE UNRESOLVED; AN INTER-ALLOTMENT DRAINAGE EASEMENT OR OTHER SOLUTION MAY BE REQUIRED. CONFIRM WITH GUNNEDAH SHIRE COUNCIL.

N
NORTH POINT

LOT 1
DP227508

LOT 3
DP227508

218°20'14"
47.17m

ASSUMED KERB LINE

LOT 2
DP227508

128°17'50"
20.23m

307°53'41"
20.24m

LITTLE BLOOMFIELD STREET

38°20'25"
47.31m

LOT 5
DP548460

STORMWATER

1:100 @ A1 1:200 @ A3

0 1.25 2.5 3.75 5 m
SCALE 1:100 @ A1

VIEW ROTATED 52 DEG CLOCKWISE TO SQUARE THE LOT FRONTAGE TO THE SHEET SO THE SUBJECT FITS AT 1:100. NORTH POINT SHOWN
DCDB BEYOND THE LOTS SHOWN IS NOT AVAILABLE (OFFLINE FIXTURE HOLDS ONLY THE ADJOINING LOTS, NO LIVE CADASTRE WINDOW QUERY), SO THE CADASTRE DOES NOT REACH THE VIEWPORT EDGES. NOT CHECKED, NOT CLEAR

DATUM AND ACCURACY NOTES

AI GENERATED DRAFT. NOT CHECKED OR CERTIFIED. MUST BE CHECKED AND VERIFIED BY A QUALIFIED PERSON BEFORE ANY USE.

HORIZONTAL: GDA2020 MGA ZONE 56 (EPSG:7856) VERTICAL: AHD; DEM-DERIVED, INDICATIVE ONLY UNITS: METRES. NOT A SURVEY.

SHEET NOTES
1. ALL DRAINAGE IS TO BE DESIGNED BY A HYDRAULIC DESIGNER. NOTHING HERE IS A DRAINAGE DESIGN.
2. STORMWATER SYSTEMS ARE TO BE DESIGNED AND CONSTRUCTED IN ACCORDANCE WITH GUNNEDAH SHIRE COUNCIL ENGINEERING DESIGN MINIMUM STANDARDS [GUNNEDAH SHIRE COUNCIL DEVELOPMENT CONTROL PLAN 2025 (DCP 2025), P.43]
3. ROOF WATER PLUMBING IS DESIGNED FOR THE 5% AEP EVENT [GUNNEDAH SHIRE COUNCIL ENGINEERING DESIGN MINIMUM STANDARDS (VERSION 1, APRIL 2025), 3.10.4.2, P.96]
4. OVERLAND FLOW ARROWS SHOW THE DOWNSLOPE DIRECTION OF THE 5 M DEM (INDICATIVE). FLOW PATHS AND CATCHMENTS ARE NOT MODELLED.
5. LOT FALLS AWAY FROM THE STREET (INDICATIVE, 5 M DEM). LEGAL POINT OF DISCHARGE UNRESOLVED; AN INTER-ALLOTMENT DRAINAGE EASEMENT OR OTHER SOLUTION MAY BE REQUIRED. CONFIRM WITH GUNNEDAH SHIRE COUNCIL.
6. RAINWATER TANK: NONE SUPPLIED (ANY COUNCIL REQUIREMENT TO BE CONFIRMED)

JCESITE
AI-ASSISTED SITE PLANNING

AI CHECK
TICK WHEN CHECKED
CHECKED BY (NAME)
DATE

PROJECT
LOT 2 DP227508 SITE WORKS
LOT 2 DP227508, GUNNEDAH
GUNNEDAH R2

CLIENT

DRAWING TITLE
STORMWATER

REVISIONS

REV	DATE	DESCRIPTION	DRN	CHK	APP
A	15.10.26	PRELIMINARY ISSUE	JCS		

DRAWING NUMBER
JCS-XXX-CIV-300

REV
A

STATUS
PRELIMINARY: NOT FOR CONSTRUCTION
AI GENERATED DRAFT. NOT CHECKED OR CERTIFIED. MUST BE CHECKED AND VERIFIED BY A QUALIFIED PERSON BEFORE ANY USE.

DATE	DRAWN	CHECKED	APPROVED
15.10.26	JCESITE		

SCALE	SHEET	SIZE
1:100 @ A1	6 OF 12	A1

DATA NOT AVAILABLE

NOT DRAWN, NO DATA SUPPLIED:
(1) PROPOSED WATER SERVICE AND SEWER HOUSE CONNECTION: DEPEND ON THE BUILDING DESIGN (THE BUILDING IS NOT PART OF THIS PLAN SET AND NO BUILDING FOOTPRINT OR LEVEL IS DRAWN). (2) EXISTING WATER MAIN, SEWER MAIN AND JUNCTION: NONE SUPPLIED; EXISTING SERVICE LOCATION TO BE CONFIRMED FROM COUNCIL RECORDS / DBYD.



WATER AND SEWER

1:100 @ A1 1:200 @ A3

VIEW ROTATED 52 DEG CLOCKWISE TO SQUARE THE LOT FRONTAGE TO THE SHEET SO THE SUBJECT FITS AT 1:100. NORTH POINT SHOWN
DCDB BEYOND THE LOTS SHOWN IS NOT AVAILABLE (OFFLINE FIXTURE HOLDS ONLY THE ADJOINING LOTS, NO LIVE CADASTRE WINDOW QUERY), SO THE CADASTRE DOES NOT REACH THE VIEWPORT EDGES. NOT CHECKED, NOT CLEAR

0 1.25 2.5 3.75 5 m

SCALE 1:100 @ A1

DATUM AND ACCURACY NOTES

AI GENERATED DRAFT. NOT CHECKED OR CERTIFIED. MUST BE CHECKED AND VERIFIED BY A QUALIFIED PERSON BEFORE ANY USE.

HORIZONTAL: GDA2020 MGA ZONE 56 (EPSG:7856) VERTICAL: AHD; DEM-DERIVED, INDICATIVE ONLY UNITS: METRES. NOT A SURVEY.

SHEET NOTES
1. MINIMUM COVER TO WATER SERVICES UNDER CARRIAGEWAYS IS 0.5 M [GUNNEDAH SHIRE COUNCIL ENGINEERING DESIGN MINIMUM STANDARDS (VERSION 1, APRIL 2025), 4.7.7.4, P.119]
2. A SEWER JUNCTION OF 150 MM DIAMETER IS PROVIDED WITHIN EACH LOT [GUNNEDAH SHIRE COUNCIL ENGINEERING DESIGN MINIMUM STANDARDS (VERSION 1, APRIL 2025), 5.5.10, P.130]
3. SEWER HOUSE CONNECTIONS ARE LAID WITH AT LEAST 0.3 M OF COVER [GUNNEDAH SHIRE COUNCIL ENGINEERING DESIGN MINIMUM STANDARDS (VERSION 1, APRIL 2025), 5.5.10, P.130]
4. BUILDING NEAR A COUNCIL SEWER MAIN IS SUBJECT TO THE COUNCIL BUILDING OVER SEWER POLICY (POLICY DOCUMENT NOT OBTAINED) [GUNNEDAH SHIRE COUNCIL DEVELOPMENT CONTROL PLAN 2025 (DCP 2025), P.26]
5. LOCATE ALL SERVICES BY DBYD AND POTHOLING BEFORE EXCAVATION.

JCESITE
AI-ASSISTED SITE PLANNING

AI CHECK

TICK WHEN CHECKED

CHECKED BY (NAME) DATE

PROJECT
LOT 2 DP227508 SITE WORKS
LOT 2 DP227508, GUNNEDAH
GUNNEDAH R2

CLIENT

DRAWING TITLE
WATER AND SEWER

REVISIONS

REV	DATE	DESCRIPTION	DRN	CHK	APP
A	15.10.26	PRELIMINARY ISSUE	JCS		

DRAWING NUMBER
JCS-XXX-CIV-310

REV **A**

STATUS
PRELIMINARY: NOT FOR CONSTRUCTION
AI GENERATED DRAFT. NOT CHECKED OR CERTIFIED. MUST BE CHECKED AND VERIFIED BY A QUALIFIED PERSON BEFORE ANY USE.

DATE	DRAWN	CHECKED	APPROVED
15.10.26	JCESITE		

SCALE	SHEET	SIZE
1:100 @ A1	7 OF 12	A1

SWEPT PATH


SWEPT PATH: TO BE CONFIRMED AT DETAILED DESIGN
THE PLATFORM PATH IS NOT DRAWN: IT DOES NOT FORM ONE CLEAN PATH INSIDE THE LOT, VERGE AND ROAD.

DESIGN VEHICLE

DESIGN VEHICLE B85 (AS/NZS 2890.1)
OVERALL LENGTH 4.91m
OVERALL WIDTH 1.88m
WHEELBASE 2.80m
FRONT OVERHANG 0.94m
REAR OVERHANG 1.17m
MINIMUM TURNING RADIUS 5.20m (PLATFORM VALUE, TO BE VERIFIED)
SOURCE: PLATFORM VEHICLE DATA (FLAGGED TO VERIFY AGAINST THE STANDARD)

PLATFORM SCREENING CHECKS (NOT A COUNCIL COMPLIANCE CHECK)

STEEPEST GRADE ALONG THE DRIVEWAY PROFILE: VALUE 5.29%, PLATFORM SCREENING LIMIT 25%: WITHIN THE PLATFORM LIMIT.
CHANGE OF GRADE AT BACK OF KERB AND GUTTER BAND (GROUND, ASSUMED): VALUE 0.01%, PLATFORM SCREENING LIMIT 15%: WITHIN THE PLATFORM LIMIT.
CHANGE OF GRADE AT PROPERTY BOUNDARY (GROUND): VALUE 2.01%, PLATFORM SCREENING LIMIT 12.5%: WITHIN THE PLATFORM LIMIT.
B85 UNDERBODY CLEARANCE ALONG THE PROFILE, FORWARD AND REVERSE: VALUE 0.086 m, PLATFORM SCREENING LIMIT 0 m: WITHIN THE PLATFORM LIMIT.
COUNCIL REQUIREMENT: DRIVEWAY MAXIMUM GRADE UNRESOLVED, CONFIRM WITH GUNNEDAH SHIRE COUNCIL



DRIVEWAY PLAN

1:50 @ A1 1:100 @ A3

VIEW ROTATED 52 DEG CLOCKWISE TO SQUARE THE LOT FRONTAGE TO THE SHEET SO THE SUBJECT FITS AT 1:50. NORTH POINT SHOWN
DCDB BEYOND THE LOTS SHOWN IS NOT AVAILABLE (OFFLINE FIXTURE HOLDS ONLY THE ADJOINING LOTS, NO LIVE CADASTRE WINDOW QUERY), SO THE CADASTRE DOES NOT REACH THE VIEWPORT EDGES. NOT CHECKED, NOT CLEAR

0 0.5 1 1.5 2 m
SCALE 1:50 @ A1

DATUM AND ACCURACY NOTES

AI GENERATED DRAFT. NOT CHECKED OR CERTIFIED. MUST BE CHECKED AND VERIFIED BY A QUALIFIED PERSON BEFORE ANY USE.

HORIZONTAL: GDA2020 MGA ZONE 56 (EPSG:7856) VERTICAL: AHD; DEM-DERIVED, INDICATIVE ONLY UNITS: METRES. NOT A SURVEY.

SHEET NOTES

1. CITED WIDTH OF ACCESS 3 TO 4.5 M (GUNNEDAH SHIRE COUNCIL ENGINEERING DESIGN MINIMUM STANDARDS (VERSION 1, APRIL 2025), 2.8.7 VEHICULAR CROSSINGS AND ACCESSES, TABLE 2-H, P.44): DESIGN 3.0 M IS WITHIN RANGE (SCREENING)
2. LONG SECTION: C410, LAYOVER DETAILS: C420.
3. INDICATIVE PROFILE FALLS TOWARDS THE LOT (3.3% FROM THE KERB LINE TO THE PROPERTY BOUNDARY): ROAD RUNOFF EXCLUSION TO BE CHECKED BY A QUALIFIED PERSON
4. ASSUMED KERB LINE
5. BOUNDARY TO KERB 4.0M (PLATFORM DEFAULT, NOT SURVEYED)
6. COUNCIL STANDARD DRAWING GOVERNS (NOT SELECTED)

JCESITE
AI-ASSISTED SITE PLANNING

AI CHECK
TICK WHEN CHECKED
CHECKED BY (NAME)
DATE

PROJECT
LOT 2 DP227508 SITE WORKS
LOT 2 DP227508, GUNNEDAH
GUNNEDAH R2

CLIENT

DRAWING TITLE
DRIVEWAY PLAN

REVISIONS

REV	DATE	DESCRIPTION	DRN	CHK	APP
A	15.10.26	PRELIMINARY ISSUE	JCS		

DRAWING NUMBER
JCS-XXX-CIV-400


REV
A


STATUS
PRELIMINARY: NOT FOR CONSTRUCTION
AI GENERATED DRAFT. NOT CHECKED OR CERTIFIED. MUST BE CHECKED AND VERIFIED BY A QUALIFIED PERSON BEFORE ANY USE.

DATE	DRAWN	CHECKED	APPROVED
15.10.26	JCESITE		

SCALE	SHEET	SIZE
1:50 @ A1	8 OF 12	A1

PLAN
(DIAGRAMMATIC, NOT TO SCALE ACROSS)





VERT EXAG 5
DATUM RL 265.000

DESIGN LEVEL	265.725	265.709	265.660	265.594	265.488	265.382	265.276	265.250
EXISTING LEVEL	265.725	265.709	265.660	265.594	265.525	265.456	265.387	265.372
CUT/FILL DEPTH	0.00	0.00	0.00	0.00	0.04 CUT	0.07 CUT	0.11 CUT	0.12 CUT
CHAINAGE	0.00	0.50	2.00	4.00	6.00	8.00	10.00	10.50

NOTES AND PLATFORM SCREENING CHECKS (NOT A COUNCIL COMPLIANCE CHECK)

STEEPEST GRADE ALONG THE DRIVEWAY PROFILE: VALUE 5.29%, PLATFORM SCREENING LIMIT 25%: WITHIN THE PLATFORM LIMIT.

CHANGE OF GRADE AT BACK OF KERB AND GUTTER BAND (GROUND, ASSUMED): VALUE 0.01%, PLATFORM SCREENING LIMIT 15%: WITHIN THE PLATFORM LIMIT.

CHANGE OF GRADE AT PROPERTY BOUNDARY (GROUND): VALUE 2.01%, PLATFORM SCREENING LIMIT 12.5%: WITHIN THE PLATFORM LIMIT.

B85 UNDERBODY CLEARANCE ALONG THE PROFILE, FORWARD AND REVERSE: VALUE 0.086 m, PLATFORM SCREENING LIMIT 0 m: WITHIN THE PLATFORM LIMIT.

COUNCIL REQUIREMENT: DRIVEWAY MAXIMUM GRADE UNRESOLVED, CONFIRM WITH GUNNEDAH SHIRE COUNCIL

NO VERGE DESIGN: DESIGN LINE SHOWN AS EXISTING SURFACE FROM THE KERB LINE TO THE PROPERTY BOUNDARY.

DRIVEWAY END LEVEL RL 265.25 IS A PLATFORM DEFAULT: NO BUILDING LEVEL IS DESIGNED.

INDICATIVE PROFILE FALLS TOWARDS THE LOT (3.3% FROM THE KERB LINE TO THE PROPERTY BOUNDARY): ROAD RUNOFF EXCLUSION TO BE CHECKED BY A QUALIFIED PERSON.

EXISTING GROUND INDICATIVE, DERIVED FROM 5 m DEM. KERB LINE, GUTTER BAND (0.5m) AND PROPERTY BOUNDARY POSITIONS ARE ASSUMED GROUND POINTS (KERB NOT SURVEYED).

DRIVEWAY LONGITUDINAL SECTION

H 1:20 V 1:4 @ A1 H 1:40 V 1:8 @ A3

0 0.25 0.5 0.75 1 m
SCALE 1:20 @ A1

DATUM AND ACCURACY NOTES

AI GENERATED DRAFT. NOT CHECKED OR CERTIFIED. MUST BE CHECKED AND VERIFIED BY A QUALIFIED PERSON BEFORE ANY USE.

HORIZONTAL: GDA2020 MGA ZONE 56 (EPSG:7856) VERTICAL: AHD; DEM-DERIVED, INDICATIVE ONLY UNITS: METRES. NOT A SURVEY.

SHEET NOTES
1. LONGITUDINAL SECTION ALONG THE SA3 DRIVEWAY CENTRELINE. CHAINAGE 0 IS THE KERB LINE.
2. LEVELS ARE DEM-DERIVED AND INDICATIVE.
3. INDICATIVE PROFILE FALLS TOWARDS THE LOT (3.3% FROM THE KERB LINE TO THE PROPERTY BOUNDARY): ROAD RUNOFF EXCLUSION TO BE CHECKED BY A QUALIFIED PERSON

JCESITE
AI-ASSISTED SITE PLANNING

AI CHECK
TICK WHEN CHECKED
CHECKED BY (NAME)
DATE

PROJECT
LOT 2 DP227508 SITE WORKS
LOT 2 DP227508, GUNNEDAH
GUNNEDAH R2

CLIENT

DRAWING TITLE
DRIVEWAY LONG SECTION

REVISIONS

REV	DATE	DESCRIPTION	DRN	CHK	APP
A	15.10.26	PRELIMINARY ISSUE	JCS		

DRAWING NUMBER
JCS-XXX-CIV-410

REV
A

STATUS
PRELIMINARY: NOT FOR CONSTRUCTION
AI GENERATED DRAFT. NOT CHECKED OR CERTIFIED. MUST BE CHECKED AND VERIFIED BY A QUALIFIED PERSON BEFORE ANY USE.

DATE
15.10.26

DRAWN
JCESITE


CHECKED

APPROVED

SCALE
H 1:20 V 1:4

SHEET
9 OF 12

SIZE
A1




COUNCIL STANDARD NOT SELECTED
COUNCIL STANDARD DRAWING GOVERNS (NOT SELECTED). DIMENSIONS ARE PLACEHOLDERS PENDING COUNCIL STANDARD

LAYOVER DIMENSION SCHEDULE			
LAYOVER WIDTH AT BOUNDARY	**3.0m**	PLATFORM DEFAULT, TO BE VERIFIED	
LAYOVER WIDTH AT KERB	**4.0m**	PLATFORM DEFAULT	
WING LENGTH	**1.0m**	(PLACEHOLDER)	
WING FLARE (EACH SIDE)	**0.5m**	PLATFORM DEFAULT	
DRIVEWAY WIDTH	**3.0m**	PLATFORM DEFAULT, TO BE VERIFIED	
BOUNDARY TO KERB	**4.0m**	PLATFORM DEFAULT, NOT SURVEYED	
KERB AND GUTTER BAND WIDTH	**0.5m**	(PLACEHOLDER)	
FRONTAGE BEARING	**128°17'50"**	**20.23m**	CADASTRE

KERB AND GUTTER, LAYOVER SECTION


TYPICAL, NOT TO SCALE



TBC (COUNCIL STANDARD DRAWING GOVERNS, NOT SELECTED)
LAYER THICKNESSES: SEE THE DRIVEWAY PAVEMENT SECTION. LAYBACK HEIGHT, GUTTER WIDTH AND CROSSFALLS: TBC (COUNCIL STANDARD DRAWING GOVERNS, NOT SELECTED)
NO VERGE DESIGN: THE LAYOVER GRADE IS DIAGRAMMATIC.

DRIVEWAY PAVEMENT SECTION

TYPICAL, NOT TO SCALE



DRIVEWAY WIDTH: SEE C101 AND C400.
PAVEMENT TYPE NOT SELECTED, THICKNESS TBC.
LAYER THICKNESSES, SUBGRADE AND CROSSFALL: TBC (COUNCIL STANDARD DRAWING GOVERNS, NOT SELECTED)

DRIVEWAY LAYOVER PLAN

1:20 @ A1 1:40 @ A3
SECTIONS ON THIS SHEET ARE TYPICAL AND NOT TO SCALE (NTS).

0 0.25 0.5 0.75 1 m
SCALE 1:20 @ A1

DATUM AND ACCURACY NOTES
AI GENERATED DRAFT. NOT CHECKED OR CERTIFIED. MUST BE CHECKED AND VERIFIED BY A QUALIFIED PERSON BEFORE ANY USE.

HORIZONTAL: GDA2020 MGA ZONE 56 (EPSG:7856) VERTICAL: AHD, DEM-DERIVED, INDICATIVE ONLY UNITS: METRES. NOT A SURVEY.
SHEET NOTES
1. COUNCIL STANDARD DRAWING GOVERNS (NOT SELECTED). DIMENSIONS ARE PLACEHOLDERS PENDING COUNCIL STANDARD
2. ASSUMED KERB LINE
3. BOUNDARY TO KERB 4.0M (PLATFORM DEFAULT, NOT SURVEYED)
4. COUNCIL STANDARD DRAWING GOVERNS (NOT SELECTED)

JCESITE
AI-ASSISTED SITE PLANNING

AI CHECK
TICK WHEN CHECKED
CHECKED BY (NAME) DATE

PROJECT
LOT 2 DP227508 SITE WORKS
LOT 2 DP227508, GUNNEDAH
GUNNEDAH R2

CLIENT

DRAWING TITLE
DRIVEWAY LAYOVER DETAILS

REVISIONS

REV	DATE	DESCRIPTION	DRN	CHK	APP
A	15.10.26	PRELIMINARY ISSUE	JCS		


DRAWING NUMBER
JCS-XXX-CIV-420

REV **A**

STATUS
PRELIMINARY: NOT FOR CONSTRUCTION
AI GENERATED DRAFT. NOT CHECKED OR CERTIFIED. MUST BE CHECKED AND VERIFIED BY A QUALIFIED PERSON BEFORE ANY USE.

DATE	DRAWN	CHECKED	APPROVED
15.10.26	JCESITE		

SCALE	SHEET	SIZE
PLAN 1:20 @ A1	10 OF 12	A1



EROSION AND SEDIMENT CONTROL

1:100 @ A1 1:200 @ A3

VIEW ROTATED 52 DEG CLOCKWISE TO SQUARE THE LOT FRONTAGE TO THE SHEET SO THE SUBJECT FITS AT 1:100. NORTH POINT SHOWN
DCDB BEYOND THE LOTS SHOWN IS NOT AVAILABLE (OFFLINE FIXTURE HOLDS ONLY THE ADJOINING LOTS, NO LIVE CADASTRE WINDOW QUERY), SO THE CADASTRE DOES NOT REACH THE VIEWPORT EDGES. NOT CHECKED, NOT CLEAR

0 1.25 2.5 3.75 5 m

SCALE 1:100 @ A1

DATUM AND ACCURACY NOTES

AI GENERATED DRAFT. NOT CHECKED OR CERTIFIED. MUST BE CHECKED AND VERIFIED BY A QUALIFIED PERSON BEFORE ANY USE.

HORIZONTAL: GDA2020 MGA ZONE 56 (EPSG:7856) VERTICAL: AHD; DEM-DERIVED, INDICATIVE ONLY UNITS: METRES. NOT A SURVEY.

SHEET NOTES
1. ESCP TO BE REVIEWED AND CERTIFIED BY A SUITABLY QUALIFIED PERSON
2. THE ESCP IS TO BE PREPARED BY A SUITABLY QUALIFIED PERSON [ESC GUIDELINES FOR BUILDING SITES (OCTOBER 2024), 3.2, P.15]

JCESITE
AI-ASSISTED SITE PLANNING

AI CHECK

TICK WHEN CHECKED

CHECKED BY (NAME) DATE

PROJECT

LOT 2 DP227508 SITE WORKS

LOT 2 DP227508, GUNNEDAH
GUNNEDAH R2

CLIENT

DRAWING TITLE

EROSION AND SEDIMENT CONTROL

REVISIONS

REV	DATE	DESCRIPTION	DRN	CHK	APP
A	15.10.26	PRELIMINARY ISSUE	JCS		

DRAWING NUMBER

JCS-XXX-CIV-500

REV **A**


STATUS
PRELIMINARY: NOT FOR CONSTRUCTION
AI GENERATED DRAFT. NOT CHECKED OR CERTIFIED. MUST BE CHECKED AND VERIFIED BY A QUALIFIED PERSON BEFORE ANY USE.

DATE	DRAWN	CHECKED	APPROVED
15.10.26	JCESITE		

SCALE	SHEET	SIZE
1:100 @ A1	11 OF 12	A1

1 SEDIMENT FENCE


TYPICAL, NOT TO SCALE



POST SPACING: 2.5 M [ESC GUIDELINES FOR BUILDING SITES (OCTOBER 2024), 4.5 INSTALL SEDIMENT FENCING, STEP 2, P.25]
TRENCH DEPTH (UPSLOPE): 150 MM [ESC GUIDELINES FOR BUILDING SITES (OCTOBER 2024), 4.5 INSTALL SEDIMENT FENCING, STEP 3, P.25]
RETURNS: 20 M [ESC GUIDELINES FOR BUILDING SITES (OCTOBER 2024), 4.5 INSTALL SEDIMENT FENCING, STEP 5, P.25]
JOINT OVERLAP: 150 MM [ESC GUIDELINES FOR BUILDING SITES (OCTOBER 2024), 4.5 INSTALL SEDIMENT FENCING, STEP 6, P.25]

2 STABILISED SITE ACCESS


TYPICAL SIDE SECTION, NOT TO SCALE



MIN LENGTH: 15 M [BLUE BOOK VOL.1, VOLUME 1 (THE BLUE BOOK), 4TH EDITION (4TH EDITION, MARCH 2004), 6.3.9(A) STABILISED SITE ACCESS, P.163]
MIN WIDTH: 3 M [BLUE BOOK VOL.1, VOLUME 1 (THE BLUE BOOK), 4TH EDITION (4TH EDITION, MARCH 2004), 6.3.9(A) STABILISED SITE ACCESS, P.163]
THICKNESS: 200 MM [BLUE BOOK VOL.1, VOLUME 1 (THE BLUE BOOK), 4TH EDITION (4TH EDITION, MARCH 2004), 6.3.9(A) STABILISED SITE ACCESS, P.163]
MAX AGGREGATE: 75 MM [BLUE BOOK VOL.1, VOLUME 1 (THE BLUE BOOK), 4TH EDITION (4TH EDITION, MARCH 2004), 6.3.9(A) STABILISED SITE ACCESS, P.163]
UNDERLAY: NEEDLE-PUNCHED GEOTEXTILE [BLUE BOOK VOL.1, VOLUME 1 (THE BLUE BOOK), 4TH EDITION (4TH EDITION, MARCH 2004), 6.3.9(A) STABILISED SITE ACCESS, P.163]

3 PIPE TRENCH AND BEDDING

SCHEMATIC, NOT TO SCALE




WATER COVER: 0.5 M [GUNNEDAH SHIRE COUNCIL ENGINEERING DESIGN MINIMUM STANDARDS (VERSION 1, APRIL 2025), 4.7.7.4 SERVICE CONNECTIONS, LOCATIONS (WATER), P.119]
SEWER HOUSE CONNECTION COVER: 0.3 M [GUNNEDAH SHIRE COUNCIL ENGINEERING DESIGN MINIMUM STANDARDS (VERSION 1, APRIL 2025), 5.5.10 DESIGN CRITERIA (SEWER), P.130]
TRENCH OPEN (DAYS): 3 DAYS [ESC GUIDELINES FOR BUILDING SITES (OCTOBER 2024), 4.9 MANAGE SERVICE TRENCHES, STEP 1, P.31]

STATUS OF DETAILS

ALL DETAILS ARE TYPICAL AND SCHEMATIC, NOT TO SCALE.
ONLY VALUES SHOWN WITH A [CITATION] COME FROM THE CITED DOCUMENTS. EVERY OTHER VALUE IS TBC (COUNCIL STANDARD DRAWING GOVERNS, NOT SELECTED).
BATTER SLOPES (1:N), PAVEMENT LAYER THICKNESSES, KERB AND GUTTER PROFILE AND CROSSFALLS ARE NOT INVENTED.
DRIVEWAY LAYOVER PLAN AND DIMENSIONS: SEE C420.
HATCHES: "/" EXISTING, "\" PROPOSED, STIPPLE CONCRETE, GREY BITUMEN.

4 CUT BATTER (TYPICAL SECTION)


NOT TO SCALE. SLOPE DRAWN FOR GRAPHIC PURPOSES



BATTER SLOPE 1:N: TBC (COUNCIL STANDARD DRAWING GOVERNS, NOT SELECTED)

5 FILL BATTER (TYPICAL SECTION)


NOT TO SCALE. SLOPE DRAWN FOR GRAPHIC PURPOSES



BATTER SLOPE 1:N: TBC (COUNCIL STANDARD DRAWING GOVERNS, NOT SELECTED)

6 DRIVEWAY PAVEMENT SECTION


TYPICAL, NOT TO SCALE



DRIVEWAY WIDTH: SEE C101 AND C400.
PAVEMENT TYPE NOT SELECTED, THICKNESS TBC.
LAYER THICKNESSES, SUBGRADE AND CROSSFALL: TBC (COUNCIL STANDARD DRAWING GOVERNS, NOT SELECTED)

7 KERB AND GUTTER, LAYOVER SECTION

TYPICAL, NOT TO SCALE



LAYER THICKNESSES: SEE THE DRIVEWAY PAVEMENT SECTION. LAYBACK HEIGHT, GUTTER WIDTH AND CROSSFALLS: TBC (COUNCIL STANDARD DRAWING GOVERNS, NOT SELECTED)
NO VERGE DESIGN: THE LAYOVER GRADE IS DIAGRAMMATIC.

TYPICAL DETAILS

NOT TO SCALE (NTS)

DATUM AND ACCURACY NOTES
AI GENERATED DRAFT. NOT CHECKED OR CERTIFIED. MUST BE CHECKED AND VERIFIED BY A QUALIFIED PERSON BEFORE ANY USE.

HORIZONTAL: GDA2020 MGA ZONE 56 (EPSG:7856) VERTICAL: AHD; DEM-DERIVED, INDICATIVE ONLY UNITS: METRES. NOT A SURVEY.
SHEET NOTES
1. TYPICAL DETAILS ONLY. COUNCIL STANDARD DRAWINGS GOVERN.

JCESITE
AI-ASSISTED SITE PLANNING

AI CHECK
TICK WHEN CHECKED
CHECKED BY (NAME)
DATE

PROJECT
LOT 2 DP227508 SITE WORKS
LOT 2 DP227508, GUNNEDAH
GUNNEDAH R2

CLIENT

DRAWING TITLE
TYPICAL DETAILS

REVISIONS

REV	DATE	DESCRIPTION	DRN	CHK	APP
A	15.10.26	PRELIMINARY ISSUE	JCS		

DRAWING NUMBER
JCS-XXX-CIV-600

REV
A

STATUS
PRELIMINARY: NOT FOR CONSTRUCTION
AI GENERATED DRAFT. NOT CHECKED OR CERTIFIED. MUST BE CHECKED AND VERIFIED BY A QUALIFIED PERSON BEFORE ANY USE.

DATE	DRAWN	CHECKED	APPROVED
15.10.26	JCESITE		

SCALE	SHEET	SIZE
NTS	12 OF 12	A1