

# Vulnerability Scan Report for 192.168.56.102

Port	Service	Product	Version	State	CVEs	Risk Level
8009	ajp13	Apache	Jserv	open	CVE-2000-1247, CVE-2020-1938	Critical
8180	http	Apache Tomcat/8.5.0	byte JSP engine	open	None	Low
8787	drb	Ruby DRb	RMI	open	None	Low
36919	status	1	-	open	CVE-1999-1391, CVE-1999-1392, CVE-2000-0001	Critical
41488	java-rmi	GNU Classpath	grmiregistry	open	None	Low
45071	nlockmgr	1-4	-	open	CVE-2019-15490, CVE-2020-16137, CVE-2020-16138	Critical
48985	mountd	1-3	-	open	CVE-2008-1951	Low
6667	irc	UnrealIRCd	-	open	CVE-2004-0679, CVE-2006-1214, CVE-2006-1215	Critical
6697	irc	UnrealIRCd	-	open	CVE-2004-0679, CVE-2006-1214, CVE-2006-1215	Critical
3306	mysql	MySQL	5.0.51a-3ubuntu5	open	None	Low
3632	distccd	distccd	v1	open	None	Low
5432	postgresql	PostgreSQL DB 8.3.17	8.3.17	open	None	Low
5900	vnc	VNC	-	open	CVE-2001-1422, CVE-2002-0971, CVE-2002-0972	Critical
6000	X11	-	-	open	None	Low
513	login	OpenBSD or Solaris	rlogin	open	None	Low
514	shell	Netkit	rshd	open	None	Low
1099	java-rmi	GNU Classpath	grmiregistry	open	None	Low
1524	bindshell	Metasploitable root	shell	open	None	Low
2049	nfs	2-4	-	open	CVE-2019-15491	Low
2121	ftp	ProFTPD	1.3.1	open	CVE-2006-6563, CVE-2008-4242, CVE-2008-4243	Critical
139	netbios-ssn	Samba smbd 3.X	4.X	open	None	Low
445	netbios-ssn	Samba smbd 3.X	4.X	open	None	Low
512	exec	netkit-rsh	rexecd	open	None	Low
53	domain	Unbound	1.13.2	open	None	Low
80	http	Apache httpd	2.2.8	open	None	Low
111	rpcbind	2	-	open	CVE-1999-1198, CVE-1999-1193, CVE-1999-1194	Critical
22	ssh	OpenSSH 4.7p1	Debian/Ubuntu	open	None	Low
23	telnet	Linux	telnetd	open	CVE-2000-1195, CVE-2020-8797, CVE-2020-8798	Critical
25	smtp	Postfix	smtpd	open	CVE-2004-0925, CVE-2005-0337, CVE-2005-0338	Critical
21	ftp	vsftpd	2.3.4	open	CVE-2011-2523	Critical

Port	Service	Product	Version	State	CVEs	Risk Level
21	ftp	-	-	open	None	Low
22	ssh	-	-	open	None	Low
23	telnet	-	-	open	None	Low
25	smtp	-	-	open	None	Low
53	domain	-	-	open	None	Low
80	http	-	-	open	None	Low
111	rpcbind	-	-	open	None	Low
139	netbios-ssn	-	-	open	None	Low
445	microsoft-ds	-	-	open	None	Low
512	exec	-	-	open	None	Low
513	login	-	-	open	None	Low
514	shell	-	-	open	None	Low
6667	irc	UnrealIRCd	-	open	CVE-2004-0679, CVE-2006-1214, CVE-2006-1215	Low
6697	irc	UnrealIRCd	-	open	CVE-2004-0679, CVE-2006-1214, CVE-2006-1215	Low
8009	ajp13	Apache	Jserv	open	CVE-2000-1247, CVE-2002-1938	Low
8180	http	Apache Tomcat/Coyote JSP engine	-	open	None	Low
8787	drb	Ruby DRb	RMI	open	None	Low
38890	java-rmi	GNU Classpath	grmiregistry	open	None	Low
50898	mountd	1-3	-	open	CVE-2008-1951	Low
54335	status	1	-	open	CVE-1999-1391, CVE-1999-1392, CVE-1999-1393	Low
57034	nlockmgr	1-4	-	open	None	Low
139	netbios-ssn	Samba smbd 3.X	4.X	open	None	Low
445	netbios-ssn	Samba smbd 3.X	4.X	open	None	Low
512	exec	netkit-rsh	rexecd	open	None	Low
513	login	OpenBSD or Solaris	logind	open	None	Low
514	shell	Netkit	rshd	open	None	Low
1099	java-rmi	GNU Classpath	grmiregistry	open	None	Low
1524	bindshell	Metasploitable root	shell	open	None	Low
2049	nfs	2-4	-	open	None	Low
2121	ftp	ProFTPD	1.3.1	open	None	High
3306	mysql	MySQL	5.0.51a-3ubuntu5	open	None	Low
3632	distccd	distccd	v1	open	None	Low

Port	Service	Product	Version	State	CVEs	Risk Level
5432	postgresql	PostgreSQL DB 8.3.7	8.3.7	open	None	Low
5900	vnc	VNC	-	open	None	Critical
6000	X11	-	-	open	None	Low
21	ftp	vsftpd	2.3.4	open	None	Critical
22	ssh	OpenSSH 4.7p1 Debian1	4.7p1	open	None	Low
23	telnet	Linux	telnetd	open	None	Critical
25	smtp	Postfix	smtpd	open	None	High
53	domain	Unbound	1.13.2	open	None	Low
80	http	Apache httpd	2.2.8	open	None	Low
111	rpcbind	2	-	open	None	Low
21	ftp	-	-	open	None	Low
22	ssh	-	-	open	None	Low
23	telnet	-	-	open	None	Low
25	smtp	-	-	open	None	Low
53	domain	-	-	open	None	Low
80	http	-	-	open	None	Low
111	rpcbind	-	-	open	None	Low
139	netbios-ssn	-	-	open	None	Low
445	microsoft-ds	-	-	open	None	Low
512	exec	-	-	open	None	Low
513	login	-	-	open	None	Low
514	shell	-	-	open	None	Low
21	ftp	-	-	open	None	Low
22	ssh	-	-	open	None	Low
80	http	-	-	open	None	Low
443	https	-	-	closed	None	Low
38890	java-rmi	GNU Classpath	grmiregistry	open	None	Low
50898	mountd	1-3	-	open	None	Low
54335	status	1	-	open	None	Low
57034	nlockmgr	1-4	-	open	None	Low
2121	ftp	ProFTPD	1.3.1	open	None	High
3306	mysql	MySQL	5.0.51a-3ubuntu5	open	None	Low

Port	Service	Product	Version	State	CVEs	Risk Level
3632	distccd	distccd	v1	open	None	Low
5432	postgresql	PostgreSQL DB	8.3.7	open	None	Low
5900	vnc	VNC	-	open	None	Critical
6000	X11	-	-	open	None	Low
6667	irc	UnrealIRCd	-	open	None	High
6697	irc	UnrealIRCd	-	open	None	High
8009	ajp13	Apache	Jserv	open	None	Critical
8180	http	Apache Tomcat/Coyote JSP engine		open	None	Low
8787	drb	Ruby DRb	RMI	open	None	Low
23	telnet	Linux	telnetd	open	None	Critical
25	smtp	Postfix	smtpd	open	None	High
53	domain	Unbound	1.13.2	open	None	Low
80	http	Apache httpd	2.2.8	open	None	Low
111	rpcbind	2	-	open	None	Low
139	netbios-ssn	Samba smbd	3.X 4.X	open	None	Low
445	netbios-ssn	Samba smbd	3.X 4.X	open	None	Low
512	exec	netkit-rsh	rexecd	open	None	Low
513	login	OpenBSD or Solaris	rlogind	open	None	Low
514	shell	Netkit	rshd	open	None	Low
1099	java-rmi	GNU Classpath	grmiregistry	open	None	Low
1524	bindshell	Metasploitable root	shell	open	None	Low
2049	nfs	2-4	-	open	None	Low
21	ftp	vsftpd	2.3.4	open	None	Critical
22	ssh	OpenSSH 4.7p1	Debian 4.7p1	open	None	Low
21	ftp	-	-	open	None	Low
22	ssh	-	-	open	None	Low
23	telnet	-	-	open	None	Low
25	smtp	-	-	open	None	Low
53	domain	-	-	open	None	Low
80	http	-	-	open	None	Low
111	rpcbind	-	-	open	None	Low
139	netbios-ssn	-	-	open	None	Low

Port	Service	Product	Version	State	CVEs	Risk Level
445	microsoft-ds	-	-	open	None	Low
512	exec	-	-	open	None	Low
513	login	-	-	open	None	Low
514	shell	-	-	open	None	Low
6697	irc	UnrealIRCd	-	open	None	High
8009	ajp13	Apache	Jserv	open	None	Critical
8180	http	Apache Tomcat/Coyote JSP engine	-	open	None	Low
8787	drb	Ruby DRb	RMI	open	None	Low
38890	java-rmi	GNU Classpath	grmiregistry	open	None	Low
50898	mountd	1-3	-	open	None	Low
54335	status	1	-	open	None	Low
57034	nlockmgr	1-4	-	open	None	Low
80	http	Apache httpd	2.2.8	open	None	Low
111	rpcbind	2	-	open	None	Low
139	netbios-ssn	Samba smbd 3.X 4.X	-	open	None	Low
445	netbios-ssn	Samba smbd 3.X 4.X	-	open	None	Low
512	exec	netkit-rsh	rexecd	open	None	Low
513	login	-	-	open	None	Low
514	shell	Netkit	rshd	open	None	Low
1099	java-rmi	GNU Classpath	grmiregistry	open	None	Low
1524	bindshell	Metasploitable root shell	-	open	None	Low
2049	nfs	2-4	-	open	None	Low
2121	ftp	ProFTPD	1.3.1	open	None	High
3306	mysql	MySQL	5.0.51a-3ubuntu5	open	None	Low
3632	distccd	distccd	v1	open	None	Low
5432	postgresql	PostgreSQL DB 8.3.7	-	open	None	Low
5900	vnc	VNC	-	open	None	Critical
6000	X11	-	-	open	None	Low
6667	irc	UnrealIRCd	-	open	None	High
21	ftp	vsftpd	2.3.4	open	None	Critical
22	ssh	OpenSSH 4.7p1 Debian1	-	open	None	Low
23	telnet	Linux	telnetd	open	None	Critical

Port	Service	Product	Version	State	CVEs	Risk Level
25	smtp	Postfix	smtpd	open	None	High
53	domain	Unbound	1.13.2	open	None	Low
139	netbios-ssn	-	-	open	None	Low
445	microsoft-ds	-	-	open	None	Low
512	exec	-	-	open	None	Low
513	login	-	-	open	None	Low
514	shell	-	-	open	None	Low
21	ftp	-	-	open	None	Low
22	ssh	-	-	open	None	Low
23	telnet	-	-	open	None	Low
25	smtp	-	-	open	None	Low
53	domain	-	-	open	None	Low
80	http	-	-	open	None	Low
111	rpcbind	-	-	open	None	Low
21	ftp	-	-	open	None	
22	ssh	-	-	open	None	
23	telnet	-	-	open	None	
25	smtp	-	-	open	None	
53	domain	-	-	open	None	
80	http	-	-	open	None	
111	rpcbind	-	-	open	None	
139	netbios-ssn	-	-	open	None	
445	microsoft-ds	-	-	open	None	
512	exec	-	-	open	None	
513	login	-	-	open	None	
514	shell	-	-	open	None	
21	ftp	-	-	open	None	
22	ssh	-	-	open	None	
80	http	-	-	open	None	
443	https	-	-	closed	None	
22	ssh	OpenSSH 4.7p1 Debian1	Debian1	open	None	Low
23	telnet	Linux	telnetd	open	None	Low

Port	Service	Product	Version	State	CVEs	Risk Level
25	smtp	Postfix	smtpd	open	None	Low
53	domain	Unbound	1.13.2	open	None	Low
80	http	Apache httpd	2.2.8	open	None	Low
111	rpcbind	2	-	open	None	Low
139	netbios-ssn	Samba smbd 3.X 4.X		open	None	Low
445	netbios-ssn	Samba smbd 3.X 4.X		open	None	Low
512	exec	netkit-rsh	rexecd	open	None	Low
513	login	OpenBSD or Solaris	logind	open	None	Low
514	shell	Netkit	rshd	open	None	Low
1099	java-rmi	GNU Classpath	grmiregistry	open	None	Low
1524	bindshell	Metasploitable root	shell	open	None	Low
2049	nfs	2-4	-	open	None	Low
2121	ftp	ProFTPD	1.3.1	open	None	High
3306	mysql	MySQL	5.0.51a-3ubuntu5	open	None	Low
3632	distccd	distccd	v1	open	None	Low
5432	postgresql	PostgreSQL DB 8.3.0	8.3.0	open	None	Low
5900	vnc	VNC	-	open	None	Low
6000	X11	-	-	open	None	Low
6667	irc	UnrealIRCd	-	open	None	Low
6697	irc	UnrealIRCd	-	open	None	Low
8009	ajp13	Apache	Jserv	open	None	Low
8180	http	Apache Tomcat/Coyote	JSP engine	open	None	Low
8787	drb	Ruby DRb	RMI	open	None	Low
38890	java-rmi	GNU Classpath	grmiregistry	open	None	Low
50898	mountd	1-3	-	open	None	Low
54335	status	1	-	open	None	Low
57034	nlockmgr	1-4	-	open	None	Low
21	ftp	vsftpd	2.3.4	open	None	Critical
21	ftp	-	-	open	None	Low
22	ssh	-	-	open	None	Low
23	telnet	-	-	open	None	Low
25	smtp	-	-	open	None	Low

Port	Service	Product	Version	State	CVEs	Risk Level
53	domain	-	-	open	None	Low
80	http	-	-	open	None	Low
111	rpcbind	-	-	open	None	Low
139	netbios-ssn	-	-	open	None	Low
445	microsoft-ds	-	-	open	None	Low
512	exec	-	-	open	None	Low
513	login	-	-	open	None	Low
514	shell	-	-	open	None	Low
21	ftp	-	-	open	None	Low
22	ssh	-	-	open	None	Low
23	telnet	-	-	open	None	Low
25	smtp	-	-	open	None	Low
53	domain	-	-	open	None	Low
80	http	-	-	open	None	Low
111	rpcbind	-	-	open	None	Low
139	netbios-ssn	-	-	open	None	Low
445	microsoft-ds	-	-	open	None	Low
512	exec	-	-	open	None	Low
513	login	-	-	open	None	Low
514	shell	-	-	open	None	Low
25	smtp	-	-	open	None	Low
25	smtp	-	-	open	None	Low
21	ftp	-	-	open	None	Low
22	ssh	-	-	open	None	Low
23	telnet	-	-	open	None	Low
25	smtp	-	-	open	None	Low
53	domain	-	-	open	None	Low
80	http	-	-	open	None	Low
111	rpcbind	-	-	open	None	Low
139	netbios-ssn	-	-	open	None	Low
445	microsoft-ds	-	-	open	None	Low
512	exec	-	-	open	None	Low



Port	Service	Product	Version	State	CVEs	Risk Level
513	login	-	-	open	None	Low
514	shell	-	-	open	None	Low
21	ftp	-	-	open	None	Low
22	ssh	-	-	open	None	Low
80	http	-	-	open	None	Low
443	https	-	-	closed	None	Low
21	ftp	-	-	open	None	Low
22	ssh	-	-	open	None	Low
80	http	-	-	open	None	Low
443	https	-	-	closed	None	Low
21	ftp	-	-	open	None	Low
22	ssh	-	-	open	None	Low
23	telnet	-	-	open	None	Low
25	smtp	-	-	open	None	Low
53	domain	-	-	open	None	Low
80	http	-	-	open	None	Low
111	rpcbind	-	-	open	None	Low
139	netbios-ssn	-	-	open	None	Low
445	microsoft-ds	-	-	open	None	Low
512	exec	-	-	open	None	Low
513	login	-	-	open	None	Low
514	shell	-	-	open	None	Low
21	ftp	-	-	open	None	Low
22	ssh	-	-	open	None	Low
80	http	-	-	open	None	Low
443	https	-	-	closed	None	Low