1) Navs:

/<ou>

 =

 class = "now-item"

 class = "now-link"

disabled link class = "disabled"

Alignment

{ul> => class = "justify - content - center"

= "justify - content - end"

Vertical navigation

=> class = "flex-column"

=> Tabs.

=> Pills:

(III) class = "now now-pills" = active must
 be defined.

=> Dynamic or Toggleable tab/Pill

{ul} => class = "now now-tabs" / fnow-pills

{a> => dota -bs -toggle = "tab" -> attribute

["pill"]

outer {div] => class = "tab - content">

Inner {div} => id = "" class = "container tab-pane".

=> Deopdown tabs/pills

Zarana Gajjar

oute (ul) => class="max nav tabs" / max-pills

mested (ul) = 1 class = "deopdown - menu"

(1i) ____

(a) = 1 class = "deopdown - item"

2) Newber

(nav) => class="navbar navbar-expand-smy|s/md/

Vertical nurbur

<mav> => class = "mavbaz"

L's remove nouvbor - expand -

Branch / logo

Las => class = "navbag - baand" Lings => class = " Aounded - pill" (buttom) => class = "navbus -toggles"

data-bs-toggle= "collapse"

data-bs-tazget = "tid"

(span) => class = "navbus -toggles-icon"

(div) => class = "collapse navbus-collapse"

id = "-"

=> navbar with Dropdown

/li> => class = "now-i-lem clopdown"

/a> => class = "now-link clopdown-toggle"

data-bs-toggle = "clopdown"

mested >=> class = "clopdown - memu"

/li> ______

/a> => class = "clopdown - memu"

/a> => class = "clopdown - item"

3) Carousel

Couter (div) = 1 class = "carousel slide"

data-bs-ride = "carousel"

id = ""

[id = ""

[carousel - indicators"

(button) = 1 class = "carousel - indicators"

(button) = 2 class = "carousel - indicators"

[carousel - indicators"

[carousel - inmer"

[carousel - inm

4) Modal

Zarana Gaffar

<buttons = 1 data-bs-toggle = "modal" data - bs-taget = "#id" outer (div) =) class = "model" 1'd = "_" inner (div) => class = "modal-dialog" inna (div) => class = "modal-content" inner Ldiv) => class = "model - header" Kbutton > => class = "close" data-bs-dismiss = modal" honer (div) => class = modal-body" inner (div) =) class = "model -footer" xbutton) => class = "btn - .. " => data -bs - dismiss = "modal"

For animation effect

outer (div) => class ="modul fade"

Modal Size:

(div) =) class =" modal - dialog modal - sm"

modal aligni

(div) => class = model - dialog madal-dialog-contered"

5) Schollspy

6) Flexbox

(div) => class = "d-flex" => full width according

=> class = "d-inline-flex" => width according

+o content.

=> class = "d-flex flex-row" => By row

=> class = "d-flex flex-row-reverse" => row reverse

=> class = "d-flex flex-column" => vertical align

=> class = "d-flex flex-column" => vertical

=> reverse =

justify classes

imea kdies => class =" flex-fill" like wise multiple kdies

for rest of the page Zarana Gajjar

de one item fai sest of the page -> \(\text{div} \) = \(\text{class} = \(\text{d-flex} \)'

imer (div) => class=" flesc-grow-1">

& Wrapping of text

Loliv) => class = "d-flex nowsap" => default

= "d-flex flex-wrap -severse"

& Responsive flex classes

d-sm/md/19/21/scal in all classes.

7) Bootstrup Forms

Class = "form-label" = in almost label

[Stacked Form = Class = "form-control" = in all limputs

element

outer (div) = class = "form-check"

clasel) = 1 class = "form - check - label"

<input type="sadio"=> class = "form-check-input"
"checkbox"

(select) => class = form-select"

Stepetaled => class = "form-control"

Inline Form

outer (div) => class = "20w"

irmer Ldivs => class = "col"

Toggle switch |

(diy) => class = form - check form - switch"

(mput) => class = "form - check - input"

(label > => class = form - check - label"

8) Form Validation

(form) => class = "was-validated" => validate before clicking clicking clicking

Sequised => attsibute in all (foson) control trey like (input), (textasea)

9) axid System.

6 class

inner (div) => class = "row"

Col-sm >576Px

Col-nd >768pz Col-lg >992px

col-xl > 1200 px

> 1400px

col-scol

Class = "Col - tr - k" Lovetty
Size Conord

Cxs, sm, md, la, xd, xxl) upto IR suppost

10) Utilities

margin => class = "m-5") upto-5 mt, mr, ms, ml, mx, my, mu

Padding => class = "p-s") support pt, pr, pb, pl, pr, py

Width => class = "W-25" -> w-25, w-50, w-75, w-100

bookder => class = "bookler bookler-t bookder-success"

float => class = "float-start" -> left align
= "float-end" -> renter align
= "ma-auto" -> center align