


```
hacker@hacker: ~/task1/mytask

(hacker@hacker)~[~/task1/mytask]
$ ps
  PID TTY          TIME CMD
 2761 pts/0    00:00:05 zsh
 23347 pts/0    00:00:00 ps

(hacker@hacker)~[~/task1/mytask]
$ ps aux
USER          PID %CPU %MEM    VSZ   RSS TTY      STAT START   TIME COMMAND
root           1  0.0  0.3 23976 14436 ?        Ss   07:30   0:01 /sbin/init splash
root           2  0.0  0.0      0     0 ?        S    07:30   0:00 [kthreadd]
root           3  0.0  0.0      0     0 ?        S    07:30   0:00 [pool_workqueue_release]
root           4  0.0  0.0      0     0 ?        I<   07:30   0:00 [kworker/R-kvfree_rcu_reclaim]
root           5  0.0  0.0      0     0 ?        I<   07:30   0:00 [kworker/R-rcu_gp]
root           6  0.0  0.0      0     0 ?        I<   07:30   0:00 [kworker/R-sync_wq]
root           7  0.0  0.0      0     0 ?        I<   07:30   0:00 [kworker/R-slub_flushwq]
root           8  0.0  0.0      0     0 ?        I<   07:30   0:00 [kworker/R-netns]
root          11  0.0  0.0      0     0 ?        I<   07:30   0:00 [kworker/0:0H-kblockd]
root          12  0.0  0.0      0     0 ?        I    07:30   0:00 [kworker/u8:0-netns]
root          13  0.0  0.0      0     0 ?        I<   07:30   0:00 [kworker/R-mm_percpu_wq]
root          14  0.0  0.0      0     0 ?        I    07:30   0:00 [rcu_tasks_kthread]
root          15  0.0  0.0      0     0 ?        I    07:30   0:00 [rcu_tasks_rude_kthread]
root          16  0.0  0.0      0     0 ?        I    07:30   0:00 [rcu_tasks_trace_kthread]
root          17  0.0  0.0      0     0 ?        S    07:30   0:00 [ksoftirqd/0]
root          18  0.0  0.0      0     0 ?        I    07:30   0:01 [rcu_preempt]
root          19  0.0  0.0      0     0 ?        S    07:30   0:00 [rcu_exp_par_gp_kthread_worker/0]
root          20  0.0  0.0      0     0 ?        S    07:30   0:00 [rcu_exp_gp_kthread_worker]
root          21  0.0  0.0      0     0 ?        S    07:30   0:00 [migration/0]
root          22  0.0  0.0      0     0 ?        S    07:30   0:00 [idle_inject/0]
root          23  0.0  0.0      0     0 ?        S    07:30   0:00 [cpuhp/0]
root          24  0.0  0.0      0     0 ?        S    07:30   0:00 [cpuhp/1]
root          25  0.0  0.0      0     0 ?        S    07:30   0:00 [idle_inject/1]
```

```
hacker@hacker: ~/task1/mytask
File Actions Edit View Help
(hacker@hacker)~[~/task1/mytask]
$ top
top - 08:12:28 up 41 min, 1 user, load average: 0.16, 0.20, 0.17
Tasks: 174 total, 1 running, 173 sleeping, 0 stopped, 0 zombie
%Cpu(s): 5.5 us, 3.7 sy, 0.0 ni, 89.9 id, 0.0 wa, 0.0 hi, 0.9 si, 0.0 st
MiB Mem : 3921.9 total, 2516.0 free, 894.6 used, 773.1 buff/cache
MiB Swap: 2135.0 total, 2135.0 free, 0.0 used. 3027.3 avail Mem

  PID USER      PR  NI  VIRT  RES  SHR S %CPU  %MEM    TIME+  COMMAND
  689 root        20   0 450556 159200 64668 S 17.3   4.0   1:05.63 Xorg
 2717 hacker      20   0 585232 69940 52868 S  2.7   1.7   0:05.88 qterminal
 1984 hacker      20   0 894372 128388 85996 S  1.0   3.2   0:15.16 xfwm4
 1917 hacker      20   0 215384   3128 2836 S  0.7   0.1   0:17.23 VBoxClient
   641 root        20   0 291740   3652 3264 S  0.3   0.1   0:01.84 VBoxService
 1909 hacker      20   0 214868   3224 2932 S  0.3   0.1   0:03.20 VBoxClient
 1964 hacker      20   0 168744   7504 6864 S  0.3   0.2   0:00.52 at-spi2-registr
 2021 hacker      20   0 275384 26780 19212 S  0.3   0.7   0:00.89 xfsettingsd
 2049 hacker      20   0 222188 47796 19540 S  0.3   1.2   0:12.32 wrapper-2.0
 2135 hacker      20   0 12424   1704 1432 S  0.3   0.0   0:00.16 xcapt
    1 root        20   0 23976 14436 10540 S  0.0   0.4   0:01.83 systemd
    2 root        20   0      0      0      0 S  0.0   0.0   0:00.03 kthreadd
    3 root        20   0      0      0      0 S  0.0   0.0   0:00.00 pool_workqueue_release
    4 root        0 -20      0      0      0 I  0.0   0.0   0:00.00 kworker/R-kvfree_rcu_reclaim
    5 root        0 -20      0      0      0 I  0.0   0.0   0:00.00 kworker/R-rcu_gp
    6 root        0 -20      0      0      0 I  0.0   0.0   0:00.00 kworker/R-sync_wq
    7 root        0 -20      0      0      0 I  0.0   0.0   0:00.00 kworker/R-slab_flushwq
    8 root        0 -20      0      0      0 I  0.0   0.0   0:00.00 kworker/R-netns
   11 root        0 -20      0      0      0 I  0.0   0.0   0:00.00 kworker/0:0H-kblockd
   12 root        20   0      0      0      0 I  0.0   0.0   0:00.02 kworker/u8:0-ipv6_addrconf
   13 root        0 -20      0      0      0 I  0.0   0.0   0:00.00 kworker/R-mm_percpu_wq
   14 root        20   0      0      0      0 I  0.0   0.0   0:00.00 rcu_tasks_kthread
   15 root        20   0      0      0      0 I  0.0   0.0   0:00.00 rcu_tasks_rude_kthread
   16 root        20   0      0      0      0 I  0.0   0.0   0:00.00 rcu_tasks_trace_kthread
```



```
File Actions Edit View Help
hacker@hacker: ~
(hacker@hacker)-[~]
$ sleep 300
^C
(hacker@hacker)-[~]
$ ps aux | grep sleep
hacker 28499 0.0 0.0 6528 2340 pts/0 S+ 08:22 0:00 grep --color=auto sleep
(hacker@hacker)-[~]
$ kill 28499
kill: kill 28499 failed: no such process
(hacker@hacker)-[~]
$ kill -9 28499
kill: kill 28499 failed: no such process
(hacker@hacker)-[~]
$
```

```
(hacker@hacker)-[~]
$ systemctl status ssh
● ssh.service - OpenBSD Secure Shell server
   Loaded: loaded (/usr/lib/systemd/system/ssh.service; enabled; preset: disabled)
   Active: active (running) since Wed 2026-07-01 07:30:42 IST; 55min ago
 Invocation: 2d94c9161b8b4272978bd844b5737dd9
    Docs: man:sshd(8)
          man:sshd_config(5)
   Process: 664 ExecStartPre=/usr/sbin/sshd -t (code=exited, status=0/SUCCESS)
  Main PID: 684 (sshd)
     Tasks: 1 (limit: 4546)
    Memory: 5.1M (peak: 5.6M)
       CPU: 52ms
    CGroup: /system.slice/ssh.service
            └─684 "sshd: /usr/sbin/sshd -D [listener] 0 of 10-100 startups"

Jul 01 07:30:42 hacker systemd[1]: Starting ssh.service - OpenBSD Secure Shell server...
Jul 01 07:30:42 hacker sshd[684]: Server listening on 0.0.0.0 port 22.
Jul 01 07:30:42 hacker systemd[1]: Started ssh.service - OpenBSD Secure Shell server.
Jul 01 07:30:42 hacker sshd[684]: Server listening on :: port 22.

(hacker@hacker)-[~]
$ systemctl status NetworkManager
● NetworkManager.service - Network Manager
   Loaded: loaded (/usr/lib/systemd/system/NetworkManager.service; enabled; preset: enabled)
```



```
hacker@hacker: ~  
$ systemctl status NetworkManager  
● NetworkManager.service - Network Manager  
   Loaded: loaded (/usr/lib/systemd/system/NetworkManager.service; enabled; preset: enabled)  
   Active: active (running) since Wed 2026-07-01 07:30:42 IST; 56min ago  
  Invocation: debe19c857a84c1aa0bf717eb8992b84  
     Docs: man:NetworkManager(8)  
   Main PID: 566 (NetworkManager)  
      Tasks: 4 (limit: 4546)  
    Memory: 16.3M (peak: 16.7M)  
       CPU: 403ms  
    CGroup: /system.slice/NetworkManager.service  
            └─566 /usr/sbin/NetworkManager --no-daemon  
  
Jul 01 07:30:42 hacker NetworkManager[566]: <info> [1782871242.4788] policy: set 'Wired connection 1' (eth0) as default for >  
Jul 01 07:30:42 hacker NetworkManager[566]: <info> [1782871242.5106] device (eth0): state change: ip-config → ip-check (rea>  
Jul 01 07:30:42 hacker NetworkManager[566]: <info> [1782871242.5188] device (eth0): state change: ip-check → secondaries (r>  
Jul 01 07:30:42 hacker NetworkManager[566]: <info> [1782871242.5198] device (eth0): state change: secondaries → activated (>  
Jul 01 07:30:42 hacker NetworkManager[566]: <info> [1782871242.5218] manager: NetworkManager state is now CONNECTED_SITE  
Jul 01 07:30:42 hacker NetworkManager[566]: <info> [1782871242.5222] device (eth0): Activation: successful, device activated.  
Jul 01 07:30:42 hacker NetworkManager[566]: <info> [1782871242.5239] manager: NetworkManager state is now CONNECTED_GLOBAL  
Jul 01 07:30:42 hacker NetworkManager[566]: <info> [1782871242.5247] manager: startup complete  
Jul 01 07:30:44 hacker NetworkManager[566]: <info> [1782871244.3120] policy: set 'Wired connection 1' (eth0) as default for >  
Jul 01 07:31:00 hacker NetworkManager[566]: <info> [1782871260.6063] agent-manager: agent[c1fa076f93652f63,:1.55/org.freedes>  
lines 1-22/22 (END)
```

```
hacker@hacker: ~  
$ ./system_report.sh  
===== System Report =====  
Current User      : hacker  
Hostname          : hacker  
Date & Time       : Wednesday 01 July 2026 08:32:31 AM IST  
Current Directory : /home/hacker  
Available Memory :  
Mem:              total      used      free      shared  buff/cache  available  
Swap:             2.1Gi      0B       2.1Gi      30Mi     793Mi      2.9Gi  
  
Disk Usage      :  
Filesystem      Size  Used Avail Use% Mounted on  
udev            1.9G   0    1.9G   0% /dev  
tmpfs           393M 1020K 392M   1% /run  
/dev/sda1       38G   18G   18G  51% /  
tmpfs           2.0G   4.0K 2.0G   1% /dev/shm  
tmpfs           5.0M   0    5.0M   0% /run/lock  
tmpfs           1.0M   0    1.0M   0% /run/credentials/systemd-journald.service  
tmpfs           2.0G   8.0K 2.0G   1% /tmp  
Kali_Shared_Folder 275G 260G   15G  95% /media/sf_Kali_Shared_Folder  
tmpfs           1.0M   0    1.0M   0% /run/credentials/getty@tty1.service  
tmpfs           393M 116K 393M   1% /run/user/1000
```