

 **PARTH FUEL CORPORATION**

BIOMASS FUEL & IMPORTED INDONESIAN COAL

SOLID ENERGY PARTNER & LOGISTICS MERCHANTS

YOUR PARTNER IN ENERGY SECURITY

01

Corporate Profile

Vision, Mission, and
Values

02

Core Strengths

Procurement and
Sourcing edge

03

Product Catalog

Agro Biomass &
Indonesian Coal

04

Warehouse & Infra

MIDC Khamgaon
capabilities

05

Operational Policy

Our 5-Point Transparency
loop

06

Logistics Map

Transport fleet & maritime
ports

07

Market Verticals

Key clients & target
sectors

08

**Leadership
Promise**

MD Mahesh Mal's
commitment

09

**Client Support
Desk**

Contact details &
Helplines

10

**Sustainability
Goals**

Environmental offset
targets

Vision

To establish Parth Fuel Corporation as India's landmark supplier of high-grade bio-energy fuels and imported coal, driving the industrial transition towards sustainable energy without compromising on supply reliability or calorific efficiency.

Mission

To provide tailored, high-GCV biomass briquettes and pellets alongside premium imported Indonesian coal, backed by clean billing, certified laboratory weights, and absolute logistical accountability to prevent downtime for our industrial clients.

Values

We are governed by transparency in weights, strict compliance with grade specifications, and a commitment to carbon offset technologies. We place our customers' boiler safety and energy balance at the center of all relationship values.

I Key Strengths

- ✓ **Est. 2022 Core Command:** Built on industry expertise, delivering reliable solid fuel supplies across western and southern states.
- ✓ **Direct Colliery Allotment:** Close proximity and exclusive direct links to prime imported Indonesian coal reserves.
- ✓ **Agro Sourcing Advantage:** Tailored access to agricultural hubs for consistent supply of high-GCV Soyabean and Corn residues.
- ✓ **Accountable Logistics:** Dedicated fleet management systems ensuring 24/7 delivery timelines with zero transit moisture absorption.
- ✓ **Rigorous Audit Procedures:** Strict pre-dispatch sample analysis and single-use seal locking protocols for maximum reliability.

Why B2B Procurement Prefers Parth

We bridge the gap between coal mines/ports and your factory. By taking control of custom clearance, storage, sizing, and direct haulage, we guarantee that the material reaching your yard is precisely graded, properly dry, and sealed against adulteration.

Biomass Products Specifications

Parth Fuel Corporation

Guaranteed Bio-Energy Lab Values

FUEL TYPE	SIZING PARAMETERS	RAW MATERIAL SOURCED	GCV (KCAL/KG)	ASH CONTENT	MOISTURE (ARB)
Soyabean Briquettes	90mm / 70mm Diameter	Soyabean Residues	3500 (±200)	Less than 10%	Less than 10%
Corn Briquettes	90mm / 70mm Diameter	Corn Residues	3500 (±200)	Less than 10%	Less than 10%
Sawdust Pellets	6mm to 25mm Cylindrical	Pure Wood Sawdust	4000 to 4200	Less than 5%	6% Max
Soya Pellets	6mm to 25mm Cylindrical	Soya Husk Input	Above 3600	10% Max	10% Max

**All biomass fuels are compressed using organic binders, yielding low particulate emissions and supporting client carbon reduction credentials.*

Imported Indonesian Coal GAR Grades

Parth Fuel Corporation

IMPORT GRADE	GCV (GAD)	NAR (KCAL)	TOTAL MOISTURE	INHERENT MOISTURE	ASH (ARB)	VOLATILE MATTER	FIXED CARBON	SULPHUR	HGI
INDO GAR 6000	6500 kcal/kg	5700 kcal/kg	16%	9%	12%	39%	40%	0.9%	50
INDO GAR 5800	6300 kcal/kg	5500 kcal/kg	18%	10%	11%	38%	41%	0.9%	50
INDO GAR 5400	5900 kcal/kg	5100 kcal/kg	19%	12%	8%	40%	39%	0.8%	50
INDO GAR 5000	6000 kcal/kg	4700 kcal/kg	28%	13%	7%	42%	39%	0.8%	55
INDO GAR 4500	5800 kcal/kg	4200 kcal/kg	32%	13%	7%	42%	38%	0.8%	52
INDO GAR 4200	5600 kcal/kg	3800 kcal/kg	35%	14%	7%	42%	37%	0.8%	54
INDO GAR 4000	5500 kcal/kg	3600 kcal/kg	37%	14%	7%	42%	37%	0.7%	54

5-Point Operational Principles

Parth Fuel Corporation

1

Mines Receipts

Complete documentation audit including official loading weight-bridge receipts provided for clear invoicing.

2

Security Seal

Every dispatch container is secured with numbered, tamper-proof single-use locks to prevent weight variation during transit.

3

Live Dispatch

Instant SMS/Email alerts to company officials containing exact weight, truck numbers, and ETA upon yard exit.

4

Quality Audit

Pre-loading analysis reports certifying calorific values, moisture caps, and ash content standards.

5

Monthly Review

Consistent feedback reviews with plant engineers to optimize delivery frequencies and stockpile levels.

Central Warehousing & Sizing

Our central stockpile and logistics hub is strategically situated at ****MIDC Khamgaon, Maharashtra****. This facility handles large-scale raw storage, mechanical sieve screening, and bulk loading.

- ✓ **Screening Sieve Plants:** Equipment to filter coal sizing to client boiler stoker requirements.
- ✓ **Dry Storage Cover:** Sealed sheds to guarantee dry materials, even during monsoon peaks.
- ✓ **Port Integration Desk:** Direct logistics connections at ****Dharamtar, Jaigad, and Dighi ports**** for clean coal imports.

ACTIVE SUPPLY CLUSTERS

Maharashtra (Central):	Shegaon, Khamgaon, Nagpur, Akola, Amravati
Maharashtra (Coal Belt):	Wani, Chandrapur
Southern Region:	Tamil Nadu Industrial Clusters

| Market Verticals & Associated Clients **Parth Fuel Corporation**

SECTORS SOURCED

Cement Plants

Textile Processing

Paper & Pulp Mills

Distilleries

Chemical Processing

Heavy Boiler Operations

Alloys & Metallurgy

ASSOCIATED CORPORATE CLIENTS

**Siddharth Carbochem Products
Ltd**

**Rishabh Metal and Chemicals
Pvt. Ltd.**

Sahyadri Industries



MAIN HEADQUARTERS OFFICE

**Parth Fuel Corporation, Shegaon, Maharashtra -
444203, India**



CLIENT SUPPORT HELPLINE

+91 9881125511



COMMERCIAL DESK EMAIL

parthfuelcorporation23@gmail.com

Founder & MD's Commitment

"We construct our solid fuel supply operations around strict transparency, uncompromised weights, and delivery guarantees. We partner closely with plant managers to ensure your boilers operate continuously at optimal thermal efficiency."

— Mahesh Mal, Managing Director

THANK YOU

WE LOOK FORWARD TO POWERING YOUR INDUSTRIAL SUCCESS

www.parthfuelcorporation.com