

PART 5- SMALL ORF EXPLORATION

Tool used: **getorf**

Selected scaffold: **NW_017732759.1 (193,330 bp)**

Minimum ORF size: **300 bp**

Genetic code: **Standard**

Output: **Translation of regions between STOP codons**

The figure displays two screenshots of the Galaxy web interface, showing the parameters for the **getorf** tool (Galaxy Version 5.9.0.1).

Top Screenshot: Tool Parameters

- Sequences:** 14: Hippositeros_armiger_genome_original.fna uncompressed with matched ID
- accepted formats:** (dropdown)
- Code to use:** Standard
- Minimum nucleotide size of ORF to report:** 300
- Maximum nucleotide size of ORF to report:** 1000000
- What to output:** Translation of regions between STOP codons
- ALL START codons to code for Methionine:** Yes

Bottom Screenshot: Additional Options

- ALL START codons to code for Methionine:** Yes
- Circular sequence:** No
- Find ORFs in the reverse complement:** Yes
- Number of flanking nucleotides to output:** 100
- Output sequence file format:** FASTA (m)
- Additional Options:**
 - Email notification:** No

Figure 5. EMBOSS **getorf** tool parameters used to predict open reading frames (ORFs) on scaffold NW_017732759.1 of *Hipposideros armiger*. Settings included a minimum ORF length of 300 bp, searching both DNA strands using the standard genetic code.