Recruitment Funnel Analytics

Leadership readout | Application cohort: Jan–Jun 2026 | Snapshot: 30 Sep 2026

Purpose. This fictional case study shows where a technical company's hiring pipeline loses candidates and how quickly applications become joiners. The dataset is synthetic and supports a portfolio demonstration only.

What the sample shows

Measure	Result	Definition
Applications	360	Unique applications after cleaning
Joiners	48	Outcome recorded as Joined
Application to join	13.3%	Joiners divided by applications
Median days to join	33	Application to start date among joiners
Offer acceptance proxy	80.0%	48 joiners divided by 60 candidates reaching Offer

Where candidates leave

The largest absolute gap is between Screened and Recruiter Interview: 318 candidates reached screening and 218 reached a recruiter interview, a difference of 100. The next largest gap is 80 between Recruiter Interview and Hiring Manager Interview. The data identifies where to ask questions; it does not explain candidate decisions.

Stage	Reached	Change from prior stage
Applied	360	-
Screened	318	-42 (88.3% continued)
Recruiter Interview	218	-100 (68.6% continued)
Hiring Manager Interview	138	-80 (63.3% continued)
Final Interview	88	-50 (63.8% continued)
Offer	60	-28 (68.2% continued)
Joined	48	-12 (80.0% continued)

Channel results need context

Careers Page recorded the highest observed hire rate at 16.9% (13 of 77); Recruiter Agency recorded 4.8% (2 of 42). These are small synthetic groups without controls for role mix or recruiter assignment. Use them to frame a like-for-like review, not to make a channel budget decision.

Source	Applications	Joiners	Observed hire rate
Employee Referral	92	12	13.0%
LinkedIn	88	12	13.6%
Careers Page	77	13	16.9%

Source	Applications	Joiners	Observed hire rate
Campus	56	8	14.3%
Recruiter Agency	42	2	4.8%
Unknown	5	1	20.0%

Recommended follow-up

- Review screen-to-recruiter handoff timing and the criteria recruiters use for each role.
- Capture a structured disposition reason whenever a candidate exits.
- Compare sources within the same role and experience band, then include cost and recruiter effort.
- In a real ATS, track offer accepted, declined and start date separately.

Data quality and limits

The raw file contains 366 rows. Cleaning removes 6 duplicate IDs, maps 5 missing sources to Unknown and clears 2 milestone dates that precede application. The final dataset has 360 unique applications. All names, companies and records are fictional. Results are descriptive, not causal or representative of a real employer.

Prepared as a portfolio demonstration. Candidate-level identifiers should remain hidden in any leadership view. Do not upload real candidate data to an unapproved AI tool.