

https://jaymestalabistudent.github.io/tahlahbee-institue-project/home.html



Performance



Accessibility



Best Practices



SEO



Performance

Values are estimated and may vary. The performance score is calculated directly from these metrics. <u>See calculator.</u>

 \blacktriangle

0-49

First Contentful Paint

50–89

90–100



METRICS

0.8 s

▲ Total Blocking Time

970 ms

▲ Speed Index

3.1 s

Largest Contentful Paint

1.5 s

Cumulative Layout Shift

0

View Treemap



DIAGNOSTICS

▲ Eliminate render-blocking resources — Potential savings of 230 ms

Properly size images — Potential savings of 40 KiB

~

Expand view

| | Minify CSS — Potential savings of 27 KiB | ~ |
|----------|---|---|
| A | Minify JavaScript — Potential savings of 25 KiB | ~ |
| A | Reduce unused CSS — Potential savings of 204 KiB | ~ |
| A | Reduce unused JavaScript — Potential savings of 192 KiB | ~ |
| A | Serve images in next-gen formats — Potential savings of 33 KiB | ~ |
| A | Reduce JavaScript execution time — 3.4 s | ~ |
| A | Minimise main-thread work — 6.2 s | ~ |
| A | Reduce the impact of third-party code — Third-party code blocked the main thread for 550 ms | ~ |
| A | Largest contentful paint element — 1,480 ms | ~ |
| | Serve static assets with an efficient cache policy — 18 resources found | ~ |
| | Avoid an excessive DOM size — 3,277 elements | ~ |
| | Does not use passive listeners to improve scrolling performance | ~ |
| | Image elements do not have explicit width and height | ~ |
| 0 | Initial server response time was short — Root document took 150 ms | ~ |
| 0 | Avoids enormous network payloads — Total size was 792 KiB | ~ |
| 0 | Avoid chaining critical requests — 20 chains found | ~ |
| 0 | Avoid long main-thread tasks — 6 long tasks found | ~ |
| 0 | Avoid non-composited animations — 18 animated elements found | ~ |
| | | |

More information about the performance of your application. These numbers don't <u>directly affect</u> the performance score.

PASSED AUDITS (16) Show



Accessibility

These checks highlight opportunities to improve the accessibility of your web app. Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so manual testing is also encouraged.

BEST PRACTICES



Touch targets do not have sufficient size or spacing.



These items highlight common accessibility best practices.

ADDITIONAL ITEMS TO MANUALLY CHECK (10)

Show

These items address areas which an automated testing tool cannot cover. Learn more in our guide on <u>conducting an accessibility review</u>.

PASSED AUDITS (24)

Show

NOT APPLICABLE (32)

Show



Best Practices

| Ensure CSP is effective against XSS attacks | ~ |
|---|------|
| GENERAL | |
| O Detected JavaScript libraries | ~ |
| PASSED AUDITS (14) | Show |
| NOT APPLICABLE (2) | Show |



These checks ensure that your page is following basic search engine optimisation advice. There are many additional factors that Lighthouse does not score here that may affect your search ranking, including performance on Core Web Vitals. Learn more about Google Search essentials.

| ADDITIONAL ITEMS TO MANUALLY CHECK (1) | Show |
|--|------|
| Run these additional validators on your site to check additional SEO best practices. | |
| | |
| PASSED AUDITS (8) | Show |
| | |
| NOT APPLICABLE (2) | Show |

Emulated desktop with Lighthouse

Single page session

BST

12.0.0

Initial page load

Unknown

Using HeadlessChromium

127.0.6533.119 with Ir

Generated by **Lighthouse** 12.0.0 | File an issue