



File Edit Selection View Go Run ... 02-food\_order\_app

EXPLORER

- 02-FOOD\_ORDER\_APP
  - .parcel-cache
  - dist
  - images
  - node\_modules
  - src
    - component
      - About.js
      - Body.js
      - Contect.js
      - Error.js
      - Header.js
      - RestaurantCard.js
      - RestaurantMenu.js
      - Shimmer.js
      - User.js
      - UserClass.js
    - utils
      - constants.js
      - App.js
    - .gitignore
    - index.css
    - index.html
    - package-lock.json
    - package.json
    - README.md

TIMELINE

Run Testcases 0 0 0 Live Share

Ln 23, Col 35 Spaces: 2 UTF-8 CRLF {} Babel JavaScript Go Live Prettier

```
src > component > JS UserClass.js > UserClass > render
1  import React from "react";
2
3  class UserClass extends React.Component {
4    constructor(props) {
5      super(props);
6
7      console.log("Props by class component ", props);
8
9      this.state = {
10        count: 0,
11        count1: 1,
12      };
13
14      console.log(this.props.name + " Child Constructor is called...");
15    }
16
17    componentDidMount(){
18      console.log(this.props.name + "Child Component did Mount called...")
19    }
20
21    render() {
22
23      console.log(this.props.name + "Child Render is called...");
24
25      return (
26        <div className="user-card">
27          <h3>Name : {this.props.name}</h3>
28          <p>Likes : {this.state.count}</p>
29          <button
30            onClick={() => {
31              this.setState({ count: this.state.count + 1 });
32            }}
33          />
34        </div>
35      );
36    }
37  }
```

Namaste React x +

localhost:1234/about

Dimensions: Responsive 2059 x 150 60% No throttling

Home Contact Us About Us Cart Login

## About Us

Elements Console Sources Network Performance Memory Application Security Lighthouse Recorder Performance insights

top Filter

Default levels No Issues

```
Parent constructor is called... About.js:8
parent render is called... About.js:16
Props by class component {name: 'Jaymin Gajera'} UserClass.js:7
Jaymin Gajera Child Constructor is called... UserClass.js:14
Jaymin GajeraChild Render is called... UserClass.js:23
Props by class component {name: 'Elon Musk'} UserClass.js:7
Elon Musk Child Constructor is called... UserClass.js:14
Elon MuskChild Render is called... UserClass.js:23
Jaymin GajeraChild Component did Mount called... UserClass.js:18
Elon MuskChild Component did Mount called... UserClass.js:18
Parent Component did Mount called... About.js:12
not Modified test1.js:1
```

Console Issues What's New