NAME: Jaypal Rajput
ROLL NO: 743
BATCH: G2

ASSIGNMENT 3

```
import numpy as np dl=
np.genfromtxt("/content/sample_data/testmarks1.csv",delimiter=',')
print(dl)
```

OUTPUT:

```
[[ nan nan   nan   nan   nan]
 [801.   43.05 27.79 28.7 27.79]
 [802.   43.47 28.52 28.98 27.89]
 [803.   42.24 28.16 28.16 25.63]
 [804.   39.24 26.16 26.16 26.16]
 [805.   40.9 26.03 27.27 25.65]
 [806.   39.47 26.31 26.31 25.21]
 [807.   41.68 25.63 27.79 25.46]
 [808.   42.19 27.61 28.13 26.21]
 [809.   44.75 28.35 29.83 28.21]
 [810.   46.95 28.88 31.3 28.53]]
```

```
EDS=dl[1:,1] print(EDS)
print(type(EDS))
print(max(EDS))
```

OUTPUT:

```
 [43.05 43.47 42.24 39.24 40.9 39.47 41.68 42.19 44.75 46.95]
<class 'numpy.ndarray'>
46.95
```

```
import numpy as np d2=
np.genfromtxt("/content/sample_data/testmarks2.csv",delimiter=',')
print(d2)
```

OUTPUT:

```
[[ nan nan   nan   nan   nan]
 [801.   28.48 34.18 30.56 22.23]
 [802.   28.1 33.72 30.68 22.82]
 [803.   26.16 31.39 28.2 22.53]
 [804.   26.16 31.39 28.78 20.93] [805.
         26.1 31.32 28.22 20.82]
 [806.   25.45 30.54 27.73 21.05]
 [807.   26.16 31.39 28.01 20.51]
 [808.   27.44 32.93 28.83 22.08]
 [809.   28.63 34.35 31.03 22.68]
 [810.   30.35 36.42 31.38 23.1 ]]
```

[ ]

```
print(dl)
print(d2)
result=dl-d2
print("\nUsing Operator:\n",resultarray)
result=np.subtract(dl,d2)
print("\nUsing Numpy Function:\n",result)
```

OUTPUT:

```
    [[ nan nan          nan nan nan]
 [801.    43.05 27.79 28.7 27.79]
 [802.    43.47 28.52 28.98 27.89]
 [803.    42.24 28.16 28.16 25.63]
 [804.    39.24 26.16 26.16 26.16]
 [805.    40.9 26.03 27.27 25.65]
 [806.    39.47 26.31 26.31 25.21]
 [807.    41.68 25.63 27.79 25.46]
 [808.    42.19 27.61 28.13 26.21]
 [809.    44.75 28.35 29.83 28.21]
 [810.    46.95 28.88 31.3 28.53]]
[[ nan      nan nan nan nan]
 [801.    28.48 34.18 30.56 22.23]
 [802.    28.1 33.72 30.68 22.82]
 [803.    26.16 31.39 28.2 22.53]
 [804.    26.16 31.39 28.78 20.93]
 [805.    26.1 31.32 28.22 20.82]
 [806.    25.45 30.54 27.73 21.05]
 [807.    26.16 31.39 28.01 20.51]
 [808.    27.44 32.93 28.83 22.08]
 [809.    28.63 34.35 31.03 22.68]
 [810.    30.35 36.42 31.38 23.1 ]]
```

```
Using Operator:
 [[nan nan nan nan nan]
 [ 0. 0. 0. 0. 0.]
 [ 0. 0. 0. 0. 0.]
 [ 0. 0. 0. 0. 0.]
 [ 0. 0. 0. 0. 0.]
 [ 0. 0. 0. 0. 0.]
 [ 0. 0. 0. 0. 0.]
 [ 0. 0. 0. 0. 0.]
 [ 0. 0. 0. 0. 0.]
 [ 0. 0. 0. 0. 0.]
 [ 0. 0. 0. 0. 0.]]


Using Numpy Function:
 [[ nan nan nan nan nan]
 [ 0.   14.57 -6.39 -1.86 5.56]
 [ 0.   15.37 -5.2 -1.7 5.07]
 [ 0.   16.08 -3.23 -0.04 3.1 ]
 [ 0.   13.08 -5.23 -2.62 5.23]
 [ 0.   14.8 -5.29 -0.95 4.83]
 [ 0.   14.02 -4.23 -1.42 4.16]
 [ 0.   15.52 -5.76 -0.22 4.95]
 [ 0.   14.75 -5.32 -0.7 4.13]
 [ 0.   16.12 -6. -1.2 5.53]
 [ 0.   16.6 -7.54 -0.08 5.43]]
```

```
resultarray=dl+d2     print("\nUsing     Numpy
Function:\n",resultarray)
resultarray=np.add(dl,d2)       print("\nUsing
Operator:\n",resultarray)
```

OUTPUT:

```
Using Numpy Function:
   [[ nan       nan     nan     nan     nan]
 [1602.        71.53 61.97 59.26 50.02]
 [1604.        71.57 62.24 59.66 50.71]
 [1606.         68.4 59.55 56.36 48.16]
 [1608.         65.4 57.55 54.94 47.09]
 [1610.     67.       57.35 55.49 46.47]
 [1612.        64.92 56.85 54.04 46.26]
 [1614.         67.84 57.02 55.8 45.97]
 [1616.        69.63 60.54 56.96 48.29]
 [1618.         73.38 62.7 60.86 50.89]
 [1620.          77.3 65.3 62.68 51.63]]
```

```
 Using Operator:
    [[ nan       nan     nan     nan     nan]
  [1602.        71.53 61.97 59.26 50.02]
  [1604.        71.57 62.24 59.66 50.71]
  [1606.         68.4 59.55 56.36 48.16]
  [1608.         65.4 57.55 54.94 47.09]
  [1610.     67.       57.35 55.49 46.47]
  [1612.        64.92 56.85 54.04 46.26]
  [1614.         67.84 57.02 55.8 45.97]
  [1616.        69.63 60.54 56.96 48.29]
  [1618.         73.38 62.7 60.86 50.89]
  [1620.          77.3 65.3 62.68 51.63]]
```

```
resultarray=dl%d2
 print("\nUsing Operator:\n",resultarray)

 resultarray=np.mod(dl,d2)
 print("\nUsing Numpy Function:\n",resultarray)
```

OUTPUT:

```
 Using Operator:
  [[ nan nan nan nan nan]
  [ 0.   14.57 27.79 28.7 5.56]
  [ 0.   15.37 28.52 28.98 5.07]
  [ 0.   16.08 28.16 28.16 3.1 ]
  [ 0.   13.08 26.16 26.16 5.23]
  [ 0.   14.8 26.03 27.27 4.83]
  [ 0.   14.02 26.31 26.31 4.16]
  [ 0.   15.52 25.63 27.79 4.95]
  [ 0.   14.75 27.61 28.13 4.13]
  [ 0.   16.12 28.35 29.83 5.53]
  [ 0.   16.6 28.88 31.3 5.43]]

 Using Numpy Function:
  [[ nan nan nan nan nan]
  [ 0.   14.57 27.79 28.7 5.56]
  [ 0.   15.37 28.52 28.98 5.07]
  [ 0.   16.08 28.16 28.16 3.1 ]
  [ 0.   13.08 26.16 26.16 5.23]
  [ 0.   14.8 26.03 27.27 4.83]
  [ 0.   14.02 26.31 26.31 4.16]
  [ 0.   15.52 25.63 27.79 4.95]
  [ 0.   14.75 27.61 28.13 4.13]
  [ 0.   16.12 28.35 29.83 5.53]
  [ 0.   16.6 28.88 31.3 5.43]]
```

```
resultarray=dl*d2
print("\nUsing Operator:\n",resultarray)
resultarray=np.multiply(dl,d2)
print("\nUsing Numpy Function:\n",resultarray)
```

OUTPUT:

```
Using Operator:
 [[          nan           nan           nan           nan           nan]
 [6.4160100e+05 1.2260640e+03 9.4986220e+02 8.7707200e+02 6.1777170e+02]
 [6.4320400e+05 1.2215070e+03 9.6169440e+02 8.8910640e+02 6.3644980e+02]
 [6.4480900e+05 1.1049984e+03 8.8394240e+02 7.9411200e+02 5.7744390e+02]
 [6.4641600e+05 1.0265184e+03 8.2116240e+02 7.5288480e+02 5.4752880e+02]
 [6.4802500e+05 1.0674900e+03 8.1525960e+02 7.6955940e+02 5.3403300e+02]
 [6.4963600e+05 1.0045115e+03 8.0350740e+02 7.2957630e+02 5.3067050e+02]
 [6.5124900e+05 1.0903488e+03 8.0452570e+02 7.7839790e+02 5.2218460e+02]
 [6.5286400e+05 1.1576936e+03 9.0919730e+02 8.1098790e+02 5.7871680e+02]
 [6.5448100e+05 1.2811925e+03 9.7382250e+02 9.2562490e+02 6.3980280e+02]
 [6.5610000e+05 1.4249325e+03 1.0518096e+03 9.8219400e+02 6.5904300e+02]]

Using Numpy Function:
 [[          nan           nan           nan           nan           nan]
 [6.4160100e+05 1.2260640e+03 9.4986220e+02 8.7707200e+02 6.1777170e+02]
 [6.4320400e+05 1.2215070e+03 9.6169440e+02 8.8910640e+02 6.3644980e+02]
 [6.4480900e+05 1.1049984e+03 8.8394240e+02 7.9411200e+02 5.7744390e+02]
 [6.4641600e+05 1.0265184e+03 8.2116240e+02 7.5288480e+02 5.4752880e+02]
 [6.4802500e+05 1.0674900e+03 8.1525960e+02 7.6955940e+02 5.3403300e+02]
 [6.4963600e+05 1.0045115e+03 8.0350740e+02 7.2957630e+02 5.3067050e+02]
 [6.5124900e+05 1.0903488e+03 8.0452570e+02 7.7839790e+02 5.2218460e+02]
 [6.5286400e+05 1.1576936e+03 9.0919730e+02 8.1098790e+02 5.7871680e+02]
 [6.5448100e+05 1.2811925e+03 9.7382250e+02 9.2562490e+02 6.3980280e+02]
 [6.5610000e+05 1.4249325e+03 1.0518096e+03 9.8219400e+02 6.5904300e+02]]
```

```
resultarray=dl/d2

 print("\nUsing       Operator:\n",resultarray)
resultarray=np.divide(dl,d2)     print("\nUsing
Numpy Function:\n",resultarray)
```

OUTPUT:

```
Using Operator:
  [[       nan        nan        nan        nan        nan]
  [1.         1.51158708 0.81304857 0.93913613 1.25011246]
  [1.         1.54697509 0.84578885 0.94458931 1.22217353]
  [1.          1.6146789 0.89710099 0.99858156 1.13759432]
  [1.         1.5        0.83338643 0.90896456 1.24988055]
  [1.      1.56704981 0.83109834 0.96633593 1.23198847] [1.
     1.55088409 0.86149312 0.94879192 1.1976247 ] [1.
```

```
     1.59327217 0.81650207 0.99214566 1.24134569] [1.
     1.53753644 0.83844519 0.97571974 1.1870471 ] [1.
     1.56304576 0.82532751 0.96132775 1.24382716]
  [1.          1.54695222 0.7929709 0.99745061 1.23506494]]

 Using Numpy Function:
  [[       nan        nan        nan        nan        nan]
  [1.         1.51158708 0.81304857 0.93913613 1.25011246]
  [1.         1.54697509 0.84578885 0.94458931 1.22217353]
  [1.          1.6146789 0.89710099 0.99858156 1.13759432]
  [1.         1.5        0.83338643 0.90896456 1.24988055]
  [1.       1.56704981 0.83109834 0.96633593 1.23198847] [1.
     1.55088409 0.86149312 0.94879192 1.1976247 ] [1.
     1.59327217 0.81650207 0.99214566 1.24134569] [1.
     1.53753644 0.83844519 0.97571974 1.1870471 ] [1.
     1.56304576 0.82532751 0.96132775 1.24382716]
  [1.          1.54695222 0.7929709 0.99745061 1.23506494]]
```

HORIZONTAL STACKING

```
resultarray=np.hstack((dl,d2))    resultarray
```

OUTPUT:

```
array([[ nan, nan, nan, nan, nan, nan, nan, nan, nan, nan], [801. , 43.05,
27.79, 28.7 , 27.79, 801. , 28.48, 34.18, 30.56, 22.23], [802. , 43.47,
28.52, 28.98, 27.89, 802. , 28.1 , 33.72, 30.68, 22.82], [803. , 42.24,
28.16, 28.16, 25.63, 803. , 26.16, 31.39, 28.2 , 22.53], [804. , 39.24,
26.16, 26.16, 26.16, 804. , 26.16, 31.39, 28.78, 20.93], [805. , 40.9 ,
26.03, 27.27, 25.65, 805. , 26.1 , 31.32, 28.22, 20.82], [806. , 39.47,
26.31, 26.31, 25.21, 806. , 25.45, 30.54, 27.73, 21.05], [807. , 41.68,
25.63, 27.79, 25.46, 807. , 26.16, 31.39, 28.01, 20.51], [808. , 42.19,
27.61, 28.13, 26.21, 808. , 27.44, 32.93, 28.83, 22.08], [809. , 44.75,
28.35, 29.83, 28.21, 809. , 28.63, 34.35, 31.03, 22.68], [810. , 46.95,
28.88, 31.3 , 28.53, 810. , 30.35, 36.42, 31.38, 23.1 ]])
```

VERTICAL STACKING

```
resultarray=np.vstack((dl,d2))

resultarray
```

OUTPUT:

```
array([[ nan, nan, nan, nan, nan], [801. , 43.05, 27.79, 28.7 , 27.79],
```

```
 [802. , 43.47, 28.52, 28.98, 27.89], [803. , 42.24, 28.16, 28.16, 25.63],
 [804. , 39.24, 26.16, 26.16, 26.16], [805. , 40.9 , 26.03, 27.27, 25.65],
 [806. , 39.47, 26.31, 26.31, 25.21], [807. , 41.68, 25.63, 27.79, 25.46],
 [808. , 42.19, 27.61, 28.13, 26.21], [809. , 44.75, 28.35, 29.83, 28.21],
 [810. , 46.95, 28.88, 31.3 , 28.53], [ nan, nan, nan, nan, nan], [801. ,
 28.48, 34.18, 30.56, 22.23], [802. , 28.1 , 33.72, 30.68, 22.82], [803. ,
 26.16, 31.39, 28.2 , 22.53], [804. , 26.16, 31.39, 28.78, 20.93], [805. ,
 26.1 , 31.32, 28.22, 20.82], [806. , 25.45, 30.54, 27.73, 21.05], [807. ,
 26.16, 31.39, 28.01, 20.51], [808. , 27.44, 32.93, 28.83, 22.08], [809. ,
28.63, 34.35, 31.03, 22.68], [810. , 30.35, 36.42, 31.38, 23.1 ]])
```

```
CUSTOM SEQUENCE GENERATION
```

RANGE

[ ]

```
arr1=np.arange(800,810,1)

print(arr1)
```

OUTPUT:

```
[800 801 802 803 804 805 806 807 808 809]
```

EMPTY LIKE SOME OTHER ARRAY

[ ]

```
nparray=np.empty_like(dl)

nparray
```

OUTPUT:

```
array([[ nan, nan, nan, nan, nan], [1. , 1.51158708, 0.81304857,
0.93913613, 1.25011246], [1. , 1.54697509, 0.84578885, 0.9445893 ,
1.22217353], [1. , 1.6146789 , 0.89710099, 0.99858156,           , [1. ,
1.13759432]
1.5 , 0.83338643, 0.90896456, 1.24988055], [1. , 1.56704981, 0.83109834,
0.96633593, 1.23198847], [1. , 1.55088409, 0.86149312, 0.94879192,
1.1976247 ], [1. , 1.59327217, 0.81650207, 0.99214566, 1.24134569], [1. ,
1.53753644, 0.83844519, 0.97571974, 1.1870471 ], [1. , 1.56304576,
0.82532751, 0.96132775, 1.24382716], [1. , 1.54695222, 0.7929709 ,
```

```
0.99745061, 1.23506494]])
```

```
ARITHMETIC OPERATIONS
# Addition
print(np.add(dl,d2)) #
Subtraction
print(np.subtract(dl,d2))
# Multiplication print(np.multiply(dl,d2))
# Division print(np.divide(dl,d2))
```

OUTPUT:

```
[[ nan    nan   nan   nan   nan]
 [1602. 71.53 61.97 59.26 50.02]
 [1604. 71.57 62.24 59.66 50.71]
 [1606. 68.4  59.55 56.36 48.16]
 [1608. 65.4  57.55 54.94 47.09]
 [1610. 67.   57.35 55.49 46.47]
 [1612. 64.92 56.85 54.04 46.26]
 [1614. 67.84 57.02 55.8  45.97]
 [1616. 69.63 60.54 56.96 48.29]
 [1618. 73.38 62.7  60.86 50.89]
 [1620. 77.3  65.3  62.68 51.63]]
[[ nan   nan nan nan nan]
 [ 0.  14.57 -6.39 -1.86
       5.56]
 [ 0.  15.37 -5.2 -1.7 5.07]
 [ 0.  16.08 -3.23 -0.04 3.1
       ]
 [ 0.  13.08 -5.23 -2.62
       5.23]
 [ 0.  14.8 -5.29 -0.95 4.83]
 [ 0.  14.02 -4.23 -1.42
       4.16]
 [ 0.  15.52 -5.76 -0.22
       4.95]
 [ 0.  14.75 -5.32 -0.7 4.13]
 [ 0.  16.12 -6. -1.2 5.53]
 [ 0.  16.6 -7.54 -0.08
       5.43]]
```

```
 [[         nan           nan nan   nan   nan]
  [6.4160100e+05 1.2260640e+03 9.4986220e+02 8.7707200e+02 6.1777170e+02]
  [6.4320400e+05 1.2215070e+03 9.6169440e+02 8.8910640e+02 6.3644980e+02]
  [6.4480900e+05 1.1049984e+03 8.8394240e+02 7.9411200e+02 5.7744390e+02]
  [6.4641600e+05 1.0265184e+03 8.2116240e+02 7.5288480e+02 5.4752880e+02]
  [6.4802500e+05 1.0674900e+03 8.1525960e+02 7.6955940e+02 5.3403300e+02]
  [6.4963600e+05 1.0045115e+03 8.0350740e+02 7.2957630e+02 5.3067050e+02]
  [6.5124900e+05 1.0903488e+03 8.0452570e+02 7.7839790e+02 5.2218460e+02]
  [6.5286400e+05 1.1576936e+03 9.0919730e+02 8.1098790e+02 5.7871680e+02]
  [6.5448100e+05 1.2811925e+03 9.7382250e+02 9.2562490e+02 6.3980280e+02]
  [6.5610000e+05 1.4249325e+03 1.0518096e+03 9.8219400e+02 6.5904300e+02]]
[[        nan        nan        nan        nan        nan]
  [1.         1.51158708 0.81304857 0.93913613 1.25011246]
  [1.         1.54697509 0.84578885 0.94458931 1.22217353]
  [1.          1.6146789 0.89710099 0.99858156 1.13759432]
  [1.         1.5        0.83338643 0.90896456 1.24988055]
  [1.       1.56704981 0.83109834 0.96633593 1.23198847] [1.
     1.55088409 0.86149312 0.94879192 1.1976247 ] [1.
     1.59327217 0.81650207 0.99214566 1.24134569] [1.
     1.53753644 0.83844519 0.97571974 1.1870471 ] [1.
     1.56304576 0.82532751 0.96132775 1.24382716]
  [1.          1.54695222 0.7929709 0.99745061 1.23506494]]
```

STATISTICAL OPERATIONS

```
# Standard Deviation
print(np.std(dl))
#Minimum
print(np.min(dl))
#Summation
print(np.sum(dl))
#Median
print(np.median(dl))
#Mean
print(np.mean(dl))
#Mode from scipy
import stats
print("Most  Frequent  element=",stats.mode(dl)[0])
print("Number of Occarances=",stats.mode(dl)[1])
# Variance
print(np.var(dl))
```

OUTPUT:

```
nan
nan
nan
```

```
nan
nan
Most Frequent element= [[801.         39.24 25.63 26.16 25.21]]
Number of Occarances= [[1 1 1 1 1]]
nan
<ipython-input-56-da9861487e77>:13: FutureWarning: Unlike other reduction functions (e.g. `skew`, `kurtosis`),
the default behavior of `mode` typically preserves the axis it acts along. In SciPy 1.11.0, this behavior will change:
the default value of `keepdims` will become False, the `axis` over which the statistic is taken will be eliminated,
and the value None will no longer be accepted. Set `keepdims` to True or False to avoid this warning.
print("Most Frequent element=",stats.mode(dl)[0])
<ipython-input-56-da9861487e77>:14: FutureWarning: Unlike other reduction functions (e.g. `skew`, `kurtosis`),
the default behavior of `mode` typically preserves the axis it acts along. In SciPy 1.11.0, this behavior will change:
the default value of `keepdims` will become False, the `axis` over which the statistic is taken will be eliminated,
and the value None will no longer be accepted. Set `keepdims` to True or False to avoid this warning.
print("Number of Occarances=",stats.mode(dl)[1])
```